

Cucumber Report

Apr 29, 2023, 11:59:31 AM

Start : Apr 29, 11:59:22.634 AM

End : Apr 29, 11:59:30.637 AM

Duration : 8.003 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 15




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>US05_Admin_Deanleri_Gorebilmeli_Ve_Silebilmeli_Ve_Guncelleye-</u> <u>bilmeli</u>	8.003 s	1	0	1	0	16	0	1	15

<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@US05	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>US05_Admin_Deanleri_Gorebilmeli_Ve_Silebilmeli_Ve_Guncelleyebilmeli</u>	1	0	1	0	8.003 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>US05_Admin_Deanleri_Gorebilmeli_Ve-_Silebilmeli_Ve_Guncelleyebilmeli</u>	<u>TC1_Admin Dean olusturabilmeli</u>	16	0	1	15	7.999 s

US05_Admin_Deanleri_Gorebilmeli_Ve_Silebilmeli_Ve_Guncelleyebilmeli

FAILED	DURATION - 8.003 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 16 Pass - 0 Fail - 1 Skip - 15	
/ 11:59:22.634 AM // 11:59:30.637 AM /					

TC1_Admin Dean olusturabilmeli

FAILED		DURATION - 7.999 s			Steps Total - 16 Pass - 0 Fail - 1 Skip - 15	
/ 11:59:22.638 AM // 11:59:30.637 AM /						
US05_Admin_Deanleri_Gorebilmeli_Ve_Silebilmeli_Ve_Guncelleyebilmeli						
@US05						

#	Step / Hook Details	Status	Duration
1	<p>Given Kullanici admin olarak login olur.</p> <pre>io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.US05 at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)</pre>	FAILED	4.645 s

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)</p> <p>at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)</p> <p>at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)</p> <p>at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at org.junit.runner.JUnitCore.run(JUnitCore.java:137)</p> <p>at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)</p> <p>at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)</p> <p>at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)</p> <p>at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)</p> <p>at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)</p> <p>at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)</p> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)</p> <p>... 46 more Caused by: org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:59689/devtools/browser/04040390-95c3-42ef-85a4-cfb48c1c7beb Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.14' Driver info: driver.version: Driver</p> <p>at org.openqa.selenium.remote.http.netty.NettyWebSocket.<init>(NettyWebSocket.java:102)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128) at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:107) at org.openqa.selenium.devtools.Connection.<init>(Connection.java:78) at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$2(ChromiumDriver.java:116) at java.base/java.util.Optional.map(Optional.java:265) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at utilities.Driver.getDriver(Driver.java:36) at pages.ViceDeanManagementPage.<init>(ViceDeanManagementPage.java:10) at stepdefinitions.US05.<init>(US05.java:14)		
2	And Admin Menuye tiklar	SKIPPED	0.002 s
3	And Admin Dean Management linkine tiklar	SKIPPED	0.000 s
4	And Admin name girer	SKIPPED	0.001 s
5	And Admin surname girer	SKIPPED	0.000 s
6	And Admin birthplace	SKIPPED	0.000 s
7	And Admin gender girer	SKIPPED	0.001 s
8	And Admin dOfbirth girer	SKIPPED	0.001 s
9	And Admin phone girer	SKIPPED	0.000 s
10	And Admin ssn girer	SKIPPED	0.000 s
11	And Admin username	SKIPPED	0.000 s
12	And Admin password	SKIPPED	0.001 s
13	And Admin submit butonuna tiklar	SKIPPED	0.001 s
14	And Admin sayfanin en altindaki son sayfa okuna tiklar	SKIPPED	0.000 s
15	Then Admin Dean Listteki bilgisini gordugunu dogrular	SKIPPED	0.001 s
16	And Admin Sayfayi kapatir	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDownScenarios(io.cucumber.java.Scenario)	FAILED	3.311 s
	org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:59703/devtools/ browser/1351c478-bba2-4dd5-bde2-640811a59333 Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '11.0.14' Driver info: driver.version: Driver at org.openqa.selenium.remote.http.netty.NettyWebSocket.<init>(NettyWebSocket.java:102) at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128) at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:107) at org.openqa.selenium.devtools.Connection.<init>(Connection.java:78) at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$2(ChromiumDriver.java:116) at java.base/java.util.Optional.map(Optional.java:265)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at utilities.Driver.getDriver(Driver.java:36) at hooks.Hooks.tearDownScenarios(Hooks.java:23)		