


User Section


User authentication:

- User Register



- User login and token generation

- Logout



Blog Post

- Blog Create

The screenshot displays a REST client interface with a sidebar on the left containing icons for user, trash, document, clock, and a plus sign. The main area shows a POST request to `http://127.0.0.1:8000/blogposts/` with a status of 201 Created. The request body is in the 'Body' tab, showing a JSON object with fields: `id` (21), `title` (Updated Blog Post Title), `content` (This is the updated content of the blog post.), `author` (user3), `created_at` (2023-07-26T10:01:53.280389Z), `updated_at` (2023-07-26T10:01:53.280389Z), `blog_image` (http://127.0.0.1:8000/blogimage/blog5pic_X9ms3QW.jpeg), and `comment` (empty array). The response is also in the 'Body' tab, showing the same JSON object. The status bar at the bottom indicates '201 Created', '338 ms', and '613 B'.

Workspaces ▾ More ▾

POST http://127.0.0.1:8000/blogposts/

Save ▾

Send ▾

Params Auth Headers (10) Body Pre-req. Tests Settings Cookies

form-data ▾

Key	Value	Description
<input checked="" type="checkbox"/> title	Updated Blog Post Title	
<input checked="" type="checkbox"/> content	This is the updated content o...	
<input checked="" type="checkbox"/> blog_image	blog5pic.jpeg x	


Body ▾

201 Created 338 ms 613 B Save as Example ⋮


Pretty Raw Preview Visualize JSON ▾

```
1 {
2   "id": 21,
3   "title": "Updated Blog Post Title",
4   "content": "This is the updated content of the blog post.",
5   "author": "user3",
6   "created_at": "2023-07-26T10:01:53.280389Z",
7   "updated_at": "2023-07-26T10:01:53.280389Z",
8   "blog_image": "http://127.0.0.1:8000/blogimage/blog5pic_X9ms3QW.jpeg",
9   "comment": []
10 }
```


- Delete Blog post



- Unauthorized blog delete



- Update Blog post



- List Blog post

Workspaces ▾ More ▾

GET http://127.0.0.1:8000/bl + ... No Environment ▾

http://127.0.0.1:8000/blogposts/ Save ▾

GET ▾ http://127.0.0.1:8000/blogposts/ Send ▾

Params Auth ● Headers (10) Body ● Pre-req. Tests Settings Cookies

Body ▾ 200 OK 58 ms 1.72 KB Save as Example ...

Pretty Raw Preview Visualize JSON ▾

```
12  {
13     "id": 22,
14     "title": "Updated Blog Post Title",
15     "content": "This is the updated content of the blog post.",
16     "author": "user3",
17     "created_at": "2023-07-26T10:02:34.404765Z",
18     "updated_at": "2023-07-26T10:02:34.404765Z",
19     "blog_image": "http://127.0.0.1:8000/blogimage/blog5pic_6HicB1G.jpeg",
20     "comment": []
21  },
22  {
23     "id": 23,
24     "title": "Updated Blog Post Title",
25     "content": "This is the updated content of the blog post.",
26     "author": "user3",
27     "created_at": "2023-07-26T10:02:36.073687Z",
28     "updated_at": "2023-07-26T10:02:36.073687Z",
29     "blog_image": "http://127.0.0.1:8000/blogimage/blog5pic_3TIdoLB.jpeg",
30     "comment": []
31  },
32  {
33     "id": 24,
34     "title": "Updated Blog Post Title",
35     "content": "This is the updated content of the blog post.",
36     "author": "user3",
37     "created_at": "2023-07-26T10:02:37.111946Z",
38     "updated_at": "2023-07-26T10:02:37.111946Z",
```

Comment

- Create comment


The screenshot shows a REST client interface with a workspace titled "Workspaces". The active tab is a POST request to `http://127.0.0.1:8000/comments/`. The request body is in JSON format, containing:

```
{  "content": "This is a new comment for the blog post.",  "post": 21}
```

The response is displayed in the "Body" section, showing a 201 status code, 32 ms response time, and 502 B body size. The response body is formatted as JSON:

```
{  "id": 14,  "content": "This is a new comment for the blog post.",  "author": "user2",  "post": 21,  "created_at": "2023-07-26T10:32:07.060541Z",  "updated_at": "2023-07-26T10:32:07.060541Z"}
```

- Update comment



- Delete comment by author of comment and author of blogpost

Workspaces ▾ More ▾

DEL http://127.0.0.1:8000/cc + ... No Environment ▾

HTTP http://127.0.0.1:8000/comments/24/ Save ▾

DELETE ▾ http://127.0.0.1:8000/comments/24/ Send ▾

Params Auth Headers (10) Body Pre-req. Tests Settings Cookies

Bearer Token ▾

The authorization header will be automatically generated when you send the request. Learn more about [authorization](#)

secure while working in a collaborative environment, we recommend using variables. Learn more about [variables](#)

Token eyJhbGciOiJIUzI1NiIsInR5cCI6Ikp...


Body ▾ 200 OK 44 ms 377 B Save as Example ...





Pretty Raw Preview Visualize JSON ▾

```
1
2  "message": "Comment deleted successfully"
3
```


Admin

Admin User Creation




	adminuser2	adminuser2@example.com	Admin2	User2	
	dell	dell@gmail.com			

- Unauthorized admin creation



- Blog deletion by admin



- Comment deleted by admin

WorkspacesMore

DEL http://127.0.0.1:8000/cc+...

No Environment

HTTP

http://127.0.0.1:8000/comments/3/

Save

</>

DELETE

http://127.0.0.1:8000/comments/3/

Send

ParamsAuthHeaders (10)BodyPre-reqTestsSettingsCookies

form-data

	Key	Value	Description	...	Bulk Edit
<input checked="" type="checkbox"/>	username	dell			
<input checked="" type="checkbox"/>	password	12345			
<input checked="" type="checkbox"/>	title	Updated Blog Post Title			
<input checked="" type="checkbox"/>	content	This is the updated content o...			

Body

200 OK31 ms389 BSave as Example

PrettyRawPreviewVisualizeJSON

```
1  {
2    "message": "Comments deleted successfully by admin ."
3  }
```