

User Registration

The screenshot displays the Postman API client interface. At the top, the navigation bar includes 'Home', 'Workspaces', 'API Network', and 'Explore'. A search bar labeled 'Search Postman' is present. On the right, there are buttons for 'Invite', 'Upgrade', and a 'No Environment' dropdown.

The main workspace shows a REST client request for a POST endpoint: `http://127.0.0.1:8000/register/`. The request is configured with the following parameters:

- Method:** POST
- URL:** `http://127.0.0.1:8000/register/`
- Body:** The request body is set to 'raw' and contains the following JSON data:


```
{
  "username": "johnlinto",
  "email": "johnlinto@example.com",
  "password": "password123",
  "password2": "password123"
}
```

The response is displayed in the 'Body' tab, showing a successful status of 200 OK. The response body is formatted as JSON and contains the following data:

```
{
  "response": "registered",
  "email": "johnlinto@example.com",
  "token": "3bf938978c36fd589cea59154f181b060067411c"
}
```

The interface also includes a sidebar on the left with 'Collections', 'Environments', and 'History' sections. The bottom status bar shows 'Online', 'Find and replace', 'Console', 'Runner', 'Capture requests', 'Cookies', 'Trash', and other utility icons.

Token Generation

[illegible]

Book Creation

The screenshot shows the Postman interface for a POST request to `http://localhost:8000/books`. The request is configured with a Bearer Token authorization and a JSON body. The status bar indicates a 201 Created response with a time of 16 ms and a size of 420 B.

Request Details:

- Method: POST
- URL: `http://localhost:8000/books`
- Authorization: Bearer Token
- Token: `eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ...`
- Body (JSON):

```
{  "id": 1,  "title": "Book Title",  "description": "Book Description",  "author": "sahad",  "price": "9.99"}
```

Response Details:

- Status: 201 Created
- Time: 16 ms
- Size: 420 B

Book Deletion

The screenshot shows the Postman interface for a DELETE request to `http://localhost:8000/books/5/`. The request is configured with a Bearer Token authorization. The status bar indicates a 200 OK response with a time of 30 ms and a size of 375 B.

Request Details:

- Method: DELETE
- URL: `http://localhost:8000/books/5/`
- Authorization: Bearer Token
- Token: `eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ...`

Response Details:

- Status: 200 OK
- Time: 30 ms
- Size: 375 B

Response Body (JSON):

```
{  "message": "Book deleted successfully."}
```