

```
(kali@kali)-[~]
```

```
$ ifconfig
```

```
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST>  mtu 1500
    inet 10.0.2.15  netmask 255.255.255.0  broadcast 10.0.2.255
    inet6 fe80::fa89:c3b7:8a7b:b7da  prefixlen 64  scopeid 0x20<link>
    inet6 fd17:625c:f037:2:7aa:fccd:d48a:1bab  prefixlen 64  scopeid 0x0<global>
    ether 08:00:27:63:b0:05  txqueuelen 1000  (Ethernet)
    RX packets 7  bytes 2920 (2.8 KiB)
    RX errors 0  dropped 0  overruns 0  frame 0
    TX packets 27  bytes 4133 (4.0 KiB)
    TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0
```

```
lo: flags=73<UP,LOOPBACK,RUNNING>  mtu 65536
    inet 127.0.0.1  netmask 255.0.0.0
    inet6 ::1  prefixlen 128  scopeid 0x10<host>
    loop txqueuelen 1000  (Local Loopback)
    RX packets 8  bytes 480 (480.0 B)
    RX errors 0  dropped 0  overruns 0  frame 0
    TX packets 8  bytes 480 (480.0 B)
    TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0
```

C:\Users\SGGSCC>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet 2:

Connection-specific DNS Suffix . :
Link-local IPv6 Address : fe80::36e5:14cc:ef34:9744%41
IPv4 Address. : 192.168.56.1
Subnet Mask : 255.255.255.0
Default Gateway :

Wireless LAN adapter Wi-Fi:

Media State : Media disconnected
Connection-specific DNS Suffix . : SGGSCC

Wireless LAN adapter Local Area Connection* 1:

Media State : Media disconnected
Connection-specific DNS Suffix . :

Wireless LAN adapter Local Area Connection* 2:

Media State : Media disconnected
Connection-specific DNS Suffix . :

Ethernet adapter Ethernet:

Connection-specific DNS Suffix . : SGGSCC
Link-local IPv6 Address : fe80::d3cd:7e70:ceda:e2d4%18
IPv4 Address. : 10.67.6.75
Subnet Mask : 255.255.0.0
Default Gateway : 10.67.1.10

Ethernet adapter VMware Network Adapter VMnet1:

Connection-specific DNS Suffix . :
Link-local IPv6 Address : fe80::35a6:dadd:79a8:9556%5
IPv4 Address. : 192.168.21.1
Subnet Mask : 255.255.255.0
Default Gateway :

```
(kali@kali)-[~]
```

```
$ arp -a
```

```
? (10.0.2.2) at 52:55:0a:00:02:02 [ether] on eth0
```

```
(kali@kali)-[~]
```

```
$ arp -n
```

Address	HWtype	HWaddress	Flags	Mask	Iface
10.0.2.2	ether	52:55:0a:00:02:02	C		eth0

```
(kali@kali)-[~]
```

```
$ ping youtube.com
```

```
PING youtube.com (142.250.206.110) 56(84) bytes of data.
```

```
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=1 ttl=255 time=26.6 ms
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=2 ttl=255 time=26.4 ms
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=3 ttl=255 time=27.0 ms
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=4 ttl=255 time=26.9 ms
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=5 ttl=255 time=26.5 ms
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=6 ttl=255 time=27.6 ms
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=7 ttl=255 time=26.9 ms
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=8 ttl=255 time=26.7 ms
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=9 ttl=255 time=26.9 ms
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=10 ttl=255 time=26.5 ms
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=11 ttl=255 time=26.0 ms
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=12 ttl=255 time=26.4 ms
64 bytes from lcboma-az-in-f14.1e100.net (142.250.206.110): icmp_seq=13 ttl=255 time=26.6 ms
```