

```
(kali㉿kali)-[~]
```

```
$ ping www.amazon.in
```

```
PING cf.c95e7e602-frontier.amazon.in (18.164.232.103) 56(84) bytes of data.
```

```
64 bytes from server-18-164-232-103.del54.r.cloudfront.net (18.164.232.103): icmp_seq=1 ttl=255 time=6.63 ms
64 bytes from server-18-164-232-103.del54.r.cloudfront.net (18.164.232.103): icmp_seq=2 ttl=255 time=4.49 ms
64 bytes from server-18-164-232-103.del54.r.cloudfront.net (18.164.232.103): icmp_seq=3 ttl=255 time=7.30 ms
64 bytes from server-18-164-232-103.del54.r.cloudfront.net (18.164.232.103): icmp_seq=4 ttl=255 time=6.05 ms
64 bytes from server-18-164-232-103.del54.r.cloudfront.net (18.164.232.103): icmp_seq=5 ttl=255 time=5.00 ms
64 bytes from server-18-164-232-103.del54.r.cloudfront.net (18.164.232.103): icmp_seq=6 ttl=255 time=5.54 ms
64 bytes from server-18-164-232-103.del54.r.cloudfront.net (18.164.232.103): icmp_seq=7 ttl=255 time=5.04 ms
64 bytes from server-18-164-232-103.del54.r.cloudfront.net (18.164.232.103): icmp_seq=8 ttl=255 time=5.60 ms
64 bytes from server-18-164-232-103.del54.r.cloudfront.net (18.164.232.103): icmp_seq=9 ttl=255 time=5.89 ms
64 bytes from server-18-164-232-103.del54.r.cloudfront.net (18.164.232.103): icmp_seq=10 ttl=255 time=6.09 ms
```

```
^C
```

```
— cf.c95e7e602-frontier.amazon.in ping statistics —
```

```
10 packets transmitted, 10 received, 0% packet loss, time 9013ms
```

```
rtt min/avg/max/mdev = 4.487/5.759/7.296/0.782 ms
```

```
(kali㉿kali)-[~]
```

```
$ ifconfig
```

```
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST>  mtu 1500
    inet 10.0.2.15  netmask 255.255.255.0  broadcast 10.0.2.255
    inet6 fe80::6a05:7d4c:8593:c674  prefixlen 64  scopeid 0x20<link>
    inet6 fd17:625c:f037:2:7b26:1f44:fc09:1938  prefixlen 64  scopeid 0x0<global>
    ether 08:00:27:8a:35:d2  txqueuelen 1000  (Ethernet)
    RX packets 31  bytes 5585 (5.4 KiB)
    RX errors 0  dropped 0  overruns 0  frame 0
    TX packets 76  bytes 8666 (8.4 KiB)
    TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0
```

```
lo: flags=73<UP,LOOPBACK,RUNNING>  mtu 65536
    inet 127.0.0.1  netmask 255.0.0.0
    inet6 ::1  prefixlen 128  scopeid 0x10<host>
    loop txqueuelen 1000  (Local Loopback)
    RX packets 8  bytes 480 (480.0 B)
    RX errors 0  dropped 0  overruns 0  frame 0
    TX packets 8  bytes 480 (480.0 B)
    TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0
```

C:\Users\sketc>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet:

Media State : Media disconnected
Connection-specific DNS Suffix . :

Ethernet adapter Ethernet 2:

Connection-specific DNS Suffix . :
Link-local IPv6 Address : fe80::5a5e:29ff:2e01:d8d%14
IPv4 Address. : 192.168.56.1
Subnet Mask : 255.255.255.0
Default Gateway :

Wireless LAN adapter Local Area Connection* 1:

Media State : Media disconnected
Connection-specific DNS Suffix . :

Wireless LAN adapter Local Area Connection* 10:

Media State : Media disconnected
Connection-specific DNS Suffix . :

Wireless LAN adapter Wi-Fi:

Connection-specific DNS Suffix . : hgu_lan
Link-local IPv6 Address : fe80::eb08:74a8:163c:3323%10
IPv4 Address. : 192.168.1.41
Subnet Mask : 255.255.255.0
Default Gateway : 192.168.1.1

Ethernet adapter Bluetooth Network Connection:

Media State : Media disconnected
Connection-specific DNS Suffix . :

```
(kali㉿kali)-[~]  
$ tracet6 www.amazon.in  
traceroute to cf.c95e7e602-frontier.amazon.in (2600:9000:219a:0:8:b109:e16:e01) from fd17:625c:f037:2:7b26:1f44:fc09:1938, 30 hops max,  
60 bytes packets  
1  fe80::2%eth0 (fe80::2%eth0)  0.286 ms !N  0.173 ms !N  0.194 ms !N
```

```
(kali@kali)-[~]
```

```
$ arp -a
```

```
? (10.0.2.2) at 52:55:0a:00:02:02 [ether] on eth0
```

```
(kali@kali)-[~]
```

```
$ arp
```

Address	HWtype	HWaddress	Flags	Mask	Iface
10.0.2.2	ether	52:55:0a:00:02:02	C		eth0

```
(kali㉿kali)-[~]
```

```
$ netstat -an
```

Active Internet connections (servers and established)

Proto	Recv-Q	Send-Q	Local Address	Foreign Address	State
tcp	0	0	10.0.2.15:55918	103.147.151.222:80	TIME_WAIT
tcp	0	0	10.0.2.15:34424	54.39.128.230:80	TIME_WAIT
udp	0	0	10.0.2.15:68	10.0.2.2:67	ESTABLISHED
raw6	0	0	:::58	:::*	7

Active UNIX domain sockets (servers and established)

Proto	RefCnt	Flags	Type	State	I-Node	Path
unix	3	[]	STREAM	CONNECTED	11308	/run/systemd/journal/stdout
unix	3	[]	DGRAM	CONNECTED	5083	
unix	3	[]	STREAM	CONNECTED	11910	@/tmp/.X11-unix/X0
unix	3	[]	STREAM	CONNECTED	12334	
unix	3	[]	STREAM	CONNECTED	11475	
unix	3	[]	STREAM	CONNECTED	24836	
unix	3	[]	STREAM	CONNECTED	12698	
unix	3	[]	DGRAM	CONNECTED	9589	
unix	3	[]	STREAM	CONNECTED	16003	/run/user/1000/bus
unix	3	[]	STREAM	CONNECTED	15871	
unix	3	[]	STREAM	CONNECTED	11418	
unix	3	[]	STREAM	CONNECTED	16009	/run/user/1000/bus
unix	3	[]	STREAM	CONNECTED	14953	
unix	3	[]	STREAM	CONNECTED	15848	/run/dbus/system_bus_socket
unix	3	[]	STREAM	CONNECTED	11635	
unix	3	[]	STREAM	CONNECTED	11034	
unix	3	[]	STREAM	CONNECTED	11785	/tmp/.ICE-unix/989
unix	3	[]	STREAM	CONNECTED	11505	

(kali㉿kali)-[~]

\$ whois www.amazon.in

Domain Name: amazon.in

Registry Domain ID: D15860-IN

Registrar WHOIS Server: whois.markmonitor.com

Registrar URL: http://www.markmonitor.com

Updated Date: 2026-01-15T10:06:24.260Z

Creation Date: 2005-02-11T11:14:14.378Z

Registry Expiry Date: 2027-02-11T11:14:14.378Z

Registrar: MarkMonitor Inc.

Registrar IANA ID: 292

Registrar Abuse Contact Email: abusecomplaints@markmonitor.com

Registrar Abuse Contact Phone:

Registrar Abuse Contact Email: registryescalations@markmonitor.com

Registrar Abuse Contact Phone:

Domain Status: clientUpdateProhibited <https://icann.org/epp#clientUpdateProhibited>

Domain Status: clientDeleteProhibited <https://icann.org/epp#clientDeleteProhibited>

Domain Status: clientTransferProhibited <https://icann.org/epp#clientTransferProhibited>

Registry Registrant ID: REDACTED FOR PRIVACY

Registrant Name: REDACTED FOR PRIVACY

Registrant Organization: Amazon Technologies, Inc.

Registrant Street: REDACTED FOR PRIVACY

Registrant City: REDACTED FOR PRIVACY

Registrant State/Province: NV

Registrant Postal Code: REDACTED FOR PRIVACY

Registrant Country: US

Registrant Phone: REDACTED FOR PRIVACY

Registrant Fax: REDACTED FOR PRIVACY

Registrant Email: Please query the RDDS service of the Registrar of Record identified in this output for information on how to contact the Registrant, Admin, or Tech contact of the queried domain name.

Registry Admin ID: REDACTED FOR PRIVACY

Admin Name: REDACTED FOR PRIVACY

Admin Organization: REDACTED FOR PRIVACY