Telegram bot
Create the bot via @BotFather



for example:

Paste text: /newbot
Paste text: devops2025_1745751815
Paste text: devops2025_1745751815_bot
Open link: t.me/devops2025_1745751815_bot

Start the bot



Click start

Create the channel

New channel





Add your bot to the channel





Change the channel type to public and type any **available** link



Get chat ID via @username_to_id_bot for example



paste your **public channel link** for my case:
https://t.me/ZLfgnt7Ctv9lYWYy
to obtain the channel **ID**

-100<public_channel_id>
-1002537795567

Sometimes bot responsed without the -100 prefix



Change back the channel type to private



Test the bot from grafana UI.
Create a new contact point and paste your data. After that, click **Test** button.
Save the contact point if successful by clicking the **Save contact point** button.





Open grafana provisioning configuration alerts.yaml

Change fields:
bottoken
chatid

LAB_7 > helm > monitoring-stack > files > grafana > ! alerts.yaml

You, 13 seconds ago | 1 author (You)

```yaml
apiVersion: 1

# List of contact points
contactPoints:
  - orgId: 1
    name: telegram-alerts
    receivers:
      - uid: telegram_alerts
        type: telegram
        settings:
          # change it to yours
          bottoken: 0000000000:xxxxxxxxxxxxxxxxxxxxx

          # change it to yours
          chatid: "-10011111111"

          disable_notification: false
          disable_web_page_preview: false
          protect_content: false
        disableResolveMessage: false
```

Check the channel to ensure there is a new message.



After submitting the LAB_7, you can also delete the bot via @BotFather and the Telegram channel.