Status	Finished
Started	Wednesday, 21 October 2026, 7:35 PM
Completed	Wednesday, 21 October 2026, 7:39 PM
Duration	3 mins 15 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

a. Writes data to the file

b. Moves the file cursor to the specified position ✓

c. Reads the file line by line

d. Deletes the file

The correct answer is: Moves the file cursor to the specified position

Question **2**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. Move file pointer five characters ahead from the beginning

b.
- Move file pointer five characters ahead from the current position. ✓

c.
- Move file pointer five characters behind ahead from the end of a file.

d.
- Move file pointer five characters behind from the current position.

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **3**

Correct

Mark 1.00 out of 1.00

What will the read() method return if used on an empty file?

a. EOFError
b. An empty string ✓
c. None
d. 0

The correct answer is: An empty string

Question **4**

Incorrect

Mark 0.00 out of 1.00

To open a file c:\scores.txt for writing, we use ____

a. outfile = open("c:\\scores.txt", "w")
b. outfile = open(file = "c:\\scores.txt", "w") ✗
c. outfile = open("c:\scores.txt", "w")
d. outfile = open(file = "c:\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "w")

Question **5**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. A new file is created
b. The operation is ignored
c. An empty file object is returned
d. An error is raised ✓

The correct answer is: An error is raised

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

- a. r+
- b. wb ✓
- c. rb
- d. w

The correct answer is: wb

Question **7**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

- a. The access mode of the file
- b. The file's read/write position
- c. The encoding of the file
- d. The buffer size for the file operations ✓

The correct answer is: The buffer size for the file operations

Question **8**

Incorrect

Mark 0.00 out of 1.00

Which of the following methods is used to read a single line from a file?

- a. readline(size)
- b. readlines() ✗
- c. read()
- d. readline()

The correct answer is: readline()

Question **9**

Correct

Mark 1.00 out of 1.00

Which method is used to close a file in Python?

a. finish()
b. end()
c. close() ✓
d. terminate()

The correct answer is: close()

Question **10**

Correct

Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

a. To write data to a file
b. To automatically close the file after its suite finishes ✓
c. To delete a file
d. To read data from a file

The correct answer is: To automatically close the file after its suite finishes

Question **11**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

a. wb+
b. ab+
c. rw+ ✓
d. r

The correct answer is: rw+

Question **12**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Raises an error because the file is opened in append mode

b. Appends "Adding new data" to the end of the file ✓

c. Overwrites the file with "Adding new data"

d. Opens the file in read mode

The correct answer is: Appends "Adding new data" to the end of the file

Question **13**

Correct

Mark 1.00 out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:
    data = f.read()
print(data)
```

a. Prints each line of the file

b. Prints the entire content of the file ✓

c. Prints the first 10 characters of the file

d. Prints an error message

The correct answer is: Prints the entire content of the file

Question **14**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

- a. move the file pointer five characters ahead from the current position ✓
- b. move the file pointer five characters behind from the current position
- c. moves the file pointer to the end of a file
- d. move the file pointer to beginning of the file

The correct answer is:
move the file pointer five characters ahead from the current position

Question **15**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
fo = open("foo.txt", "w")
```

- a. Appends to an existing file
- b. Opens an existing file in read mode
- c. Opens a file in binary mode
- d. Creates a new file for writing ✓

The correct answer is: Creates a new file for writing