FOOD WASTE RESCUE AND DONATION SYSTEM

A PROJECT REPORT

Submitted by

SAHANA P

(240701453)

in partial fulfilment of the End Semester Examination for the course

CB23F35 –

LOW-CODE APPLICATION DEVELOPMENT USING ZOHO CREATOR

in

BACHELOR OF ENGINEERING

COMPUTER SCIENCE AND ENGINEERING



RAJALAKSHMI ENGINEERING COLLEGE

(An Autonomous Institution, Affiliated to Anna University, Chennai)

Rajalakshmi Nagar, Thandalam, Tamil Nadu – 602 105

NOVEMBER 2026

BONAFIDE CERTIFICATE

RAJALAKSHMI ENGINEERING COLLEGE

(An Autonomous Institution, Affiliated to Anna University, Chennai)

BONAFIDE CERTIFICATE

Certified that this project report titled "FOOD WASTE RESCUE AND DONATION SYSTEM" is the bonafide work of SAHANA P (240701453), who carried out the individual project work for the course CB23F35 – Low-Code Application Development using Zoho Creator, during the academic year 2026–2027, under the supervision of the course faculty.

The project presents a Zoho Creator application intended to organise surplus food donation records, receiver information, food requests and delivery records. The report describes the system based on the supplied project README. Configuration details that require confirmation from the live application are marked for verification.

SIGNATURE

[Name of the HoD]
HEAD OF THE DEPARTMENT
Department of [Department Name]
Rajalakshmi Engineering College
Thandalam – 602105

SIGNATURE

Dr. J. Jinu Sophia
COURSE FACULTY
Associate Professor
Department of Computer science and engineering
Rajalakshmi Engineering College

Submitted for the End Semester Examination (Individual Project) held on _____.

INTERNAL EXAMINER

EXTERNAL EXAMINER

DECLARATION

DECLARATION

I, SAHANA P (240701453), hereby declare that the project report titled “FOOD WASTE RESCUE AND DONATION SYSTEM”, submitted for the End Semester Examination of the course CB23F35 – Low-Code Application Development using Zoho Creator, is a record of the project work carried out by me.

It uses Zoho Creator forms, reports, a Page Builder dashboard, workflows, Deluge scripting and email notifications as the stated technology components. Any feature whose configuration or successful execution has not been evidenced in the supplied project material is identified as requiring confirmation before final submission.

I further declare that this report has been prepared for academic submission and that external platform documentation and other references, where used, are acknowledged in the references section. I understand that the live application and its actual configuration should be demonstrated during evaluation.

Place: Chennai

Date: _____

SIGNATURE OF THE STUDENT

SAHANA P

240701453

ACKNOWLEDGEMENT

I express my sincere gratitude to the management of Rajalakshmi Engineering College for providing the academic environment and infrastructure required to complete this project.

I thank the Principal of Rajalakshmi Engineering College for encouraging students to undertake practical projects that connect classroom learning with real-world problems.

I extend my thanks to the Head of the Department, Department of Computer Science and Engineering, for the support and facilities provided throughout the course.

I sincerely thank the course faculty of CB23F35 – Low-Code Application Development using Zoho Creator for the guidance, suggestions and feedback provided during the development of the application and preparation of this report. The faculty guidance helped me understand how low-code tools can be used to model data, create forms and reports, and automate application processes.

I also acknowledge Zoho Creator and its learning resources for providing the low-code platform used in this project. Finally, I thank my family and friends for their encouragement and support.

SAHANA P

ABSTRACT

ABSTRACT

The Food Waste Rescue and Donation System is a web-based application developed using Zoho Creator to organise information related to surplus food donations. Restaurants, hotels, institutions and individuals may have surplus food that remains suitable for consumption, while individuals or organisations may require food assistance. When donation details, receiver information and delivery activities are maintained through disconnected manual records, coordination becomes difficult and usable food may go unutilised. The project addresses this information-management problem by providing a structured application for recording donors, food donations, receivers, food requests and delivery records.

The application is organised into five main modules. Donor Registration stores donor and organisation details, including donor type, phone number, email address and city. Food Donation records the food name, category, quantity, unit, preparation date and time, donor relationship and donation status. Receiver Registration maintains details of people or organisations that may request food. Food Request records a receiver's request and links it to the relevant donation. Delivery Record stores information about the delivery of allocated donations. Zoho Creator Forms are used for data capture, Reports are used to view saved records, and the Page Builder is used to create a dashboard for administrative monitoring. Deluge and Zoho Creator workflows support status updates and email notifications when configured and tested.

The general process begins with donor registration and donation submission. The donation is stored and made visible in the donation report. A receiver registers and submits a request for an available donation. An administrator may review the request when an approval process is enabled. The donor may receive a notification, and delivery information is subsequently entered for tracking. Testing is described through scenarios covering record creation, report visibility, status values, notifications, approval and delivery entry. The project provides a centralised structure for donation information and can be extended with location-based matching, food-safety checks and delivery tracking.

Keywords: Food Donation; Food Waste Management; Zoho Creator; Deluge; Workflow Automation; Low-Code Application.

PROJECT AT A GLANCE

PROJECT AT A GLANCE

Attribute	Details
Project Title	Food Waste Rescue and Donation System
Application Domain	Food donation coordination and record management
Student Name & Register No.	Sahana P – 240701453
Degree / Department	B.E. – Computer Science and Engineering
College	Rajalakshmi Engineering College, Thandalam
Application Platform	Zoho Creator
Application Name / Link Name	Food Waste Rescue and Donation System (confirm actual link name)
Published / Live URL	To be entered after deployment
Zoho Creator Edition	To be confirmed from the account
Forms	Donor Registration; Food Donation; Receiver Registration; Food Request; Delivery Record
Reports	Donor Registrations; All Food Donations; Receiver Registrations; Food Requests; Delivery Records
Dashboard	Administrative dashboard using Zoho Creator Page Builder
Automation	Email notifications and Deluge workflows, subject to live configuration testing
External Integrations	None confirmed in the supplied README
Roles	Administrator; donor and receiver user journeys are described; exact Creator roles to be confirmed
Deployment Date	To be entered after production deployment

Note: Counts, URLs, edition, access roles and workflow status must be checked against the live Zoho Creator application before submission. The README describes the application design and intended capabilities, but does not provide screenshots or deployment evidence.

TABLE OF CONTENTS

TABLE OF CONTENTS

ABSTRACT 5

PROJECT AT A GLANCE 6

LIST OF TABLES 9

LIST OF FIGURES 10

LIST OF ABBREVIATIONS 11

CHAPTER 1 – INTRODUCTION 12

1.1 Background

1.2 Problem Statement

1.3 Objectives

1.4 Scope of the Project

1.5 Justification for Low-Code Approach

1.6 Organisation of the Report

CHAPTER 2 – LITERATURE SURVEY AND SYSTEM STUDY 14

2.1 Existing System

2.2 Limitations

2.3 Low-Code versus Traditional Development

2.4 Literature and Platform Study

2.5 Emerging Trends

2.6 Proposed System

CHAPTER 3 – REQUIREMENT ANALYSIS 17

3.1 Stakeholders and Roles

3.2 Functional Requirements

3.3 Non-Functional Requirements

3.4 Hardware and Software Requirements

3.5 Use Case Model

CHAPTER 4 – SYSTEM DESIGN 20

4.1 Architecture

4.2 Data Model

4.3 Form Design

4.4 Process and Workflow Design

4.5 User Interface and Navigation

4.6 Access Control Design

CHAPTER 5 – IMPLEMENTATION 24

5.1 Application Setup

5.2 Forms and Data Capture

5.3 Reports

5.4 Dashboard

5.5 Deluge Scripting

5.6 Workflows and Automation

5.7 Integrations

5.8 User Management

5.9 AI and Analytics

5.10 Pro-Code Extension

5.11 Mobile and Portal Access

CHAPTER 6 – TESTING AND DEBUGGING 32

CHAPTER 7 – DEPLOYMENT, SECURITY AND GOVERNANCE 35

CHAPTER 8 – RESULTS AND DISCUSSION 37

CHAPTER 9 – CONCLUSION AND FUTURE ENHANCEMENTS 42

REFERENCES 44

APPENDICES A–D 45-50

LIST OF TABLES

LIST OF TABLES

- Table 2.1 Low-Code and Traditional Development Comparison
- Table 2.2 Platform and Domain Study
- Table 3.1 Stakeholders and User Roles
- Table 3.2 Functional Requirements
- Table 3.3 Non-Functional Requirements
- Table 3.4 Hardware and Software Requirements
- Table 3.5 Use Case Description
- Table 4.1 Entities and Relationships
- Table 4.2 Donor Registration Field Specification
- Table 4.3 Food Donation Field Specification
- Table 4.4 Receiver Registration Field Specification
- Table 4.5 Food Request Field Specification
- Table 4.6 Delivery Record Field Specification
- Table 4.7 Role–Permission Matrix
- Table 5.1 Reports Implemented
- Table 5.2 Deluge / Workflow Logic Register
- Table 5.3 Workflow Configuration Register
- Table 6.1 Test Cases
- Table 6.2 Defect and Verification Log
- Table 7.1 Deployment Checklist
- Table 7.2 Security Controls
- Table 8.1 Objective Achievement Mapping
- Table A.1 Feature Coverage Checklist

LIST OF FIGURES

- Figure 2.1 Existing Manual Donation Coordination Flow
- Figure 3.1 Use Case Model
- Figure 4.1 System Architecture
- Figure 4.2 Entity–Relationship Model
- Figure 4.3 Donation and Request Process Flow
- Figure 4.4 Application Navigation Structure
- Figure 5.1 Application Modules and Navigation
- Figure 5.2 Donation Form Evidence Placeholder
- Figure 5.3 Reports and Dashboard Evidence Placeholder
- Figure 6.1 Testing and Defect Resolution Cycle

Screenshots and diagrams should be inserted in the marked evidence areas after capturing them from the actual Zoho Creator application. No live screenshots were included in the supplied README.

LIST OF ABBREVIATIONS

LIST OF ABBREVIATIONS

Abbreviation	Expansion
API	Application Programming Interface
CRUD	Create, Read, Update, Delete
ER	Entity–Relationship
FR	Functional Requirement
NFR	Non-Functional Requirement
LCAP	Low-Code Application Platform
RBAC	Role-Based Access Control
UI	User Interface
UAT	User Acceptance Testing
URL	Uniform Resource Locator
SDLC	Software Development Life Cycle
Zoho Creator	Low-code application development platform

CHAPTER 1 – INTRODUCTION

1.1 Background

Food is an essential resource, yet surplus food can arise at restaurants, hotels, educational institutions, events and households. At the same time, individuals and community organisations may require food assistance. A practical coordination process is needed so that information about available food, the donor, the intended receiver and the delivery can be recorded in a consistent manner.

The Food Waste Rescue and Donation System focuses on the information flow between donors and receivers. It does not claim to physically transport food or independently certify food safety. Instead, it provides a digital record-management structure that helps administrators understand what has been donated, which requests have been submitted and whether delivery information has been recorded.

1.2 Problem Statement

The project addresses the absence of a single structured application for maintaining surplus food donation information and coordinating the related receiver requests and delivery records. When these activities are handled through informal communication or separate spreadsheets, records may be duplicated, request status may be unclear and administrators may find it difficult to obtain a consolidated view.

1.3 Objectives

- Maintain donor and receiver information in structured forms.
- Record surplus food details, quantity, unit, preparation date and time, donor and status.
- Allow receivers to submit requests linked to relevant food donations.
- Maintain delivery records for allocated donations.
- Provide reports and a dashboard for administrative monitoring.
- Reduce repetitive communication through configured email notifications and workflow automation.

1.4 Scope of the Project

The scope includes donor registration, food donation entry, receiver registration, food request submission, delivery record entry, report generation and dashboard-based monitoring within Zoho Creator. The application uses Zoho Creator Forms for data entry, Reports for record viewing, Page Builder for the dashboard, Workflows for event-driven automation and Deluge for scripting.

The scope is limited to the records and coordination functions described in the project README. Automatic matching of donors and receivers, geolocation-based discovery, third-party SMS or WhatsApp messaging, route optimisation, expiry-date validation and advanced food-safety certification are future enhancements unless they are separately implemented and demonstrated.

1.5 Justification for a Low-Code Approach

Zoho Creator is suitable for this project because its low-code environment provides visual form design, report configuration, pages and workflow automation in one application platform. The project primarily requires structured data capture and coordination rather than complex computational processing. A low-code approach allows the developer to configure fields and reports, connect related records and refine the workflow without building every application layer from the beginning.

Deluge provides a way to add application-specific logic, such as assigning an initial donation status or triggering an email notification. The use of a hosted platform also reduces the need for separately managing application servers and database infrastructure. These benefits depend on the selected Zoho Creator edition and the permissions available in the account.

1.6 Organisation of the Report

Chapter 1 introduces the problem, objectives and scope. Chapter 2 studies the existing process and the proposed low-code approach. Chapter 3 lists stakeholders and system requirements. Chapter 4 explains the architecture, data model, forms, process flow and access-control design. Chapter 5 describes the application modules and automation. Chapter 6 presents testing and debugging. Chapter 7 discusses deployment and security. Chapter 8 reviews the results and limitations. Chapter 9 concludes the project and identifies future enhancements.

CHAPTER 2 – LITERATURE SURVEY AND SYSTEM STUDY

2.1 Study of the Existing System

In a basic manual donation-coordination process, a donor communicates the availability of surplus food to a volunteer or administrator. The administrator records the donor and food details, contacts a possible receiver, checks whether the receiver needs the food and coordinates collection or delivery. Delivery completion may be recorded separately. This process can depend on phone calls, messaging applications, notebooks or spreadsheets.

The README does not identify a particular organisation or existing software product used by a real institution. Therefore, the existing system described here is a representative manual process used to explain the problem addressed by the proposed application.

Figure 2.1: Existing Manual Donation Coordination Flow

Stage	Activity	Information produced
1	Donor communicates surplus food availability	Donor contact and food details
2	Coordinator records donation information	Donation entry
3	Receiver communicates food requirement	Receiver and request details
4	Coordinator checks possible allocation	Request and donation association
5	Collection or delivery is arranged	Delivery details
6	Coordinator updates records	Current donation / delivery status

2.2 Limitations of the Existing System

- Information may be distributed across different records and communication channels.
- The coordinator may need to repeatedly contact donors and receivers to confirm details.
- It can be difficult to see all available donations and pending requests in one place.
- Request and delivery status may not be updated consistently.
- Preparing a summary for administration may require manual counting and consolidation.

2.3 Low-Code versus Traditional Development

The project is based on a record-centric application. The comparison below considers the work required for this specific type of solution. It is qualitative and does not represent measured development-time results.

Criterion	Traditional development	Low-code with Zoho Creator
Form creation	Requires UI code, validation logic and data binding	Visual form builder and field configuration
Data storage	Database schema and server-side data access must be developed	Creator forms provide structured application records
Reports	Requires queries and report UI	Built-in reports can display and filter records
Workflow	Requires backend events, queues or custom services	Creator workflows and Deluge can automate events
Hosting	Application hosting and database operations must be arranged	Platform hosting is provided by Zoho subject to plan
Customisation	High flexibility with full code ownership	Fast configuration; constrained by platform capabilities
Maintenance	Code, infrastructure and dependencies maintained by team	Configuration and scripts maintained in Creator

2.4 Platform and Domain Study

The supplied project specification identifies Zoho Creator as the application platform and names Forms, Reports, Page Builder, Workflows, Deluge and email notifications as the technologies used. These platform components align with the project's central needs: structured record entry, retrieval of records, administrative summaries and event-based communication.

The project domain also involves responsible use of surplus food. The application contributes at the information-management level by making donation and request details easier to organise. It does not, by itself, establish that food is safe, suitable for a particular receiver or delivered within a required time window. Those operational checks remain important.

2.5 Emerging Trends in Low-Code Development

Low-code platforms increasingly combine visual development, reusable components, workflow automation, integration services and analytics. For a donation-management application, these trends can support faster changes to forms, automated status updates, central dashboards and connections to communication services. AI-assisted builders may help create an initial application structure, but generated configurations must still be reviewed and tested.

2.6 Proposed System

The proposed system centralises the main records in one Zoho Creator application. Donor Registration and Receiver Registration maintain participant information. Food Donation records the available food and its details. Food Request links a receiver to a relevant donation. Delivery Record stores information about the delivery of allocated food. Reports provide record-level views, while the dashboard is intended to summarise donations, requests and completed deliveries.

Email notifications can reduce the need for coordinators to manually inform the administrator or donor about selected events. The README describes administrator notification on a new donation and donor notification when a receiver submits a request. These notifications depend on correct workflow triggers, record relationships and recipient email fields. They must be tested with actual test accounts before being described as active.

The proposed system improves consistency by giving the records a common structure. It also creates a foundation for future matching, location-based services and analytics. The application remains an administrative coordination tool; physical handling, food safety decisions and transport operations are outside the confirmed implementation scope.

Proposed-system summary: Registration → Donation / Request → Review → Delivery Record → Reports and Dashboard

CHAPTER 3 – REQUIREMENT ANALYSIS

3.1 Stakeholders and User Roles

Stakeholder	Description	Responsibilities
Administrator	Person managing the application records	Monitor donors, donations, receivers, requests and deliveries; review requests if approval is enabled
Donor	Restaurant, hotel, institution or individual offering surplus food	Provide donor details and submit food donation information
Receiver	Individual or organisation seeking food assistance	Register and submit a request for a suitable donation
Coordinator / volunteer	Operational user supporting coordination	Review records and enter delivery information if this role is configured

The README identifies an administrator-centred monitoring process and donor and receiver journeys. It does not specify the exact Creator user profiles, portal setup or permission rules. The final application should use the minimum access required for each user and should document the actual roles configured.

3.2 Functional Requirements

ID	Requirement	Priority
FR-01	The system shall allow donor details to be recorded.	High
FR-02	The system shall allow surplus food donation details to be recorded.	High
FR-03	The system shall maintain receiver information.	High
FR-04	The system shall allow a receiver to submit a food request.	High
FR-05	A food request shall be associated with the relevant food donation.	High
FR-06	The system shall store delivery information for allocated donations.	High
FR-07	The system shall provide reports for donor, donation, receiver, request and delivery records.	High
FR-08	The system shall provide a dashboard summarising key application records.	Medium
FR-09	The system should notify the administrator when a donation is submitted, when configured.	Medium
FR-10	The system should notify the relevant donor when a request is submitted, when configured.	Medium
FR-11	The system may support request approval and rejection if the approval process is configured.	Medium

.3 Non-Functional Requirements

ID	Category	Requirement
NFR-01	Usability	Forms should use clear labels and logical field groupings.
NFR-02	Data integrity	Required information should be validated before records are saved.
NFR-03	Security	Only authorised users should access or modify application records.
NFR-04	Maintainability	Forms, reports and workflows should be organised and named consistently.
NFR-05	Availability	The application should be accessible when the Zoho Creator service and user internet connection are available.
NFR-06	Auditability	Record updates and workflow actions should be reviewed using available platform history or audit features.
NFR-07	Compatibility	The application should be tested in a supported modern web browser.

3.4 Hardware and Software Requirements

Category	Requirement
Application platform	Zoho Creator
Form and report tools	Zoho Creator Forms and Reports
Dashboard tool	Zoho Creator Page Builder
Workflow and scripting	Zoho Creator Workflows and Deluge
Notification	Zoho Creator email notification capability
Client software	A current web browser such as Chrome, Edge or Firefox
Hardware	Desktop or laptop with internet connectivity; sufficient memory to run a modern browser
Testing support	Test user accounts and valid email addresses for notification verification

The exact Zoho Creator edition and account-specific limits must be confirmed from the account used to build the application.

3.5 Use Case Model

The main actors are the administrator, donor and receiver. A coordinator may also participate if a separate operational account is configured. The use cases are described below; the diagram can be drawn using these actors and actions.

Actor	Use cases
Donor	Register donor details; submit food donation; receive request notification if enabled
Receiver	Register receiver details; view or identify an available donation through the permitted interface; submit food request
Administrator	View reports; monitor dashboard; review requests if approval is enabled; monitor delivery records
Coordinator	Review donation and request information; enter delivery record; update operational status where permitted

Use Case UC-01: Submit a Food Donation

Item	Description
Actor	Donor
Precondition	Donor details are available or can be entered during the process.
Main flow	1. Donor opens the Food Donation form. 2. Donor enters food name, category, quantity, unit, preparation date/time and donor details. 3. Donor submits the form. 4. The record is saved and appears in the donation report.
Alternate flow	If required information is missing or invalid, the form should display validation feedback and the record should not be accepted.
Postcondition	A donation record is stored. Its status is Available only if the default value or workflow is configured and verified.
Related requirements	FR-02, FR-07, FR-09

CHAPTER 4 – SYSTEM DESIGN

4.1 System Architecture

The application follows a platform-based architecture. Donors, receivers and administrators interact with the application through the Zoho Creator user interface. Forms capture the application data. Reports display stored records. The Page Builder dashboard presents summary information. Workflows and Deluge scripts implement selected event-driven behaviour, while email notification services deliver configured messages.

Figure 4.1: Logical System Architecture

Layer	Components	Purpose
User layer	Administrator, donor, receiver, coordinator	Initiates data entry and views permitted information
Presentation layer	Zoho Creator forms, reports and dashboard page	Captures and presents application records
Application logic	Workflows and Deluge scripts	Performs configured status updates, validation and notification actions
Data layer	Donor, donation, receiver, request and delivery records	Stores the application information
Notification layer	Zoho Creator email notification	Sends configured event-related messages

4.2 Data Model

The data model is organised around five main forms. Donor Registration stores the donor identity and contact information. Food Donation stores the food details and identifies the donor. Receiver Registration stores the person or organisation seeking food. Food Request links a receiver to a selected donation. Delivery Record stores the delivery details associated with the allocated donation.

Entity	Important fields described in README	Relationship
Donor Registration	Donor name, organisation name, donor type, phone, email, city	One donor may be associated with multiple donations
Food Donation	Food name, category, quantity, unit, preparation date/time, donor, status	Each donation is associated with a donor
Receiver Registration	Receiver identity and contact details	One receiver may submit multiple requests
Food Request	Receiver, requested food donation, request details and status	Each request links a receiver and a donation
Delivery Record	Allocated donation and delivery information	Delivery record refers to the donation/request being fulfilled

4.2 Data Model – Relationship Explanation

The key relationship in the application is between Donor Registration and Food Donation. A donor can offer food on more than one occasion, so the donation form should refer to the donor using a lookup field. This avoids repeatedly typing the donor's full contact details into each donation record.

Food Request should contain a relationship to Receiver Registration and to Food Donation. The donation relationship is important because the application must identify which donor owns the requested food. The donor email can then be retrieved through the linked donation and donor record for notification, provided the lookup fields and email field are configured correctly.

Delivery Record should refer to the donation allocated for delivery and, where useful, the corresponding request. This provides traceability between the food offered, the receiver who requested it and the delivery information recorded by the coordinator.

Figure 4.2: Entity–Relationship Model (logical)

Parent entity	Child entity	Relationship implementation
Donor Registration	Food Donation	Lookup field in Food Donation
Receiver Registration	Food Request	Lookup field in Food Request
Food Donation	Food Request	Lookup field in Food Request
Food Donation / Food Request	Delivery Record	Lookup field in Delivery Record

4.3 Form Design – Donor Registration

The Donor Registration form captures the details needed to identify and contact a donor. The README lists donor name, organisation name, donor type, phone number, email address and city. The actual field types, mandatory settings and link names should be checked in the live Creator form.

Field label	Suggested Creator field type	Mandatory / validation
Donor Name	Single Line or Name	Yes; non-empty
Organisation Name	Single Line	Conditional or optional for individual donors
Donor Type	Drop Down	Yes; values should reflect the types supported by the project
Phone Number	Phone	Yes; validate a usable contact number
Email Address	Email	Yes if email notifications or contact are required
City	Single Line / Address component	Yes if location information is collected

4.3 Form Design – Food Donation

The Food Donation form is the central record for surplus food. It captures food name, category, quantity, unit, preparation date and time, donor relationship and donation status. The status may default to Available when the default value or a Deluge workflow is configured and verified.

4.3 Form Design – Remaining Forms

Form	Field / information	Design consideration
Receiver Registration	Receiver name, individual or organisation type, phone, email and city	Capture reliable contact details; avoid collecting unnecessary personal information
Food Request	Receiver lookup, Food Donation lookup, request date/details and request status	The selected donation must be identifiable and associated with its donor
Delivery Record	Donation or request lookup, delivery date/time, delivery status and relevant notes	Use a clear status to distinguish recorded, in-progress and completed delivery

The README does not list the exact field labels, field link names, validation expressions or mandatory flags for the receiver, request and delivery forms. The table above describes a suitable design based on the purpose of each module. Before submission, replace suggested fields with the actual fields visible in the application.

4.4 Process and Workflow Design

The general process begins when a donor registers and submits food details. The application saves the donation record and displays it in the All Food Donations report. A receiver registers and submits a request for an available donation. The administrator reviews the request if an approval process has been configured. A donor notification may be sent when the request is submitted. Delivery details are entered in the Delivery Record form and the administrator monitors the records through reports and the dashboard.

Figure 4.3: Donation and Request Process Flow

Step	Process	Possible automation
1	Donor registration	Form validation
2	Food donation submission	Set initial status; notify administrator if configured
3	Receiver registration	Form validation
4	Food request submission	Link request to donation and receiver; notify donor if configured
5	Request review	Approval / rejection process if configured
6	Delivery entry	Save delivery information and update relevant status if configured
7	Monitoring	Reports and dashboard reflect saved records

4.5 User Interface and Navigation Design

The application navigation should group the forms and reports in a way that matches the donation lifecycle. A user should be able to identify the registration forms, donation entry, request entry, delivery records and administrative reports without navigating through unrelated sections.

Figure 4.4: Suggested Navigation Structure

Navigation group	Items
Registration	Donor Registration; Receiver Registration
Donation Management	Food Donation; All Food Donations
Request Management	Food Request; Food Requests
Delivery Management	Delivery Record; Delivery Records
Administration	Dashboard; summary reports

The final navigation labels and order must match the actual application. A screenshot of the Creator application home page should be inserted here after implementation.

4.6 Access Control Design

The system contains personal contact information and operational donation details. Access should be limited according to the user's responsibilities. The README does not confirm a portal or separate role configuration, so the matrix below is a proposed minimum-access design rather than proof of configured permissions.

Component	Administrator	Donor	Receiver	Coordinator
Donor Registration	View / Add / Edit	Own details only, if enabled	—	View if required
Food Donation	Full administration	Submit / view own, if enabled	View available only, if enabled	View / update if authorised
Receiver Registration	View / Add / Edit	—	Own details only, if enabled	View if required
Food Request	Review / manage	View related request if enabled	Submit / view own, if enabled	Review if authorised
Delivery Record	View / manage	Limited related view if enabled	Limited related view if enabled	Add / update if authorised
Dashboard and reports	Administrative view	—	—	Operational view if authorised


CHAPTER 5 – IMPLEMENTATION

5.1 Application Setup

The application is developed on Zoho Creator. The README identifies the application as a web-based system and lists the Creator components used: Forms, Reports, Page Builder, Workflows, Deluge scripting and email notification. The application should be organised into sections that reflect the main modules: donor registration, food donation, receiver registration, food request and delivery record.

The setup process includes creating the application, defining the forms, configuring the relationships between records, preparing reports, designing the dashboard and adding the required workflows. The actual application name, link name, edition and published URL should be copied from the live Creator environment.

Figure 5.1: Insert screenshot of the Zoho Creator application home and navigation



5.2 Forms and Data Capture


Forms provide a consistent method for collecting application data. Each form should use clear field labels, suitable field types and validation rules. Lookup fields should be used for relationships so that the same donor or receiver is not entered repeatedly in multiple records.

5.2.1 Donor Registration Form

The Donor Registration form stores the donor name, organisation name, donor type, phone number, email address and city. The donor type helps distinguish an individual donor from an organisation.

Contact fields support coordination and notification. The form should prevent invalid email values and should require enough information to identify and contact the donor.

Figure 5.2: Insert screenshot of Donor Registration form




5.2.2 Food Donation Form

The Food Donation form stores the food name, food category, quantity, unit, preparation date and time, donor details and donation status. Quantity and unit should be captured separately so that the amount is interpretable. Preparation date and time are important operational details and should be entered accurately. The donor should be selected through a lookup to the Donor Registration form.

The donation status may be assigned the value Available when the record is created. The README explicitly states that this behaviour depends on a configured default value or workflow and must be tested. If the workflow is not configured, the report must not claim that the status is automatically assigned.


Figure 5.3: Insert screenshot of Food Donation form



5.2.3 Receiver Registration Form

The Receiver Registration form maintains information about individuals or organisations that may request donated food. It provides a consistent record that can be referenced from the Food Request form. Contact information should be kept accurate and access to it should be limited to authorised users.

Figure 5.4: Insert screenshot of Receiver Registration form



5.2.4 Food Request Form


The Food Request form allows a receiver to request a donation. It should link the request to the relevant receiver and food donation. This relationship allows the application to identify which donor owns the

requested food. The request status should support the review process if approval and rejection are enabled.

5.2.5 Delivery Record Form

The Delivery Record form stores information about the delivery of allocated food donations and can be used to track delivery completion. It should refer to the related donation and, where implemented, the request. A delivery record should be entered only when the donation has been allocated for delivery. The exact field set should be confirmed from the live form.

Figure 5.5: Insert screenshot of Delivery Record form




5.3 Reports

Reports provide a structured view of the records stored in the forms. The README identifies five report groups: Donor Registrations, All Food Donations, Receiver Registrations, Food Requests and Delivery Records. The All Food Donations report should display Donation ID, Food Name, Food Category, Quantity, Unit, Preparation Date and Time, Donor Name and Donation Status. If a field is not visible, confirm that it exists in the source form and is included in the report columns.

Report name	Source form	Purpose / important columns
Donor Registrations	Donor Registration	Review donor identity and contact information
All Food Donations	Food Donation	Donation ID, food name/category, quantity/unit, preparation date/time, donor and status
Receiver Registrations	Receiver Registration	Review receiver information
Food Requests	Food Request	Review receiver, requested donation and request status
Delivery Records	Delivery Record	Track recorded deliveries and completion

Figure 5.6: Insert screenshot of the All Food Donations report



5.4 Pages and Dashboard

The dashboard is created using Zoho Creator Page Builder. According to the README, it can summarise total food donations, available donations, total food requests, pending requests and completed deliveries. These values should be connected to actual application data so that they change when records are added or updated.

The dashboard is intended for administrators and provides a high-level view of application activity. A dashboard value should be calculated from the relevant form or report rather than typed as a static number. The report does not assume that any particular chart or KPI widget has already been added; the final dashboard should be checked against the live page.

Dashboard metric	Data source	Interpretation
Total food donations	Food Donation records	Number of donation records stored
Available donations	Food Donation records filtered by status	Donations currently marked Available
Total food requests	Food Request records	Number of requests submitted
Pending requests	Food Request records filtered by pending status	Requests awaiting a decision
Completed deliveries	Delivery Record records filtered by completion status	Deliveries recorded as completed

5.5 Deluge Scripting

Deluge is the scripting language identified in the project README. It can be used to implement logic that responds to record events. The README describes two examples: setting a newly created donation status to Available and sending an email to the relevant donor when a receiver submits a request. These actions require correct form and field link names and must be tested in the actual application.

The following is a logic outline, not executable source code. Replace the placeholders with the exact Creator form names, field link names and email expressions from the live application before using it.

5.5 Deluge Scripting – Logic Register

Script / workflow logic	Trigger	Purpose	Verification required
Donation status assignment	Food Donation record created	Set Donation Status to Available	Confirm field link name, update target record and verify saved value
Administrator notification	Food Donation successfully submitted	Email administrator about new donation	Confirm recipient address, subject, message and successful delivery
Donor request notification	Food Request successfully submitted	Notify donor linked to the requested donation	Confirm request-to-donation and donation-to-donor lookups; recipient must be donor
Approval status handling	Approval event, if configured	Record approved or rejected request outcome	Confirm approval process and status field values

Illustrative Deluge-style pseudocode for status assignment:

```
// PSEUDOCODE - replace with actual form and field link names
if (input.Donation_Status == null)
{
    input.Donation_Status = "Available";
}
```

This example communicates the intended logic only. The exact event context determines whether input can be assigned directly or whether the saved record must be updated through a record operation. Use the Creator Deluge editor and its field-link-name suggestions when implementing.

5.6 Workflows and Automation

The README describes an administrator email notification when a new food donation is submitted, donation status automation, donor notification when a receiver requests a donation and an optional food request approval process. A workflow should be documented as implemented only after its trigger, condition, action and output have been tested successfully.

Workflow	Trigger / event	Action	Status in report
Administrator donation alert	Food Donation record-created / successful-submission event	Send email to administrator	To verify in live application
Donation status automation	New Food Donation record	Set status to Available	To verify in live application
Donor request notification	Food Request submitted	Email donor related to selected donation	To verify in live application
Food Request approval	Request submitted	Administrator approves or rejects	Optional; confirm configuration

5.6 Workflows and Automation – Execution Sequence

The administrator notification workflow should be configured on the Food Donation form and should run when a new record is successfully submitted. The recipient should be the administrator's valid email address. The email body should include enough information to identify the new donation without exposing unnecessary personal data.

The donor notification workflow should be configured on the Food Request form. It must retrieve the donor email through the Food Request → Food Donation → Donor Registration relationship. The recipient must be the donor, not the administrator. A test request should be created using a test receiver and a donation linked to a test donor. The delivered message should be checked to confirm the recipient.

If approval is enabled, the request should have a status field that can represent at least pending, approved and rejected states. The approval process should prevent an unreviewed request from being treated as approved. If no approval process is configured, the report should state that administrator review is a manual activity.

5.7 Integrations

The supplied README does not confirm any external integration such as Zoho CRM or a third-party API. Zoho Creator email notification is listed as a technology component, but this is not the same as a separate external system integration. Therefore, no external integration is claimed as implemented in this report.

5.8 User Management and Role-Based Access

User access should be reviewed before the application is published. The administrator requires access to all operational records. Donors and receivers should only be given access to the records and actions necessary for their tasks if portal or individual user access is configured. A coordinator may be given permission to update delivery information. The actual Creator roles, profiles and sharing settings must be documented from the application settings.

5.9 AI and Analytics Features

The README does not identify an AI feature or a separate analytics integration. The dashboard provides application-level summaries when its values are connected to live records. AI-assisted building, prediction or advanced analytics are not claimed as completed features.

5.10 Pro-Code Extension

A separate pro-code extension is not identified in the supplied project description. The application is described as being developed with Zoho Creator forms, reports, Page Builder, workflows and Deluge. Deluge is the platform scripting capability used for application-specific behaviour; no external custom server, independent database service or separately hosted frontend is confirmed.

5.11 Mobile and Portal Access

The README describes the application as web-based and does not confirm that a customer portal or mobile deployment has been configured. Zoho Creator may provide supported mobile access depending on the account and application configuration, but availability should not be represented as tested until the application is opened and verified on the intended device. Donor and receiver portal access is a possible deployment option, not a confirmed feature.

5.12 Implementation Summary

The implementation is organised around five forms, five corresponding reports, an administrative dashboard and event-based automation. The application’s central data relationships connect donors to donations, receivers to requests and requests to the donations they concern. Delivery records provide a way to record fulfilment. The key implementation dependency is ensuring that the lookup relationships and workflow recipients are correct. Screenshots of every form, report, dashboard and workflow should be added to this chapter to demonstrate the actual application.

CHAPTER 6 – TESTING AND DEBUGGING

6.1 Testing Strategy

Testing verifies that the forms accept valid information, save records correctly, display the saved information in reports and execute configured automation. Testing should be performed with sample data and test email accounts. Personal contact information should not be used in screenshots submitted with the report unless permission has been obtained.

The test process begins with form-level checks, followed by relationship checks, report checks, workflow checks and end-to-end scenario testing. A test is considered successful only when the expected result is observed in the live application. The README provides a list of intended test scenarios but does not include actual pass/fail results; therefore, the results column below is left for execution.

Test ID	Test scenario	Expected result	Result
TC-01	Submit donor registration	Donor record is saved	To execute
TC-02	Submit a food donation	Donation record is saved and appears in report	To execute
TC-03	Check donation status	Status is Available if configured	To execute
TC-04	Submit receiver registration	Receiver record is saved	To execute
TC-05	Submit food request	Request record is saved	To execute
TC-06	Verify request-donation relationship	Request identifies the selected donation and donor	To execute
TC-07	Test administrator email	Administrator receives donation notification	To execute
TC-08	Test donor notification	Correct donor receives request email	To execute
TC-09	Test approval process	Administrator can approve or reject if enabled	To execute
TC-10	Add delivery information	Delivery record appears in its report	To execute
TC-11	Review dashboard	Summary reflects stored records	To execute

6.2 Detailed Test Scenarios

Scenario 1: Donor Registration

Open the Donor Registration form and enter a valid donor name, donor type, phone number, email address and city. Submit the form and open the Donor Registrations report. Confirm that the new record appears and that the displayed values match the submitted values. Repeat with a missing required field to confirm that validation prevents incomplete submission.

Scenario 2: Food Donation

Select a donor and enter a food name, category, quantity, unit, preparation date and time. Submit the record and open the All Food Donations report. Verify that Donation ID, Food Name, Food Category, Quantity, Unit, Preparation Date and Time, Donor Name and Donation Status are visible as required. If the status should default to Available, verify the saved record rather than relying only on the form display.

Scenario 3: Receiver Request and Donor Notification

Create a receiver record and a food donation linked to a test donor. Submit a Food Request using the test receiver and select the donation. Verify that the request record is saved and that the linked donor can be identified. If the donor notification workflow is enabled, check the test donor inbox and confirm that the message was delivered to the correct address.

Scenario 4: Delivery and Dashboard

Enter a delivery record for an allocated donation. Confirm that it appears in the Delivery Records report. Then open the dashboard and compare its totals with the records in the corresponding reports. The dashboard should reflect the actual data rather than fixed demonstration values.

6.3 Debugging and Defect Handling

Common issues in this type of application include missing report columns, incorrect lookup relationships, invalid email recipients, workflow triggers that do not run and dashboard values that do not refresh as expected. Debugging should begin by identifying the affected form, report or workflow and checking its field link names, criteria and execution history.

Potential defect	Possible cause	Corrective action
Donation field missing from report	Field not included in report columns or source form field missing	Check source form and add the correct report column
Donor email not received	Incorrect recipient, invalid email or workflow trigger not configured	Verify lookup chain and recipient; test with a controlled email account
Request linked to wrong donor	Food Request does not point to the correct Food Donation	Correct lookup field and test the relationship again
Donation status not Available	Default value or Deluge workflow not configured	Configure status assignment and inspect the saved record
Dashboard total incorrect	Metric not connected to live data or filter criteria incorrect	Review data source, aggregation and filter criteria
Delivery not visible	Record not saved or report filter excludes it	Check record submission and report criteria

6.4 Defect Log

Defect ID	Description	Severity	Resolution / evidence
D-01	To be filled after test execution	—	Attach screenshot or test note
D-02	To be filled after test execution	—	Attach screenshot or test note
D-03	To be filled after test execution	—	Attach screenshot or test note

6.5 User Acceptance Testing

User acceptance testing should involve a person acting as donor, a person acting as receiver and an administrator. The donor should be able to submit a donation, the receiver should be able to submit a request through the permitted interface, and the administrator should be able to review the relevant records. Feedback should be collected on form clarity, ease of navigation, completeness of record details and usefulness of the dashboard.

No user acceptance feedback or signed acceptance record was included in the supplied README. The project team should conduct a short demonstration, record comments and update this section with actual feedback before final submission.

CHAPTER 7 – DEPLOYMENT, SECURITY AND GOVERNANCE

7.1 Environments and Deployment Strategy

The application should be configured and tested in the development environment before it is shared for evaluation or published for operational use. The deployment process includes reviewing form fields, lookup relationships, reports, dashboard calculations, workflow recipients and access permissions. After deployment, the published URL should be recorded in the Project at a Glance section.

The supplied README does not identify separate development, staging and production environments or provide a published URL. This report therefore describes the recommended deployment checks and does not claim that production deployment has already occurred.

Deployment check	Verification
Forms	All five forms open and save valid test records
Relationships	Donation, receiver, request and delivery lookups point to the correct records
Reports	All five reports display the required columns and records
Dashboard	Metrics are connected to application data
Workflows	Triggers and recipient addresses are tested
Access	Only authorised users can access sensitive records
Publication	Live URL opens for the intended users

7.2 Performance Optimisation

The application is designed for structured data capture and record monitoring. Performance can be supported by keeping forms focused, avoiding unnecessary fields, using meaningful report filters and displaying only the columns required for each task. Dashboard metrics should use clear criteria and avoid repeatedly calculating unrelated information.

No performance benchmark or measured response time was provided in the README. Any statement about load time, number of records supported or performance improvement should be added only after measurement.

7.3 Security Features

The application stores donor and receiver contact information. Access should therefore be limited to the users who need the information to coordinate donations. Strong account authentication should be used, and users should not share login credentials. The administrator should review permissions periodically and remove access when it is no longer required.

Security area	Recommended control
Authentication	Use individual authenticated accounts; do not share credentials
Authorisation	Restrict form, report and record access according to role
Data minimisation	Collect only information needed for donation coordination
Email notifications	Send messages only to verified, relevant recipients
Record integrity	Use lookup relationships and validation to reduce inconsistent records
Audit review	Review available record history and administrative activity
Screenshots	Mask phone numbers and email addresses in report evidence

7.4 Governance and Administration

The application administrator is responsible for maintaining field definitions, report layouts, workflow recipients and user permissions. Changes to the application should be tested before they are made available to all users. A small change log can record the date, component changed, reason and person responsible.

Operational governance also requires clear responsibility for checking food details, contacting receivers and arranging delivery. The application records the information but does not replace human decisions about food suitability, handling, transport or distribution. These activities should follow the organisation’s applicable food-safety and operating procedures.

7.5 Backup and Continuity Considerations

The project should follow the backup, export and retention options available in the selected Zoho Creator edition and organisation account. The administrator should understand how to recover records, who can perform exports and how long records should be retained. The exact backup configuration is account-specific and must be confirmed before submission.


CHAPTER 8 – RESULTS AND DISCUSSION

8.1 Application Output

The expected output of the application is a centralised set of records for donors, donations, receivers, requests and deliveries. The Donor Registrations report provides a view of donor information. The All Food Donations report provides the key food details and status. Receiver Registrations and Food Requests support the receiver and request lifecycle. Delivery Records provide a view of recorded delivery activity.

The dashboard is intended to summarise total donations, available donations, total requests, pending requests and completed deliveries. These outputs provide an administrative overview when they are connected to the underlying records. Screenshots of the actual reports and dashboard should be inserted below after test data has been entered.

Figure 8.1: Insert screenshot – Donor and Receiver Registration records







Figure 8.2: Insert screenshot – All Food Donations report



8.1 Application Output – Continued

Figure 8.3: Insert screenshot – Food Requests and Delivery Records





Figure 8.4: Insert screenshot – Administrative Dashboard



8.2 Achievement of Objectives

Objective	Application component	Evidence required
Maintain donor and receiver information	Donor Registration and Receiver Registration	Saved test records in their reports
Record surplus food donations	Food Donation form and report	Donation record with all required fields
Allow receivers to submit requests	Food Request form	Saved request linked to receiver and donation
Track delivery information	Delivery Record form and report	Saved delivery record
Provide administrative monitoring	Reports and Page Builder dashboard	Report and dashboard screenshots
Reduce manual notification work	Email workflows and Deluge	Workflow configuration and delivered test emails

8.3 Comparison with the Existing System

Compared with a manual process, the proposed application provides a common location for storing donation-related records. It makes the relationship between donors, donations, receivers, requests and deliveries explicit. Reports reduce the need to manually combine information from separate records. Configured email workflows can reduce repetitive communication. The degree of improvement depends on the completeness of the live configuration and the discipline with which users update records.

8.4 Limitations

- Automatic matching between available donations and receiver needs is not confirmed.
- Location-based matching of nearby donors and receivers is listed as a future enhancement.
- SMS and WhatsApp notifications through external providers are not confirmed.
- Delivery tracking beyond recording delivery details is not confirmed.
- Expiry-date and food-safety checks are future enhancements.
- Advanced analytics and secure record-level access require further configuration and testing.

8.5 Reflection on the No-Code, Low-Code and Pro-Code Spectrum

The project primarily uses low-code development because forms, reports, dashboard pages and workflows are configured through Zoho Creator. Deluge scripting provides a limited pro-code element for application-specific logic. A separate custom application backend is not described in the README. This combination is appropriate for a project whose main requirements are data capture, record relationships, workflow events and administrative reporting.

8.6 Overall Discussion

The project demonstrates how a low-code platform can be used to organise a domain-specific process. The five-form structure reflects the main entities involved in food donation coordination. The lookup relationships are particularly important because they connect the donor to a donation and connect a receiver's request to the donation being requested. Reports and the dashboard provide different levels of visibility: reports support record-level review, while the dashboard supports a summary view.

The most important condition for reliable operation is accurate data and tested automation. A notification workflow is useful only when it is triggered at the correct event and sends the message to the correct recipient. Similarly, a dashboard is useful only when it reflects actual records. The application should therefore be evaluated using end-to-end test scenarios rather than only checking whether the forms exist.

CHAPTER 9 – CONCLUSION AND FUTURE ENHANCEMENTS

9.1 Conclusion

The Food Waste Rescue and Donation System provides a structured way to record and manage surplus food donations using Zoho Creator. The application is organised around donor registration, food donation, receiver registration, food request and delivery record modules. Reports provide views of the stored records, and a Page Builder dashboard is intended to summarise key donation, request and delivery information.

The project addresses the coordination problem by bringing related information into a common application. Lookup relationships connect donors with donations and receivers with requests. A request can be linked to the relevant donation so that the donor can be identified for communication. Workflow automation and email notifications can reduce manual communication when they are correctly configured and tested.

The project also establishes a foundation for further improvements. The supplied README identifies automatic matching, location-based matching, SMS or WhatsApp notifications, delivery tracking, expiry-date and food-safety checks, richer analytics and record-level access control as possible future enhancements. The system's effectiveness depends on accurate data entry, appropriate access permissions and operational procedures for food handling and delivery.

9.2 Future Enhancements

- Automatic matching of receiver requests with suitable available donations based on category, quantity and preparation time.
- Location-based matching to identify nearby donors and receivers.
- SMS or WhatsApp notifications through a supported and authorised provider.
- Delivery tracking with clear stages and optional delivery confirmation.
- Expiry-date and food-safety checks to support responsible handling decisions.
- Additional charts and analytics for donation trends, request fulfilment and delivery completion.
- Secure record-level access so donors and receivers can view only permitted records.
- Integration with external services where there is a clear operational need.

9.3 Learning Outcomes and Career Relevance

This project provides practical experience in analysing a business process and translating it into a low-code application. It demonstrates the use of forms to capture structured information, lookup relationships to connect records, reports to display saved data and dashboards to summarise activity. It also introduces workflow design and Deluge scripting for event-based automation.

The project strengthens skills in requirement analysis, data modelling, user-interface planning, validation, testing and documentation. These skills are relevant to application development, business process automation, systems analysis and software quality assurance. The project also highlights the importance of distinguishing a configured feature from a proposed enhancement and of supporting implementation claims with screenshots and test evidence.

9.4 Final Submission Checklist

- Confirm the actual application name and link name.
- Enter the live application URL and Zoho Creator edition.
- Verify the five form names and all field link names.
- Confirm the lookup relationships among donor, donation, receiver, request and delivery records.
- Test the administrator and donor email notifications using controlled accounts.
- Confirm whether request approval is implemented or only proposed.
- Capture screenshots of all forms, reports, workflows and the dashboard.
- Run the test cases and replace “To execute” with actual results.
- Enter guide, HoD and examination details on the certificate.
- Update the table of contents and page numbers after final editing.

REFERENCES

REFERENCES

[1] Zoho Corporation, “Zoho Creator – Low-Code Application Development Platform,” Zoho Creator. Available: https://www.zoho.com/creator/. Accessed: 10-Nov-2026.

[2] Zoho Corporation, “Zoho Creator Help Documentation,” Zoho Creator Help. Available: https://help.zoho.com/portal/en/kb/creator. Accessed: 10-Nov-2026.

[3] Zoho Corporation, “Deluge – Zoho’s Scripting Language,” Zoho Deluge Documentation. Available: https://www.zoho.com/deluge/help/. Accessed: 10-Nov-2026.

[4] Zoho Corporation, “Zoho Creator Forms, Reports, Pages and Workflows,” product help resources. Refer to the relevant help topics for the exact Creator edition and configuration used.

[5] Food and Agriculture Organization of the United Nations, “The State of Food and Agriculture 2019: Moving Forward on Food Loss and Waste Reduction,” FAO, Rome, 2019.

[6] United Nations, “Sustainable Development Goal 12: Ensure sustainable consumption and production patterns,” in particular Target 12.3 on food loss and waste. Available: https://sdgs.un.org/goals/goal12.

[7] Project source document: “README – Food Waste Rescue and Donation System,” supplied with this project report request, 2026.

Note: Verify the current titles and access dates of online documentation before final academic submission. References [1]–[4] are platform documentation resources; the report’s implementation claims are based on the supplied project README and must be supported by live application evidence.

APPENDIX A – ZOHO CREATOR FEATURE COVERAGE CHECKLIST

APPENDIX A – FEATURE COVERAGE CHECKLIST

The checklist below maps the project description to the platform features. Mark a feature as completed only after confirming it in the live application.

Feature area	Project usage	Evidence / completion status
Application setup	Food Waste Rescue and Donation System application	Capture application home screenshot
Forms	Five forms: donor, donation, receiver, request and delivery	Verify actual form names and screenshots
Lookup relationships	Donor-to-donation; receiver-to-request; request-to-donation; delivery relationship	Verify lookup configuration
Reports	Five reports for the corresponding record types	Capture each report
Dashboard / Page Builder	Summary of donations, available donations, requests, pending requests and completed deliveries	Verify metrics are connected to live records
Deluge	Donation status update and notification logic where configured	Attach actual scripts and test output
Workflows	Administrator notification, donor notification and optional approval	Verify trigger, action and execution
Integrations	No external integration confirmed	Do not claim external integration without evidence
RBAC / permissions	Role-specific access is a design requirement	Capture actual roles and permission settings
Mobile / portal	Not confirmed in README	Test and document only if configured

APPENDIX B – COURSE OUTCOME MAPPING

This mapping is a report-planning aid. Confirm the official course outcomes and unit terminology from the course syllabus before submission.

Course learning area	Related report section	Project evidence
Low-code platform setup	Chapter 5.1	Application setup and navigation
Data modelling and forms	Chapter 4.2, 4.3 and 5.2	Five forms and lookup relationships
Reports and dashboards	Chapter 5.3 and 5.4	Five reports and administrative dashboard
Deluge scripting	Chapter 5.5	Status and notification logic, if implemented
Workflow automation	Chapter 5.6	Donation and request email notifications; optional approval
Testing and deployment	Chapters 6 and 7	Test cases, deployment checklist and security review

The mapping should be checked against the official CB23F35 course outcome statements. Do not assign course outcome numbers unless they match the syllabus.

APPENDIX C – DELUGE SOURCE CODE AND LOGIC

The supplied README does not include the actual Deluge source code or exact form and field link names. The following section therefore records the intended logic and provides a safe place to paste the tested scripts from Zoho Creator. Do not submit pseudocode as if it were executable source code.

C.1 Donation Status Assignment

Purpose: assign the status Available to a newly created donation, if this behaviour is configured. Trigger: Food Donation record creation or the appropriate form event. Verify that the script updates only the current record.

```
// Paste the tested Deluge script here.
// Confirm the exact form and field link names.
// Confirm that only the newly created donation is updated.
```

C.2 Administrator Email Notification

Purpose: notify the administrator after a new donation is submitted. Verify the administrator email address, subject, message content and successful delivery.

```
// Paste the tested email workflow / Deluge action here.
// Do not include real credentials or private email addresses in this report.
```

APPENDIX C – DELUGE SOURCE CODE AND LOGIC (CONTINUED)

C.3 Donor Notification for a Food Request

Purpose: notify the donor associated with the donation selected in a Food Request. The workflow must follow the request-to-donation and donation-to-donor relationships. The email recipient must be the donor email, not the administrator email.

```
// Paste the tested donor-notification logic here.
// Verify lookup paths and recipient email before enabling.
```

C.4 Food Request Approval

If an approval process is configured, paste or document its actual configuration and status transitions here. If approval is not configured, retain this subsection and state that request review is performed manually or is planned for a future version.

C.5 Script Testing Record

Script / action	Test record used	Expected output	Actual output / date
Donation status update	Test donation ID: _____	Status becomes Available	_____
Administrator notification	Test donation ID: _____	Admin receives email	_____
Donor notification	Test request ID: _____	Correct donor receives email	_____
Approval action	Test request ID: _____	Approved / rejected status saved	_____

APPENDIX D – USER MANUAL

D.1 Accessing the Application

1. Open the published Zoho Creator application URL provided by the administrator.
2. Sign in using the account assigned to you. Do not share your password with another user.
3. Use the navigation menu to open the form or report required for your task.
4. If a page or record is unavailable, contact the application administrator rather than attempting to use another person's account.

D.2 Instructions for Donors

5. Open the Donor Registration form and enter the requested donor details.
6. Submit the registration and confirm that the record is saved, if the interface displays a confirmation.
7. Open the Food Donation form and enter the food name, category, quantity, unit and preparation date/time.
8. Select the correct donor record where a donor lookup is provided.
9. Submit the donation and, if access permits, verify that it appears in the donation report.
10. Respond to any follow-up communication from the administrator regarding the donation.

D.3 Instructions for Receivers

11. Complete the Receiver Registration form with the requested details.
12. Use the permitted application page or process to identify a suitable available donation.
13. Open the Food Request form, select the receiver record and the relevant donation, and submit the request.
14. Wait for confirmation or administrator review if an approval process is enabled.

APPENDIX D – USER MANUAL (CONTINUED)

D.4 Instructions for Administrator / Coordinator

15. Sign in using the administrator or coordinator account.
16. Open Donor Registrations and Receiver Registrations to review participant records.
17. Open All Food Donations to review food details, quantities, preparation date/time, donor and status.
18. Open Food Requests to review requests and their linked donations.
19. Approve or reject requests only if the approval process is configured and the user has permission.
20. Enter delivery information in the Delivery Record form when a donation has been allocated and delivery information is available.
21. Review the dashboard and compare its totals with the corresponding reports.
22. If a notification or report appears incorrect, record the affected record ID and report the issue to the application administrator.

D.5 Data Entry Guidelines

- Enter accurate food names, categories, quantities and units.
- Enter the preparation date and time carefully.
- Select the correct donor, receiver and donation lookup values.
- Do not create duplicate records when an existing participant or donation record is available.
- Do not enter sensitive personal details unless they are necessary for the application process.
- Use the configured status values consistently.

D.6 Troubleshooting

Issue	Suggested action
Form does not save	Check mandatory fields and validation messages
Donation missing from report	Refresh the report and verify its filters and columns
Request shows incorrect donor	Check the selected donation lookup and linked donor record
Email not received	Check spam folder, workflow configuration and recipient address with administrator
Dashboard count seems incorrect	Compare the dashboard filter with the records in the source report
Access denied	Contact the administrator to review your role and permissions