



Newstar Medical Laboratories - Atlanta
975 Cobb Place Blvd NW, STE 218 Kennesaw, GA 30144
Phone: (678) 505-8016 | Fax:(678) 806-7192
CLIA ID: 11D2145553

Laboratory Director : Robert M David, Ph.D

PATIENTDEMOGRAPHICS

Patient Name: Mary Heidt

DOB: 05/07/1952

Provider: Leon Driss

Accession: 22040800053

Patient Phone Number:

Report Status: FINAL

Reported: 04/13/2022

Reported: 04/13/2022

PRESCRIPTION

LIST

Losartan (Cozaar) , Atorvastatin (Lipitor) , Metformin (Glucophage , Riomet , Glumetza) , Prednisone (Rayos , Prednisone Intensol , Deltasone) , Acyclovir (Sitavig , Zovirax)

(**DIAGNOSIS** CODES

Z51.81, Z79.899, E11.9 Type 2 diabetes mellitus without complications, E78.4 Other hyperlipidemia

INCONSISTENT DETECTED **NOT PRESCRIBED** Results (ng/mL) Cutoff (ng/mL) Test Class Caffeine 50 > 2500 STIMULANT [DDI] The metabolism of Acyclovir can be decreased when combined with Caffeine. Hydrochlorothiazide 50 DIURETIC 2079.33 [DDI] The therapeutic efficacy of Metformin can be decreased when used in combination with Hydrochlorothiazide. [DDI] The risk or severity of electrolyte imbalance can be increased when Prednisone is combined with Hydrochlorothiazide. [DDI] The excretion of Hydrochlorothiazide can be decreased when combined with Acyclovir.

INCONSISTENT					
PRESCRIBED		NOT [DETECTED		
Class	Test	Cutoff ^(ng/mL)			
STATIN	Atorvastatin	10			
[DDI] The metabolism of Atorvastatin can be decreased when combined with Losartan.					

 CONTRAINDICATION

 Drug
 Contraindication

 Acyclovir
 [DDI] Acyclovir may decrease the excretion rate of Prednisone which could result in a higher serum level. [DDI] The excretion of Acyclovir can be decreased when combined with Losartan.

CONSISTENT					
PRESCRIBED			DETECTED		
Class	Test	Cutoff ^(ng/mL)	Results (ng/mL)		
ANTIDIABETIC	Metformin	500	16579.42		
[DDI] The therapeutic efficacy of Metformin can be decreased when used in combination with Prednisone.[DDI] Metformin may increase the hypolipidaemic activities of Atorvastatin.[DDI] The excretion of Acyclovir can be decreased when combined with Metformin.					

VALIDITY TESTING & SCREENS					
Specimen Validity	Range	Results			
PH	4.50 - 8.00	7			
Specific Gravity	1.01 - 1.03	1.009			
Urine Creatinine ^(mg/dL)	20.00 - 400.00	20.1			





Newstar Medical Laboratories - Atlanta

975 Cobb Place Blvd NW, STE 218 Kennesaw, GA 30144

Phone: (678) 505-8016 | Fax:(678) 806-7192

CLIA ID: 11D2145553

Laboratory Director : Robert M David, Ph.D

PATIENT

DEMOGRAPHICS

Patient Name: Mary Heidt	Account: Premier Mountain Healthcare	Order Code: NE22-0007300
DOB: 05/07/1952	Provider: Leon Driss	Sample Type: Urine
Patient Gender: F	Accession: 22040800053	Collected: 04/05/2022
Patient Phone Number:	Report Status: FINAL	Received: 2022-04-08T13:48:53.409942
		Reported: 04/13/2022

							Reported: 04/13	5/2022	022	
NOT PRESCRIBED									NOT DETECTED	
Test	Cutoff ^(ng/mL)	Test	Cutoff ^(ng/mL)	Test	Cutoff ^(ng/mL)	Test	Cutoff ^(ng/mL)	Test	Cutoff ^(ng/mL)	
4-Hydroxydiclofenac	50	Buprenorphine	10	Furosemide	50	N-Desmethylolanzapine	25	Sufentanil	5	
6-MAM	25	Buspirone	50	Gabapentin	1000	N-Desmethyltapentadol	50	Sumatriptan	50	
7-Aminoclonazepam	40	Butalbital	100	Glipizide	10	Norbuprenorphine	30	Tapentadol	50	
Carboxyibuprofen	400	Carbamazepine	50	Glyburide	10	Nordiazepam	40	Temazepam	40	
Digoxin	10	Carbamazepine Epoxide	50	Haloperidol	25	Norfentanyl	8	THC-COOH	50	
Ethyl Glucuronide	500	Carboxyclopidogrel	50	Hydrocodone	50	Norhydrocodone	50	Topiramate	50	
Ethyl Sulfate	200	Carboxyzolpidem	50	Hydromorphone	50	Norketamine	10	Tramadol	100	
Lisinopril	50	Carisoprodol	100	Hydroxybupropion	50	Normeperidine	100	Trazodone	50	
Oxymorphone	50	Celecoxib	50	Imipramine	50	Noroxycodone	50	Valsartan	50	
Paroxetine	25	Chlorpromazine	25	Indomethacin	50	Norpropoxyphene	100	Venlafaxine	100	
Phencyclidine	10	Clonazepam	20	Irbesartan	50	Nortriptyline	50	Warfarin	10	
Phenobarbital	100	Clonidine	50	Levetiracetam	50	Norverapamil	50	Zaleplon	10	
Phentermine	100	Codeine	50	Lorazepam	40	O-Desmethyltramadol	100	Ziprasidone	25	
Pioglitazone	50	Cotinine	50	Lurasidone	25	O-Desmethylvenlafaxine	100	Zolmitriptan	50	
7-Aminoflunitrazepam	40	Cyclobenzaprine	50	MDA	100	Olanzapine	25			
9-Hydroxyrisperidone	10	Dehydroaripiprazole	20	MDMA	100	Oxazepam	40			
Acetaminophen	400	Desalkylflurazepam	40	Meprobamate	200	Oxycodone	50			
a-Hydroxymidazolam	30	Desipramine	50	Methadone	100	Pitavastatin	10			
a-Hydroxytriazolam	30	Dextrorphan	25	Methamphetamine	100	Pregabalin	150			
alpha-Hydroxyalprazolam	30	Diazepam	10	Methotrexate	50	Propranolol	50			
Alprazolam	30	Diclofenac	50	Metoprolol	50	Protriptyline	50			
Amitriptyline	50	Dihydrocodeine	50	Mitragynine	25	Pseudoephedrine	50			
Amlodipine	25	Diltiazem	50	Morphine	50	Quetiapine	50			
Amphetamine	200	Diphenhydramine	50	Mycophenolic acid	50	Risperidone	10			
Apixaban	25	Donepezil	50	Naloxone	10	Ritalinic Acid	50			
Aripiprazole	20	Doxepin	30	Naltrexone	10	Rivaroxaban	50			
Atenolol	50	Duloxetine	50	Naproxen	100	Rosuvastatin	20			
Atomoxetine	50	EDDP	100	N-Desmethylcitalopram	50	Salicylic Acid	400			
Baclofen	50	Fentanyl	2	N-Desmethylclozapine	25	Sertraline	50			
Benzoylecgonine	50	Fluoxetine	25	N-Desmethylmirtazapine	25	Sitagliptin	50			

IMPORTANT DISCLAIMER NOTICE: Newstar warrants that all lab analysis provided is conducted professionally in accordance with all applicable standard laboratory practices and that this data reflects Newstar's attempt to generate accurate results for the specific sample(s) submitted to generate this report. Newstar has developed the tests used during the lab analysis and determined their performance characteristics. The tests have not been cleared or approved by the Food and Drug Administration. The results provided are based on information provided by the Customer. Report results are contingent on the accuracy of the prescription list, diagnosis codes, and government databases used to determine drug contraindications and drug interactions. This data reflects Newstar's attempt to generate accurate results based on the information that was provided to Newstar by the Customer and relying on the established government databases available to Newstar for the specific sample(s). Newstar disclaims any and all liability for any errors and is not responsible for any claims or damages related to the reliability of the test results.