



Newstar Medical Laboratories - Atlanta 975 Cobb Place Blvd NW, STE 218 Kennesaw, GA 30144 Phone: (678) 505-8016 | Fax:(678) 806-7192 CLIA ID: 11D2145553

Laboratory Director : Robert M David, Ph.D

PATIENT

PRESCRIPTION

LIST

DEMOGRAPHICS

Patient Name: JUDY EDMUND Account: Desert Kidney Associates East Valley Order Code: NE22-0007255 DOB: 10/29/1954 Provider: Rajesh Kumar Sample Type: Urine Patient Gender: F Accession: 22040700029 Collected: 04/05/2022 Patient Phone Number: (602) 577-5576 Report Status: FINAL Received: 2022-04-07T14:19:02.802509 Reported: 04/12/2022

Amlodipine (Norvasc) , Atorvastatin (Lipitor) , Empagliflozin (Jardiance) , Linagliptin (Tradjenta) ,

Semaglutide (Ozempic, Rybelsus, Wegovy)

DIAGNOSIS CODES

Z51.81, Z79.899, N18.4 Chronic kidney disease, stage 4 (severe), I10 Hypertension

INCONSISTENT					
NOT PRESCRIBED		DETECTED			
Class	Test	Cutoff ^(ng/mL)	Results ^(ng/mL)		
STIMULANT	Caffeine	50	564.83		
ANTIHISTAMINE	Diphenhydramine	50	766.43		
[DDI] The serum concentration of Linagliptin can be increased when it is combined with Diphenhydramine.					

	INCONSISTENT						
PRESCRIBED			NOT DET	ECTED			
Class	Test	Cut	off ^(ng/mL)				
		"NO RESULTS"					

CONTRAINDICATION NOT TESTED Contraindication Drug Empagliflozin [DDI] Empagliflozin may increase the hypoglycemic activities of Semaglutide. [DDI] The risk or severity of hypoglycemia can be increased when Linagliptin is combined with Semaglutide. Linagliptin

CONSISTENT					
PRESCRIBED			DETECTED		
Class	Test	Cutoff ^(ng/mL)	Results ^(ng/mL)		
CARDIOVASCULAR	Amlodipine	25	312.13		
[DDI] The risk or severity of hypoglycemia can be increased when Amlodipine is combined with Semaglutide. [DDI] The risk or severity of hypoglycemia can be increased when Amlodipine is combined with Empagliflozin. [DDI] The metabolism of Amlodipine can be decreased when combined with Linagliptin.					
STATIN	Atorvastatin	10	18.54		
[DDI] The metabolism of Atorvastatin can be decreased when combined with Linagliptin.					

VALIDITY TESTING & SCREEN	S	
Specimen Validity	Range	Results
PH	4.50 - 8.00	4.7
Specific Gravity	1.01 - 1.03	1.012
Urine Creatinine ^(mg/dL)	20.00 - 400.00	93.79





Newstar Medical Laboratories - Atlanta
975 Cobb Place Blvd NW, STE 218 Kennesaw, GA 30144
Phone: (678) 505-8016 | Fax:(678) 806-7192
CLIA ID: 11D2145553

Laboratory Director : Robert M David, Ph.D

PATIENT

DEMOGRAPHICS

Patient Name: JUDY EDMUND	Account: Desert Kidney Associates East Valley	Order Code: NE22-0007255
DOB: 10/29/1954	Provider: Rajesh Kumar	Sample Type: Urine
Patient Gender: F	Accession: 22040700029	Collected: 04/05/2022
Patient Phone Number: (602) 577-5576	Report Status: FINAL	Received: 2022-04-07T14:19:02.802509
		Reported: 04/12/2022

							Reported: 04/12/2022			
NOT PRESCRIBED									NOT DETECTED	
Test	Cutoff ^(ng/mL)	Test	Cutoff ^(ng/mL)	Test	Cutoff ^(ng/mL)	Test	Cutoff ^(ng/mL)	Test	Cutoff ^(ng/mL)	
Atomoxetine	50	Carboxyzolpidem	50	Haloperidol	25	Normeperidine	100	Tapentadol	50	
Baclofen	50	Carisoprodol	100	Hydrochlorothiazide	50	Noroxycodone	50	Temazepam	40	
Buprenorphine	10	Celecoxib	50	Hydrocodone	50	Norpropoxyphene	100	Topiramate	50	
Buspirone	50	Chlorpromazine	25	Hydromorphone	50	Nortriptyline	50	Tramadol	100	
Morphine	50	Clonazepam	20	Hydroxybupropion	50	Norverapamil	50	Trazodone	50	
Mycophenolic acid	50	Clonidine	50	Imipramine	50	O-Desmethyltramadol	100	Valsartan	50	
Naloxone	10	Codeine	50	Indomethacin	50	O-Desmethylvenlafaxine	100	Venlafaxine	100	
Warfarin	10	Cotinine	50	Irbesartan	50	Olanzapine	25			
Zaleplon	10	Cyclobenzaprine	50	Levetiracetam	50	Oxazepam	40			
Ziprasidone	25	Dehydroaripiprazole	20	Lisinopril	50	Oxycodone	50			
Zolmitriptan	50	Desalkylflurazepam	40	Lorazepam	40	Oxymorphone	50			
4-Hydroxydiclofenac	50	Desipramine	50	Lurasidone	25	Paroxetine	25			
7-Aminoclonazepam	40	Dextrorphan	25	Meprobamate	200	Phenobarbital	100			
7-Aminoflunitrazepam	40	Diazepam	10	Metformin	500	Phentermine	100			
9-Hydroxyrisperidone	10	Diclofenac	50	Methadone	100	Pioglitazone	50			
Acetaminophen	400	Digoxin	10	Methotrexate	50	Pitavastatin	10			
a-Hydroxymidazolam	30	Dihydrocodeine	50	Metoprolol	50	Pregabalin	150			
a-Hydroxytriazolam	30	Diltiazem	50	Mitragynine	25	Propranolol	50			
alpha-Hydroxyalprazolam	30	Donepezil	50	Naltrexone	10	Protriptyline	50			
Alprazolam	30	Doxepin	30	Naproxen	100	Pseudoephedrine	50			
Amitriptyline	50	Duloxetine	50	N-Desmethylcitalopram	50	Quetiapine	50			
Amphetamine	200	EDDP	100	N-Desmethylclozapine	25	Risperidone	10			
Apixaban	25	Ethyl Glucuronide	500	N-Desmethylmirtazapine	25	Ritalinic Acid	50			
Aripiprazole	20	Ethyl Sulfate	200	N-Desmethylolanzapine	25	Rivaroxaban	50			
Atenolol	50	Fentanyl	2	N-Desmethyltapentadol	50	Rosuvastatin	20			
Butalbital	100	Fluoxetine	25	Norbuprenorphine	30	Salicylic Acid	400			
Carbamazepine	50	Furosemide	50	Nordiazepam	40	Sertraline	50			
Carbamazepine Epoxide	50	Gabapentin	1000	Norfentanyl	8	Sitagliptin	50			
Carboxyclopidogrel	50	Glipizide	10	Norhydrocodone	50	Sufentanil	5			
Carboxyibuprofen	400	Glyburide	10	Norketamine	10	Sumatriptan	50			

IMPORTANT DISCLAIMER NOTICE: Newstar warrants that all lab analysis provided is conducted professionally in accordance with all applicable standard laboratory practices and that this data reflects Newstar's attempt to generate accurate results for the specific sample(s) submitted to generate this report. Newstar has developed the tests used during the lab analysis and determined their performance characteristics. The tests have not been cleared or approved by the Food and Drug Administration. The results provided are based on information provided by the Customer. Report results are contingent on the accuracy of the prescription list, diagnosis codes, and government databases used to determine drug contraindications and drug interactions. This data reflects Newstar's attempt to generate accurate results based on the information that was provided to Newstar by the Customer and relying on the established government databases available to Newstar for the specific sample(s). Newstar disclaims any and all liability for any errors and is not responsible for any claims or damages related to the reliability of the test results.