

```
sahasrasagi@Sahasra:~$ cd OSSP_Project
sahasrasagi@Sahasra:~/OSSP_Project$ make
make: 'osmanager' is up to date.
sahasrasagi@Sahasra:~/OSSP_Project$ ./osmanager
```

```
=====
      LINUX PROCESS MANAGEMENT
=====
Type 'help' to see available commands.
```

```
osmanager> help
```

```
Available commands:
```

```
-----
execute <command>   Execute a Linux command
create              Create a worker process
status             Show worker process status
message <text>      Send message to worker
task <number>       Give computation task
result             Show completed task result
stop               Stop worker process
resume            Resume worker process
terminate          Terminate worker process
history            Show command history
clear              Clear terminal
help              Show available commands
exit              Exit program
-----
```

```
osmanager> create
```

```
=====
      WORKER PROCESS CREATED
=====
Parent PID : 683
Worker PID : 684
```

```
osmanager> status
```

```
=====
                PROCESS INFORMATION
=====
PID   : 684
PPID  : 683
Name  : osmanager
State : S (Sleeping)

osmanager> task 10000000

Task sent to worker.
Worker is performing the computation.

osmanager> status

=====
                PROCESS INFORMATION
=====
PID   : 684
PPID  : 683
Name  : osmanager
State : S (Sleeping)

osmanager> result

Task completed. Sum from 1 to 10000000 = 50000005000000

osmanager> terminate

SIGTERM sent successfully.
Worker process terminated successfully.
Parent collected the worker using waitpid().

osmanager> exit

Exiting Linux Process Management System.
sahasrasagi@Sahasra:~/OSSP_Project$ |
```