


Name: Sagi Sahasra Srihasa
Roll no: 2520030008

Practical 3 and 4:

3)



```
sahasrasagi@Sahasra: ~/OS_L  ×  +  ∨
GNU nano 8.7.1      ques_3.c *
#include <stdio.h>
#include <unistd.h>
#include <sys/wait.h>

int main(){
    pid_t pid = fork();
    if (pid == 0){
        printf("Child Process \n");
        printf("PID : %d\n",getpid());
        printf("PPID : %d\n",getppid());

        sleep(10);
    }
    else{
        printf("Parent Process\n");
        printf("PID : %d\n",getpid());

        wait(NULL);
    }
    return 0;
}
```

ues_3

sahasrasagi@Sahasra:~/OS_Lab/Practical_3_

Parent Process

PID : 672

Child Process

PID : 673

PPID : 672

sahasrasagi@Sahasra:~/OS_Lab/Practical_3_

4)

```
sahasrasagi@Sahasra: ~/OS_L × + v
GNU nano 8.7.1 ques_4.c *
#include <stdio.h>
#include <unistd.h>
#include <sys/wait.h>

int main(){

    int i;
    for(i = 0;i<3;i++){
        if(fork()==0){
            printf("Child %d PID = %d\n",i+1,getpid());
            return 0;
        }
    }

    for(i = 0;i<3;i++){
        wait(NULL);
    }
    printf("All children completed.\n");
    return 0;
}
```

PID = 752

```
sahasrasagi@Sahasra:~/OS_Lab/Practical_3_and_4$ ./ques_4
Child 1 PID = 751
Child 2 PID = 752
Child 3 PID = 753
All children completed.
sahasrasagi@Sahasra:~/OS_Lab/Practical_3_and_4$
```