# 2021 MCA MCAN-293 L - OBJECT ORIENTED PROGRAMMING WITH JAVA LAB


# Name:-Saheb Mukherjee

## University Rollno:-11571020039

Create a class 'Degree' having a method 'getDegree' that prints "I got a
degree". It has two subclasses namely 'Undergraduate' and 'Postgraduate' each
having a method with the same name that prints "I am an Undergraduate" and
"I am a Postgraduate" respectively. Call the method by creating an object of
each of the three classes.

```
class Degree {
    void getDegree() {
        System.out.println("I Got a Degree");
class Undergraduate extends Degree {
   void getDegree() {
        System.out.println("I am an Undergraduate");
class Postgraduate extends Degree {
   void getDegree() {
        System.out.println("I am an Postgraduate");
class degreeinhert {
    public static void main(String[] args) {
        Degree obj = new Degree();
        obj.getDegree();
        Undergraduate obj1 = new Undergraduate();
        obj1.getDegree();
        Postgraduate obj2 = new Postgraduate();
        obj2.getDegree();
    }
```

#### **OUTPUT**




- A class has an integer data member 'i' and a method named 'printNum' to print the value of 'i'. Its subclass also has an integer data member 'j' and a method named 'printNum' to print the value of 'j'. Make an object of the subclass and use it to assign a value to 'i' and to 'j'. Now call the method 'printNum' by this object.
- //code

```
1. class A {
       int i;
2.
3.
4.
       A(int i) {
5.
            this.i = i;
6.
8.
       void printNum() {
9.
            System.out.println("i=" + i);
10.
11.}
12.
13.class B extends A {
14.
       int j;
15.
```

```
16.
        B(int j) {
17.
            super(10);
18.
            this.j = j;
19.
20.
21.
        void printNum() {
            System.out.println("j=" + j + "\ni=" + i);
22.
23.
24.}
25.
26.public class Supinher {
27.
        public static void main(String[] args) {
28.
            B \text{ obj} = \text{new } B(5);
29.
            obj.printNum();
30.
31.}
```

#### **OUTPUT**



• A boy has his money deposited \$1000, \$1500 and \$2000 in banks-Bank A, Bank B and Bank C respectively. We have to print the money deposited by him in a particular bank.

Create a class 'Bank' with a method 'getBalance' which returns 0. Make its three subclasses named 'BankA', 'BankB' and 'BankC' with a method with the same

name 'getBalance' which returns the amount deposited in that particular bank. Call the method 'getBalance' by the object of each of the three banks.

## //CODE

```
1. class Bank {
2.
       int bal;
3.
4.
       Bank() {
5.
           this.bal = 0;
6.
7.
8.
       void getBalance() {
9.
           System.out.println(bal);
10.
11.}
12.
13.class BankA extends Bank {
14.
       int bal;
15.
16.
       BankA(int bal) {
17.
           this.bal = bal;
18.
19.
20.
       void getBalance() {
21.
           System.out.println("Balance=" + bal);
22.
23.}
24.
25.class BankB extends Bank {
26.
       BankB(int bal) {
27.
           this.bal = bal;
28.
29.
30.
       void getBalance() {
31.
           System.out.println("Balance=" + bal);
32.
33.}
34.
35.class BankC extends Bank {
36.
       BankC(int bal) {
37.
           this.bal = bal;
38.
39.
40.
       void getBalance() {
41.
           System.out.println("Balance=" + bal);
```

```
42.
43.}
44.
45.public class inhbank {
       public static void main(String[] args) {
47.
           BankA obj = new BankA(1000);
48.
           obj.getBalance();
49.
           BankB obj1 = new BankB(1500);
50.
           obj1.getBalance();
51.
           BankC obj2 = new BankC(2000);
52.
           obj2.getBalance();
53.
54.}
```

 All the banks operating in India are controlled by RBI. RBI has set a well defined guideline (e.g. minimum interest rate, minimum balance allowed, maximum withdrawal limit etc) which all banks must follow. For example, suppose RBI has set minimum interest rate applicable to a saving bank account to be 4% annually; however, banks are free to use 4% interest rate or to set any rates above it.

Write a JAVA program to implement bank functionality in the above scenario and demonstrate the dynamic polymorphism concept. Note: Create few classes namely Customer, Account, RBI (Base Class) and few derived classes (SBI, ICICI, PNB etc). Assume and implement required member variables and functions in each class.

//CODE

```
    import java.util.Scanner;

2.
3. class Rbi {
4.
       int inter, minbal, maxwith;
5.
6.
       Rbi() {
7.
           inter = 4;
           minbal = 0;
9.
           maxwith = 50000;
10.
11.
       void dis() {
12.
13.
           System.out.println("Miniumum Interest Rate=" + inter);
14.
           System.out.println("Miniumum Balance=" + minbal);
15.
           System.out.println("Maximum Withdrawl limit=" + maxwith);
16.
17.}
```

```
18.
19.class Sbi extends Rbi {
20.
       int a, a1, a2;
21.
22.
       Sbi() {
23.
           inter = 5;
24.
25.
26.
       void cust(int a) {
27.
           this.a = a;
28.
29.
30.
      // void dis() {
31.
       // System.out.println("Miniumum Interest Rate of SBI BANK=" + inter);
32.
       // System.out.println("Miniumum Balance of SBI BANK=" + minbal);
       // System.out.println("Maximum Withdrawl limit of SBI BANK=" + maxwith
33.
34.
35.
       void custde() {
           a1 = (a * inter) / 100;
36.
37.
           a2 = a + a1;
38.
           System.out.println("\nPrinting amount details");
39.
           System.out.println("-----
40.
           System.out.println("amount is " + a);
41.
           System.out.println("Interest amount is " + a1);
42.
           System.out.println("Total amount is " + a2);
43.
44.}
45.
46.class Icici extends Rbi {
47.
       int a, a1, a2;
48.
49.
       Icici() {
50.
           minbal = 10000;
51.
52.
53.
       void cust(int a) {
54.
           this.a = a;
55.
56.
       void custde() {
57.
58.
           a1 = (a * inter) / 100;
59.
           a2 = a + a1;
           System.out.println("\nPrinting amount details");
60.
           System.out.println("----");
61.
```


```
62.
           System.out.println("amount is " + a);
63.
           System.out.println("Interest amount is " + a1);
64.
           System.out.println("Total amount is " + a2);
65.
66.
67.
       // void dis() {
68.
       // System.out.println("Miniumum Interest Rate of ICICI BANK=" + inter)
69.
       // System.out.println("Miniumum Balance of ICICI BANK=" + minbal);
       // System.out.println("Maximum Withdrawl limit of ICICI BANK=" + maxwi
70.
71.
72.}
73.
74.class Pnb extends Rbi {
75.
       int a, a1, a2;
76.
77.
       Pnb() {
78.
           maxwith = 20000;
79.
80.
81.
       void cust(int a) {
82.
           this.a = a;
83.
84.
85.
       void custde() {
86.
           a1 = (a * inter) / 100;
87.
           a2 = a + a1;
88.
           System.out.println("\nPrinting amount details");
           System.out.println("-----
89.
90.
           System.out.println("amount is " + a);
91.
           System.out.println("Interest amount is " + a1);
92.
           System.out.println("Total amount is " + a2);
93.
94.
95.
       // void dis() {
96.
       // System.out.println("Miniumum Interest Rate of PNB BANK=" + inter);
97.
       // System.out.println("Miniumum Balance of PNB BANK=" + minbal);
98.
       // System.out.println("Maximum Withdrawl limit of PNB BANK=" + maxwith
99.
100.
101.
102.
         public class bankacc {
             public static void main(String[] args) {
103.
```

```
104.
                 Scanner sc = new Scanner(System.in);
105.
                 int inp, sel, a;
106.
                 System.out.println("\n\n***BANK ACCOUNT MANAGMENT PORTAL B
   Y SAHEB***");
107.
108.
109.
                 // System.out.println("Wrong Choice");
110.
111.
                 while (true) {
112.
                     System.out.println("\n\nPress 1 to display bank details"
   );
113.
                     System.out.println("press 2 to select a bank");
114.
                     inp = sc.nextInt();
115.
                     if (inp == 1) {
116.
                         System.out.println("\nRBI details");
                         System.out.println("----");
117.
118.
                         Rbi obj = new Rbi();
119.
                         obj.dis();
120.
121.
                         System.out.println("\nSBI details");
                         System.out.println("----");
122.
123.
                         Sbi obj1 = new Sbi();
124.
                         obj1.dis();
125.
126.
                         System.out.println("\nICICI details");
                         System.out.println("----");
127.
128.
                         Icici obj2 = new Icici();
129.
                         obj2.dis();
130.
131.
                         System.out.println("\nPNB details");
                         System.out.println("----");
132.
133.
                         Pnb obj3 = new Pnb();
134.
                         obj3.dis();
135.
                     } else if (inp == 2) {
136.
                         System.out.println("Press 1 for RBI");
                         System.out.println("Press 2 for ICICI");
137.
138.
                         System.out.println("Press 3 for PNB");
139.
                         sel = sc.nextInt();
140.
                         if (sel == 1) {
141.
                             System.out.println("Enter your amount:");
142.
                             a = sc.nextInt();
143.
                             Sbi obj = new Sbi();
144.
                             obj.cust(a);
145.
                             obj.custde();
                         } else if (sel == 2) {
146.
```


```
147.
                               System.out.println("Enter your amount:");
148.
                               a = sc.nextInt();
149.
                               Icici obj = new Icici();
150.
                               obj.cust(a);
151.
                               obj.custde();
152.
                           } else if (sel == 3) {
153.
                               System.out.println("Enter your amount:");
154.
                               a = sc.nextInt();
155.
                               Pnb obj = new Pnb();
156.
                               obj.cust(a);
157.
                               obj.custde();
158.
                           } else {
159.
                               System.out.println("Wrong Choice");
160.
161.
162.
                       } else {
163.
                           System.out.println("Wrong Choice");
164.
165.
                  }
166.
167.
```

#### **OUTPUT**


### **SCREEN1:**



#### **SCREEN2:**



### **SCREEN3:**



#### **SCREEN4:**

