

# Angular - Behind the Scenes



# Angular

- When we run the Angular app ... how is it loaded?



# Loading Angular App

File: src/index.html

```
<!doctype html>
<html lang="en">
...
<body>

  <app-root></app-root>

</body>
</html>
```

File: src/app/app.component.ts

```
import { Component } from '@angular/core';

@Component({
  selector: 'app-root',
  templateUrl: './app.component.html',
  styleUrls: ['./app.component.css']
})
export class AppComponent {
  title = 'my-first-angular-project';
}
```

File: src/app/app.component.html

```
<span>{{ title }} app is running! YES YES SUCCESS!!!</span>
```

# Loading Angular App

File: src/index.html

```
<!doctype html>
<html lang="en">
...
<body>
  <app-root></app-root>
</body>
</html>
```

1

File: src/app/app.component.ts

```
import { Component } from '@angular/core';

@Component({
  selector: 'app-root',
  templateUrl: './app.component.html',
  styleUrls: ['./app.component.css']
})
export class AppComponent {
  title = 'my-first-angular-project';
}
```

2

3

File: src/app/app.component.html

```
<span>{{ title }} app is running! YES YES SUCCESS!!!</span>
```

# Loading Angular App

File: src/index.html

```
<!doctype html>
<html lang="en">
...
<body>
  <app-root></app-root>
</body>
</html>
```

1


File: src/app/app.component.ts

```
import { Component } from '@angular/core';

@Component({
  selector: 'app-root',
  templateUrl: './app.component.html',
  styleUrls: ['./app.component.css']
})
export class AppComponent {
  title = 'my-first-angular-project';
}
```

2

3



File: src/app/app.component.html

```
<span>{{ title }} app is running! YES YES SUCCESS!!!</span>
```

4