
AN INCREDIBLY INSIGHTFUL THESIS ABOUT SOMETHING EXTREMELY IMPORTANT

PRESTIGIOUS INSTITUTE OF SOMETHING IMPORTANT
DEPARTMENT OF VERY ADVANCED THEORETICAL STUFF
DOCTORAL THESIS

AUTHOR

JOHN A. DOE

SUPERVISORS

DR. JANE B. SMITH
PROF. ALICE PLACEHOLDER



LOREM IPSUM
SLOGAN HERE

AUGUST 2025

Dedication

Acknowledgments

Abstract

Contents

1	Text and Structure	1
1.1	Paragraphs of Text	1
1.2	Text Styling	1
1.3	Quotations	1
1.4	Lists	1
1.4.1	Numbered List	2
1.4.2	Bullet Points	2
1.4.3	Descriptions and Definitions	2
1.5	Citation	2
2	Equations and Symbols	3
2.1	Inline Math	3
2.2	Displayed Equations	3
2.3	Align Environment	3
2.4	Fractions, Roots, and Exponents	3
2.5	Summations and Integrals	3
2.6	Greek Symbols	4
2.6.1	Lowercase Greek Letters	4
2.6.2	Uppercase Greek Letters	4
2.6.3	Variant Greek Symbols	4
2.7	Matrices	4
2.8	Systems of Equations	4
2.9	Numbered Equations with Labels	4
3	Mathematical Environments	5
3.1	Theorems	5
3.1.1	Several equations	5
3.1.2	Single Line	5

3.2 Definitions	5
3.3 Notations	6
3.4 Remarks	6
3.5 Corollaries	6
3.6 Propositions	6
3.6.1 Several equations	6
3.6.2 Single Line	6
3.7 Examples	6
3.7.1 Equation and Text	7
3.7.2 Paragraph of Text	7
3.8 Exercises	7
3.9 Problems	7
3.10 Vocabulary	7
4 Figures and Tables	9
4.1 Figures	9
4.2 Tables	10
5 Code	11
Bibliography	13
Books	13
Articles	13

List of Figures

4.1	A sample figure with a caption.	9
4.2	Two images displayed side by side.	9
4.3	Comparison of four different images.	10

List of Tables

4.1	Experimental results for each treatment.	10
4.2	Sample parameters with corresponding physical units.	10

CHAPTER 1

Text and Structure

1.1 Paragraphs of Text

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

1.2 Text Styling

Bold, *Italic*, Underline, Monospaced, *Emphasized*

1.3 Quotations

This is an inline quote: “This is quoted.”

This is a block quote. It’s often used for long quoted passages, interviews, or highlighted text.

1.4 Lists

Lists are useful to present information in a concise and/or ordered way¹.

¹Footnote example...

1.4.1 Numbered List

1. The first item
2. The second item
 - (a) Sub-item one
 - (b) Sub-item two
 - i. Sub-sub-item A
 - ii. Sub-sub-item B
3. The third item

1.4.2 Bullet Points

- The first item
- The second item
 - Sub-item one
 - Sub-item two
 - * Sub-sub-item A
 - * Sub-sub-item B
- The third item

1.4.3 Descriptions and Definitions

Name Description

Word Definition

Comment Elaboration

1.5 Citation

This statement requires citation [0]; this one is more specific [0, page 122].

CHAPTER 2

Equations and Symbols

2.1 Inline Math

The Pythagorean theorem is expressed as $a^2 + b^2 = c^2$.

2.2 Displayed Equations

$$E = mc^2 \quad (2.1)$$

2.3 Align Environment

$$f(x) = x^2 + 3x + 2 \quad (2.2)$$

$$= (x + 1)(x + 2) \quad (2.3)$$

2.4 Fractions, Roots, and Exponents

$$\frac{a+b}{c}, \quad \sqrt{2}, \quad x^{n+1}$$

2.5 Summations and Integrals

$$\sum_{i=1}^n i = \frac{n(n+1)}{2}, \quad \int_0^1 x^2 dx = \frac{1}{3}$$

2.6 Greek Symbols

2.6.1 Lowercase Greek Letters

$$\alpha, \beta, \gamma, \delta, \varepsilon, \zeta, \eta, \theta, \iota, \kappa, \lambda, \mu, \nu, \xi, \pi, \rho, \sigma, \tau, \upsilon, \phi, \chi, \psi, \omega$$

2.6.2 Uppercase Greek Letters

$$\Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Upsilon, \Phi, \Psi, \Omega$$

2.6.3 Variant Greek Symbols

$$\varepsilon, \vartheta, \varpi, \rho, \varsigma, \varphi$$

2.7 Matrices

$$A = \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} \quad (2.4)$$

2.8 Systems of Equations

$$\begin{cases} x + y = 1 \\ 2x - y = 3 \end{cases} \quad (2.5)$$

2.9 Numbered Equations with Labels

$$F = ma \quad (2.6)$$

As shown in Equation 2.6, force is proportional to mass and acceleration.

CHAPTER 3

Mathematical Environments

3.1 Theorems

This is an example of theorems.

3.1.1 Several equations

This is a theorem consisting of several equations.

Theorem 3.1.1 — Name of the theorem. In $E = \mathbb{R}^n$ all norms are equivalent. It has the properties:

$$|||\mathbf{x}|| - ||\mathbf{y}||| \leq ||\mathbf{x} - \mathbf{y}|| \quad (3.1)$$

$$||\sum_{i=1}^n \mathbf{x}_i|| \leq \sum_{i=1}^n ||\mathbf{x}_i|| \quad \text{where } n \text{ is a finite integer} \quad (3.2)$$

3.1.2 Single Line

This is a theorem consisting of just one line.

Theorem 3.1.2 A set $\mathcal{D}(G)$ is dense in $L^2(G)$, $|\cdot|_0$.

3.2 Definitions

This is an example of a definition. A definition could be mathematical or it could define a concept.

Definition 3.2.1 — Definition name. Given a vector space E , a norm on E is an application, denoted $||\cdot||$, E in $\mathbb{R}^+ = [0, +\infty[$ such that:

$$||\mathbf{x}|| = 0 \Rightarrow \mathbf{x} = \mathbf{0} \quad (3.3)$$

$$||\lambda \mathbf{x}|| = |\lambda| \cdot ||\mathbf{x}|| \quad (3.4)$$

$$||\mathbf{x} + \mathbf{y}|| \leq ||\mathbf{x}|| + ||\mathbf{y}|| \quad (3.5)$$

3.3 Notations

Notation 3.1. Given an open subset G of \mathbb{R}^n , the set of functions φ are:

1. Bounded support G ;
2. Infinitely differentiable;

a vector space is denoted by $\mathcal{D}(G)$.

3.4 Remarks

This is an example of a remark.



The concepts presented here are now in conventional employment in mathematics. Vector spaces are taken over the field $\mathbb{K} = \mathbb{R}$, however, established properties are easily extended to $\mathbb{K} = \mathbb{C}$.

3.5 Corollaries

This is an example of a corollary.

Corollary 3.5.1 — Corollary name. The concepts presented here are now in conventional employment in mathematics. Vector spaces are taken over the field $\mathbb{K} = \mathbb{R}$, however, established properties are easily extended to $\mathbb{K} = \mathbb{C}$.

3.6 Propositions

This is an example of propositions.

3.6.1 Several equations

Proposition 3.6.1 — Proposition name. It has the properties:

$$|||\mathbf{x}|| - ||\mathbf{y}||| \leq ||\mathbf{x} - \mathbf{y}|| \quad (3.6)$$

$$||\sum_{i=1}^n \mathbf{x}_i|| \leq \sum_{i=1}^n ||\mathbf{x}_i|| \quad \text{where } n \text{ is a finite integer} \quad (3.7)$$

3.6.2 Single Line

Proposition 3.6.2 Let $f, g \in L^2(G)$; if $\forall \varphi \in \mathcal{D}(G)$, $(f, \varphi)_0 = (g, \varphi)_0$ then $f = g$.

3.7 Examples

This is an example of examples.

3.7.1 Equation and Text

■ **Example 3.1** Let $G = \{x \in \mathbb{R}^2 : |x| < 3\}$ and denoted by: $x^0 = (1, 1)$; consider the function:

$$f(x) = \begin{cases} e^{|x|} & \text{si } |x - x^0| \leq 1/2 \\ 0 & \text{si } |x - x^0| > 1/2 \end{cases} \quad (3.8)$$

The function f has bounded support, we can take $A = \{x \in \mathbb{R}^2 : |x - x^0| \leq 1/2 + \varepsilon\}$ for all $\varepsilon \in]0; 5/2 - \sqrt{2}[$. ■

3.7.2 Paragraph of Text

■ **Example 3.2 — Example name.** Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris. ■

3.8 Exercises

This is an example of an exercise.

Exercise 3.1 This is a good place to ask a question to test learning progress or further cement ideas into students' minds. ■

3.9 Problems

Problem 3.1 What is the average airspeed velocity of an unladen swallow?

3.10 Vocabulary

Define a word to improve a students' vocabulary.

Vocabulary 3.1 — Word. Definition of word.

CHAPTER

4

Figures and Tables

4.1 Figures

Supported formats include: ‘.png’, ‘.jpg’, ‘.jpeg’, ‘.pdf’, and ‘.eps’ (depending on the compiler). It is recommended to use ‘.pdf’ for vector images and ‘.png’ for raster graphics.




Figure 4.1: A sample figure with a caption.

Refer to Figure 4.1 to cite a full figure in your text.




Figure 4.2: Two images displayed side by side.

Refer to subfigures individually as Figures 4.2a and 4.2b, or collectively as Figure 4.2.




Figure 4.3: Comparison of four different images.

You can reference subfigures individually, such as Figure 4.3b, or the full group using Figure 4.3.

4.2 Tables

Table 4.1: Experimental results for each treatment.

Treatment	Response 1	Response 2
Treatment 1	0.0003262	0.562
Treatment 2	0.0015681	0.910
Treatment 3	0.0009271	0.296

Table 4.2: Sample parameters with corresponding physical units.

Symbol	Description	Value	Units
A	Sample parameter A	12.50	m
B	Sample parameter B	3.14	kg
C	Sample parameter C	-0.98	s

This is an example of referencing a table using its assigned label. As shown in Table 4.2.

CHAPTER **5**

Code

References

Books

- [Smi12] John Smith. *Book title*. 1st edition. Volume 3. 2. City: Publisher, Jan. 2012, pages 123–200 (cited on page 2).

Articles

- [Smi13] James Smith. “Article title”. In: 14.6 (Mar. 2013), pages 1–8 (cited on page 2).