16.1.1 Protocol and protocol amendments

The protocol for study KLV-7702 and its amendments are filed as separate documents in this phase folder. The version effective at the data cut-off of 03 April 2019 governed the analyses reported in the clinical study report.

16.1.2 Sample case report form

A blank case report form is filed separately. Completed forms for individual subjects are provided at Appendix 16.3.

16.1.3 List of independent ethics committees and institutional review boards

The protocol, the subject information sheet and the informed consent form were reviewed and approved by the responsible committee for each of the 9 participating sites before any subject was enrolled at that site. Committee names and addresses are withheld.

16.1.4 List of investigators and study sites

SITE	COUNTRY	SUBJECTS ENROLLED
0101	NLD	5
0102	DEU	5
0103	BEL	6
0104	BEL	2
0105	JPN	8
0106	BEL	8
0107	USA	12
0108	NLD	7
0109	KOR	5

Investigator names are not recorded. Sites are identified by number only, which is the same identifier used in the datasets and in the case report forms.

16.1.5 Signatures of principal investigators

The signature page for each principal investigator is held in the trial master file. No signature is reproduced here.

16.1.6 Listing of subjects receiving test drug from specific batches

Study treatment was supplied as film-coated tablets. Batch allocation was recorded at the dispensing site. All subjects in the safety population received treatment from batches released against the same specification.

16.1.7 Randomisation scheme and codes

Subjects were allocated to 100 mg and 200 mg and 300 mg and 400 mg. The allocation held in the datasets is the actual treatment received, which was the same as the planned treatment for every subject.

16.1.8 Audit certificates

Audits of the study conduct and of the clinical database were performed by the sponsor's quality assurance function. Certificates are held in the trial master file.

16.1.9 Documentation of statistical methods

The statistical analysis plan for study KLV-7702 is filed as a separate document in this phase folder and was finalised before the database was locked.

16.1.10 Documentation of inter-laboratory standardisation and quality assurance

Laboratory analyses were performed at a central laboratory. Reference ranges applied to the reported results are those given with each test in the laboratory dataset, and the same ranges are used in the listings at Appendix 16.2.

16.1.11 Publications based on the study

No publication is associated with this study.

16.1.12 Important publications referenced in the report

References cited in the clinical study report are listed in the report itself.