~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1001	1	HGB	Haemoglobin	HAEMATOLOGY	149.7	g/L	149.7	g/L	NORMAL		BASELINE	1	2018-02-24	-1
KLV-7702	LB	KLV-7702-1001	2	HGB	Haemoglobin	HAEMATOLOGY	74.1	g/L	74.1	g/L	LOW	2	WORST POST-BASELINE	2	2018-05-29	94
KLV-7702	LB	KLV-7702-1001	3	PLAT	Platelets	HAEMATOLOGY	120.0	10^9/L	120.0	10^9/L	LOW	1	BASELINE	1	2018-02-24	-1
KLV-7702	LB	KLV-7702-1001	4	PLAT	Platelets	HAEMATOLOGY	89.0	10^9/L	89.0	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-05-29	94
KLV-7702	LB	KLV-7702-1001	5	NEUT	Neutrophils	HAEMATOLOGY	5.3	10^9/L	5.3	10^9/L	NORMAL		BASELINE	1	2018-02-24	-1
KLV-7702	LB	KLV-7702-1001	6	NEUT	Neutrophils	HAEMATOLOGY	1.6	10^9/L	1.6	10^9/L	LOW	1	WORST POST-BASELINE	2	2018-05-29	94
KLV-7702	LB	KLV-7702-1001	7	LYM	Lymphocytes	HAEMATOLOGY	1.84	10^9/L	1.84	10^9/L	NORMAL		BASELINE	1	2018-02-24	-1
KLV-7702	LB	KLV-7702-1001	8	LYM	Lymphocytes	HAEMATOLOGY	2.83	10^9/L	2.83	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-05-29	94
KLV-7702	LB	KLV-7702-1001	9	CA125	Cancer Antigen 125	CHEMISTRY	97.8	kU/L	97.8	kU/L	HIGH	2	BASELINE	1	2018-02-24	-1
KLV-7702	LB	KLV-7702-1001	10	CA125	Cancer Antigen 125	CHEMISTRY	205.9	kU/L	205.9	kU/L	HIGH	3	WORST POST-BASELINE	2	2018-05-29	94
KLV-7702	LB	KLV-7702-1001	11	ALT	Alanine aminotransferase	CHEMISTRY	33.2	U/L	33.2	U/L	NORMAL		BASELINE	1	2018-02-24	-1
KLV-7702	LB	KLV-7702-1001	12	ALT	Alanine aminotransferase	CHEMISTRY	33.0	U/L	33.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-05-29	94
KLV-7702	LB	KLV-7702-1001	13	AST	Aspartate aminotransferase	CHEMISTRY	23.2	U/L	23.2	U/L	NORMAL		BASELINE	1	2018-02-24	-1
KLV-7702	LB	KLV-7702-1001	14	AST	Aspartate aminotransferase	CHEMISTRY	29.7	U/L	29.7	U/L	NORMAL		WORST POST-BASELINE	2	2018-05-29	94
KLV-7702	LB	KLV-7702-1001	15	CREAT	Creatinine	CHEMISTRY	69.0	umol/L	69.0	umol/L	NORMAL		BASELINE	1	2018-02-24	-1
KLV-7702	LB	KLV-7702-1001	16	CREAT	Creatinine	CHEMISTRY	71.0	umol/L	71.0	umol/L	NORMAL		WORST POST-BASELINE	2	2018-05-29	94
KLV-7702	LB	KLV-7702-1001	17	LDH	Lactate dehydrogenase	CHEMISTRY	405.0	U/L	405.0	U/L	HIGH	1	BASELINE	1	2018-02-24	-1
KLV-7702	LB	KLV-7702-1001	18	LDH	Lactate dehydrogenase	CHEMISTRY	396.0	U/L	396.0	U/L	HIGH	1	WORST POST-BASELINE	2	2018-05-29	94
KLV-7702	LB	KLV-7702-1001	19	ALB	Albumin	CHEMISTRY	40.9	g/L	40.9	g/L	NORMAL		BASELINE	1	2018-02-24	-1
KLV-7702	LB	KLV-7702-1001	20	ALB	Albumin	CHEMISTRY	40.6	g/L	40.6	g/L	NORMAL		WORST POST-BASELINE	2	2018-05-29	94
KLV-7702	LB	KLV-7702-1002	1	HGB	Haemoglobin	HAEMATOLOGY	106.1	g/L	106.1	g/L	LOW	1	BASELINE	1	2018-02-17	-1
KLV-7702	LB	KLV-7702-1002	2	HGB	Haemoglobin	HAEMATOLOGY	102.1	g/L	102.1	g/L	LOW	1	WORST POST-BASELINE	2	2018-09-05	200
KLV-7702	LB	KLV-7702-1002	3	PLAT	Platelets	HAEMATOLOGY	216.0	10^9/L	216.0	10^9/L	NORMAL		BASELINE	1	2018-02-17	-1
KLV-7702	LB	KLV-7702-1002	4	PLAT	Platelets	HAEMATOLOGY	325.0	10^9/L	325.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-09-05	200
KLV-7702	LB	KLV-7702-1002	5	NEUT	Neutrophils	HAEMATOLOGY	3.4	10^9/L	3.4	10^9/L	NORMAL		BASELINE	1	2018-02-17	-1
KLV-7702	LB	KLV-7702-1002	6	NEUT	Neutrophils	HAEMATOLOGY	3.6	10^9/L	3.6	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-09-05	200
KLV-7702	LB	KLV-7702-1002	7	LYM	Lymphocytes	HAEMATOLOGY	0.57	10^9/L	0.57	10^9/L	LOW	2	BASELINE	1	2018-02-17	-1
KLV-7702	LB	KLV-7702-1002	8	LYM	Lymphocytes	HAEMATOLOGY	0.62	10^9/L	0.62	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-09-05	200
KLV-7702	LB	KLV-7702-1002	9	CA125	Cancer Antigen 125	CHEMISTRY	23.8	kU/L	23.8	kU/L	NORMAL		BASELINE	1	2018-02-17	-1
KLV-7702	LB	KLV-7702-1002	10	CA125	Cancer Antigen 125	CHEMISTRY	50.4	kU/L	50.4	kU/L	HIGH	1	WORST POST-BASELINE	2	2018-09-05	200
KLV-7702	LB	KLV-7702-1002	11	ALT	Alanine aminotransferase	CHEMISTRY	23.6	U/L	23.6	U/L	NORMAL		BASELINE	1	2018-02-17	-1
KLV-7702	LB	KLV-7702-1002	12	ALT	Alanine aminotransferase	CHEMISTRY	30.7	U/L	30.7	U/L	NORMAL		WORST POST-BASELINE	2	2018-09-05	200
KLV-7702	LB	KLV-7702-1002	13	AST	Aspartate aminotransferase	CHEMISTRY	27.3	U/L	27.3	U/L	NORMAL		BASELINE	1	2018-02-17	-1
KLV-7702	LB	KLV-7702-1002	14	AST	Aspartate aminotransferase	CHEMISTRY	17.0	U/L	17.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-09-05	200
KLV-7702	LB	KLV-7702-1002	15	CREAT	Creatinine	CHEMISTRY	75.0	umol/L	75.0	umol/L	NORMAL		BASELINE	1	2018-02-17	-1
KLV-7702	LB	KLV-7702-1002	16	CREAT	Creatinine	CHEMISTRY	70.0	umol/L	70.0	umol/L	NORMAL		WORST POST-BASELINE	2	2018-09-05	200
KLV-7702	LB	KLV-7702-1002	17	LDH	Lactate dehydrogenase	CHEMISTRY	178.0	U/L	178.0	U/L	NORMAL		BASELINE	1	2018-02-17	-1
KLV-7702	LB	KLV-7702-1002	18	LDH	Lactate dehydrogenase	CHEMISTRY	164.0	U/L	164.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-09-05	200
KLV-7702	LB	KLV-7702-1002	19	ALB	Albumin	CHEMISTRY	45.4	g/L	45.4	g/L	NORMAL		BASELINE	1	2018-02-17	-1
KLV-7702	LB	KLV-7702-1002	20	ALB	Albumin	CHEMISTRY	31.2	g/L	31.2	g/L	LOW	1	WORST POST-BASELINE	2	2018-09-05	200
KLV-7702	LB	KLV-7702-1003	1	HGB	Haemoglobin	HAEMATOLOGY	147.5	g/L	147.5	g/L	NORMAL		BASELINE	1	2016-12-28	-1
KLV-7702	LB	KLV-7702-1003	2	HGB	Haemoglobin	HAEMATOLOGY	69.5	g/L	69.5	g/L	LOW	2	WORST POST-BASELINE	2	2017-03-03	65
KLV-7702	LB	KLV-7702-1003	3	PLAT	Platelets	HAEMATOLOGY	128.0	10^9/L	128.0	10^9/L	LOW	1	BASELINE	1	2016-12-28	-1
KLV-7702	LB	KLV-7702-1003	4	PLAT	Platelets	HAEMATOLOGY	54.0	10^9/L	54.0	10^9/L	LOW	3	WORST POST-BASELINE	2	2017-03-03	65
KLV-7702	LB	KLV-7702-1003	5	NEUT	Neutrophils	HAEMATOLOGY	4.1	10^9/L	4.1	10^9/L	NORMAL		BASELINE	1	2016-12-28	-1
KLV-7702	LB	KLV-7702-1003	6	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	WORST POST-BASELINE	2	2017-03-03	65
KLV-7702	LB	KLV-7702-1003	7	LYM	Lymphocytes	HAEMATOLOGY	2.34	10^9/L	2.34	10^9/L	NORMAL		BASELINE	1	2016-12-28	-1
KLV-7702	LB	KLV-7702-1003	8	LYM	Lymphocytes	HAEMATOLOGY	2.28	10^9/L	2.28	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-03-03	65
KLV-7702	LB	KLV-7702-1003	9	CA125	Cancer Antigen 125	CHEMISTRY	56.4	kU/L	56.4	kU/L	HIGH	1	BASELINE	1	2016-12-28	-1
KLV-7702	LB	KLV-7702-1003	10	CA125	Cancer Antigen 125	CHEMISTRY	57.3	kU/L	57.3	kU/L	HIGH	1	WORST POST-BASELINE	2	2017-03-03	65
KLV-7702	LB	KLV-7702-1003	11	ALT	Alanine aminotransferase	CHEMISTRY	66.3	U/L	66.3	U/L	HIGH	1	BASELINE	1	2016-12-28	-1
KLV-7702	LB	KLV-7702-1003	12	ALT	Alanine aminotransferase	CHEMISTRY	65.2	U/L	65.2	U/L	HIGH	1	WORST POST-BASELINE	2	2017-03-03	65
KLV-7702	LB	KLV-7702-1003	13	AST	Aspartate aminotransferase	CHEMISTRY	18.0	U/L	18.0	U/L	NORMAL		BASELINE	1	2016-12-28	-1
KLV-7702	LB	KLV-7702-1003	14	AST	Aspartate aminotransferase	CHEMISTRY	21.1	U/L	21.1	U/L	NORMAL		WORST POST-BASELINE	2	2017-03-03	65
KLV-7702	LB	KLV-7702-1003	15	CREAT	Creatinine	CHEMISTRY	154.0	umol/L	154.0	umol/L	HIGH	1	BASELINE	1	2016-12-28	-1
KLV-7702	LB	KLV-7702-1003	16	CREAT	Creatinine	CHEMISTRY	154.0	umol/L	154.0	umol/L	HIGH	1	WORST POST-BASELINE	2	2017-03-03	65
KLV-7702	LB	KLV-7702-1003	17	LDH	Lactate dehydrogenase	CHEMISTRY	363.0	U/L	363.0	U/L	HIGH	1	BASELINE	1	2016-12-28	-1
KLV-7702	LB	KLV-7702-1003	18	LDH	Lactate dehydrogenase	CHEMISTRY	427.0	U/L	427.0	U/L	HIGH	1	WORST POST-BASELINE	2	2017-03-03	65
KLV-7702	LB	KLV-7702-1003	19	ALB	Albumin	CHEMISTRY	44.9	g/L	44.9	g/L	NORMAL		BASELINE	1	2016-12-28	-1
KLV-7702	LB	KLV-7702-1003	20	ALB	Albumin	CHEMISTRY	44.1	g/L	44.1	g/L	NORMAL		WORST POST-BASELINE	2	2017-03-03	65
KLV-7702	LB	KLV-7702-1004	1	HGB	Haemoglobin	HAEMATOLOGY	102.1	g/L	102.1	g/L	LOW	1	BASELINE	1	2018-05-29	-1
KLV-7702	LB	KLV-7702-1004	2	HGB	Haemoglobin	HAEMATOLOGY	96.2	g/L	96.2	g/L	LOW	1	WORST POST-BASELINE	2	2018-12-08	193
KLV-7702	LB	KLV-7702-1004	3	PLAT	Platelets	HAEMATOLOGY	121.0	10^9/L	121.0	10^9/L	LOW	1	BASELINE	1	2018-05-29	-1
KLV-7702	LB	KLV-7702-1004	4	PLAT	Platelets	HAEMATOLOGY	51.0	10^9/L	51.0	10^9/L	LOW	3	WORST POST-BASELINE	2	2018-12-08	193
KLV-7702	LB	KLV-7702-1004	5	NEUT	Neutrophils	HAEMATOLOGY	4.5	10^9/L	4.5	10^9/L	NORMAL		BASELINE	1	2018-05-29	-1
KLV-7702	LB	KLV-7702-1004	6	NEUT	Neutrophils	HAEMATOLOGY	3.5	10^9/L	3.5	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-12-08	193
KLV-7702	LB	KLV-7702-1004	7	LYM	Lymphocytes	HAEMATOLOGY	2.48	10^9/L	2.48	10^9/L	NORMAL		BASELINE	1	2018-05-29	-1
KLV-7702	LB	KLV-7702-1004	8	LYM	Lymphocytes	HAEMATOLOGY	3.01	10^9/L	3.01	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-12-08	193

~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1004	9	CA125	Cancer Antigen 125	CHEMISTRY	10.8	kU/L	10.8	kU/L	NORMAL		BASELINE	1	2018-05-29	-1
KLV-7702	LB	KLV-7702-1004	10	CA125	Cancer Antigen 125	CHEMISTRY	220.4	kU/L	220.4	kU/L	HIGH	3	WORST POST-BASELINE	2	2018-12-08	193
KLV-7702	LB	KLV-7702-1004	11	ALT	Alanine aminotransferase	CHEMISTRY	22.7	U/L	22.7	U/L	NORMAL		BASELINE	1	2018-05-29	-1
KLV-7702	LB	KLV-7702-1004	12	ALT	Alanine aminotransferase	CHEMISTRY	69.8	U/L	69.8	U/L	HIGH	1	WORST POST-BASELINE	2	2018-12-08	193
KLV-7702	LB	KLV-7702-1004	13	AST	Aspartate aminotransferase	CHEMISTRY	19.7	U/L	19.7	U/L	NORMAL		BASELINE	1	2018-05-29	-1
KLV-7702	LB	KLV-7702-1004	14	AST	Aspartate aminotransferase	CHEMISTRY	20.2	U/L	20.2	U/L	NORMAL		WORST POST-BASELINE	2	2018-12-08	193
KLV-7702	LB	KLV-7702-1004	15	CREAT	Creatinine	CHEMISTRY	74.0	umol/L	74.0	umol/L	NORMAL		BASELINE	1	2018-05-29	-1
KLV-7702	LB	KLV-7702-1004	16	CREAT	Creatinine	CHEMISTRY	163.0	umol/L	163.0	umol/L	HIGH	1	WORST POST-BASELINE	2	2018-12-08	193
KLV-7702	LB	KLV-7702-1004	17	LDH	Lactate dehydrogenase	CHEMISTRY	166.0	U/L	166.0	U/L	NORMAL		BASELINE	1	2018-05-29	-1
KLV-7702	LB	KLV-7702-1004	18	LDH	Lactate dehydrogenase	CHEMISTRY	208.0	U/L	208.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-12-08	193
KLV-7702	LB	KLV-7702-1004	19	ALB	Albumin	CHEMISTRY	39.3	g/L	39.3	g/L	NORMAL		BASELINE	1	2018-05-29	-1
KLV-7702	LB	KLV-7702-1004	20	ALB	Albumin	CHEMISTRY	20.8	g/L	20.8	g/L	LOW	2	WORST POST-BASELINE	2	2018-12-08	193
KLV-7702	LB	KLV-7702-1005	1	HGB	Haemoglobin	HAEMATOLOGY	149.6	g/L	149.6	g/L	NORMAL		BASELINE	1	2018-06-18	-1
KLV-7702	LB	KLV-7702-1005	2	HGB	Haemoglobin	HAEMATOLOGY	140.9	g/L	140.9	g/L	NORMAL		WORST POST-BASELINE	2	2018-11-14	149
KLV-7702	LB	KLV-7702-1005	3	PLAT	Platelets	HAEMATOLOGY	264.0	10^9/L	264.0	10^9/L	NORMAL		BASELINE	1	2018-06-18	-1
KLV-7702	LB	KLV-7702-1005	4	PLAT	Platelets	HAEMATOLOGY	279.0	10^9/L	279.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-11-14	149
KLV-7702	LB	KLV-7702-1005	5	NEUT	Neutrophils	HAEMATOLOGY	5.0	10^9/L	5.0	10^9/L	NORMAL		BASELINE	1	2018-06-18	-1
KLV-7702	LB	KLV-7702-1005	6	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-11-14	149
KLV-7702	LB	KLV-7702-1005	7	LYM	Lymphocytes	HAEMATOLOGY	2.5	10^9/L	2.5	10^9/L	NORMAL		BASELINE	1	2018-06-18	-1
KLV-7702	LB	KLV-7702-1005	8	LYM	Lymphocytes	HAEMATOLOGY	3.07	10^9/L	3.07	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-11-14	149
KLV-7702	LB	KLV-7702-1005	9	CA125	Cancer Antigen 125	CHEMISTRY	17.5	kU/L	17.5	kU/L	NORMAL		BASELINE	1	2018-06-18	-1
KLV-7702	LB	KLV-7702-1005	10	CA125	Cancer Antigen 125	CHEMISTRY	59.9	kU/L	59.9	kU/L	HIGH	1	WORST POST-BASELINE	2	2018-11-14	149
KLV-7702	LB	KLV-7702-1005	11	ALT	Alanine aminotransferase	CHEMISTRY	26.6	U/L	26.6	U/L	NORMAL		BASELINE	1	2018-06-18	-1
KLV-7702	LB	KLV-7702-1005	12	ALT	Alanine aminotransferase	CHEMISTRY	31.5	U/L	31.5	U/L	NORMAL		WORST POST-BASELINE	2	2018-11-14	149
KLV-7702	LB	KLV-7702-1005	13	AST	Aspartate aminotransferase	CHEMISTRY	59.4	U/L	59.4	U/L	HIGH	1	BASELINE	1	2018-06-18	-1
KLV-7702	LB	KLV-7702-1005	14	AST	Aspartate aminotransferase	CHEMISTRY	65.7	U/L	65.7	U/L	HIGH	1	WORST POST-BASELINE	2	2018-11-14	149
KLV-7702	LB	KLV-7702-1005	15	CREAT	Creatinine	CHEMISTRY	84.0	umol/L	84.0	umol/L	NORMAL		BASELINE	1	2018-06-18	-1
KLV-7702	LB	KLV-7702-1005	16	CREAT	Creatinine	CHEMISTRY	70.0	umol/L	70.0	umol/L	NORMAL		WORST POST-BASELINE	2	2018-11-14	149
KLV-7702	LB	KLV-7702-1005	17	LDH	Lactate dehydrogenase	CHEMISTRY	408.0	U/L	408.0	U/L	HIGH	1	BASELINE	1	2018-06-18	-1
KLV-7702	LB	KLV-7702-1005	18	LDH	Lactate dehydrogenase	CHEMISTRY	1623.0	U/L	1623.0	U/L	HIGH	3	WORST POST-BASELINE	2	2018-11-14	149
KLV-7702	LB	KLV-7702-1005	19	ALB	Albumin	CHEMISTRY	19.4	g/L	19.4	g/L	LOW	2	BASELINE	1	2018-06-18	-1
KLV-7702	LB	KLV-7702-1005	20	ALB	Albumin	CHEMISTRY	20.7	g/L	20.7	g/L	LOW	2	WORST POST-BASELINE	2	2018-11-14	149
KLV-7702	LB	KLV-7702-1006	1	HGB	Haemoglobin	HAEMATOLOGY	135.2	g/L	135.2	g/L	NORMAL		BASELINE	1	2018-04-09	-1
KLV-7702	LB	KLV-7702-1006	2	HGB	Haemoglobin	HAEMATOLOGY	102.7	g/L	102.7	g/L	LOW	1	WORST POST-BASELINE	2	2018-12-01	236
KLV-7702	LB	KLV-7702-1006	3	PLAT	Platelets	HAEMATOLOGY	245.0	10^9/L	245.0	10^9/L	NORMAL		BASELINE	1	2018-04-09	-1
KLV-7702	LB	KLV-7702-1006	4	PLAT	Platelets	HAEMATOLOGY	221.0	10^9/L	221.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-12-01	236
KLV-7702	LB	KLV-7702-1006	5	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	BASELINE	1	2018-04-09	-1
KLV-7702	LB	KLV-7702-1006	6	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-12-01	236
KLV-7702	LB	KLV-7702-1006	7	LYM	Lymphocytes	HAEMATOLOGY	0.57	10^9/L	0.57	10^9/L	LOW	2	BASELINE	1	2018-04-09	-1
KLV-7702	LB	KLV-7702-1006	8	LYM	Lymphocytes	HAEMATOLOGY	0.59	10^9/L	0.59	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-12-01	236
KLV-7702	LB	KLV-7702-1006	9	CA125	Cancer Antigen 125	CHEMISTRY	51.0	kU/L	51.0	kU/L	HIGH	1	BASELINE	1	2018-04-09	-1
KLV-7702	LB	KLV-7702-1006	10	CA125	Cancer Antigen 125	CHEMISTRY	114.3	kU/L	114.3	kU/L	HIGH	2	WORST POST-BASELINE	2	2018-12-01	236
KLV-7702	LB	KLV-7702-1006	11	ALT	Alanine aminotransferase	CHEMISTRY	25.1	U/L	25.1	U/L	NORMAL		BASELINE	1	2018-04-09	-1
KLV-7702	LB	KLV-7702-1006	12	ALT	Alanine aminotransferase	CHEMISTRY	34.8	U/L	34.8	U/L	NORMAL		WORST POST-BASELINE	2	2018-12-01	236
KLV-7702	LB	KLV-7702-1006	13	AST	Aspartate aminotransferase	CHEMISTRY	31.6	U/L	31.6	U/L	NORMAL		BASELINE	1	2018-04-09	-1
KLV-7702	LB	KLV-7702-1006	14	AST	Aspartate aminotransferase	CHEMISTRY	18.0	U/L	18.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-12-01	236
KLV-7702	LB	KLV-7702-1006	15	CREAT	Creatinine	CHEMISTRY	72.0	umol/L	72.0	umol/L	NORMAL		BASELINE	1	2018-04-09	-1
KLV-7702	LB	KLV-7702-1006	16	CREAT	Creatinine	CHEMISTRY	68.0	umol/L	68.0	umol/L	NORMAL		WORST POST-BASELINE	2	2018-12-01	236
KLV-7702	LB	KLV-7702-1006	17	LDH	Lactate dehydrogenase	CHEMISTRY	216.0	U/L	216.0	U/L	NORMAL		BASELINE	1	2018-04-09	-1
KLV-7702	LB	KLV-7702-1006	18	LDH	Lactate dehydrogenase	CHEMISTRY	174.0	U/L	174.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-12-01	236
KLV-7702	LB	KLV-7702-1006	19	ALB	Albumin	CHEMISTRY	44.8	g/L	44.8	g/L	NORMAL		BASELINE	1	2018-04-09	-1
KLV-7702	LB	KLV-7702-1006	20	ALB	Albumin	CHEMISTRY	42.9	g/L	42.9	g/L	NORMAL		WORST POST-BASELINE	2	2018-12-01	236
KLV-7702	LB	KLV-7702-1007	1	HGB	Haemoglobin	HAEMATOLOGY	149.8	g/L	149.8	g/L	NORMAL		BASELINE	1	2018-07-28	-1
KLV-7702	LB	KLV-7702-1007	2	HGB	Haemoglobin	HAEMATOLOGY	96.7	g/L	96.7	g/L	LOW	1	WORST POST-BASELINE	2	2018-08-13	16
KLV-7702	LB	KLV-7702-1007	3	PLAT	Platelets	HAEMATOLOGY	293.0	10^9/L	293.0	10^9/L	NORMAL		BASELINE	1	2018-07-28	-1
KLV-7702	LB	KLV-7702-1007	4	PLAT	Platelets	HAEMATOLOGY	235.0	10^9/L	235.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-08-13	16
KLV-7702	LB	KLV-7702-1007	5	NEUT	Neutrophils	HAEMATOLOGY	3.5	10^9/L	3.5	10^9/L	NORMAL		BASELINE	1	2018-07-28	-1
KLV-7702	LB	KLV-7702-1007	6	NEUT	Neutrophils	HAEMATOLOGY	1.8	10^9/L	1.8	10^9/L	LOW	1	WORST POST-BASELINE	2	2018-08-13	16
KLV-7702	LB	KLV-7702-1007	7	LYM	Lymphocytes	HAEMATOLOGY	0.78	10^9/L	0.78	10^9/L	LOW	1	BASELINE	1	2018-07-28	-1
KLV-7702	LB	KLV-7702-1007	8	LYM	Lymphocytes	HAEMATOLOGY	0.57	10^9/L	0.57	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-08-13	16
KLV-7702	LB	KLV-7702-1007	9	CA125	Cancer Antigen 125	CHEMISTRY	58.4	kU/L	58.4	kU/L	HIGH	1	BASELINE	1	2018-07-28	-1
KLV-7702	LB	KLV-7702-1007	10	CA125	Cancer Antigen 125	CHEMISTRY	110.2	kU/L	110.2	kU/L	HIGH	2	WORST POST-BASELINE	2	2018-08-13	16
KLV-7702	LB	KLV-7702-1007	11	ALT	Alanine aminotransferase	CHEMISTRY	126.0	U/L	126.0	U/L	HIGH	2	BASELINE	1	2018-07-28	-1
KLV-7702	LB	KLV-7702-1007	12	ALT	Alanine aminotransferase	CHEMISTRY	136.2	U/L	136.2	U/L	HIGH	2	WORST POST-BASELINE	2	2018-08-13	16
KLV-7702	LB	KLV-7702-1007	13	AST	Aspartate aminotransferase	CHEMISTRY	64.5	U/L	64.5	U/L	HIGH	1	BASELINE	1	2018-07-28	-1
KLV-7702	LB	KLV-7702-1007	14	AST	Aspartate aminotransferase	CHEMISTRY	491.2	U/L	491.2	U/L	HIGH	4	WORST POST-BASELINE	2	2018-08-13	16
KLV-7702	LB	KLV-7702-1007	15	CREAT	Creatinine	CHEMISTRY	72.0	umol/L	72.0	umol/L	NORMAL		BASELINE	1	2018-07-28	-1
KLV-7702	LB	KLV-7702-1007	16	CREAT	Creatinine	CHEMISTRY	66.0	umol/L	66.0	umol/L	NORMAL		WORST POST-BASELINE	2	2018-08-13	16

~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1007	17	LDH	Lactate dehydrogenase	CHEMISTRY	205.0	U/L	205.0	U/L	NORMAL		BASELINE	1	2018-07-28	-1
KLV-7702	LB	KLV-7702-1007	18	LDH	Lactate dehydrogenase	CHEMISTRY	169.0	U/L	169.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-08-13	16
KLV-7702	LB	KLV-7702-1007	19	ALB	Albumin	CHEMISTRY	45.6	g/L	45.6	g/L	NORMAL		BASELINE	1	2018-07-28	-1
KLV-7702	LB	KLV-7702-1007	20	ALB	Albumin	CHEMISTRY	44.4	g/L	44.4	g/L	NORMAL		WORST POST-BASELINE	2	2018-08-13	16
KLV-7702	LB	KLV-7702-1008	1	HGB	Haemoglobin	HAEMATOLOGY	94.1	g/L	94.1	g/L	LOW	1	BASELINE	1	2018-12-13	-1
KLV-7702	LB	KLV-7702-1008	2	HGB	Haemoglobin	HAEMATOLOGY	68.6	g/L	68.6	g/L	LOW	2	WORST POST-BASELINE	2	2019-02-25	74
KLV-7702	LB	KLV-7702-1008	3	PLAT	Platelets	HAEMATOLOGY	276.0	10^9/L	276.0	10^9/L	NORMAL		BASELINE	1	2018-12-13	-1
KLV-7702	LB	KLV-7702-1008	4	PLAT	Platelets	HAEMATOLOGY	301.0	10^9/L	301.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2019-02-25	74
KLV-7702	LB	KLV-7702-1008	5	NEUT	Neutrophils	HAEMATOLOGY	5.0	10^9/L	5.0	10^9/L	NORMAL		BASELINE	1	2018-12-13	-1
KLV-7702	LB	KLV-7702-1008	6	NEUT	Neutrophils	HAEMATOLOGY	3.4	10^9/L	3.4	10^9/L	NORMAL		WORST POST-BASELINE	2	2019-02-25	74
KLV-7702	LB	KLV-7702-1008	7	LYM	Lymphocytes	HAEMATOLOGY	2.16	10^9/L	2.16	10^9/L	NORMAL		BASELINE	1	2018-12-13	-1
KLV-7702	LB	KLV-7702-1008	8	LYM	Lymphocytes	HAEMATOLOGY	0.86	10^9/L	0.86	10^9/L	LOW	1	WORST POST-BASELINE	2	2019-02-25	74
KLV-7702	LB	KLV-7702-1008	9	CA125	Cancer Antigen 125	CHEMISTRY	60.4	kU/L	60.4	kU/L	HIGH	1	BASELINE	1	2018-12-13	-1
KLV-7702	LB	KLV-7702-1008	10	CA125	Cancer Antigen 125	CHEMISTRY	57.6	kU/L	57.6	kU/L	HIGH	1	WORST POST-BASELINE	2	2019-02-25	74
KLV-7702	LB	KLV-7702-1008	11	ALT	Alanine aminotransferase	CHEMISTRY	28.5	U/L	28.5	U/L	NORMAL		BASELINE	1	2018-12-13	-1
KLV-7702	LB	KLV-7702-1008	12	ALT	Alanine aminotransferase	CHEMISTRY	32.4	U/L	32.4	U/L	NORMAL		WORST POST-BASELINE	2	2019-02-25	74
KLV-7702	LB	KLV-7702-1008	13	AST	Aspartate aminotransferase	CHEMISTRY	24.6	U/L	24.6	U/L	NORMAL		BASELINE	1	2018-12-13	-1
KLV-7702	LB	KLV-7702-1008	14	AST	Aspartate aminotransferase	CHEMISTRY	21.4	U/L	21.4	U/L	NORMAL		WORST POST-BASELINE	2	2019-02-25	74
KLV-7702	LB	KLV-7702-1008	15	CREAT	Creatinine	CHEMISTRY	71.0	umol/L	71.0	umol/L	NORMAL		BASELINE	1	2018-12-13	-1
KLV-7702	LB	KLV-7702-1008	16	CREAT	Creatinine	CHEMISTRY	63.0	umol/L	63.0	umol/L	NORMAL		WORST POST-BASELINE	2	2019-02-25	74
KLV-7702	LB	KLV-7702-1008	17	LDH	Lactate dehydrogenase	CHEMISTRY	431.0	U/L	431.0	U/L	HIGH	1	BASELINE	1	2018-12-13	-1
KLV-7702	LB	KLV-7702-1008	18	LDH	Lactate dehydrogenase	CHEMISTRY	784.0	U/L	784.0	U/L	HIGH	2	WORST POST-BASELINE	2	2019-02-25	74
KLV-7702	LB	KLV-7702-1008	19	ALB	Albumin	CHEMISTRY	39.1	g/L	39.1	g/L	NORMAL		BASELINE	1	2018-12-13	-1
KLV-7702	LB	KLV-7702-1008	20	ALB	Albumin	CHEMISTRY	43.3	g/L	43.3	g/L	NORMAL		WORST POST-BASELINE	2	2019-02-25	74
KLV-7702	LB	KLV-7702-1009	1	HGB	Haemoglobin	HAEMATOLOGY	104.9	g/L	104.9	g/L	LOW	1	BASELINE	1	2017-12-07	-1
KLV-7702	LB	KLV-7702-1009	2	HGB	Haemoglobin	HAEMATOLOGY	32.4	g/L	32.4	g/L	LOW	4	WORST POST-BASELINE	2	2018-03-29	112
KLV-7702	LB	KLV-7702-1009	3	PLAT	Platelets	HAEMATOLOGY	133.0	10^9/L	133.0	10^9/L	LOW	1	BASELINE	1	2017-12-07	-1
KLV-7702	LB	KLV-7702-1009	4	PLAT	Platelets	HAEMATOLOGY	55.0	10^9/L	55.0	10^9/L	LOW	3	WORST POST-BASELINE	2	2018-03-29	112
KLV-7702	LB	KLV-7702-1009	5	NEUT	Neutrophils	HAEMATOLOGY	1.1	10^9/L	1.1	10^9/L	LOW	2	BASELINE	1	2017-12-07	-1
KLV-7702	LB	KLV-7702-1009	6	NEUT	Neutrophils	HAEMATOLOGY	0.3	10^9/L	0.3	10^9/L	LOW	4	WORST POST-BASELINE	2	2018-03-29	112
KLV-7702	LB	KLV-7702-1009	7	LYM	Lymphocytes	HAEMATOLOGY	0.62	10^9/L	0.62	10^9/L	LOW	2	BASELINE	1	2017-12-07	-1
KLV-7702	LB	KLV-7702-1009	8	LYM	Lymphocytes	HAEMATOLOGY	0.35	10^9/L	0.35	10^9/L	LOW	3	WORST POST-BASELINE	2	2018-03-29	112
KLV-7702	LB	KLV-7702-1009	9	CA125	Cancer Antigen 125	CHEMISTRY	20.4	kU/L	20.4	kU/L	NORMAL		BASELINE	1	2017-12-07	-1
KLV-7702	LB	KLV-7702-1009	10	CA125	Cancer Antigen 125	CHEMISTRY	110.5	kU/L	110.5	kU/L	HIGH	2	WORST POST-BASELINE	2	2018-03-29	112
KLV-7702	LB	KLV-7702-1009	11	ALT	Alanine aminotransferase	CHEMISTRY	27.8	U/L	27.8	U/L	NORMAL		BASELINE	1	2017-12-07	-1
KLV-7702	LB	KLV-7702-1009	12	ALT	Alanine aminotransferase	CHEMISTRY	25.2	U/L	25.2	U/L	NORMAL		WORST POST-BASELINE	2	2018-03-29	112
KLV-7702	LB	KLV-7702-1009	13	AST	Aspartate aminotransferase	CHEMISTRY	18.0	U/L	18.0	U/L	NORMAL		BASELINE	1	2017-12-07	-1
KLV-7702	LB	KLV-7702-1009	14	AST	Aspartate aminotransferase	CHEMISTRY	29.4	U/L	29.4	U/L	NORMAL		WORST POST-BASELINE	2	2018-03-29	112
KLV-7702	LB	KLV-7702-1009	15	CREAT	Creatinine	CHEMISTRY	161.0	umol/L	161.0	umol/L	HIGH	1	BASELINE	1	2017-12-07	-1
KLV-7702	LB	KLV-7702-1009	16	CREAT	Creatinine	CHEMISTRY	159.0	umol/L	159.0	umol/L	HIGH	1	WORST POST-BASELINE	2	2018-03-29	112
KLV-7702	LB	KLV-7702-1009	17	LDH	Lactate dehydrogenase	CHEMISTRY	391.0	U/L	391.0	U/L	HIGH	1	BASELINE	1	2017-12-07	-1
KLV-7702	LB	KLV-7702-1009	18	LDH	Lactate dehydrogenase	CHEMISTRY	385.0	U/L	385.0	U/L	HIGH	1	WORST POST-BASELINE	2	2018-03-29	112
KLV-7702	LB	KLV-7702-1009	19	ALB	Albumin	CHEMISTRY	39.3	g/L	39.3	g/L	NORMAL		BASELINE	1	2017-12-07	-1
KLV-7702	LB	KLV-7702-1009	20	ALB	Albumin	CHEMISTRY	41.8	g/L	41.8	g/L	NORMAL		WORST POST-BASELINE	2	2018-03-29	112
KLV-7702	LB	KLV-7702-1010	1	HGB	Haemoglobin	HAEMATOLOGY	100.8	g/L	100.8	g/L	LOW	1	BASELINE	1	2018-11-22	-1
KLV-7702	LB	KLV-7702-1010	2	HGB	Haemoglobin	HAEMATOLOGY	42.8	g/L	42.8	g/L	LOW	3	WORST POST-BASELINE	2	2019-03-29	127
KLV-7702	LB	KLV-7702-1010	3	PLAT	Platelets	HAEMATOLOGY	232.0	10^9/L	232.0	10^9/L	NORMAL		BASELINE	1	2018-11-22	-1
KLV-7702	LB	KLV-7702-1010	4	PLAT	Platelets	HAEMATOLOGY	90.0	10^9/L	90.0	10^9/L	LOW	2	WORST POST-BASELINE	2	2019-03-29	127
KLV-7702	LB	KLV-7702-1010	5	NEUT	Neutrophils	HAEMATOLOGY	3.8	10^9/L	3.8	10^9/L	NORMAL		BASELINE	1	2018-11-22	-1
KLV-7702	LB	KLV-7702-1010	6	NEUT	Neutrophils	HAEMATOLOGY	4.5	10^9/L	4.5	10^9/L	NORMAL		WORST POST-BASELINE	2	2019-03-29	127
KLV-7702	LB	KLV-7702-1010	7	LYM	Lymphocytes	HAEMATOLOGY	2.01	10^9/L	2.01	10^9/L	NORMAL		BASELINE	1	2018-11-22	-1
KLV-7702	LB	KLV-7702-1010	8	LYM	Lymphocytes	HAEMATOLOGY	0.8	10^9/L	0.8	10^9/L	LOW	1	WORST POST-BASELINE	2	2019-03-29	127
KLV-7702	LB	KLV-7702-1010	9	CA125	Cancer Antigen 125	CHEMISTRY	15.3	kU/L	15.3	kU/L	NORMAL		BASELINE	1	2018-11-22	-1
KLV-7702	LB	KLV-7702-1010	10	CA125	Cancer Antigen 125	CHEMISTRY	102.2	kU/L	102.2	kU/L	HIGH	2	WORST POST-BASELINE	2	2019-03-29	127
KLV-7702	LB	KLV-7702-1010	11	ALT	Alanine aminotransferase	CHEMISTRY	68.6	U/L	68.6	U/L	HIGH	1	BASELINE	1	2018-11-22	-1
KLV-7702	LB	KLV-7702-1010	12	ALT	Alanine aminotransferase	CHEMISTRY	69.7	U/L	69.7	U/L	HIGH	1	WORST POST-BASELINE	2	2019-03-29	127
KLV-7702	LB	KLV-7702-1010	13	AST	Aspartate aminotransferase	CHEMISTRY	29.4	U/L	29.4	U/L	NORMAL		BASELINE	1	2018-11-22	-1
KLV-7702	LB	KLV-7702-1010	14	AST	Aspartate aminotransferase	CHEMISTRY	16.8	U/L	16.8	U/L	NORMAL		WORST POST-BASELINE	2	2019-03-29	127
KLV-7702	LB	KLV-7702-1010	15	CREAT	Creatinine	CHEMISTRY	282.0	umol/L	282.0	umol/L	HIGH	2	BASELINE	1	2018-11-22	-1
KLV-7702	LB	KLV-7702-1010	16	CREAT	Creatinine	CHEMISTRY	321.0	umol/L	321.0	umol/L	HIGH	2	WORST POST-BASELINE	2	2019-03-29	127
KLV-7702	LB	KLV-7702-1010	17	LDH	Lactate dehydrogenase	CHEMISTRY	386.0	U/L	386.0	U/L	HIGH	1	BASELINE	1	2018-11-22	-1
KLV-7702	LB	KLV-7702-1010	18	LDH	Lactate dehydrogenase	CHEMISTRY	439.0	U/L	439.0	U/L	HIGH	1	WORST POST-BASELINE	2	2019-03-29	127
KLV-7702	LB	KLV-7702-1010	19	ALB	Albumin	CHEMISTRY	21.8	g/L	21.8	g/L	LOW	2	BASELINE	1	2018-11-22	-1
KLV-7702	LB	KLV-7702-1010	20	ALB	Albumin	CHEMISTRY	20.2	g/L	20.2	g/L	LOW	2	WORST POST-BASELINE	2	2019-03-29	127
KLV-7702	LB	KLV-7702-1011	1	HGB	Haemoglobin	HAEMATOLOGY	146.2	g/L	146.2	g/L	NORMAL		BASELINE	1	2017-05-25	-1
KLV-7702	LB	KLV-7702-1011	2	HGB	Haemoglobin	HAEMATOLOGY	73.9	g/L	73.9	g/L	LOW	2	WORST POST-BASELINE	2	2018-01-29	249
KLV-7702	LB	KLV-7702-1011	3	PLAT	Platelets	HAEMATOLOGY	237.0	10^9/L	237.0	10^9/L	NORMAL		BASELINE	1	2017-05-25	-1
KLV-7702	LB	KLV-7702-1011	4	PLAT	Platelets	HAEMATOLOGY	85.0	10^9/L	85.0	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-01-29	249

~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1011	5	NEUT	Neutrophils	HAEMATOLOGY	4.0	10^9/L	4.0	10^9/L	NORMAL		BASELINE	1	2017-05-25	-1
KLV-7702	LB	KLV-7702-1011	6	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-01-29	249
KLV-7702	LB	KLV-7702-1011	7	LYM	Lymphocytes	HAEMATOLOGY	2.78	10^9/L	2.78	10^9/L	NORMAL		BASELINE	1	2017-05-25	-1
KLV-7702	LB	KLV-7702-1011	8	LYM	Lymphocytes	HAEMATOLOGY	2.41	10^9/L	2.41	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-01-29	249
KLV-7702	LB	KLV-7702-1011	9	CA125	Cancer Antigen 125	CHEMISTRY	11.6	kU/L	11.6	kU/L	NORMAL		BASELINE	1	2017-05-25	-1
KLV-7702	LB	KLV-7702-1011	10	CA125	Cancer Antigen 125	CHEMISTRY	22.7	kU/L	22.7	kU/L	NORMAL		WORST POST-BASELINE	2	2018-01-29	249
KLV-7702	LB	KLV-7702-1011	11	ALT	Alanine aminotransferase	CHEMISTRY	18.6	U/L	18.6	U/L	NORMAL		BASELINE	1	2017-05-25	-1
KLV-7702	LB	KLV-7702-1011	12	ALT	Alanine aminotransferase	CHEMISTRY	27.6	U/L	27.6	U/L	NORMAL		WORST POST-BASELINE	2	2018-01-29	249
KLV-7702	LB	KLV-7702-1011	13	AST	Aspartate aminotransferase	CHEMISTRY	25.1	U/L	25.1	U/L	NORMAL		BASELINE	1	2017-05-25	-1
KLV-7702	LB	KLV-7702-1011	14	AST	Aspartate aminotransferase	CHEMISTRY	59.9	U/L	59.9	U/L	HIGH	1	WORST POST-BASELINE	2	2018-01-29	249
KLV-7702	LB	KLV-7702-1011	15	CREAT	Creatinine	CHEMISTRY	63.0	umol/L	63.0	umol/L	NORMAL		BASELINE	1	2017-05-25	-1
KLV-7702	LB	KLV-7702-1011	16	CREAT	Creatinine	CHEMISTRY	74.0	umol/L	74.0	umol/L	NORMAL		WORST POST-BASELINE	2	2018-01-29	249
KLV-7702	LB	KLV-7702-1011	17	LDH	Lactate dehydrogenase	CHEMISTRY	373.0	U/L	373.0	U/L	HIGH	1	BASELINE	1	2017-05-25	-1
KLV-7702	LB	KLV-7702-1011	18	LDH	Lactate dehydrogenase	CHEMISTRY	370.0	U/L	370.0	U/L	HIGH	1	WORST POST-BASELINE	2	2018-01-29	249
KLV-7702	LB	KLV-7702-1011	19	ALB	Albumin	CHEMISTRY	41.4	g/L	41.4	g/L	NORMAL		BASELINE	1	2017-05-25	-1
KLV-7702	LB	KLV-7702-1011	20	ALB	Albumin	CHEMISTRY	40.9	g/L	40.9	g/L	NORMAL		WORST POST-BASELINE	2	2018-01-29	249
KLV-7702	LB	KLV-7702-1012	1	HGB	Haemoglobin	HAEMATOLOGY	72.7	g/L	72.7	g/L	LOW	2	BASELINE	1	2017-08-15	-1
KLV-7702	LB	KLV-7702-1012	2	HGB	Haemoglobin	HAEMATOLOGY	31.9	g/L	31.9	g/L	LOW	4	WORST POST-BASELINE	2	2017-12-22	129
KLV-7702	LB	KLV-7702-1012	3	PLAT	Platelets	HAEMATOLOGY	310.0	10^9/L	310.0	10^9/L	NORMAL		BASELINE	1	2017-08-15	-1
KLV-7702	LB	KLV-7702-1012	4	PLAT	Platelets	HAEMATOLOGY	87.0	10^9/L	87.0	10^9/L	LOW	2	WORST POST-BASELINE	2	2017-12-22	129
KLV-7702	LB	KLV-7702-1012	5	NEUT	Neutrophils	HAEMATOLOGY	1.8	10^9/L	1.8	10^9/L	LOW	1	BASELINE	1	2017-08-15	-1
KLV-7702	LB	KLV-7702-1012	6	NEUT	Neutrophils	HAEMATOLOGY	0.7	10^9/L	0.7	10^9/L	LOW	3	WORST POST-BASELINE	2	2017-12-22	129
KLV-7702	LB	KLV-7702-1012	7	LYM	Lymphocytes	HAEMATOLOGY	3.0	10^9/L	3.0	10^9/L	NORMAL		BASELINE	1	2017-08-15	-1
KLV-7702	LB	KLV-7702-1012	8	LYM	Lymphocytes	HAEMATOLOGY	2.06	10^9/L	2.06	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-12-22	129
KLV-7702	LB	KLV-7702-1012	9	CA125	Cancer Antigen 125	CHEMISTRY	57.6	kU/L	57.6	kU/L	HIGH	1	BASELINE	1	2017-08-15	-1
KLV-7702	LB	KLV-7702-1012	10	CA125	Cancer Antigen 125	CHEMISTRY	60.8	kU/L	60.8	kU/L	HIGH	1	WORST POST-BASELINE	2	2017-12-22	129
KLV-7702	LB	KLV-7702-1012	11	ALT	Alanine aminotransferase	CHEMISTRY	19.8	U/L	19.8	U/L	NORMAL		BASELINE	1	2017-08-15	-1
KLV-7702	LB	KLV-7702-1012	12	ALT	Alanine aminotransferase	CHEMISTRY	22.6	U/L	22.6	U/L	NORMAL		WORST POST-BASELINE	2	2017-12-22	129
KLV-7702	LB	KLV-7702-1012	13	AST	Aspartate aminotransferase	CHEMISTRY	17.6	U/L	17.6	U/L	NORMAL		BASELINE	1	2017-08-15	-1
KLV-7702	LB	KLV-7702-1012	14	AST	Aspartate aminotransferase	CHEMISTRY	25.7	U/L	25.7	U/L	NORMAL		WORST POST-BASELINE	2	2017-12-22	129
KLV-7702	LB	KLV-7702-1012	15	CREAT	Creatinine	CHEMISTRY	69.0	umol/L	69.0	umol/L	NORMAL		BASELINE	1	2017-08-15	-1
KLV-7702	LB	KLV-7702-1012	16	CREAT	Creatinine	CHEMISTRY	152.0	umol/L	152.0	umol/L	HIGH	1	WORST POST-BASELINE	2	2017-12-22	129
KLV-7702	LB	KLV-7702-1012	17	LDH	Lactate dehydrogenase	CHEMISTRY	205.0	U/L	205.0	U/L	NORMAL		BASELINE	1	2017-08-15	-1
KLV-7702	LB	KLV-7702-1012	18	LDH	Lactate dehydrogenase	CHEMISTRY	215.0	U/L	215.0	U/L	NORMAL		WORST POST-BASELINE	2	2017-12-22	129
KLV-7702	LB	KLV-7702-1012	19	ALB	Albumin	CHEMISTRY	44.9	g/L	44.9	g/L	NORMAL		BASELINE	1	2017-08-15	-1
KLV-7702	LB	KLV-7702-1012	20	ALB	Albumin	CHEMISTRY	41.3	g/L	41.3	g/L	NORMAL		WORST POST-BASELINE	2	2017-12-22	129
KLV-7702	LB	KLV-7702-1013	1	HGB	Haemoglobin	HAEMATOLOGY	97.4	g/L	97.4	g/L	LOW	1	BASELINE	1	2018-02-03	-1
KLV-7702	LB	KLV-7702-1013	2	HGB	Haemoglobin	HAEMATOLOGY	94.0	g/L	94.0	g/L	LOW	1	WORST POST-BASELINE	2	2018-12-08	308
KLV-7702	LB	KLV-7702-1013	3	PLAT	Platelets	HAEMATOLOGY	257.0	10^9/L	257.0	10^9/L	NORMAL		BASELINE	1	2018-02-03	-1
KLV-7702	LB	KLV-7702-1013	4	PLAT	Platelets	HAEMATOLOGY	337.0	10^9/L	337.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-12-08	308
KLV-7702	LB	KLV-7702-1013	5	NEUT	Neutrophils	HAEMATOLOGY	4.3	10^9/L	4.3	10^9/L	NORMAL		BASELINE	1	2018-02-03	-1
KLV-7702	LB	KLV-7702-1013	6	NEUT	Neutrophils	HAEMATOLOGY	4.2	10^9/L	4.2	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-12-08	308
KLV-7702	LB	KLV-7702-1013	7	LYM	Lymphocytes	HAEMATOLOGY	2.14	10^9/L	2.14	10^9/L	NORMAL		BASELINE	1	2018-02-03	-1
KLV-7702	LB	KLV-7702-1013	8	LYM	Lymphocytes	HAEMATOLOGY	0.88	10^9/L	0.88	10^9/L	LOW	1	WORST POST-BASELINE	2	2018-12-08	308
KLV-7702	LB	KLV-7702-1013	9	CA125	Cancer Antigen 125	CHEMISTRY	8.9	kU/L	8.9	kU/L	NORMAL		BASELINE	1	2018-02-03	-1
KLV-7702	LB	KLV-7702-1013	10	CA125	Cancer Antigen 125	CHEMISTRY	58.6	kU/L	58.6	kU/L	HIGH	1	WORST POST-BASELINE	2	2018-12-08	308
KLV-7702	LB	KLV-7702-1013	11	ALT	Alanine aminotransferase	CHEMISTRY	21.0	U/L	21.0	U/L	NORMAL		BASELINE	1	2018-02-03	-1
KLV-7702	LB	KLV-7702-1013	12	ALT	Alanine aminotransferase	CHEMISTRY	30.8	U/L	30.8	U/L	NORMAL		WORST POST-BASELINE	2	2018-12-08	308
KLV-7702	LB	KLV-7702-1013	13	AST	Aspartate aminotransferase	CHEMISTRY	22.3	U/L	22.3	U/L	NORMAL		BASELINE	1	2018-02-03	-1
KLV-7702	LB	KLV-7702-1013	14	AST	Aspartate aminotransferase	CHEMISTRY	23.0	U/L	23.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-12-08	308
KLV-7702	LB	KLV-7702-1013	15	CREAT	Creatinine	CHEMISTRY	69.0	umol/L	69.0	umol/L	NORMAL		BASELINE	1	2018-02-03	-1
KLV-7702	LB	KLV-7702-1013	16	CREAT	Creatinine	CHEMISTRY	75.0	umol/L	75.0	umol/L	NORMAL		WORST POST-BASELINE	2	2018-12-08	308
KLV-7702	LB	KLV-7702-1013	17	LDH	Lactate dehydrogenase	CHEMISTRY	370.0	U/L	370.0	U/L	HIGH	1	BASELINE	1	2018-02-03	-1
KLV-7702	LB	KLV-7702-1013	18	LDH	Lactate dehydrogenase	CHEMISTRY	403.0	U/L	403.0	U/L	HIGH	1	WORST POST-BASELINE	2	2018-12-08	308
KLV-7702	LB	KLV-7702-1013	19	ALB	Albumin	CHEMISTRY	45.9	g/L	45.9	g/L	NORMAL		BASELINE	1	2018-02-03	-1
KLV-7702	LB	KLV-7702-1013	20	ALB	Albumin	CHEMISTRY	30.9	g/L	30.9	g/L	LOW	1	WORST POST-BASELINE	2	2018-12-08	308
KLV-7702	LB	KLV-7702-1014	1	HGB	Haemoglobin	HAEMATOLOGY	132.0	g/L	132.0	g/L	NORMAL		BASELINE	1	2017-06-01	-1
KLV-7702	LB	KLV-7702-1014	2	HGB	Haemoglobin	HAEMATOLOGY	136.6	g/L	136.6	g/L	NORMAL		WORST POST-BASELINE	2	2017-09-26	117
KLV-7702	LB	KLV-7702-1014	3	PLAT	Platelets	HAEMATOLOGY	132.0	10^9/L	132.0	10^9/L	LOW	1	BASELINE	1	2017-06-01	-1
KLV-7702	LB	KLV-7702-1014	4	PLAT	Platelets	HAEMATOLOGY	122.0	10^9/L	122.0	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-09-26	117
KLV-7702	LB	KLV-7702-1014	5	NEUT	Neutrophils	HAEMATOLOGY	5.9	10^9/L	5.9	10^9/L	NORMAL		BASELINE	1	2017-06-01	-1
KLV-7702	LB	KLV-7702-1014	6	NEUT	Neutrophils	HAEMATOLOGY	1.7	10^9/L	1.7	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-09-26	117
KLV-7702	LB	KLV-7702-1014	7	LYM	Lymphocytes	HAEMATOLOGY	1.88	10^9/L	1.88	10^9/L	NORMAL		BASELINE	1	2017-06-01	-1
KLV-7702	LB	KLV-7702-1014	8	LYM	Lymphocytes	HAEMATOLOGY	3.17	10^9/L	3.17	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-09-26	117
KLV-7702	LB	KLV-7702-1014	9	CA125	Cancer Antigen 125	CHEMISTRY	20.0	kU/L	20.0	kU/L	NORMAL		BASELINE	1	2017-06-01	-1
KLV-7702	LB	KLV-7702-1014	10	CA125	Cancer Antigen 125	CHEMISTRY	12.7	kU/L	12.7	kU/L	NORMAL		WORST POST-BASELINE	2	2017-09-26	117
KLV-7702	LB	KLV-7702-1014	11	ALT	Alanine aminotransferase	CHEMISTRY	30.5	U/L	30.5	U/L	NORMAL		BASELINE	1	2017-06-01	-1
KLV-7702	LB	KLV-7702-1014	12	ALT	Alanine aminotransferase	CHEMISTRY	22.4	U/L	22.4	U/L	NORMAL		WORST POST-BASELINE	2	2017-09-26	117

~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1014	13	AST	Aspartate aminotransferase	CHEMISTRY	28.9	U/L	28.9	U/L	NORMAL		BASELINE	1	2017-06-01	-1
KLV-7702	LB	KLV-7702-1014	14	AST	Aspartate aminotransferase	CHEMISTRY	28.1	U/L	28.1	U/L	NORMAL		WORST POST-BASELINE	2	2017-09-26	117
KLV-7702	LB	KLV-7702-1014	15	CREAT	Creatinine	CHEMISTRY	288.0	umol/L	288.0	umol/L	HIGH	2	BASELINE	1	2017-06-01	-1
KLV-7702	LB	KLV-7702-1014	16	CREAT	Creatinine	CHEMISTRY	300.0	umol/L	300.0	umol/L	HIGH	2	WORST POST-BASELINE	2	2017-09-26	117
KLV-7702	LB	KLV-7702-1014	17	LDH	Lactate dehydrogenase	CHEMISTRY	362.0	U/L	362.0	U/L	HIGH	1	BASELINE	1	2017-06-01	-1
KLV-7702	LB	KLV-7702-1014	18	LDH	Lactate dehydrogenase	CHEMISTRY	397.0	U/L	397.0	U/L	HIGH	1	WORST POST-BASELINE	2	2017-09-26	117
KLV-7702	LB	KLV-7702-1014	19	ALB	Albumin	CHEMISTRY	46.2	g/L	46.2	g/L	NORMAL		BASELINE	1	2017-06-01	-1
KLV-7702	LB	KLV-7702-1014	20	ALB	Albumin	CHEMISTRY	39.5	g/L	39.5	g/L	NORMAL		WORST POST-BASELINE	2	2017-09-26	117
KLV-7702	LB	KLV-7702-1015	1	HGB	Haemoglobin	HAEMATOLOGY	148.3	g/L	148.3	g/L	NORMAL		BASELINE	1	2017-05-20	-1
KLV-7702	LB	KLV-7702-1015	2	HGB	Haemoglobin	HAEMATOLOGY	100.7	g/L	100.7	g/L	LOW	1	WORST POST-BASELINE	2	2017-05-28	8
KLV-7702	LB	KLV-7702-1015	3	PLAT	Platelets	HAEMATOLOGY	118.0	10^9/L	118.0	10^9/L	LOW	1	BASELINE	1	2017-05-20	-1
KLV-7702	LB	KLV-7702-1015	4	PLAT	Platelets	HAEMATOLOGY	94.0	10^9/L	94.0	10^9/L	LOW	2	WORST POST-BASELINE	2	2017-05-28	8
KLV-7702	LB	KLV-7702-1015	5	NEUT	Neutrophils	HAEMATOLOGY	1.6	10^9/L	1.6	10^9/L	LOW	1	BASELINE	1	2017-05-20	-1
KLV-7702	LB	KLV-7702-1015	6	NEUT	Neutrophils	HAEMATOLOGY	1.1	10^9/L	1.1	10^9/L	LOW	2	WORST POST-BASELINE	2	2017-05-28	8
KLV-7702	LB	KLV-7702-1015	7	LYM	Lymphocytes	HAEMATOLOGY	0.79	10^9/L	0.79	10^9/L	LOW	1	BASELINE	1	2017-05-20	-1
KLV-7702	LB	KLV-7702-1015	8	LYM	Lymphocytes	HAEMATOLOGY	0.62	10^9/L	0.62	10^9/L	LOW	2	WORST POST-BASELINE	2	2017-05-28	8
KLV-7702	LB	KLV-7702-1015	9	CA125	Cancer Antigen 125	CHEMISTRY	112.9	kU/L	112.9	kU/L	HIGH	2	BASELINE	1	2017-05-20	-1
KLV-7702	LB	KLV-7702-1015	10	CA125	Cancer Antigen 125	CHEMISTRY	107.8	kU/L	107.8	kU/L	HIGH	2	WORST POST-BASELINE	2	2017-05-28	8
KLV-7702	LB	KLV-7702-1015	11	ALT	Alanine aminotransferase	CHEMISTRY	29.3	U/L	29.3	U/L	NORMAL		BASELINE	1	2017-05-20	-1
KLV-7702	LB	KLV-7702-1015	12	ALT	Alanine aminotransferase	CHEMISTRY	23.6	U/L	23.6	U/L	NORMAL		WORST POST-BASELINE	2	2017-05-28	8
KLV-7702	LB	KLV-7702-1015	13	AST	Aspartate aminotransferase	CHEMISTRY	24.7	U/L	24.7	U/L	NORMAL		BASELINE	1	2017-05-20	-1
KLV-7702	LB	KLV-7702-1015	14	AST	Aspartate aminotransferase	CHEMISTRY	31.0	U/L	31.0	U/L	NORMAL		WORST POST-BASELINE	2	2017-05-28	8
KLV-7702	LB	KLV-7702-1015	15	CREAT	Creatinine	CHEMISTRY	306.0	umol/L	306.0	umol/L	HIGH	2	BASELINE	1	2017-05-20	-1
KLV-7702	LB	KLV-7702-1015	16	CREAT	Creatinine	CHEMISTRY	276.0	umol/L	276.0	umol/L	HIGH	2	WORST POST-BASELINE	2	2017-05-28	8
KLV-7702	LB	KLV-7702-1015	17	LDH	Lactate dehydrogenase	CHEMISTRY	402.0	U/L	402.0	U/L	HIGH	1	BASELINE	1	2017-05-20	-1
KLV-7702	LB	KLV-7702-1015	18	LDH	Lactate dehydrogenase	CHEMISTRY	379.0	U/L	379.0	U/L	HIGH	1	WORST POST-BASELINE	2	2017-05-28	8
KLV-7702	LB	KLV-7702-1015	19	ALB	Albumin	CHEMISTRY	39.2	g/L	39.2	g/L	NORMAL		BASELINE	1	2017-05-20	-1
KLV-7702	LB	KLV-7702-1015	20	ALB	Albumin	CHEMISTRY	40.7	g/L	40.7	g/L	NORMAL		WORST POST-BASELINE	2	2017-05-28	8
KLV-7702	LB	KLV-7702-1016	1	HGB	Haemoglobin	HAEMATOLOGY	131.7	g/L	131.7	g/L	NORMAL		BASELINE	1	2018-08-16	-1
KLV-7702	LB	KLV-7702-1016	2	HGB	Haemoglobin	HAEMATOLOGY	75.4	g/L	75.4	g/L	LOW	2	WORST POST-BASELINE	2	2018-12-07	113
KLV-7702	LB	KLV-7702-1016	3	PLAT	Platelets	HAEMATOLOGY	263.0	10^9/L	263.0	10^9/L	NORMAL		BASELINE	1	2018-08-16	-1
KLV-7702	LB	KLV-7702-1016	4	PLAT	Platelets	HAEMATOLOGY	256.0	10^9/L	256.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-12-07	113
KLV-7702	LB	KLV-7702-1016	5	NEUT	Neutrophils	HAEMATOLOGY	1.6	10^9/L	1.6	10^9/L	LOW	1	BASELINE	1	2018-08-16	-1
KLV-7702	LB	KLV-7702-1016	6	NEUT	Neutrophils	HAEMATOLOGY	1.1	10^9/L	1.1	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-12-07	113
KLV-7702	LB	KLV-7702-1016	7	LYM	Lymphocytes	HAEMATOLOGY	0.81	10^9/L	0.81	10^9/L	LOW	1	BASELINE	1	2018-08-16	-1
KLV-7702	LB	KLV-7702-1016	8	LYM	Lymphocytes	HAEMATOLOGY	0.83	10^9/L	0.83	10^9/L	LOW	1	WORST POST-BASELINE	2	2018-12-07	113
KLV-7702	LB	KLV-7702-1016	9	CA125	Cancer Antigen 125	CHEMISTRY	12.4	kU/L	12.4	kU/L	NORMAL		BASELINE	1	2018-08-16	-1
KLV-7702	LB	KLV-7702-1016	10	CA125	Cancer Antigen 125	CHEMISTRY	56.0	kU/L	56.0	kU/L	HIGH	1	WORST POST-BASELINE	2	2018-12-07	113
KLV-7702	LB	KLV-7702-1016	11	ALT	Alanine aminotransferase	CHEMISTRY	67.0	U/L	67.0	U/L	HIGH	1	BASELINE	1	2018-08-16	-1
KLV-7702	LB	KLV-7702-1016	12	ALT	Alanine aminotransferase	CHEMISTRY	78.9	U/L	78.9	U/L	HIGH	1	WORST POST-BASELINE	2	2018-12-07	113
KLV-7702	LB	KLV-7702-1016	13	AST	Aspartate aminotransferase	CHEMISTRY	61.5	U/L	61.5	U/L	HIGH	1	BASELINE	1	2018-08-16	-1
KLV-7702	LB	KLV-7702-1016	14	AST	Aspartate aminotransferase	CHEMISTRY	68.7	U/L	68.7	U/L	HIGH	1	WORST POST-BASELINE	2	2018-12-07	113
KLV-7702	LB	KLV-7702-1016	15	CREAT	Creatinine	CHEMISTRY	66.0	umol/L	66.0	umol/L	NORMAL		BASELINE	1	2018-08-16	-1
KLV-7702	LB	KLV-7702-1016	16	CREAT	Creatinine	CHEMISTRY	82.0	umol/L	82.0	umol/L	NORMAL		WORST POST-BASELINE	2	2018-12-07	113
KLV-7702	LB	KLV-7702-1016	17	LDH	Lactate dehydrogenase	CHEMISTRY	203.0	U/L	203.0	U/L	NORMAL		BASELINE	1	2018-08-16	-1
KLV-7702	LB	KLV-7702-1016	18	LDH	Lactate dehydrogenase	CHEMISTRY	754.0	U/L	754.0	U/L	HIGH	2	WORST POST-BASELINE	2	2018-12-07	113
KLV-7702	LB	KLV-7702-1016	19	ALB	Albumin	CHEMISTRY	45.4	g/L	45.4	g/L	NORMAL		BASELINE	1	2018-08-16	-1
KLV-7702	LB	KLV-7702-1016	20	ALB	Albumin	CHEMISTRY	42.6	g/L	42.6	g/L	NORMAL		WORST POST-BASELINE	2	2018-12-07	113
KLV-7702	LB	KLV-7702-1017	1	HGB	Haemoglobin	HAEMATOLOGY	101.8	g/L	101.8	g/L	LOW	1	BASELINE	1	2018-03-30	-1
KLV-7702	LB	KLV-7702-1017	2	HGB	Haemoglobin	HAEMATOLOGY	33.7	g/L	33.7	g/L	LOW	4	WORST POST-BASELINE	2	2018-08-07	130
KLV-7702	LB	KLV-7702-1017	3	PLAT	Platelets	HAEMATOLOGY	263.0	10^9/L	263.0	10^9/L	NORMAL		BASELINE	1	2018-03-30	-1
KLV-7702	LB	KLV-7702-1017	4	PLAT	Platelets	HAEMATOLOGY	249.0	10^9/L	249.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-08-07	130
KLV-7702	LB	KLV-7702-1017	5	NEUT	Neutrophils	HAEMATOLOGY	4.6	10^9/L	4.6	10^9/L	NORMAL		BASELINE	1	2018-03-30	-1
KLV-7702	LB	KLV-7702-1017	6	NEUT	Neutrophils	HAEMATOLOGY	3.4	10^9/L	3.4	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-08-07	130
KLV-7702	LB	KLV-7702-1017	7	LYM	Lymphocytes	HAEMATOLOGY	2.94	10^9/L	2.94	10^9/L	NORMAL		BASELINE	1	2018-03-30	-1
KLV-7702	LB	KLV-7702-1017	8	LYM	Lymphocytes	HAEMATOLOGY	0.87	10^9/L	0.87	10^9/L	LOW	1	WORST POST-BASELINE	2	2018-08-07	130
KLV-7702	LB	KLV-7702-1017	9	CA125	Cancer Antigen 125	CHEMISTRY	23.2	kU/L	23.2	kU/L	NORMAL		BASELINE	1	2018-03-30	-1
KLV-7702	LB	KLV-7702-1017	10	CA125	Cancer Antigen 125	CHEMISTRY	55.7	kU/L	55.7	kU/L	HIGH	1	WORST POST-BASELINE	2	2018-08-07	130
KLV-7702	LB	KLV-7702-1017	11	ALT	Alanine aminotransferase	CHEMISTRY	33.7	U/L	33.7	U/L	NORMAL		BASELINE	1	2018-03-30	-1
KLV-7702	LB	KLV-7702-1017	12	ALT	Alanine aminotransferase	CHEMISTRY	20.0	U/L	20.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-08-07	130
KLV-7702	LB	KLV-7702-1017	13	AST	Aspartate aminotransferase	CHEMISTRY	59.2	U/L	59.2	U/L	HIGH	1	BASELINE	1	2018-03-30	-1
KLV-7702	LB	KLV-7702-1017	14	AST	Aspartate aminotransferase	CHEMISTRY	63.7	U/L	63.7	U/L	HIGH	1	WORST POST-BASELINE	2	2018-08-07	130
KLV-7702	LB	KLV-7702-1017	15	CREAT	Creatinine	CHEMISTRY	72.0	umol/L	72.0	umol/L	NORMAL		BASELINE	1	2018-03-30	-1
KLV-7702	LB	KLV-7702-1017	16	CREAT	Creatinine	CHEMISTRY	86.0	umol/L	86.0	umol/L	NORMAL		WORST POST-BASELINE	2	2018-08-07	130
KLV-7702	LB	KLV-7702-1017	17	LDH	Lactate dehydrogenase	CHEMISTRY	203.0	U/L	203.0	U/L	NORMAL		BASELINE	1	2018-03-30	-1
KLV-7702	LB	KLV-7702-1017	18	LDH	Lactate dehydrogenase	CHEMISTRY	181.0	U/L	181.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-08-07	130
KLV-7702	LB	KLV-7702-1017	19	ALB	Albumin	CHEMISTRY	42.6	g/L	42.6	g/L	NORMAL		BASELINE	1	2018-03-30	-1
KLV-7702	LB	KLV-7702-1017	20	ALB	Albumin	CHEMISTRY	41.6	g/L	41.6	g/L	NORMAL		WORST POST-BASELINE	2	2018-08-07	130

~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1018	1	HGB	Haemoglobin	HAEMATOLOGY	137.2	g/L	137.2	g/L	NORMAL		BASELINE	1	2018-03-06	-1
KLV-7702	LB	KLV-7702-1018	2	HGB	Haemoglobin	HAEMATOLOGY	41.5	g/L	41.5	g/L	LOW	3	WORST POST-BASELINE	2	2018-03-14	8
KLV-7702	LB	KLV-7702-1018	3	PLAT	Platelets	HAEMATOLOGY	250.0	10^9/L	250.0	10^9/L	NORMAL		BASELINE	1	2018-03-06	-1
KLV-7702	LB	KLV-7702-1018	4	PLAT	Platelets	HAEMATOLOGY	268.0	10^9/L	268.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-03-14	8
KLV-7702	LB	KLV-7702-1018	5	NEUT	Neutrophils	HAEMATOLOGY	5.8	10^9/L	5.8	10^9/L	NORMAL		BASELINE	1	2018-03-06	-1
KLV-7702	LB	KLV-7702-1018	6	NEUT	Neutrophils	HAEMATOLOGY	5.4	10^9/L	5.4	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-03-14	8
KLV-7702	LB	KLV-7702-1018	7	LYM	Lymphocytes	HAEMATOLOGY	0.58	10^9/L	0.58	10^9/L	LOW	2	BASELINE	1	2018-03-06	-1
KLV-7702	LB	KLV-7702-1018	8	LYM	Lymphocytes	HAEMATOLOGY	0.62	10^9/L	0.62	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-03-14	8
KLV-7702	LB	KLV-7702-1018	9	CA125	Cancer Antigen 125	CHEMISTRY	50.7	kU/L	50.7	kU/L	HIGH	1	BASELINE	1	2018-03-06	-1
KLV-7702	LB	KLV-7702-1018	10	CA125	Cancer Antigen 125	CHEMISTRY	105.9	kU/L	105.9	kU/L	HIGH	2	WORST POST-BASELINE	2	2018-03-14	8
KLV-7702	LB	KLV-7702-1018	11	ALT	Alanine aminotransferase	CHEMISTRY	30.5	U/L	30.5	U/L	NORMAL		BASELINE	1	2018-03-06	-1
KLV-7702	LB	KLV-7702-1018	12	ALT	Alanine aminotransferase	CHEMISTRY	29.7	U/L	29.7	U/L	NORMAL		WORST POST-BASELINE	2	2018-03-14	8
KLV-7702	LB	KLV-7702-1018	13	AST	Aspartate aminotransferase	CHEMISTRY	16.9	U/L	16.9	U/L	NORMAL		BASELINE	1	2018-03-06	-1
KLV-7702	LB	KLV-7702-1018	14	AST	Aspartate aminotransferase	CHEMISTRY	27.4	U/L	27.4	U/L	NORMAL		WORST POST-BASELINE	2	2018-03-14	8
KLV-7702	LB	KLV-7702-1018	15	CREAT	Creatinine	CHEMISTRY	73.0	umol/L	73.0	umol/L	NORMAL		BASELINE	1	2018-03-06	-1
KLV-7702	LB	KLV-7702-1018	16	CREAT	Creatinine	CHEMISTRY	77.0	umol/L	77.0	umol/L	NORMAL		WORST POST-BASELINE	2	2018-03-14	8
KLV-7702	LB	KLV-7702-1018	17	LDH	Lactate dehydrogenase	CHEMISTRY	191.0	U/L	191.0	U/L	NORMAL		BASELINE	1	2018-03-06	-1
KLV-7702	LB	KLV-7702-1018	18	LDH	Lactate dehydrogenase	CHEMISTRY	187.0	U/L	187.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-03-14	8
KLV-7702	LB	KLV-7702-1018	19	ALB	Albumin	CHEMISTRY	46.0	g/L	46.0	g/L	NORMAL		BASELINE	1	2018-03-06	-1
KLV-7702	LB	KLV-7702-1018	20	ALB	Albumin	CHEMISTRY	42.9	g/L	42.9	g/L	NORMAL		WORST POST-BASELINE	2	2018-03-14	8
KLV-7702	LB	KLV-7702-1019	1	HGB	Haemoglobin	HAEMATOLOGY	136.3	g/L	136.3	g/L	NORMAL		BASELINE	1	2018-09-03	-1
KLV-7702	LB	KLV-7702-1019	2	HGB	Haemoglobin	HAEMATOLOGY	96.5	g/L	96.5	g/L	LOW	1	WORST POST-BASELINE	2	2019-01-12	131
KLV-7702	LB	KLV-7702-1019	3	PLAT	Platelets	HAEMATOLOGY	288.0	10^9/L	288.0	10^9/L	NORMAL		BASELINE	1	2018-09-03	-1
KLV-7702	LB	KLV-7702-1019	4	PLAT	Platelets	HAEMATOLOGY	302.0	10^9/L	302.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2019-01-12	131
KLV-7702	LB	KLV-7702-1019	5	NEUT	Neutrophils	HAEMATOLOGY	5.2	10^9/L	5.2	10^9/L	NORMAL		BASELINE	1	2018-09-03	-1
KLV-7702	LB	KLV-7702-1019	6	NEUT	Neutrophils	HAEMATOLOGY	4.2	10^9/L	4.2	10^9/L	NORMAL		WORST POST-BASELINE	2	2019-01-12	131
KLV-7702	LB	KLV-7702-1019	7	LYM	Lymphocytes	HAEMATOLOGY	0.78	10^9/L	0.78	10^9/L	LOW	1	BASELINE	1	2018-09-03	-1
KLV-7702	LB	KLV-7702-1019	8	LYM	Lymphocytes	HAEMATOLOGY	0.35	10^9/L	0.35	10^9/L	LOW	3	WORST POST-BASELINE	2	2019-01-12	131
KLV-7702	LB	KLV-7702-1019	9	CA125	Cancer Antigen 125	CHEMISTRY	51.4	kU/L	51.4	kU/L	HIGH	1	BASELINE	1	2018-09-03	-1
KLV-7702	LB	KLV-7702-1019	10	CA125	Cancer Antigen 125	CHEMISTRY	411.3	kU/L	411.3	kU/L	HIGH	4	WORST POST-BASELINE	2	2019-01-12	131
KLV-7702	LB	KLV-7702-1019	11	ALT	Alanine aminotransferase	CHEMISTRY	34.0	U/L	34.0	U/L	NORMAL		BASELINE	1	2018-09-03	-1
KLV-7702	LB	KLV-7702-1019	12	ALT	Alanine aminotransferase	CHEMISTRY	23.6	U/L	23.6	U/L	NORMAL		WORST POST-BASELINE	2	2019-01-12	131
KLV-7702	LB	KLV-7702-1019	13	AST	Aspartate aminotransferase	CHEMISTRY	27.4	U/L	27.4	U/L	NORMAL		BASELINE	1	2018-09-03	-1
KLV-7702	LB	KLV-7702-1019	14	AST	Aspartate aminotransferase	CHEMISTRY	69.2	U/L	69.2	U/L	HIGH	1	WORST POST-BASELINE	2	2019-01-12	131
KLV-7702	LB	KLV-7702-1019	15	CREAT	Creatinine	CHEMISTRY	78.0	umol/L	78.0	umol/L	NORMAL		BASELINE	1	2018-09-03	-1
KLV-7702	LB	KLV-7702-1019	16	CREAT	Creatinine	CHEMISTRY	63.0	umol/L	63.0	umol/L	NORMAL		WORST POST-BASELINE	2	2019-01-12	131
KLV-7702	LB	KLV-7702-1019	17	LDH	Lactate dehydrogenase	CHEMISTRY	187.0	U/L	187.0	U/L	NORMAL		BASELINE	1	2018-09-03	-1
KLV-7702	LB	KLV-7702-1019	18	LDH	Lactate dehydrogenase	CHEMISTRY	166.0	U/L	166.0	U/L	NORMAL		WORST POST-BASELINE	2	2019-01-12	131
KLV-7702	LB	KLV-7702-1019	19	ALB	Albumin	CHEMISTRY	41.1	g/L	41.1	g/L	NORMAL		BASELINE	1	2018-09-03	-1
KLV-7702	LB	KLV-7702-1019	20	ALB	Albumin	CHEMISTRY	42.0	g/L	42.0	g/L	NORMAL		WORST POST-BASELINE	2	2019-01-12	131
KLV-7702	LB	KLV-7702-1020	1	HGB	Haemoglobin	HAEMATOLOGY	99.3	g/L	99.3	g/L	LOW	1	BASELINE	1	2018-05-18	-1
KLV-7702	LB	KLV-7702-1020	2	HGB	Haemoglobin	HAEMATOLOGY	39.3	g/L	39.3	g/L	LOW	3	WORST POST-BASELINE	2	2018-11-26	192
KLV-7702	LB	KLV-7702-1020	3	PLAT	Platelets	HAEMATOLOGY	327.0	10^9/L	327.0	10^9/L	NORMAL		BASELINE	1	2018-05-18	-1
KLV-7702	LB	KLV-7702-1020	4	PLAT	Platelets	HAEMATOLOGY	52.0	10^9/L	52.0	10^9/L	LOW	3	WORST POST-BASELINE	2	2018-11-26	192
KLV-7702	LB	KLV-7702-1020	5	NEUT	Neutrophils	HAEMATOLOGY	5.7	10^9/L	5.7	10^9/L	NORMAL		BASELINE	1	2018-05-18	-1
KLV-7702	LB	KLV-7702-1020	6	NEUT	Neutrophils	HAEMATOLOGY	4.1	10^9/L	4.1	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-11-26	192
KLV-7702	LB	KLV-7702-1020	7	LYM	Lymphocytes	HAEMATOLOGY	0.81	10^9/L	0.81	10^9/L	LOW	1	BASELINE	1	2018-05-18	-1
KLV-7702	LB	KLV-7702-1020	8	LYM	Lymphocytes	HAEMATOLOGY	0.56	10^9/L	0.56	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-11-26	192
KLV-7702	LB	KLV-7702-1020	9	CA125	Cancer Antigen 125	CHEMISTRY	25.2	kU/L	25.2	kU/L	NORMAL		BASELINE	1	2018-05-18	-1
KLV-7702	LB	KLV-7702-1020	10	CA125	Cancer Antigen 125	CHEMISTRY	59.4	kU/L	59.4	kU/L	HIGH	1	WORST POST-BASELINE	2	2018-11-26	192
KLV-7702	LB	KLV-7702-1020	11	ALT	Alanine aminotransferase	CHEMISTRY	32.3	U/L	32.3	U/L	NORMAL		BASELINE	1	2018-05-18	-1
KLV-7702	LB	KLV-7702-1020	12	ALT	Alanine aminotransferase	CHEMISTRY	147.7	U/L	147.7	U/L	HIGH	2	WORST POST-BASELINE	2	2018-11-26	192
KLV-7702	LB	KLV-7702-1020	13	AST	Aspartate aminotransferase	CHEMISTRY	112.1	U/L	112.1	U/L	HIGH	2	BASELINE	1	2018-05-18	-1
KLV-7702	LB	KLV-7702-1020	14	AST	Aspartate aminotransferase	CHEMISTRY	122.5	U/L	122.5	U/L	HIGH	2	WORST POST-BASELINE	2	2018-11-26	192
KLV-7702	LB	KLV-7702-1020	15	CREAT	Creatinine	CHEMISTRY	67.0	umol/L	67.0	umol/L	NORMAL		BASELINE	1	2018-05-18	-1
KLV-7702	LB	KLV-7702-1020	16	CREAT	Creatinine	CHEMISTRY	78.0	umol/L	78.0	umol/L	NORMAL		WORST POST-BASELINE	2	2018-11-26	192
KLV-7702	LB	KLV-7702-1020	17	LDH	Lactate dehydrogenase	CHEMISTRY	397.0	U/L	397.0	U/L	HIGH	1	BASELINE	1	2018-05-18	-1
KLV-7702	LB	KLV-7702-1020	18	LDH	Lactate dehydrogenase	CHEMISTRY	439.0	U/L	439.0	U/L	HIGH	1	WORST POST-BASELINE	2	2018-11-26	192
KLV-7702	LB	KLV-7702-1020	19	ALB	Albumin	CHEMISTRY	30.5	g/L	30.5	g/L	LOW	1	BASELINE	1	2018-05-18	-1
KLV-7702	LB	KLV-7702-1020	20	ALB	Albumin	CHEMISTRY	28.7	g/L	28.7	g/L	LOW	1	WORST POST-BASELINE	2	2018-11-26	192
KLV-7702	LB	KLV-7702-1021	1	HGB	Haemoglobin	HAEMATOLOGY	143.7	g/L	143.7	g/L	NORMAL		BASELINE	1	2019-01-04	-1
KLV-7702	LB	KLV-7702-1021	2	HGB	Haemoglobin	HAEMATOLOGY	71.6	g/L	71.6	g/L	LOW	2	WORST POST-BASELINE	2	2019-01-12	8
KLV-7702	LB	KLV-7702-1021	3	PLAT	Platelets	HAEMATOLOGY	286.0	10^9/L	286.0	10^9/L	NORMAL		BASELINE	1	2019-01-04	-1
KLV-7702	LB	KLV-7702-1021	4	PLAT	Platelets	HAEMATOLOGY	253.0	10^9/L	253.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2019-01-12	8
KLV-7702	LB	KLV-7702-1021	5	NEUT	Neutrophils	HAEMATOLOGY	5.1	10^9/L	5.1	10^9/L	NORMAL		BASELINE	1	2019-01-04	-1
KLV-7702	LB	KLV-7702-1021	6	NEUT	Neutrophils	HAEMATOLOGY	1.6	10^9/L	1.6	10^9/L	LOW	1	WORST POST-BASELINE	2	2019-01-12	8
KLV-7702	LB	KLV-7702-1021	7	LYM	Lymphocytes	HAEMATOLOGY	0.59	10^9/L	0.59	10^9/L	LOW	2	BASELINE	1	2019-01-04	-1
KLV-7702	LB	KLV-7702-1021	8	LYM	Lymphocytes	HAEMATOLOGY	0.16	10^9/L	0.16	10^9/L	LOW	4	WORST POST-BASELINE	2	2019-01-12	8

~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1021	9	CA125	Cancer Antigen 125	CHEMISTRY	15.9	kU/L	15.9	kU/L	NORMAL		BASELINE	1	2019-01-04	-1
KLV-7702	LB	KLV-7702-1021	10	CA125	Cancer Antigen 125	CHEMISTRY	50.6	kU/L	50.6	kU/L	HIGH	1	WORST POST-BASELINE	2	2019-01-12	8
KLV-7702	LB	KLV-7702-1021	11	ALT	Alanine aminotransferase	CHEMISTRY	17.1	U/L	17.1	U/L	NORMAL		BASELINE	1	2019-01-04	-1
KLV-7702	LB	KLV-7702-1021	12	ALT	Alanine aminotransferase	CHEMISTRY	145.0	U/L	145.0	U/L	HIGH	2	WORST POST-BASELINE	2	2019-01-12	8
KLV-7702	LB	KLV-7702-1021	13	AST	Aspartate aminotransferase	CHEMISTRY	60.2	U/L	60.2	U/L	HIGH	1	BASELINE	1	2019-01-04	-1
KLV-7702	LB	KLV-7702-1021	14	AST	Aspartate aminotransferase	CHEMISTRY	60.2	U/L	60.2	U/L	HIGH	1	WORST POST-BASELINE	2	2019-01-12	8
KLV-7702	LB	KLV-7702-1021	15	CREAT	Creatinine	CHEMISTRY	74.0	umol/L	74.0	umol/L	NORMAL		BASELINE	1	2019-01-04	-1
KLV-7702	LB	KLV-7702-1021	16	CREAT	Creatinine	CHEMISTRY	76.0	umol/L	76.0	umol/L	NORMAL		WORST POST-BASELINE	2	2019-01-12	8
KLV-7702	LB	KLV-7702-1021	17	LDH	Lactate dehydrogenase	CHEMISTRY	185.0	U/L	185.0	U/L	NORMAL		BASELINE	1	2019-01-04	-1
KLV-7702	LB	KLV-7702-1021	18	LDH	Lactate dehydrogenase	CHEMISTRY	377.0	U/L	377.0	U/L	HIGH	1	WORST POST-BASELINE	2	2019-01-12	8
KLV-7702	LB	KLV-7702-1021	19	ALB	Albumin	CHEMISTRY	43.5	g/L	43.5	g/L	NORMAL		BASELINE	1	2019-01-04	-1
KLV-7702	LB	KLV-7702-1021	20	ALB	Albumin	CHEMISTRY	41.2	g/L	41.2	g/L	NORMAL		WORST POST-BASELINE	2	2019-01-12	8
KLV-7702	LB	KLV-7702-1022	1	HGB	Haemoglobin	HAEMATOLOGY	149.9	g/L	149.9	g/L	NORMAL		BASELINE	1	2016-12-29	-1
KLV-7702	LB	KLV-7702-1022	2	HGB	Haemoglobin	HAEMATOLOGY	39.7	g/L	39.7	g/L	LOW	3	WORST POST-BASELINE	2	2017-06-11	164
KLV-7702	LB	KLV-7702-1022	3	PLAT	Platelets	HAEMATOLOGY	118.0	10^9/L	118.0	10^9/L	LOW	1	BASELINE	1	2016-12-29	-1
KLV-7702	LB	KLV-7702-1022	4	PLAT	Platelets	HAEMATOLOGY	124.0	10^9/L	124.0	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-06-11	164
KLV-7702	LB	KLV-7702-1022	5	NEUT	Neutrophils	HAEMATOLOGY	1.7	10^9/L	1.7	10^9/L	LOW	1	BASELINE	1	2016-12-29	-1
KLV-7702	LB	KLV-7702-1022	6	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	WORST POST-BASELINE	2	2017-06-11	164
KLV-7702	LB	KLV-7702-1022	7	LYM	Lymphocytes	HAEMATOLOGY	1.95	10^9/L	1.95	10^9/L	NORMAL		BASELINE	1	2016-12-29	-1
KLV-7702	LB	KLV-7702-1022	8	LYM	Lymphocytes	HAEMATOLOGY	0.56	10^9/L	0.56	10^9/L	LOW	2	WORST POST-BASELINE	2	2017-06-11	164
KLV-7702	LB	KLV-7702-1022	9	CA125	Cancer Antigen 125	CHEMISTRY	58.6	kU/L	58.6	kU/L	HIGH	1	BASELINE	1	2016-12-29	-1
KLV-7702	LB	KLV-7702-1022	10	CA125	Cancer Antigen 125	CHEMISTRY	189.7	kU/L	189.7	kU/L	HIGH	3	WORST POST-BASELINE	2	2017-06-11	164
KLV-7702	LB	KLV-7702-1022	11	ALT	Alanine aminotransferase	CHEMISTRY	31.4	U/L	31.4	U/L	NORMAL		BASELINE	1	2016-12-29	-1
KLV-7702	LB	KLV-7702-1022	12	ALT	Alanine aminotransferase	CHEMISTRY	22.1	U/L	22.1	U/L	NORMAL		WORST POST-BASELINE	2	2017-06-11	164
KLV-7702	LB	KLV-7702-1022	13	AST	Aspartate aminotransferase	CHEMISTRY	66.8	U/L	66.8	U/L	HIGH	1	BASELINE	1	2016-12-29	-1
KLV-7702	LB	KLV-7702-1022	14	AST	Aspartate aminotransferase	CHEMISTRY	65.4	U/L	65.4	U/L	HIGH	1	WORST POST-BASELINE	2	2017-06-11	164
KLV-7702	LB	KLV-7702-1022	15	CREAT	Creatinine	CHEMISTRY	86.0	umol/L	86.0	umol/L	NORMAL		BASELINE	1	2016-12-29	-1
KLV-7702	LB	KLV-7702-1022	16	CREAT	Creatinine	CHEMISTRY	83.0	umol/L	83.0	umol/L	NORMAL		WORST POST-BASELINE	2	2017-06-11	164
KLV-7702	LB	KLV-7702-1022	17	LDH	Lactate dehydrogenase	CHEMISTRY	157.0	U/L	157.0	U/L	NORMAL		BASELINE	1	2016-12-29	-1
KLV-7702	LB	KLV-7702-1022	18	LDH	Lactate dehydrogenase	CHEMISTRY	195.0	U/L	195.0	U/L	NORMAL		WORST POST-BASELINE	2	2017-06-11	164
KLV-7702	LB	KLV-7702-1022	19	ALB	Albumin	CHEMISTRY	45.4	g/L	45.4	g/L	NORMAL		BASELINE	1	2016-12-29	-1
KLV-7702	LB	KLV-7702-1022	20	ALB	Albumin	CHEMISTRY	30.0	g/L	30.0	g/L	LOW	1	WORST POST-BASELINE	2	2017-06-11	164
KLV-7702	LB	KLV-7702-1023	1	HGB	Haemoglobin	HAEMATOLOGY	147.8	g/L	147.8	g/L	NORMAL		BASELINE	1	2017-09-10	-1
KLV-7702	LB	KLV-7702-1023	2	HGB	Haemoglobin	HAEMATOLOGY	73.9	g/L	73.9	g/L	LOW	2	WORST POST-BASELINE	2	2017-12-12	93
KLV-7702	LB	KLV-7702-1023	3	PLAT	Platelets	HAEMATOLOGY	129.0	10^9/L	129.0	10^9/L	LOW	1	BASELINE	1	2017-09-10	-1
KLV-7702	LB	KLV-7702-1023	4	PLAT	Platelets	HAEMATOLOGY	85.0	10^9/L	85.0	10^9/L	LOW	2	WORST POST-BASELINE	2	2017-12-12	93
KLV-7702	LB	KLV-7702-1023	5	NEUT	Neutrophils	HAEMATOLOGY	6.1	10^9/L	6.1	10^9/L	NORMAL		BASELINE	1	2017-09-10	-1
KLV-7702	LB	KLV-7702-1023	6	NEUT	Neutrophils	HAEMATOLOGY	1.6	10^9/L	1.6	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-12-12	93
KLV-7702	LB	KLV-7702-1023	7	LYM	Lymphocytes	HAEMATOLOGY	1.89	10^9/L	1.89	10^9/L	NORMAL		BASELINE	1	2017-09-10	-1
KLV-7702	LB	KLV-7702-1023	8	LYM	Lymphocytes	HAEMATOLOGY	2.23	10^9/L	2.23	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-12-12	93
KLV-7702	LB	KLV-7702-1023	9	CA125	Cancer Antigen 125	CHEMISTRY	14.9	kU/L	14.9	kU/L	NORMAL		BASELINE	1	2017-09-10	-1
KLV-7702	LB	KLV-7702-1023	10	CA125	Cancer Antigen 125	CHEMISTRY	96.7	kU/L	96.7	kU/L	HIGH	2	WORST POST-BASELINE	2	2017-12-12	93
KLV-7702	LB	KLV-7702-1023	11	ALT	Alanine aminotransferase	CHEMISTRY	65.8	U/L	65.8	U/L	HIGH	1	BASELINE	1	2017-09-10	-1
KLV-7702	LB	KLV-7702-1023	12	ALT	Alanine aminotransferase	CHEMISTRY	75.0	U/L	75.0	U/L	HIGH	1	WORST POST-BASELINE	2	2017-12-12	93
KLV-7702	LB	KLV-7702-1023	13	AST	Aspartate aminotransferase	CHEMISTRY	61.7	U/L	61.7	U/L	HIGH	1	BASELINE	1	2017-09-10	-1
KLV-7702	LB	KLV-7702-1023	14	AST	Aspartate aminotransferase	CHEMISTRY	69.7	U/L	69.7	U/L	HIGH	1	WORST POST-BASELINE	2	2017-12-12	93
KLV-7702	LB	KLV-7702-1023	15	CREAT	Creatinine	CHEMISTRY	156.0	umol/L	156.0	umol/L	HIGH	1	BASELINE	1	2017-09-10	-1
KLV-7702	LB	KLV-7702-1023	16	CREAT	Creatinine	CHEMISTRY	575.0	umol/L	575.0	umol/L	HIGH	3	WORST POST-BASELINE	2	2017-12-12	93
KLV-7702	LB	KLV-7702-1023	17	LDH	Lactate dehydrogenase	CHEMISTRY	204.0	U/L	204.0	U/L	NORMAL		BASELINE	1	2017-09-10	-1
KLV-7702	LB	KLV-7702-1023	18	LDH	Lactate dehydrogenase	CHEMISTRY	200.0	U/L	200.0	U/L	NORMAL		WORST POST-BASELINE	2	2017-12-12	93
KLV-7702	LB	KLV-7702-1023	19	ALB	Albumin	CHEMISTRY	41.6	g/L	41.6	g/L	NORMAL		BASELINE	1	2017-09-10	-1
KLV-7702	LB	KLV-7702-1023	20	ALB	Albumin	CHEMISTRY	43.9	g/L	43.9	g/L	NORMAL		WORST POST-BASELINE	2	2017-12-12	93
KLV-7702	LB	KLV-7702-1024	1	HGB	Haemoglobin	HAEMATOLOGY	139.7	g/L	139.7	g/L	NORMAL		BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1024	2	HGB	Haemoglobin	HAEMATOLOGY	136.0	g/L	136.0	g/L	NORMAL		WORST POST-BASELINE	2	2017-08-13	161
KLV-7702	LB	KLV-7702-1024	3	PLAT	Platelets	HAEMATOLOGY	233.0	10^9/L	233.0	10^9/L	NORMAL		BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1024	4	PLAT	Platelets	HAEMATOLOGY	125.0	10^9/L	125.0	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-08-13	161
KLV-7702	LB	KLV-7702-1024	5	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1024	6	NEUT	Neutrophils	HAEMATOLOGY	0.7	10^9/L	0.7	10^9/L	LOW	3	WORST POST-BASELINE	2	2017-08-13	161
KLV-7702	LB	KLV-7702-1024	7	LYM	Lymphocytes	HAEMATOLOGY	1.83	10^9/L	1.83	10^9/L	NORMAL		BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1024	8	LYM	Lymphocytes	HAEMATOLOGY	1.88	10^9/L	1.88	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-08-13	161
KLV-7702	LB	KLV-7702-1024	9	CA125	Cancer Antigen 125	CHEMISTRY	61.0	kU/L	61.0	kU/L	HIGH	1	BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1024	10	CA125	Cancer Antigen 125	CHEMISTRY	453.3	kU/L	453.3	kU/L	HIGH	4	WORST POST-BASELINE	2	2017-08-13	161
KLV-7702	LB	KLV-7702-1024	11	ALT	Alanine aminotransferase	CHEMISTRY	20.4	U/L	20.4	U/L	NORMAL		BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1024	12	ALT	Alanine aminotransferase	CHEMISTRY	23.5	U/L	23.5	U/L	NORMAL		WORST POST-BASELINE	2	2017-08-13	161
KLV-7702	LB	KLV-7702-1024	13	AST	Aspartate aminotransferase	CHEMISTRY	16.7	U/L	16.7	U/L	NORMAL		BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1024	14	AST	Aspartate aminotransferase	CHEMISTRY	18.5	U/L	18.5	U/L	NORMAL		WORST POST-BASELINE	2	2017-08-13	161
KLV-7702	LB	KLV-7702-1024	15	CREAT	Creatinine	CHEMISTRY	83.0	umol/L	83.0	umol/L	NORMAL		BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1024	16	CREAT	Creatinine	CHEMISTRY	85.0	umol/L	85.0	umol/L	NORMAL		WORST POST-BASELINE	2	2017-08-13	161

~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1024	17	LDH	Lactate dehydrogenase	CHEMISTRY	212.0	U/L	212.0	U/L	NORMAL		BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1024	18	LDH	Lactate dehydrogenase	CHEMISTRY	718.0	U/L	718.0	U/L	HIGH	2	WORST POST-BASELINE	2	2017-08-13	161
KLV-7702	LB	KLV-7702-1024	19	ALB	Albumin	CHEMISTRY	39.0	g/L	39.0	g/L	NORMAL		BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1024	20	ALB	Albumin	CHEMISTRY	11.9	g/L	11.9	g/L	LOW	3	WORST POST-BASELINE	2	2017-08-13	161
KLV-7702	LB	KLV-7702-1025	1	HGB	Haemoglobin	HAEMATOLOGY	138.1	g/L	138.1	g/L	NORMAL		BASELINE	1	2017-06-27	-1
KLV-7702	LB	KLV-7702-1025	2	HGB	Haemoglobin	HAEMATOLOGY	134.1	g/L	134.1	g/L	NORMAL		WORST POST-BASELINE	2	2017-09-11	76
KLV-7702	LB	KLV-7702-1025	3	PLAT	Platelets	HAEMATOLOGY	242.0	10^9/L	242.0	10^9/L	NORMAL		BASELINE	1	2017-06-27	-1
KLV-7702	LB	KLV-7702-1025	4	PLAT	Platelets	HAEMATOLOGY	127.0	10^9/L	127.0	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-09-11	76
KLV-7702	LB	KLV-7702-1025	5	NEUT	Neutrophils	HAEMATOLOGY	1.7	10^9/L	1.7	10^9/L	LOW	1	BASELINE	1	2017-06-27	-1
KLV-7702	LB	KLV-7702-1025	6	NEUT	Neutrophils	HAEMATOLOGY	1.7	10^9/L	1.7	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-09-11	76
KLV-7702	LB	KLV-7702-1025	7	LYM	Lymphocytes	HAEMATOLOGY	3.12	10^9/L	3.12	10^9/L	NORMAL		BASELINE	1	2017-06-27	-1
KLV-7702	LB	KLV-7702-1025	8	LYM	Lymphocytes	HAEMATOLOGY	0.82	10^9/L	0.82	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-09-11	76
KLV-7702	LB	KLV-7702-1025	9	CA125	Cancer Antigen 125	CHEMISTRY	53.3	kU/L	53.3	kU/L	HIGH	1	BASELINE	1	2017-06-27	-1
KLV-7702	LB	KLV-7702-1025	10	CA125	Cancer Antigen 125	CHEMISTRY	108.7	kU/L	108.7	kU/L	HIGH	2	WORST POST-BASELINE	2	2017-09-11	76
KLV-7702	LB	KLV-7702-1025	11	ALT	Alanine aminotransferase	CHEMISTRY	32.3	U/L	32.3	U/L	NORMAL		BASELINE	1	2017-06-27	-1
KLV-7702	LB	KLV-7702-1025	12	ALT	Alanine aminotransferase	CHEMISTRY	18.3	U/L	18.3	U/L	NORMAL		WORST POST-BASELINE	2	2017-09-11	76
KLV-7702	LB	KLV-7702-1025	13	AST	Aspartate aminotransferase	CHEMISTRY	24.6	U/L	24.6	U/L	NORMAL		BASELINE	1	2017-06-27	-1
KLV-7702	LB	KLV-7702-1025	14	AST	Aspartate aminotransferase	CHEMISTRY	58.3	U/L	58.3	U/L	HIGH	1	WORST POST-BASELINE	2	2017-09-11	76
KLV-7702	LB	KLV-7702-1025	15	CREAT	Creatinine	CHEMISTRY	70.0	umol/L	70.0	umol/L	NORMAL		BASELINE	1	2017-06-27	-1
KLV-7702	LB	KLV-7702-1025	16	CREAT	Creatinine	CHEMISTRY	65.0	umol/L	65.0	umol/L	NORMAL		WORST POST-BASELINE	2	2017-09-11	76
KLV-7702	LB	KLV-7702-1025	17	LDH	Lactate dehydrogenase	CHEMISTRY	380.0	U/L	380.0	U/L	HIGH	1	BASELINE	1	2017-06-27	-1
KLV-7702	LB	KLV-7702-1025	18	LDH	Lactate dehydrogenase	CHEMISTRY	404.0	U/L	404.0	U/L	HIGH	1	WORST POST-BASELINE	2	2017-09-11	76
KLV-7702	LB	KLV-7702-1025	19	ALB	Albumin	CHEMISTRY	41.5	g/L	41.5	g/L	NORMAL		BASELINE	1	2017-06-27	-1
KLV-7702	LB	KLV-7702-1025	20	ALB	Albumin	CHEMISTRY	39.3	g/L	39.3	g/L	NORMAL		WORST POST-BASELINE	2	2017-09-11	76
KLV-7702	LB	KLV-7702-1026	1	HGB	Haemoglobin	HAEMATOLOGY	145.3	g/L	145.3	g/L	NORMAL		BASELINE	1	2017-11-06	-1
KLV-7702	LB	KLV-7702-1026	2	HGB	Haemoglobin	HAEMATOLOGY	69.1	g/L	69.1	g/L	LOW	2	WORST POST-BASELINE	2	2018-02-06	92
KLV-7702	LB	KLV-7702-1026	3	PLAT	Platelets	HAEMATOLOGY	243.0	10^9/L	243.0	10^9/L	NORMAL		BASELINE	1	2017-11-06	-1
KLV-7702	LB	KLV-7702-1026	4	PLAT	Platelets	HAEMATOLOGY	128.0	10^9/L	128.0	10^9/L	LOW	1	WORST POST-BASELINE	2	2018-02-06	92
KLV-7702	LB	KLV-7702-1026	5	NEUT	Neutrophils	HAEMATOLOGY	1.7	10^9/L	1.7	10^9/L	LOW	1	BASELINE	1	2017-11-06	-1
KLV-7702	LB	KLV-7702-1026	6	NEUT	Neutrophils	HAEMATOLOGY	1.6	10^9/L	1.6	10^9/L	LOW	1	WORST POST-BASELINE	2	2018-02-06	92
KLV-7702	LB	KLV-7702-1026	7	LYM	Lymphocytes	HAEMATOLOGY	2.77	10^9/L	2.77	10^9/L	NORMAL		BASELINE	1	2017-11-06	-1
KLV-7702	LB	KLV-7702-1026	8	LYM	Lymphocytes	HAEMATOLOGY	1.89	10^9/L	1.89	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-02-06	92
KLV-7702	LB	KLV-7702-1026	9	CA125	Cancer Antigen 125	CHEMISTRY	21.9	kU/L	21.9	kU/L	NORMAL		BASELINE	1	2017-11-06	-1
KLV-7702	LB	KLV-7702-1026	10	CA125	Cancer Antigen 125	CHEMISTRY	11.7	kU/L	11.7	kU/L	NORMAL		WORST POST-BASELINE	2	2018-02-06	92
KLV-7702	LB	KLV-7702-1026	11	ALT	Alanine aminotransferase	CHEMISTRY	28.9	U/L	28.9	U/L	NORMAL		BASELINE	1	2017-11-06	-1
KLV-7702	LB	KLV-7702-1026	12	ALT	Alanine aminotransferase	CHEMISTRY	129.1	U/L	129.1	U/L	HIGH	2	WORST POST-BASELINE	2	2018-02-06	92
KLV-7702	LB	KLV-7702-1026	13	AST	Aspartate aminotransferase	CHEMISTRY	22.8	U/L	22.8	U/L	NORMAL		BASELINE	1	2017-11-06	-1
KLV-7702	LB	KLV-7702-1026	14	AST	Aspartate aminotransferase	CHEMISTRY	60.9	U/L	60.9	U/L	HIGH	1	WORST POST-BASELINE	2	2018-02-06	92
KLV-7702	LB	KLV-7702-1026	15	CREAT	Creatinine	CHEMISTRY	144.0	umol/L	144.0	umol/L	HIGH	1	BASELINE	1	2017-11-06	-1
KLV-7702	LB	KLV-7702-1026	16	CREAT	Creatinine	CHEMISTRY	165.0	umol/L	165.0	umol/L	HIGH	1	WORST POST-BASELINE	2	2018-02-06	92
KLV-7702	LB	KLV-7702-1026	17	LDH	Lactate dehydrogenase	CHEMISTRY	754.0	U/L	754.0	U/L	HIGH	2	BASELINE	1	2017-11-06	-1
KLV-7702	LB	KLV-7702-1026	18	LDH	Lactate dehydrogenase	CHEMISTRY	823.0	U/L	823.0	U/L	HIGH	2	WORST POST-BASELINE	2	2018-02-06	92
KLV-7702	LB	KLV-7702-1026	19	ALB	Albumin	CHEMISTRY	27.9	g/L	27.9	g/L	LOW	1	BASELINE	1	2017-11-06	-1
KLV-7702	LB	KLV-7702-1026	20	ALB	Albumin	CHEMISTRY	27.5	g/L	27.5	g/L	LOW	1	WORST POST-BASELINE	2	2018-02-06	92
KLV-7702	LB	KLV-7702-1027	1	HGB	Haemoglobin	HAEMATOLOGY	105.9	g/L	105.9	g/L	LOW	1	BASELINE	1	2017-08-22	-1
KLV-7702	LB	KLV-7702-1027	2	HGB	Haemoglobin	HAEMATOLOGY	39.5	g/L	39.5	g/L	LOW	3	WORST POST-BASELINE	2	2017-12-13	113
KLV-7702	LB	KLV-7702-1027	3	PLAT	Platelets	HAEMATOLOGY	337.0	10^9/L	337.0	10^9/L	NORMAL		BASELINE	1	2017-08-22	-1
KLV-7702	LB	KLV-7702-1027	4	PLAT	Platelets	HAEMATOLOGY	219.0	10^9/L	219.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-12-13	113
KLV-7702	LB	KLV-7702-1027	5	NEUT	Neutrophils	HAEMATOLOGY	1.7	10^9/L	1.7	10^9/L	LOW	1	BASELINE	1	2017-08-22	-1
KLV-7702	LB	KLV-7702-1027	6	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	WORST POST-BASELINE	2	2017-12-13	113
KLV-7702	LB	KLV-7702-1027	7	LYM	Lymphocytes	HAEMATOLOGY	2.29	10^9/L	2.29	10^9/L	NORMAL		BASELINE	1	2017-08-22	-1
KLV-7702	LB	KLV-7702-1027	8	LYM	Lymphocytes	HAEMATOLOGY	2.87	10^9/L	2.87	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-12-13	113
KLV-7702	LB	KLV-7702-1027	9	CA125	Cancer Antigen 125	CHEMISTRY	17.4	kU/L	17.4	kU/L	NORMAL		BASELINE	1	2017-08-22	-1
KLV-7702	LB	KLV-7702-1027	10	CA125	Cancer Antigen 125	CHEMISTRY	226.5	kU/L	226.5	kU/L	HIGH	3	WORST POST-BASELINE	2	2017-12-13	113
KLV-7702	LB	KLV-7702-1027	11	ALT	Alanine aminotransferase	CHEMISTRY	71.8	U/L	71.8	U/L	HIGH	1	BASELINE	1	2017-08-22	-1
KLV-7702	LB	KLV-7702-1027	12	ALT	Alanine aminotransferase	CHEMISTRY	69.7	U/L	69.7	U/L	HIGH	1	WORST POST-BASELINE	2	2017-12-13	113
KLV-7702	LB	KLV-7702-1027	13	AST	Aspartate aminotransferase	CHEMISTRY	31.0	U/L	31.0	U/L	NORMAL		BASELINE	1	2017-08-22	-1
KLV-7702	LB	KLV-7702-1027	14	AST	Aspartate aminotransferase	CHEMISTRY	21.3	U/L	21.3	U/L	NORMAL		WORST POST-BASELINE	2	2017-12-13	113
KLV-7702	LB	KLV-7702-1027	15	CREAT	Creatinine	CHEMISTRY	78.0	umol/L	78.0	umol/L	NORMAL		BASELINE	1	2017-08-22	-1
KLV-7702	LB	KLV-7702-1027	16	CREAT	Creatinine	CHEMISTRY	85.0	umol/L	85.0	umol/L	NORMAL		WORST POST-BASELINE	2	2017-12-13	113
KLV-7702	LB	KLV-7702-1027	17	LDH	Lactate dehydrogenase	CHEMISTRY	440.0	U/L	440.0	U/L	HIGH	1	BASELINE	1	2017-08-22	-1
KLV-7702	LB	KLV-7702-1027	18	LDH	Lactate dehydrogenase	CHEMISTRY	385.0	U/L	385.0	U/L	HIGH	1	WORST POST-BASELINE	2	2017-12-13	113
KLV-7702	LB	KLV-7702-1027	19	ALB	Albumin	CHEMISTRY	42.3	g/L	42.3	g/L	NORMAL		BASELINE	1	2017-08-22	-1
KLV-7702	LB	KLV-7702-1027	20	ALB	Albumin	CHEMISTRY	44.8	g/L	44.8	g/L	NORMAL		WORST POST-BASELINE	2	2017-12-13	113
KLV-7702	LB	KLV-7702-1028	1	HGB	Haemoglobin	HAEMATOLOGY	102.4	g/L	102.4	g/L	LOW	1	BASELINE	1	2017-09-08	-1
KLV-7702	LB	KLV-7702-1028	2	HGB	Haemoglobin	HAEMATOLOGY	102.6	g/L	102.6	g/L	LOW	1	WORST POST-BASELINE	2	2018-01-18	132
KLV-7702	LB	KLV-7702-1028	3	PLAT	Platelets	HAEMATOLOGY	131.0	10^9/L	131.0	10^9/L	LOW	1	BASELINE	1	2017-09-08	-1
KLV-7702	LB	KLV-7702-1028	4	PLAT	Platelets	HAEMATOLOGY	94.0	10^9/L	94.0	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-01-18	132

~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1028	5	NEUT	Neutrophils	HAEMATOLOGY	1.7	10^9/L	1.7	10^9/L	LOW	1	BASELINE	1	2017-09-08	-1
KLV-7702	LB	KLV-7702-1028	6	NEUT	Neutrophils	HAEMATOLOGY	0.7	10^9/L	0.7	10^9/L	LOW	3	WORST POST-BASELINE	2	2018-01-18	132
KLV-7702	LB	KLV-7702-1028	7	LYM	Lymphocytes	HAEMATOLOGY	2.44	10^9/L	2.44	10^9/L	NORMAL		BASELINE	1	2017-09-08	-1
KLV-7702	LB	KLV-7702-1028	8	LYM	Lymphocytes	HAEMATOLOGY	2.48	10^9/L	2.48	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-01-18	132
KLV-7702	LB	KLV-7702-1028	9	CA125	Cancer Antigen 125	CHEMISTRY	11.2	kU/L	11.2	kU/L	NORMAL		BASELINE	1	2017-09-08	-1
KLV-7702	LB	KLV-7702-1028	10	CA125	Cancer Antigen 125	CHEMISTRY	17.2	kU/L	17.2	kU/L	NORMAL		WORST POST-BASELINE	2	2018-01-18	132
KLV-7702	LB	KLV-7702-1028	11	ALT	Alanine aminotransferase	CHEMISTRY	31.7	U/L	31.7	U/L	NORMAL		BASELINE	1	2017-09-08	-1
KLV-7702	LB	KLV-7702-1028	12	ALT	Alanine aminotransferase	CHEMISTRY	31.5	U/L	31.5	U/L	NORMAL		WORST POST-BASELINE	2	2018-01-18	132
KLV-7702	LB	KLV-7702-1028	13	AST	Aspartate aminotransferase	CHEMISTRY	23.4	U/L	23.4	U/L	NORMAL		BASELINE	1	2017-09-08	-1
KLV-7702	LB	KLV-7702-1028	14	AST	Aspartate aminotransferase	CHEMISTRY	30.5	U/L	30.5	U/L	NORMAL		WORST POST-BASELINE	2	2018-01-18	132
KLV-7702	LB	KLV-7702-1028	15	CREAT	Creatinine	CHEMISTRY	148.0	umol/L	148.0	umol/L	HIGH	1	BASELINE	1	2017-09-08	-1
KLV-7702	LB	KLV-7702-1028	16	CREAT	Creatinine	CHEMISTRY	152.0	umol/L	152.0	umol/L	HIGH	1	WORST POST-BASELINE	2	2018-01-18	132
KLV-7702	LB	KLV-7702-1028	17	LDH	Lactate dehydrogenase	CHEMISTRY	158.0	U/L	158.0	U/L	NORMAL		BASELINE	1	2017-09-08	-1
KLV-7702	LB	KLV-7702-1028	18	LDH	Lactate dehydrogenase	CHEMISTRY	414.0	U/L	414.0	U/L	HIGH	1	WORST POST-BASELINE	2	2018-01-18	132
KLV-7702	LB	KLV-7702-1028	19	ALB	Albumin	CHEMISTRY	39.3	g/L	39.3	g/L	NORMAL		BASELINE	1	2017-09-08	-1
KLV-7702	LB	KLV-7702-1028	20	ALB	Albumin	CHEMISTRY	42.6	g/L	42.6	g/L	NORMAL		WORST POST-BASELINE	2	2018-01-18	132
KLV-7702	LB	KLV-7702-1029	1	HGB	Haemoglobin	HAEMATOLOGY	106.0	g/L	106.0	g/L	LOW	1	BASELINE	1	2018-10-24	-1
KLV-7702	LB	KLV-7702-1029	2	HGB	Haemoglobin	HAEMATOLOGY	32.9	g/L	32.9	g/L	LOW	4	WORST POST-BASELINE	2	2019-02-19	118
KLV-7702	LB	KLV-7702-1029	3	PLAT	Platelets	HAEMATOLOGY	122.0	10^9/L	122.0	10^9/L	LOW	1	BASELINE	1	2018-10-24	-1
KLV-7702	LB	KLV-7702-1029	4	PLAT	Platelets	HAEMATOLOGY	128.0	10^9/L	128.0	10^9/L	LOW	1	WORST POST-BASELINE	2	2019-02-19	118
KLV-7702	LB	KLV-7702-1029	5	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	BASELINE	1	2018-10-24	-1
KLV-7702	LB	KLV-7702-1029	6	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	WORST POST-BASELINE	2	2019-02-19	118
KLV-7702	LB	KLV-7702-1029	7	LYM	Lymphocytes	HAEMATOLOGY	2.72	10^9/L	2.72	10^9/L	NORMAL		BASELINE	1	2018-10-24	-1
KLV-7702	LB	KLV-7702-1029	8	LYM	Lymphocytes	HAEMATOLOGY	2.93	10^9/L	2.93	10^9/L	NORMAL		WORST POST-BASELINE	2	2019-02-19	118
KLV-7702	LB	KLV-7702-1029	9	CA125	Cancer Antigen 125	CHEMISTRY	24.6	kU/L	24.6	kU/L	NORMAL		BASELINE	1	2018-10-24	-1
KLV-7702	LB	KLV-7702-1029	10	CA125	Cancer Antigen 125	CHEMISTRY	53.1	kU/L	53.1	kU/L	HIGH	1	WORST POST-BASELINE	2	2019-02-19	118
KLV-7702	LB	KLV-7702-1029	11	ALT	Alanine aminotransferase	CHEMISTRY	65.7	U/L	65.7	U/L	HIGH	1	BASELINE	1	2018-10-24	-1
KLV-7702	LB	KLV-7702-1029	12	ALT	Alanine aminotransferase	CHEMISTRY	68.5	U/L	68.5	U/L	HIGH	1	WORST POST-BASELINE	2	2019-02-19	118
KLV-7702	LB	KLV-7702-1029	13	AST	Aspartate aminotransferase	CHEMISTRY	23.3	U/L	23.3	U/L	NORMAL		BASELINE	1	2018-10-24	-1
KLV-7702	LB	KLV-7702-1029	14	AST	Aspartate aminotransferase	CHEMISTRY	20.2	U/L	20.2	U/L	NORMAL		WORST POST-BASELINE	2	2019-02-19	118
KLV-7702	LB	KLV-7702-1029	15	CREAT	Creatinine	CHEMISTRY	73.0	umol/L	73.0	umol/L	NORMAL		BASELINE	1	2018-10-24	-1
KLV-7702	LB	KLV-7702-1029	16	CREAT	Creatinine	CHEMISTRY	64.0	umol/L	64.0	umol/L	NORMAL		WORST POST-BASELINE	2	2019-02-19	118
KLV-7702	LB	KLV-7702-1029	17	LDH	Lactate dehydrogenase	CHEMISTRY	154.0	U/L	154.0	U/L	NORMAL		BASELINE	1	2018-10-24	-1
KLV-7702	LB	KLV-7702-1029	18	LDH	Lactate dehydrogenase	CHEMISTRY	186.0	U/L	186.0	U/L	NORMAL		WORST POST-BASELINE	2	2019-02-19	118
KLV-7702	LB	KLV-7702-1029	19	ALB	Albumin	CHEMISTRY	44.8	g/L	44.8	g/L	NORMAL		BASELINE	1	2018-10-24	-1
KLV-7702	LB	KLV-7702-1029	20	ALB	Albumin	CHEMISTRY	42.7	g/L	42.7	g/L	NORMAL		WORST POST-BASELINE	2	2019-02-19	118
KLV-7702	LB	KLV-7702-1030	1	HGB	Haemoglobin	HAEMATOLOGY	95.7	g/L	95.7	g/L	LOW	1	BASELINE	1	2017-05-22	-1
KLV-7702	LB	KLV-7702-1030	2	HGB	Haemoglobin	HAEMATOLOGY	102.0	g/L	102.0	g/L	LOW	1	WORST POST-BASELINE	2	2017-07-21	60
KLV-7702	LB	KLV-7702-1030	3	PLAT	Platelets	HAEMATOLOGY	303.0	10^9/L	303.0	10^9/L	NORMAL		BASELINE	1	2017-05-22	-1
KLV-7702	LB	KLV-7702-1030	4	PLAT	Platelets	HAEMATOLOGY	276.0	10^9/L	276.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-07-21	60
KLV-7702	LB	KLV-7702-1030	5	NEUT	Neutrophils	HAEMATOLOGY	1.7	10^9/L	1.7	10^9/L	LOW	1	BASELINE	1	2017-05-22	-1
KLV-7702	LB	KLV-7702-1030	6	NEUT	Neutrophils	HAEMATOLOGY	1.8	10^9/L	1.8	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-07-21	60
KLV-7702	LB	KLV-7702-1030	7	LYM	Lymphocytes	HAEMATOLOGY	3.12	10^9/L	3.12	10^9/L	NORMAL		BASELINE	1	2017-05-22	-1
KLV-7702	LB	KLV-7702-1030	8	LYM	Lymphocytes	HAEMATOLOGY	0.34	10^9/L	0.34	10^9/L	LOW	3	WORST POST-BASELINE	2	2017-07-21	60
KLV-7702	LB	KLV-7702-1030	9	CA125	Cancer Antigen 125	CHEMISTRY	17.2	kU/L	17.2	kU/L	NORMAL		BASELINE	1	2017-05-22	-1
KLV-7702	LB	KLV-7702-1030	10	CA125	Cancer Antigen 125	CHEMISTRY	108.2	kU/L	108.2	kU/L	HIGH	2	WORST POST-BASELINE	2	2017-07-21	60
KLV-7702	LB	KLV-7702-1030	11	ALT	Alanine aminotransferase	CHEMISTRY	139.3	U/L	139.3	U/L	HIGH	2	BASELINE	1	2017-05-22	-1
KLV-7702	LB	KLV-7702-1030	12	ALT	Alanine aminotransferase	CHEMISTRY	135.6	U/L	135.6	U/L	HIGH	2	WORST POST-BASELINE	2	2017-07-21	60
KLV-7702	LB	KLV-7702-1030	13	AST	Aspartate aminotransferase	CHEMISTRY	58.2	U/L	58.2	U/L	HIGH	1	BASELINE	1	2017-05-22	-1
KLV-7702	LB	KLV-7702-1030	14	AST	Aspartate aminotransferase	CHEMISTRY	231.1	U/L	231.1	U/L	HIGH	3	WORST POST-BASELINE	2	2017-07-21	60
KLV-7702	LB	KLV-7702-1030	15	CREAT	Creatinine	CHEMISTRY	71.0	umol/L	71.0	umol/L	NORMAL		BASELINE	1	2017-05-22	-1
KLV-7702	LB	KLV-7702-1030	16	CREAT	Creatinine	CHEMISTRY	81.0	umol/L	81.0	umol/L	NORMAL		WORST POST-BASELINE	2	2017-07-21	60
KLV-7702	LB	KLV-7702-1030	17	LDH	Lactate dehydrogenase	CHEMISTRY	185.0	U/L	185.0	U/L	NORMAL		BASELINE	1	2017-05-22	-1
KLV-7702	LB	KLV-7702-1030	18	LDH	Lactate dehydrogenase	CHEMISTRY	165.0	U/L	165.0	U/L	NORMAL		WORST POST-BASELINE	2	2017-07-21	60
KLV-7702	LB	KLV-7702-1030	19	ALB	Albumin	CHEMISTRY	27.5	g/L	27.5	g/L	LOW	1	BASELINE	1	2017-05-22	-1
KLV-7702	LB	KLV-7702-1030	20	ALB	Albumin	CHEMISTRY	27.8	g/L	27.8	g/L	LOW	1	WORST POST-BASELINE	2	2017-07-21	60
KLV-7702	LB	KLV-7702-1031	1	HGB	Haemoglobin	HAEMATOLOGY	132.7	g/L	132.7	g/L	NORMAL		BASELINE	1	2018-09-28	-1
KLV-7702	LB	KLV-7702-1031	2	HGB	Haemoglobin	HAEMATOLOGY	98.8	g/L	98.8	g/L	LOW	1	WORST POST-BASELINE	2	2019-03-07	160
KLV-7702	LB	KLV-7702-1031	3	PLAT	Platelets	HAEMATOLOGY	127.0	10^9/L	127.0	10^9/L	LOW	1	BASELINE	1	2018-09-28	-1
KLV-7702	LB	KLV-7702-1031	4	PLAT	Platelets	HAEMATOLOGY	132.0	10^9/L	132.0	10^9/L	LOW	1	WORST POST-BASELINE	2	2019-03-07	160
KLV-7702	LB	KLV-7702-1031	5	NEUT	Neutrophils	HAEMATOLOGY	1.7	10^9/L	1.7	10^9/L	LOW	1	BASELINE	1	2018-09-28	-1
KLV-7702	LB	KLV-7702-1031	6	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	WORST POST-BASELINE	2	2019-03-07	160
KLV-7702	LB	KLV-7702-1031	7	LYM	Lymphocytes	HAEMATOLOGY	0.83	10^9/L	0.83	10^9/L	LOW	1	BASELINE	1	2018-09-28	-1
KLV-7702	LB	KLV-7702-1031	8	LYM	Lymphocytes	HAEMATOLOGY	0.89	10^9/L	0.89	10^9/L	LOW	1	WORST POST-BASELINE	2	2019-03-07	160
KLV-7702	LB	KLV-7702-1031	9	CA125	Cancer Antigen 125	CHEMISTRY	12.6	kU/L	12.6	kU/L	NORMAL		BASELINE	1	2018-09-28	-1
KLV-7702	LB	KLV-7702-1031	10	CA125	Cancer Antigen 125	CHEMISTRY	61.5	kU/L	61.5	kU/L	HIGH	1	WORST POST-BASELINE	2	2019-03-07	160
KLV-7702	LB	KLV-7702-1031	11	ALT	Alanine aminotransferase	CHEMISTRY	35.0	U/L	35.0	U/L	NORMAL		BASELINE	1	2018-09-28	-1
KLV-7702	LB	KLV-7702-1031	12	ALT	Alanine aminotransferase	CHEMISTRY	24.4	U/L	24.4	U/L	NORMAL		WORST POST-BASELINE	2	2019-03-07	160

~~Appendix 16.2.10 Listing of individual laboratory measurements~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1031	13	AST	Aspartate aminotransferase	CHEMISTRY	68.2	U/L	68.2	U/L	HIGH	1	BASELINE	1	2018-09-28	-1
KLV-7702	LB	KLV-7702-1031	14	AST	Aspartate aminotransferase	CHEMISTRY	60.5	U/L	60.5	U/L	HIGH	1	WORST POST-BASELINE	2	2019-03-07	160
KLV-7702	LB	KLV-7702-1031	15	CREAT	Creatinine	CHEMISTRY	302.0	umol/L	302.0	umol/L	HIGH	2	BASELINE	1	2018-09-28	-1
KLV-7702	LB	KLV-7702-1031	16	CREAT	Creatinine	CHEMISTRY	286.0	umol/L	286.0	umol/L	HIGH	2	WORST POST-BASELINE	2	2019-03-07	160
KLV-7702	LB	KLV-7702-1031	17	LDH	Lactate dehydrogenase	CHEMISTRY	177.0	U/L	177.0	U/L	NORMAL		BASELINE	1	2018-09-28	-1
KLV-7702	LB	KLV-7702-1031	18	LDH	Lactate dehydrogenase	CHEMISTRY	212.0	U/L	212.0	U/L	NORMAL		WORST POST-BASELINE	2	2019-03-07	160
KLV-7702	LB	KLV-7702-1031	19	ALB	Albumin	CHEMISTRY	42.4	g/L	42.4	g/L	NORMAL		BASELINE	1	2018-09-28	-1
KLV-7702	LB	KLV-7702-1031	20	ALB	Albumin	CHEMISTRY	21.9	g/L	21.9	g/L	LOW	2	WORST POST-BASELINE	2	2019-03-07	160
KLV-7702	LB	KLV-7702-1032	1	HGB	Haemoglobin	HAEMATOLOGY	72.5	g/L	72.5	g/L	LOW	2	BASELINE	1	2019-01-05	-1
KLV-7702	LB	KLV-7702-1032	2	HGB	Haemoglobin	HAEMATOLOGY	39.5	g/L	39.5	g/L	LOW	3	WORST POST-BASELINE	2	2019-04-01	86
KLV-7702	LB	KLV-7702-1032	3	PLAT	Platelets	HAEMATOLOGY	264.0	10^9/L	264.0	10^9/L	NORMAL		BASELINE	1	2019-01-05	-1
KLV-7702	LB	KLV-7702-1032	4	PLAT	Platelets	HAEMATOLOGY	84.0	10^9/L	84.0	10^9/L	LOW	2	WORST POST-BASELINE	2	2019-04-01	86
KLV-7702	LB	KLV-7702-1032	5	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	BASELINE	1	2019-01-05	-1
KLV-7702	LB	KLV-7702-1032	6	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	WORST POST-BASELINE	2	2019-04-01	86
KLV-7702	LB	KLV-7702-1032	7	LYM	Lymphocytes	HAEMATOLOGY	0.6	10^9/L	0.6	10^9/L	LOW	2	BASELINE	1	2019-01-05	-1
KLV-7702	LB	KLV-7702-1032	8	LYM	Lymphocytes	HAEMATOLOGY	0.36	10^9/L	0.36	10^9/L	LOW	3	WORST POST-BASELINE	2	2019-04-01	86
KLV-7702	LB	KLV-7702-1032	9	CA125	Cancer Antigen 125	CHEMISTRY	16.9	kU/L	16.9	kU/L	NORMAL		BASELINE	1	2019-01-05	-1
KLV-7702	LB	KLV-7702-1032	10	CA125	Cancer Antigen 125	CHEMISTRY	59.0	kU/L	59.0	kU/L	HIGH	1	WORST POST-BASELINE	2	2019-04-01	86
KLV-7702	LB	KLV-7702-1032	11	ALT	Alanine aminotransferase	CHEMISTRY	145.3	U/L	145.3	U/L	HIGH	2	BASELINE	1	2019-01-05	-1
KLV-7702	LB	KLV-7702-1032	12	ALT	Alanine aminotransferase	CHEMISTRY	137.4	U/L	137.4	U/L	HIGH	2	WORST POST-BASELINE	2	2019-04-01	86
KLV-7702	LB	KLV-7702-1032	13	AST	Aspartate aminotransferase	CHEMISTRY	118.7	U/L	118.7	U/L	HIGH	2	BASELINE	1	2019-01-05	-1
KLV-7702	LB	KLV-7702-1032	14	AST	Aspartate aminotransferase	CHEMISTRY	116.6	U/L	116.6	U/L	HIGH	2	WORST POST-BASELINE	2	2019-04-01	86
KLV-7702	LB	KLV-7702-1032	15	CREAT	Creatinine	CHEMISTRY	153.0	umol/L	153.0	umol/L	HIGH	1	BASELINE	1	2019-01-05	-1
KLV-7702	LB	KLV-7702-1032	16	CREAT	Creatinine	CHEMISTRY	146.0	umol/L	146.0	umol/L	HIGH	1	WORST POST-BASELINE	2	2019-04-01	86
KLV-7702	LB	KLV-7702-1032	17	LDH	Lactate dehydrogenase	CHEMISTRY	208.0	U/L	208.0	U/L	NORMAL		BASELINE	1	2019-01-05	-1
KLV-7702	LB	KLV-7702-1032	18	LDH	Lactate dehydrogenase	CHEMISTRY	201.0	U/L	201.0	U/L	NORMAL		WORST POST-BASELINE	2	2019-04-01	86
KLV-7702	LB	KLV-7702-1032	19	ALB	Albumin	CHEMISTRY	44.0	g/L	44.0	g/L	NORMAL		BASELINE	1	2019-01-05	-1
KLV-7702	LB	KLV-7702-1032	20	ALB	Albumin	CHEMISTRY	42.2	g/L	42.2	g/L	NORMAL		WORST POST-BASELINE	2	2019-04-01	86
KLV-7702	LB	KLV-7702-1033	1	HGB	Haemoglobin	HAEMATOLOGY	137.0	g/L	137.0	g/L	NORMAL		BASELINE	1	2017-02-21	-1
KLV-7702	LB	KLV-7702-1033	2	HGB	Haemoglobin	HAEMATOLOGY	105.0	g/L	105.0	g/L	LOW	1	WORST POST-BASELINE	2	2017-06-24	123
KLV-7702	LB	KLV-7702-1033	3	PLAT	Platelets	HAEMATOLOGY	303.0	10^9/L	303.0	10^9/L	NORMAL		BASELINE	1	2017-02-21	-1
KLV-7702	LB	KLV-7702-1033	4	PLAT	Platelets	HAEMATOLOGY	123.0	10^9/L	123.0	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-06-24	123
KLV-7702	LB	KLV-7702-1033	5	NEUT	Neutrophils	HAEMATOLOGY	5.5	10^9/L	5.5	10^9/L	NORMAL		BASELINE	1	2017-02-21	-1
KLV-7702	LB	KLV-7702-1033	6	NEUT	Neutrophils	HAEMATOLOGY	4.2	10^9/L	4.2	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-06-24	123
KLV-7702	LB	KLV-7702-1033	7	LYM	Lymphocytes	HAEMATOLOGY	2.8	10^9/L	2.8	10^9/L	NORMAL		BASELINE	1	2017-02-21	-1
KLV-7702	LB	KLV-7702-1033	8	LYM	Lymphocytes	HAEMATOLOGY	2.78	10^9/L	2.78	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-06-24	123
KLV-7702	LB	KLV-7702-1033	9	CA125	Cancer Antigen 125	CHEMISTRY	19.5	kU/L	19.5	kU/L	NORMAL		BASELINE	1	2017-02-21	-1
KLV-7702	LB	KLV-7702-1033	10	CA125	Cancer Antigen 125	CHEMISTRY	50.9	kU/L	50.9	kU/L	HIGH	1	WORST POST-BASELINE	2	2017-06-24	123
KLV-7702	LB	KLV-7702-1033	11	ALT	Alanine aminotransferase	CHEMISTRY	78.9	U/L	78.9	U/L	HIGH	1	BASELINE	1	2017-02-21	-1
KLV-7702	LB	KLV-7702-1033	12	ALT	Alanine aminotransferase	CHEMISTRY	74.1	U/L	74.1	U/L	HIGH	1	WORST POST-BASELINE	2	2017-06-24	123
KLV-7702	LB	KLV-7702-1033	13	AST	Aspartate aminotransferase	CHEMISTRY	22.5	U/L	22.5	U/L	NORMAL		BASELINE	1	2017-02-21	-1
KLV-7702	LB	KLV-7702-1033	14	AST	Aspartate aminotransferase	CHEMISTRY	20.2	U/L	20.2	U/L	NORMAL		WORST POST-BASELINE	2	2017-06-24	123
KLV-7702	LB	KLV-7702-1033	15	CREAT	Creatinine	CHEMISTRY	70.0	umol/L	70.0	umol/L	NORMAL		BASELINE	1	2017-02-21	-1
KLV-7702	LB	KLV-7702-1033	16	CREAT	Creatinine	CHEMISTRY	74.0	umol/L	74.0	umol/L	NORMAL		WORST POST-BASELINE	2	2017-06-24	123
KLV-7702	LB	KLV-7702-1033	17	LDH	Lactate dehydrogenase	CHEMISTRY	189.0	U/L	189.0	U/L	NORMAL		BASELINE	1	2017-02-21	-1
KLV-7702	LB	KLV-7702-1033	18	LDH	Lactate dehydrogenase	CHEMISTRY	191.0	U/L	191.0	U/L	NORMAL		WORST POST-BASELINE	2	2017-06-24	123
KLV-7702	LB	KLV-7702-1033	19	ALB	Albumin	CHEMISTRY	42.5	g/L	42.5	g/L	NORMAL		BASELINE	1	2017-02-21	-1
KLV-7702	LB	KLV-7702-1033	20	ALB	Albumin	CHEMISTRY	42.5	g/L	42.5	g/L	NORMAL		WORST POST-BASELINE	2	2017-06-24	123
KLV-7702	LB	KLV-7702-1034	1	HGB	Haemoglobin	HAEMATOLOGY	149.4	g/L	149.4	g/L	NORMAL		BASELINE	1	2017-08-13	-1
KLV-7702	LB	KLV-7702-1034	2	HGB	Haemoglobin	HAEMATOLOGY	100.7	g/L	100.7	g/L	LOW	1	WORST POST-BASELINE	2	2018-01-20	160
KLV-7702	LB	KLV-7702-1034	3	PLAT	Platelets	HAEMATOLOGY	310.0	10^9/L	310.0	10^9/L	NORMAL		BASELINE	1	2017-08-13	-1
KLV-7702	LB	KLV-7702-1034	4	PLAT	Platelets	HAEMATOLOGY	123.0	10^9/L	123.0	10^9/L	LOW	1	WORST POST-BASELINE	2	2018-01-20	160
KLV-7702	LB	KLV-7702-1034	5	NEUT	Neutrophils	HAEMATOLOGY	5.1	10^9/L	5.1	10^9/L	NORMAL		BASELINE	1	2017-08-13	-1
KLV-7702	LB	KLV-7702-1034	6	NEUT	Neutrophils	HAEMATOLOGY	5.6	10^9/L	5.6	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-01-20	160
KLV-7702	LB	KLV-7702-1034	7	LYM	Lymphocytes	HAEMATOLOGY	2.99	10^9/L	2.99	10^9/L	NORMAL		BASELINE	1	2017-08-13	-1
KLV-7702	LB	KLV-7702-1034	8	LYM	Lymphocytes	HAEMATOLOGY	0.63	10^9/L	0.63	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-01-20	160
KLV-7702	LB	KLV-7702-1034	9	CA125	Cancer Antigen 125	CHEMISTRY	10.1	kU/L	10.1	kU/L	NORMAL		BASELINE	1	2017-08-13	-1
KLV-7702	LB	KLV-7702-1034	10	CA125	Cancer Antigen 125	CHEMISTRY	60.9	kU/L	60.9	kU/L	HIGH	1	WORST POST-BASELINE	2	2018-01-20	160
KLV-7702	LB	KLV-7702-1034	11	ALT	Alanine aminotransferase	CHEMISTRY	33.1	U/L	33.1	U/L	NORMAL		BASELINE	1	2017-08-13	-1
KLV-7702	LB	KLV-7702-1034	12	ALT	Alanine aminotransferase	CHEMISTRY	32.8	U/L	32.8	U/L	NORMAL		WORST POST-BASELINE	2	2018-01-20	160
KLV-7702	LB	KLV-7702-1034	13	AST	Aspartate aminotransferase	CHEMISTRY	70.0	U/L	70.0	U/L	HIGH	1	BASELINE	1	2017-08-13	-1
KLV-7702	LB	KLV-7702-1034	14	AST	Aspartate aminotransferase	CHEMISTRY	58.4	U/L	58.4	U/L	HIGH	1	WORST POST-BASELINE	2	2018-01-20	160
KLV-7702	LB	KLV-7702-1034	15	CREAT	Creatinine	CHEMISTRY	67.0	umol/L	67.0	umol/L	NORMAL		BASELINE	1	2017-08-13	-1
KLV-7702	LB	KLV-7702-1034	16	CREAT	Creatinine	CHEMISTRY	74.0	umol/L	74.0	umol/L	NORMAL		WORST POST-BASELINE	2	2018-01-20	160
KLV-7702	LB	KLV-7702-1034	17	LDH	Lactate dehydrogenase	CHEMISTRY	168.0	U/L	168.0	U/L	NORMAL		BASELINE	1	2017-08-13	-1
KLV-7702	LB	KLV-7702-1034	18	LDH	Lactate dehydrogenase	CHEMISTRY	168.0	U/L	168.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-01-20	160
KLV-7702	LB	KLV-7702-1034	19	ALB	Albumin	CHEMISTRY	44.1	g/L	44.1	g/L	NORMAL		BASELINE	1	2017-08-13	-1
KLV-7702	LB	KLV-7702-1034	20	ALB	Albumin	CHEMISTRY	41.2	g/L	41.2	g/L	NORMAL		WORST POST-BASELINE	2	2018-01-20	160

~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1035	1	HGB	Haemoglobin	HAEMATOLOGY	137.1	g/L	137.1	g/L	NORMAL		BASELINE	1	2018-02-10	-1
KLV-7702	LB	KLV-7702-1035	2	HGB	Haemoglobin	HAEMATOLOGY	43.4	g/L	43.4	g/L	LOW	3	WORST POST-BASELINE	2	2018-05-28	107
KLV-7702	LB	KLV-7702-1035	3	PLAT	Platelets	HAEMATOLOGY	91.0	10^9/L	91.0	10^9/L	LOW	2	BASELINE	1	2018-02-10	-1
KLV-7702	LB	KLV-7702-1035	4	PLAT	Platelets	HAEMATOLOGY	90.0	10^9/L	90.0	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-05-28	107
KLV-7702	LB	KLV-7702-1035	5	NEUT	Neutrophils	HAEMATOLOGY	5.6	10^9/L	5.6	10^9/L	NORMAL		BASELINE	1	2018-02-10	-1
KLV-7702	LB	KLV-7702-1035	6	NEUT	Neutrophils	HAEMATOLOGY	4.9	10^9/L	4.9	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-05-28	107
KLV-7702	LB	KLV-7702-1035	7	LYM	Lymphocytes	HAEMATOLOGY	2.5	10^9/L	2.5	10^9/L	NORMAL		BASELINE	1	2018-02-10	-1
KLV-7702	LB	KLV-7702-1035	8	LYM	Lymphocytes	HAEMATOLOGY	1.85	10^9/L	1.85	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-05-28	107
KLV-7702	LB	KLV-7702-1035	9	CA125	Cancer Antigen 125	CHEMISTRY	52.6	kU/L	52.6	kU/L	HIGH	1	BASELINE	1	2018-02-10	-1
KLV-7702	LB	KLV-7702-1035	10	CA125	Cancer Antigen 125	CHEMISTRY	111.2	kU/L	111.2	kU/L	HIGH	2	WORST POST-BASELINE	2	2018-05-28	107
KLV-7702	LB	KLV-7702-1035	11	ALT	Alanine aminotransferase	CHEMISTRY	20.6	U/L	20.6	U/L	NORMAL		BASELINE	1	2018-02-10	-1
KLV-7702	LB	KLV-7702-1035	12	ALT	Alanine aminotransferase	CHEMISTRY	21.1	U/L	21.1	U/L	NORMAL		WORST POST-BASELINE	2	2018-05-28	107
KLV-7702	LB	KLV-7702-1035	13	AST	Aspartate aminotransferase	CHEMISTRY	19.2	U/L	19.2	U/L	NORMAL		BASELINE	1	2018-02-10	-1
KLV-7702	LB	KLV-7702-1035	14	AST	Aspartate aminotransferase	CHEMISTRY	26.8	U/L	26.8	U/L	NORMAL		WORST POST-BASELINE	2	2018-05-28	107
KLV-7702	LB	KLV-7702-1035	15	CREAT	Creatinine	CHEMISTRY	150.0	umol/L	150.0	umol/L	HIGH	1	BASELINE	1	2018-02-10	-1
KLV-7702	LB	KLV-7702-1035	16	CREAT	Creatinine	CHEMISTRY	608.0	umol/L	608.0	umol/L	HIGH	3	WORST POST-BASELINE	2	2018-05-28	107
KLV-7702	LB	KLV-7702-1035	17	LDH	Lactate dehydrogenase	CHEMISTRY	376.0	U/L	376.0	U/L	HIGH	1	BASELINE	1	2018-02-10	-1
KLV-7702	LB	KLV-7702-1035	18	LDH	Lactate dehydrogenase	CHEMISTRY	376.0	U/L	376.0	U/L	HIGH	1	WORST POST-BASELINE	2	2018-05-28	107
KLV-7702	LB	KLV-7702-1035	19	ALB	Albumin	CHEMISTRY	28.7	g/L	28.7	g/L	LOW	1	BASELINE	1	2018-02-10	-1
KLV-7702	LB	KLV-7702-1035	20	ALB	Albumin	CHEMISTRY	28.1	g/L	28.1	g/L	LOW	1	WORST POST-BASELINE	2	2018-05-28	107
KLV-7702	LB	KLV-7702-1036	1	HGB	Haemoglobin	HAEMATOLOGY	140.4	g/L	140.4	g/L	NORMAL		BASELINE	1	2017-01-26	-1
KLV-7702	LB	KLV-7702-1036	2	HGB	Haemoglobin	HAEMATOLOGY	97.0	g/L	97.0	g/L	LOW	1	WORST POST-BASELINE	2	2017-02-03	8
KLV-7702	LB	KLV-7702-1036	3	PLAT	Platelets	HAEMATOLOGY	264.0	10^9/L	264.0	10^9/L	NORMAL		BASELINE	1	2017-01-26	-1
KLV-7702	LB	KLV-7702-1036	4	PLAT	Platelets	HAEMATOLOGY	315.0	10^9/L	315.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-02-03	8
KLV-7702	LB	KLV-7702-1036	5	NEUT	Neutrophils	HAEMATOLOGY	6.0	10^9/L	6.0	10^9/L	NORMAL		BASELINE	1	2017-01-26	-1
KLV-7702	LB	KLV-7702-1036	6	NEUT	Neutrophils	HAEMATOLOGY	6.0	10^9/L	6.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-02-03	8
KLV-7702	LB	KLV-7702-1036	7	LYM	Lymphocytes	HAEMATOLOGY	2.22	10^9/L	2.22	10^9/L	NORMAL		BASELINE	1	2017-01-26	-1
KLV-7702	LB	KLV-7702-1036	8	LYM	Lymphocytes	HAEMATOLOGY	1.97	10^9/L	1.97	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-02-03	8
KLV-7702	LB	KLV-7702-1036	9	CA125	Cancer Antigen 125	CHEMISTRY	60.6	kU/L	60.6	kU/L	HIGH	1	BASELINE	1	2017-01-26	-1
KLV-7702	LB	KLV-7702-1036	10	CA125	Cancer Antigen 125	CHEMISTRY	224.6	kU/L	224.6	kU/L	HIGH	3	WORST POST-BASELINE	2	2017-02-03	8
KLV-7702	LB	KLV-7702-1036	11	ALT	Alanine aminotransferase	CHEMISTRY	24.6	U/L	24.6	U/L	NORMAL		BASELINE	1	2017-01-26	-1
KLV-7702	LB	KLV-7702-1036	12	ALT	Alanine aminotransferase	CHEMISTRY	278.3	U/L	278.3	U/L	HIGH	3	WORST POST-BASELINE	2	2017-02-03	8
KLV-7702	LB	KLV-7702-1036	13	AST	Aspartate aminotransferase	CHEMISTRY	22.8	U/L	22.8	U/L	NORMAL		BASELINE	1	2017-01-26	-1
KLV-7702	LB	KLV-7702-1036	14	AST	Aspartate aminotransferase	CHEMISTRY	31.0	U/L	31.0	U/L	NORMAL		WORST POST-BASELINE	2	2017-02-03	8
KLV-7702	LB	KLV-7702-1036	15	CREAT	Creatinine	CHEMISTRY	77.0	umol/L	77.0	umol/L	NORMAL		BASELINE	1	2017-01-26	-1
KLV-7702	LB	KLV-7702-1036	16	CREAT	Creatinine	CHEMISTRY	326.0	umol/L	326.0	umol/L	HIGH	2	WORST POST-BASELINE	2	2017-02-03	8
KLV-7702	LB	KLV-7702-1036	17	LDH	Lactate dehydrogenase	CHEMISTRY	438.0	U/L	438.0	U/L	HIGH	1	BASELINE	1	2017-01-26	-1
KLV-7702	LB	KLV-7702-1036	18	LDH	Lactate dehydrogenase	CHEMISTRY	429.0	U/L	429.0	U/L	HIGH	1	WORST POST-BASELINE	2	2017-02-03	8
KLV-7702	LB	KLV-7702-1036	19	ALB	Albumin	CHEMISTRY	42.0	g/L	42.0	g/L	NORMAL		BASELINE	1	2017-01-26	-1
KLV-7702	LB	KLV-7702-1036	20	ALB	Albumin	CHEMISTRY	46.1	g/L	46.1	g/L	NORMAL		WORST POST-BASELINE	2	2017-02-03	8
KLV-7702	LB	KLV-7702-1037	1	HGB	Haemoglobin	HAEMATOLOGY	101.8	g/L	101.8	g/L	LOW	1	BASELINE	1	2018-06-23	-1
KLV-7702	LB	KLV-7702-1037	2	HGB	Haemoglobin	HAEMATOLOGY	42.8	g/L	42.8	g/L	LOW	3	WORST POST-BASELINE	2	2018-10-23	122
KLV-7702	LB	KLV-7702-1037	3	PLAT	Platelets	HAEMATOLOGY	83.0	10^9/L	83.0	10^9/L	LOW	2	BASELINE	1	2018-06-23	-1
KLV-7702	LB	KLV-7702-1037	4	PLAT	Platelets	HAEMATOLOGY	54.0	10^9/L	54.0	10^9/L	LOW	3	WORST POST-BASELINE	2	2018-10-23	122
KLV-7702	LB	KLV-7702-1037	5	NEUT	Neutrophils	HAEMATOLOGY	5.5	10^9/L	5.5	10^9/L	NORMAL		BASELINE	1	2018-06-23	-1
KLV-7702	LB	KLV-7702-1037	6	NEUT	Neutrophils	HAEMATOLOGY	4.1	10^9/L	4.1	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-10-23	122
KLV-7702	LB	KLV-7702-1037	7	LYM	Lymphocytes	HAEMATOLOGY	0.58	10^9/L	0.58	10^9/L	LOW	2	BASELINE	1	2018-06-23	-1
KLV-7702	LB	KLV-7702-1037	8	LYM	Lymphocytes	HAEMATOLOGY	0.56	10^9/L	0.56	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-10-23	122
KLV-7702	LB	KLV-7702-1037	9	CA125	Cancer Antigen 125	CHEMISTRY	18.8	kU/L	18.8	kU/L	NORMAL		BASELINE	1	2018-06-23	-1
KLV-7702	LB	KLV-7702-1037	10	CA125	Cancer Antigen 125	CHEMISTRY	61.0	kU/L	61.0	kU/L	HIGH	1	WORST POST-BASELINE	2	2018-10-23	122
KLV-7702	LB	KLV-7702-1037	11	ALT	Alanine aminotransferase	CHEMISTRY	75.3	U/L	75.3	U/L	HIGH	1	BASELINE	1	2018-06-23	-1
KLV-7702	LB	KLV-7702-1037	12	ALT	Alanine aminotransferase	CHEMISTRY	74.4	U/L	74.4	U/L	HIGH	1	WORST POST-BASELINE	2	2018-10-23	122
KLV-7702	LB	KLV-7702-1037	13	AST	Aspartate aminotransferase	CHEMISTRY	61.6	U/L	61.6	U/L	HIGH	1	BASELINE	1	2018-06-23	-1
KLV-7702	LB	KLV-7702-1037	14	AST	Aspartate aminotransferase	CHEMISTRY	67.0	U/L	67.0	U/L	HIGH	1	WORST POST-BASELINE	2	2018-10-23	122
KLV-7702	LB	KLV-7702-1037	15	CREAT	Creatinine	CHEMISTRY	158.0	umol/L	158.0	umol/L	HIGH	1	BASELINE	1	2018-06-23	-1
KLV-7702	LB	KLV-7702-1037	16	CREAT	Creatinine	CHEMISTRY	156.0	umol/L	156.0	umol/L	HIGH	1	WORST POST-BASELINE	2	2018-10-23	122
KLV-7702	LB	KLV-7702-1037	17	LDH	Lactate dehydrogenase	CHEMISTRY	175.0	U/L	175.0	U/L	NORMAL		BASELINE	1	2018-06-23	-1
KLV-7702	LB	KLV-7702-1037	18	LDH	Lactate dehydrogenase	CHEMISTRY	174.0	U/L	174.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-10-23	122
KLV-7702	LB	KLV-7702-1037	19	ALB	Albumin	CHEMISTRY	45.3	g/L	45.3	g/L	NORMAL		BASELINE	1	2018-06-23	-1
KLV-7702	LB	KLV-7702-1037	20	ALB	Albumin	CHEMISTRY	45.3	g/L	45.3	g/L	NORMAL		WORST POST-BASELINE	2	2018-10-23	122
KLV-7702	LB	KLV-7702-1038	1	HGB	Haemoglobin	HAEMATOLOGY	135.1	g/L	135.1	g/L	NORMAL		BASELINE	1	2017-01-21	-1
KLV-7702	LB	KLV-7702-1038	2	HGB	Haemoglobin	HAEMATOLOGY	131.8	g/L	131.8	g/L	NORMAL		WORST POST-BASELINE	2	2017-05-22	121
KLV-7702	LB	KLV-7702-1038	3	PLAT	Platelets	HAEMATOLOGY	291.0	10^9/L	291.0	10^9/L	NORMAL		BASELINE	1	2017-01-21	-1
KLV-7702	LB	KLV-7702-1038	4	PLAT	Platelets	HAEMATOLOGY	92.0	10^9/L	92.0	10^9/L	LOW	2	WORST POST-BASELINE	2	2017-05-22	121
KLV-7702	LB	KLV-7702-1038	5	NEUT	Neutrophils	HAEMATOLOGY	1.6	10^9/L	1.6	10^9/L	LOW	1	BASELINE	1	2017-01-21	-1
KLV-7702	LB	KLV-7702-1038	6	NEUT	Neutrophils	HAEMATOLOGY	1.6	10^9/L	1.6	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-05-22	121
KLV-7702	LB	KLV-7702-1038	7	LYM	Lymphocytes	HAEMATOLOGY	3.08	10^9/L	3.08	10^9/L	NORMAL		BASELINE	1	2017-01-21	-1
KLV-7702	LB	KLV-7702-1038	8	LYM	Lymphocytes	HAEMATOLOGY	1.96	10^9/L	1.96	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-05-22	121

~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1038	9	CA125	Cancer Antigen 125	CHEMISTRY	24.1	kU/L	24.1	kU/L	NORMAL		BASELINE	1	2017-01-21	-1
KLV-7702	LB	KLV-7702-1038	10	CA125	Cancer Antigen 125	CHEMISTRY	224.5	kU/L	224.5	kU/L	HIGH	3	WORST POST-BASELINE	2	2017-05-22	121
KLV-7702	LB	KLV-7702-1038	11	ALT	Alanine aminotransferase	CHEMISTRY	29.3	U/L	29.3	U/L	NORMAL		BASELINE	1	2017-01-21	-1
KLV-7702	LB	KLV-7702-1038	12	ALT	Alanine aminotransferase	CHEMISTRY	29.6	U/L	29.6	U/L	NORMAL		WORST POST-BASELINE	2	2017-05-22	121
KLV-7702	LB	KLV-7702-1038	13	AST	Aspartate aminotransferase	CHEMISTRY	27.0	U/L	27.0	U/L	NORMAL		BASELINE	1	2017-01-21	-1
KLV-7702	LB	KLV-7702-1038	14	AST	Aspartate aminotransferase	CHEMISTRY	31.8	U/L	31.8	U/L	NORMAL		WORST POST-BASELINE	2	2017-05-22	121
KLV-7702	LB	KLV-7702-1038	15	CREAT	Creatinine	CHEMISTRY	171.0	umol/L	171.0	umol/L	HIGH	1	BASELINE	1	2017-01-21	-1
KLV-7702	LB	KLV-7702-1038	16	CREAT	Creatinine	CHEMISTRY	159.0	umol/L	159.0	umol/L	HIGH	1	WORST POST-BASELINE	2	2017-05-22	121
KLV-7702	LB	KLV-7702-1038	17	LDH	Lactate dehydrogenase	CHEMISTRY	192.0	U/L	192.0	U/L	NORMAL		BASELINE	1	2017-01-21	-1
KLV-7702	LB	KLV-7702-1038	18	LDH	Lactate dehydrogenase	CHEMISTRY	212.0	U/L	212.0	U/L	NORMAL		WORST POST-BASELINE	2	2017-05-22	121
KLV-7702	LB	KLV-7702-1038	19	ALB	Albumin	CHEMISTRY	43.1	g/L	43.1	g/L	NORMAL		BASELINE	1	2017-01-21	-1
KLV-7702	LB	KLV-7702-1038	20	ALB	Albumin	CHEMISTRY	44.2	g/L	44.2	g/L	NORMAL		WORST POST-BASELINE	2	2017-05-22	121
KLV-7702	LB	KLV-7702-1039	1	HGB	Haemoglobin	HAEMATOLOGY	67.8	g/L	67.8	g/L	LOW	2	BASELINE	1	2017-01-10	-1
KLV-7702	LB	KLV-7702-1039	2	HGB	Haemoglobin	HAEMATOLOGY	32.3	g/L	32.3	g/L	LOW	4	WORST POST-BASELINE	2	2017-03-09	58
KLV-7702	LB	KLV-7702-1039	3	PLAT	Platelets	HAEMATOLOGY	218.0	10^9/L	218.0	10^9/L	NORMAL		BASELINE	1	2017-01-10	-1
KLV-7702	LB	KLV-7702-1039	4	PLAT	Platelets	HAEMATOLOGY	128.0	10^9/L	128.0	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-03-09	58
KLV-7702	LB	KLV-7702-1039	5	NEUT	Neutrophils	HAEMATOLOGY	4.9	10^9/L	4.9	10^9/L	NORMAL		BASELINE	1	2017-01-10	-1
KLV-7702	LB	KLV-7702-1039	6	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	WORST POST-BASELINE	2	2017-03-09	58
KLV-7702	LB	KLV-7702-1039	7	LYM	Lymphocytes	HAEMATOLOGY	2.78	10^9/L	2.78	10^9/L	NORMAL		BASELINE	1	2017-01-10	-1
KLV-7702	LB	KLV-7702-1039	8	LYM	Lymphocytes	HAEMATOLOGY	2.65	10^9/L	2.65	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-03-09	58
KLV-7702	LB	KLV-7702-1039	9	CA125	Cancer Antigen 125	CHEMISTRY	56.4	kU/L	56.4	kU/L	HIGH	1	BASELINE	1	2017-01-10	-1
KLV-7702	LB	KLV-7702-1039	10	CA125	Cancer Antigen 125	CHEMISTRY	54.3	kU/L	54.3	kU/L	HIGH	1	WORST POST-BASELINE	2	2017-03-09	58
KLV-7702	LB	KLV-7702-1039	11	ALT	Alanine aminotransferase	CHEMISTRY	69.6	U/L	69.6	U/L	HIGH	1	BASELINE	1	2017-01-10	-1
KLV-7702	LB	KLV-7702-1039	12	ALT	Alanine aminotransferase	CHEMISTRY	128.8	U/L	128.8	U/L	HIGH	2	WORST POST-BASELINE	2	2017-03-09	58
KLV-7702	LB	KLV-7702-1039	13	AST	Aspartate aminotransferase	CHEMISTRY	21.4	U/L	21.4	U/L	NORMAL		BASELINE	1	2017-01-10	-1
KLV-7702	LB	KLV-7702-1039	14	AST	Aspartate aminotransferase	CHEMISTRY	21.4	U/L	21.4	U/L	NORMAL		WORST POST-BASELINE	2	2017-03-09	58
KLV-7702	LB	KLV-7702-1039	15	CREAT	Creatinine	CHEMISTRY	75.0	umol/L	75.0	umol/L	NORMAL		BASELINE	1	2017-01-10	-1
KLV-7702	LB	KLV-7702-1039	16	CREAT	Creatinine	CHEMISTRY	75.0	umol/L	75.0	umol/L	NORMAL		WORST POST-BASELINE	2	2017-03-09	58
KLV-7702	LB	KLV-7702-1039	17	LDH	Lactate dehydrogenase	CHEMISTRY	213.0	U/L	213.0	U/L	NORMAL		BASELINE	1	2017-01-10	-1
KLV-7702	LB	KLV-7702-1039	18	LDH	Lactate dehydrogenase	CHEMISTRY	708.0	U/L	708.0	U/L	HIGH	2	WORST POST-BASELINE	2	2017-03-09	58
KLV-7702	LB	KLV-7702-1039	19	ALB	Albumin	CHEMISTRY	43.9	g/L	43.9	g/L	NORMAL		BASELINE	1	2017-01-10	-1
KLV-7702	LB	KLV-7702-1039	20	ALB	Albumin	CHEMISTRY	45.1	g/L	45.1	g/L	NORMAL		WORST POST-BASELINE	2	2017-03-09	58
KLV-7702	LB	KLV-7702-1040	1	HGB	Haemoglobin	HAEMATOLOGY	71.7	g/L	71.7	g/L	LOW	2	BASELINE	1	2018-03-13	-1
KLV-7702	LB	KLV-7702-1040	2	HGB	Haemoglobin	HAEMATOLOGY	41.1	g/L	41.1	g/L	LOW	3	WORST POST-BASELINE	2	2018-06-07	86
KLV-7702	LB	KLV-7702-1040	3	PLAT	Platelets	HAEMATOLOGY	293.0	10^9/L	293.0	10^9/L	NORMAL		BASELINE	1	2018-03-13	-1
KLV-7702	LB	KLV-7702-1040	4	PLAT	Platelets	HAEMATOLOGY	310.0	10^9/L	310.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-06-07	86
KLV-7702	LB	KLV-7702-1040	5	NEUT	Neutrophils	HAEMATOLOGY	4.7	10^9/L	4.7	10^9/L	NORMAL		BASELINE	1	2018-03-13	-1
KLV-7702	LB	KLV-7702-1040	6	NEUT	Neutrophils	HAEMATOLOGY	4.9	10^9/L	4.9	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-06-07	86
KLV-7702	LB	KLV-7702-1040	7	LYM	Lymphocytes	HAEMATOLOGY	2.81	10^9/L	2.81	10^9/L	NORMAL		BASELINE	1	2018-03-13	-1
KLV-7702	LB	KLV-7702-1040	8	LYM	Lymphocytes	HAEMATOLOGY	2.42	10^9/L	2.42	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-06-07	86
KLV-7702	LB	KLV-7702-1040	9	CA125	Cancer Antigen 125	CHEMISTRY	25.1	kU/L	25.1	kU/L	NORMAL		BASELINE	1	2018-03-13	-1
KLV-7702	LB	KLV-7702-1040	10	CA125	Cancer Antigen 125	CHEMISTRY	95.6	kU/L	95.6	kU/L	HIGH	2	WORST POST-BASELINE	2	2018-06-07	86
KLV-7702	LB	KLV-7702-1040	11	ALT	Alanine aminotransferase	CHEMISTRY	31.6	U/L	31.6	U/L	NORMAL		BASELINE	1	2018-03-13	-1
KLV-7702	LB	KLV-7702-1040	12	ALT	Alanine aminotransferase	CHEMISTRY	140.7	U/L	140.7	U/L	HIGH	2	WORST POST-BASELINE	2	2018-06-07	86
KLV-7702	LB	KLV-7702-1040	13	AST	Aspartate aminotransferase	CHEMISTRY	28.2	U/L	28.2	U/L	NORMAL		BASELINE	1	2018-03-13	-1
KLV-7702	LB	KLV-7702-1040	14	AST	Aspartate aminotransferase	CHEMISTRY	23.6	U/L	23.6	U/L	NORMAL		WORST POST-BASELINE	2	2018-06-07	86
KLV-7702	LB	KLV-7702-1040	15	CREAT	Creatinine	CHEMISTRY	165.0	umol/L	165.0	umol/L	HIGH	1	BASELINE	1	2018-03-13	-1
KLV-7702	LB	KLV-7702-1040	16	CREAT	Creatinine	CHEMISTRY	282.0	umol/L	282.0	umol/L	HIGH	2	WORST POST-BASELINE	2	2018-06-07	86
KLV-7702	LB	KLV-7702-1040	17	LDH	Lactate dehydrogenase	CHEMISTRY	159.0	U/L	159.0	U/L	NORMAL		BASELINE	1	2018-03-13	-1
KLV-7702	LB	KLV-7702-1040	18	LDH	Lactate dehydrogenase	CHEMISTRY	190.0	U/L	190.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-06-07	86
KLV-7702	LB	KLV-7702-1040	19	ALB	Albumin	CHEMISTRY	39.0	g/L	39.0	g/L	NORMAL		BASELINE	1	2018-03-13	-1
KLV-7702	LB	KLV-7702-1040	20	ALB	Albumin	CHEMISTRY	44.4	g/L	44.4	g/L	NORMAL		WORST POST-BASELINE	2	2018-06-07	86
KLV-7702	LB	KLV-7702-1041	1	HGB	Haemoglobin	HAEMATOLOGY	149.6	g/L	149.6	g/L	NORMAL		BASELINE	1	2018-03-20	-1
KLV-7702	LB	KLV-7702-1041	2	HGB	Haemoglobin	HAEMATOLOGY	104.0	g/L	104.0	g/L	LOW	1	WORST POST-BASELINE	2	2018-08-19	152
KLV-7702	LB	KLV-7702-1041	3	PLAT	Platelets	HAEMATOLOGY	274.0	10^9/L	274.0	10^9/L	NORMAL		BASELINE	1	2018-03-20	-1
KLV-7702	LB	KLV-7702-1041	4	PLAT	Platelets	HAEMATOLOGY	257.0	10^9/L	257.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-08-19	152
KLV-7702	LB	KLV-7702-1041	5	NEUT	Neutrophils	HAEMATOLOGY	5.3	10^9/L	5.3	10^9/L	NORMAL		BASELINE	1	2018-03-20	-1
KLV-7702	LB	KLV-7702-1041	6	NEUT	Neutrophils	HAEMATOLOGY	3.7	10^9/L	3.7	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-08-19	152
KLV-7702	LB	KLV-7702-1041	7	LYM	Lymphocytes	HAEMATOLOGY	0.82	10^9/L	0.82	10^9/L	LOW	1	BASELINE	1	2018-03-20	-1
KLV-7702	LB	KLV-7702-1041	8	LYM	Lymphocytes	HAEMATOLOGY	0.55	10^9/L	0.55	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-08-19	152
KLV-7702	LB	KLV-7702-1041	9	CA125	Cancer Antigen 125	CHEMISTRY	10.1	kU/L	10.1	kU/L	NORMAL		BASELINE	1	2018-03-20	-1
KLV-7702	LB	KLV-7702-1041	10	CA125	Cancer Antigen 125	CHEMISTRY	55.7	kU/L	55.7	kU/L	HIGH	1	WORST POST-BASELINE	2	2018-08-19	152
KLV-7702	LB	KLV-7702-1041	11	ALT	Alanine aminotransferase	CHEMISTRY	32.7	U/L	32.7	U/L	NORMAL		BASELINE	1	2018-03-20	-1
KLV-7702	LB	KLV-7702-1041	12	ALT	Alanine aminotransferase	CHEMISTRY	74.9	U/L	74.9	U/L	HIGH	1	WORST POST-BASELINE	2	2018-08-19	152
KLV-7702	LB	KLV-7702-1041	13	AST	Aspartate aminotransferase	CHEMISTRY	20.6	U/L	20.6	U/L	NORMAL		BASELINE	1	2018-03-20	-1
KLV-7702	LB	KLV-7702-1041	14	AST	Aspartate aminotransferase	CHEMISTRY	25.4	U/L	25.4	U/L	NORMAL		WORST POST-BASELINE	2	2018-08-19	152
KLV-7702	LB	KLV-7702-1041	15	CREAT	Creatinine	CHEMISTRY	149.0	umol/L	149.0	umol/L	HIGH	1	BASELINE	1	2018-03-20	-1
KLV-7702	LB	KLV-7702-1041	16	CREAT	Creatinine	CHEMISTRY	171.0	umol/L	171.0	umol/L	HIGH	1	WORST POST-BASELINE	2	2018-08-19	152

~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1041	17	LDH	Lactate dehydrogenase	CHEMISTRY	176.0	U/L	176.0	U/L	NORMAL		BASELINE	1	2018-03-20	-1
KLV-7702	LB	KLV-7702-1041	18	LDH	Lactate dehydrogenase	CHEMISTRY	735.0	U/L	735.0	U/L	HIGH	2	WORST POST-BASELINE	2	2018-08-19	152
KLV-7702	LB	KLV-7702-1041	19	ALB	Albumin	CHEMISTRY	43.5	g/L	43.5	g/L	NORMAL		BASELINE	1	2018-03-20	-1
KLV-7702	LB	KLV-7702-1041	20	ALB	Albumin	CHEMISTRY	44.5	g/L	44.5	g/L	NORMAL		WORST POST-BASELINE	2	2018-08-19	152
KLV-7702	LB	KLV-7702-1042	1	HGB	Haemoglobin	HAEMATOLOGY	148.3	g/L	148.3	g/L	NORMAL		BASELINE	1	2017-05-21	-1
KLV-7702	LB	KLV-7702-1042	2	HGB	Haemoglobin	HAEMATOLOGY	96.0	g/L	96.0	g/L	LOW	1	WORST POST-BASELINE	2	2017-06-16	26
KLV-7702	LB	KLV-7702-1042	3	PLAT	Platelets	HAEMATOLOGY	229.0	10^9/L	229.0	10^9/L	NORMAL		BASELINE	1	2017-05-21	-1
KLV-7702	LB	KLV-7702-1042	4	PLAT	Platelets	HAEMATOLOGY	254.0	10^9/L	254.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-06-16	26
KLV-7702	LB	KLV-7702-1042	5	NEUT	Neutrophils	HAEMATOLOGY	1.6	10^9/L	1.6	10^9/L	LOW	1	BASELINE	1	2017-05-21	-1
KLV-7702	LB	KLV-7702-1042	6	NEUT	Neutrophils	HAEMATOLOGY	0.7	10^9/L	0.7	10^9/L	LOW	3	WORST POST-BASELINE	2	2017-06-16	26
KLV-7702	LB	KLV-7702-1042	7	LYM	Lymphocytes	HAEMATOLOGY	1.97	10^9/L	1.97	10^9/L	NORMAL		BASELINE	1	2017-05-21	-1
KLV-7702	LB	KLV-7702-1042	8	LYM	Lymphocytes	HAEMATOLOGY	2.86	10^9/L	2.86	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-06-16	26
KLV-7702	LB	KLV-7702-1042	9	CA125	Cancer Antigen 125	CHEMISTRY	18.0	kU/L	18.0	kU/L	NORMAL		BASELINE	1	2017-05-21	-1
KLV-7702	LB	KLV-7702-1042	10	CA125	Cancer Antigen 125	CHEMISTRY	16.6	kU/L	16.6	kU/L	NORMAL		WORST POST-BASELINE	2	2017-06-16	26
KLV-7702	LB	KLV-7702-1042	11	ALT	Alanine aminotransferase	CHEMISTRY	24.6	U/L	24.6	U/L	NORMAL		BASELINE	1	2017-05-21	-1
KLV-7702	LB	KLV-7702-1042	12	ALT	Alanine aminotransferase	CHEMISTRY	22.0	U/L	22.0	U/L	NORMAL		WORST POST-BASELINE	2	2017-06-16	26
KLV-7702	LB	KLV-7702-1042	13	AST	Aspartate aminotransferase	CHEMISTRY	19.2	U/L	19.2	U/L	NORMAL		BASELINE	1	2017-05-21	-1
KLV-7702	LB	KLV-7702-1042	14	AST	Aspartate aminotransferase	CHEMISTRY	18.8	U/L	18.8	U/L	NORMAL		WORST POST-BASELINE	2	2017-06-16	26
KLV-7702	LB	KLV-7702-1042	15	CREAT	Creatinine	CHEMISTRY	314.0	umol/L	314.0	umol/L	HIGH	2	BASELINE	1	2017-05-21	-1
KLV-7702	LB	KLV-7702-1042	16	CREAT	Creatinine	CHEMISTRY	613.0	umol/L	613.0	umol/L	HIGH	3	WORST POST-BASELINE	2	2017-06-16	26
KLV-7702	LB	KLV-7702-1042	17	LDH	Lactate dehydrogenase	CHEMISTRY	203.0	U/L	203.0	U/L	NORMAL		BASELINE	1	2017-05-21	-1
KLV-7702	LB	KLV-7702-1042	18	LDH	Lactate dehydrogenase	CHEMISTRY	153.0	U/L	153.0	U/L	NORMAL		WORST POST-BASELINE	2	2017-06-16	26
KLV-7702	LB	KLV-7702-1042	19	ALB	Albumin	CHEMISTRY	29.7	g/L	29.7	g/L	LOW	1	BASELINE	1	2017-05-21	-1
KLV-7702	LB	KLV-7702-1042	20	ALB	Albumin	CHEMISTRY	30.7	g/L	30.7	g/L	LOW	1	WORST POST-BASELINE	2	2017-06-16	26
KLV-7702	LB	KLV-7702-1043	1	HGB	Haemoglobin	HAEMATOLOGY	147.1	g/L	147.1	g/L	NORMAL		BASELINE	1	2018-03-15	-1
KLV-7702	LB	KLV-7702-1043	2	HGB	Haemoglobin	HAEMATOLOGY	74.4	g/L	74.4	g/L	LOW	2	WORST POST-BASELINE	2	2018-06-04	81
KLV-7702	LB	KLV-7702-1043	3	PLAT	Platelets	HAEMATOLOGY	230.0	10^9/L	230.0	10^9/L	NORMAL		BASELINE	1	2018-03-15	-1
KLV-7702	LB	KLV-7702-1043	4	PLAT	Platelets	HAEMATOLOGY	89.0	10^9/L	89.0	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-06-04	81
KLV-7702	LB	KLV-7702-1043	5	NEUT	Neutrophils	HAEMATOLOGY	5.2	10^9/L	5.2	10^9/L	NORMAL		BASELINE	1	2018-03-15	-1
KLV-7702	LB	KLV-7702-1043	6	NEUT	Neutrophils	HAEMATOLOGY	1.6	10^9/L	1.6	10^9/L	LOW	1	WORST POST-BASELINE	2	2018-06-04	81
KLV-7702	LB	KLV-7702-1043	7	LYM	Lymphocytes	HAEMATOLOGY	3.0	10^9/L	3.0	10^9/L	NORMAL		BASELINE	1	2018-03-15	-1
KLV-7702	LB	KLV-7702-1043	8	LYM	Lymphocytes	HAEMATOLOGY	2.95	10^9/L	2.95	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-06-04	81
KLV-7702	LB	KLV-7702-1043	9	CA125	Cancer Antigen 125	CHEMISTRY	16.4	kU/L	16.4	kU/L	NORMAL		BASELINE	1	2018-03-15	-1
KLV-7702	LB	KLV-7702-1043	10	CA125	Cancer Antigen 125	CHEMISTRY	101.8	kU/L	101.8	kU/L	HIGH	2	WORST POST-BASELINE	2	2018-06-04	81
KLV-7702	LB	KLV-7702-1043	11	ALT	Alanine aminotransferase	CHEMISTRY	35.0	U/L	35.0	U/L	NORMAL		BASELINE	1	2018-03-15	-1
KLV-7702	LB	KLV-7702-1043	12	ALT	Alanine aminotransferase	CHEMISTRY	33.3	U/L	33.3	U/L	NORMAL		WORST POST-BASELINE	2	2018-06-04	81
KLV-7702	LB	KLV-7702-1043	13	AST	Aspartate aminotransferase	CHEMISTRY	26.9	U/L	26.9	U/L	NORMAL		BASELINE	1	2018-03-15	-1
KLV-7702	LB	KLV-7702-1043	14	AST	Aspartate aminotransferase	CHEMISTRY	127.9	U/L	127.9	U/L	HIGH	2	WORST POST-BASELINE	2	2018-06-04	81
KLV-7702	LB	KLV-7702-1043	15	CREAT	Creatinine	CHEMISTRY	71.0	umol/L	71.0	umol/L	NORMAL		BASELINE	1	2018-03-15	-1
KLV-7702	LB	KLV-7702-1043	16	CREAT	Creatinine	CHEMISTRY	69.0	umol/L	69.0	umol/L	NORMAL		WORST POST-BASELINE	2	2018-06-04	81
KLV-7702	LB	KLV-7702-1043	17	LDH	Lactate dehydrogenase	CHEMISTRY	198.0	U/L	198.0	U/L	NORMAL		BASELINE	1	2018-03-15	-1
KLV-7702	LB	KLV-7702-1043	18	LDH	Lactate dehydrogenase	CHEMISTRY	158.0	U/L	158.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-06-04	81
KLV-7702	LB	KLV-7702-1043	19	ALB	Albumin	CHEMISTRY	42.5	g/L	42.5	g/L	NORMAL		BASELINE	1	2018-03-15	-1
KLV-7702	LB	KLV-7702-1043	20	ALB	Albumin	CHEMISTRY	39.6	g/L	39.6	g/L	NORMAL		WORST POST-BASELINE	2	2018-06-04	81
KLV-7702	LB	KLV-7702-1044	1	HGB	Haemoglobin	HAEMATOLOGY	95.0	g/L	95.0	g/L	LOW	1	BASELINE	1	2018-03-01	-1
KLV-7702	LB	KLV-7702-1044	2	HGB	Haemoglobin	HAEMATOLOGY	33.5	g/L	33.5	g/L	LOW	4	WORST POST-BASELINE	2	2018-10-25	238
KLV-7702	LB	KLV-7702-1044	3	PLAT	Platelets	HAEMATOLOGY	257.0	10^9/L	257.0	10^9/L	NORMAL		BASELINE	1	2018-03-01	-1
KLV-7702	LB	KLV-7702-1044	4	PLAT	Platelets	HAEMATOLOGY	94.0	10^9/L	94.0	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-10-25	238
KLV-7702	LB	KLV-7702-1044	5	NEUT	Neutrophils	HAEMATOLOGY	4.6	10^9/L	4.6	10^9/L	NORMAL		BASELINE	1	2018-03-01	-1
KLV-7702	LB	KLV-7702-1044	6	NEUT	Neutrophils	HAEMATOLOGY	0.7	10^9/L	0.7	10^9/L	LOW	3	WORST POST-BASELINE	2	2018-10-25	238
KLV-7702	LB	KLV-7702-1044	7	LYM	Lymphocytes	HAEMATOLOGY	0.87	10^9/L	0.87	10^9/L	LOW	1	BASELINE	1	2018-03-01	-1
KLV-7702	LB	KLV-7702-1044	8	LYM	Lymphocytes	HAEMATOLOGY	0.61	10^9/L	0.61	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-10-25	238
KLV-7702	LB	KLV-7702-1044	9	CA125	Cancer Antigen 125	CHEMISTRY	15.1	kU/L	15.1	kU/L	NORMAL		BASELINE	1	2018-03-01	-1
KLV-7702	LB	KLV-7702-1044	10	CA125	Cancer Antigen 125	CHEMISTRY	55.1	kU/L	55.1	kU/L	HIGH	1	WORST POST-BASELINE	2	2018-10-25	238
KLV-7702	LB	KLV-7702-1044	11	ALT	Alanine aminotransferase	CHEMISTRY	28.3	U/L	28.3	U/L	NORMAL		BASELINE	1	2018-03-01	-1
KLV-7702	LB	KLV-7702-1044	12	ALT	Alanine aminotransferase	CHEMISTRY	77.6	U/L	77.6	U/L	HIGH	1	WORST POST-BASELINE	2	2018-10-25	238
KLV-7702	LB	KLV-7702-1044	13	AST	Aspartate aminotransferase	CHEMISTRY	16.2	U/L	16.2	U/L	NORMAL		BASELINE	1	2018-03-01	-1
KLV-7702	LB	KLV-7702-1044	14	AST	Aspartate aminotransferase	CHEMISTRY	20.3	U/L	20.3	U/L	NORMAL		WORST POST-BASELINE	2	2018-10-25	238
KLV-7702	LB	KLV-7702-1044	15	CREAT	Creatinine	CHEMISTRY	76.0	umol/L	76.0	umol/L	NORMAL		BASELINE	1	2018-03-01	-1
KLV-7702	LB	KLV-7702-1044	16	CREAT	Creatinine	CHEMISTRY	150.0	umol/L	150.0	umol/L	HIGH	1	WORST POST-BASELINE	2	2018-10-25	238
KLV-7702	LB	KLV-7702-1044	17	LDH	Lactate dehydrogenase	CHEMISTRY	745.0	U/L	745.0	U/L	HIGH	2	BASELINE	1	2018-03-01	-1
KLV-7702	LB	KLV-7702-1044	18	LDH	Lactate dehydrogenase	CHEMISTRY	2746.0	U/L	2746.0	U/L	HIGH	4	WORST POST-BASELINE	2	2018-10-25	238
KLV-7702	LB	KLV-7702-1044	19	ALB	Albumin	CHEMISTRY	30.2	g/L	30.2	g/L	LOW	1	BASELINE	1	2018-03-01	-1
KLV-7702	LB	KLV-7702-1044	20	ALB	Albumin	CHEMISTRY	31.2	g/L	31.2	g/L	LOW	1	WORST POST-BASELINE	2	2018-10-25	238
KLV-7702	LB	KLV-7702-1045	1	HGB	Haemoglobin	HAEMATOLOGY	104.6	g/L	104.6	g/L	LOW	1	BASELINE	1	2017-09-04	-1
KLV-7702	LB	KLV-7702-1045	2	HGB	Haemoglobin	HAEMATOLOGY	43.5	g/L	43.5	g/L	LOW	3	WORST POST-BASELINE	2	2018-03-29	206
KLV-7702	LB	KLV-7702-1045	3	PLAT	Platelets	HAEMATOLOGY	134.0	10^9/L	134.0	10^9/L	LOW	1	BASELINE	1	2017-09-04	-1
KLV-7702	LB	KLV-7702-1045	4	PLAT	Platelets	HAEMATOLOGY	125.0	10^9/L	125.0	10^9/L	LOW	1	WORST POST-BASELINE	2	2018-03-29	206

~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1045	5	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	BASELINE	1	2017-09-04	-1
KLV-7702	LB	KLV-7702-1045	6	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-03-29	206
KLV-7702	LB	KLV-7702-1045	7	LYM	Lymphocytes	HAEMATOLOGY	0.78	10^9/L	0.78	10^9/L	LOW	1	BASELINE	1	2017-09-04	-1
KLV-7702	LB	KLV-7702-1045	8	LYM	Lymphocytes	HAEMATOLOGY	0.79	10^9/L	0.79	10^9/L	LOW	1	WORST POST-BASELINE	2	2018-03-29	206
KLV-7702	LB	KLV-7702-1045	9	CA125	Cancer Antigen 125	CHEMISTRY	52.8	kU/L	52.8	kU/L	HIGH	1	BASELINE	1	2017-09-04	-1
KLV-7702	LB	KLV-7702-1045	10	CA125	Cancer Antigen 125	CHEMISTRY	103.2	kU/L	103.2	kU/L	HIGH	2	WORST POST-BASELINE	2	2018-03-29	206
KLV-7702	LB	KLV-7702-1045	11	ALT	Alanine aminotransferase	CHEMISTRY	17.7	U/L	17.7	U/L	NORMAL		BASELINE	1	2017-09-04	-1
KLV-7702	LB	KLV-7702-1045	12	ALT	Alanine aminotransferase	CHEMISTRY	21.2	U/L	21.2	U/L	NORMAL		WORST POST-BASELINE	2	2018-03-29	206
KLV-7702	LB	KLV-7702-1045	13	AST	Aspartate aminotransferase	CHEMISTRY	31.9	U/L	31.9	U/L	NORMAL		BASELINE	1	2017-09-04	-1
KLV-7702	LB	KLV-7702-1045	14	AST	Aspartate aminotransferase	CHEMISTRY	240.2	U/L	240.2	U/L	HIGH	3	WORST POST-BASELINE	2	2018-03-29	206
KLV-7702	LB	KLV-7702-1045	15	CREAT	Creatinine	CHEMISTRY	170.0	umol/L	170.0	umol/L	HIGH	1	BASELINE	1	2017-09-04	-1
KLV-7702	LB	KLV-7702-1045	16	CREAT	Creatinine	CHEMISTRY	317.0	umol/L	317.0	umol/L	HIGH	2	WORST POST-BASELINE	2	2018-03-29	206
KLV-7702	LB	KLV-7702-1045	17	LDH	Lactate dehydrogenase	CHEMISTRY	162.0	U/L	162.0	U/L	NORMAL		BASELINE	1	2017-09-04	-1
KLV-7702	LB	KLV-7702-1045	18	LDH	Lactate dehydrogenase	CHEMISTRY	717.0	U/L	717.0	U/L	HIGH	2	WORST POST-BASELINE	2	2018-03-29	206
KLV-7702	LB	KLV-7702-1045	19	ALB	Albumin	CHEMISTRY	44.6	g/L	44.6	g/L	NORMAL		BASELINE	1	2017-09-04	-1
KLV-7702	LB	KLV-7702-1045	20	ALB	Albumin	CHEMISTRY	40.5	g/L	40.5	g/L	NORMAL		WORST POST-BASELINE	2	2018-03-29	206
KLV-7702	LB	KLV-7702-1046	1	HGB	Haemoglobin	HAEMATOLOGY	102.7	g/L	102.7	g/L	LOW	1	BASELINE	1	2017-09-05	-1
KLV-7702	LB	KLV-7702-1046	2	HGB	Haemoglobin	HAEMATOLOGY	42.0	g/L	42.0	g/L	LOW	3	WORST POST-BASELINE	2	2018-04-10	217
KLV-7702	LB	KLV-7702-1046	3	PLAT	Platelets	HAEMATOLOGY	125.0	10^9/L	125.0	10^9/L	LOW	1	BASELINE	1	2017-09-05	-1
KLV-7702	LB	KLV-7702-1046	4	PLAT	Platelets	HAEMATOLOGY	22.0	10^9/L	22.0	10^9/L	LOW	4	WORST POST-BASELINE	2	2018-04-10	217
KLV-7702	LB	KLV-7702-1046	5	NEUT	Neutrophils	HAEMATOLOGY	4.0	10^9/L	4.0	10^9/L	NORMAL		BASELINE	1	2017-09-05	-1
KLV-7702	LB	KLV-7702-1046	6	NEUT	Neutrophils	HAEMATOLOGY	1.7	10^9/L	1.7	10^9/L	LOW	1	WORST POST-BASELINE	2	2018-04-10	217
KLV-7702	LB	KLV-7702-1046	7	LYM	Lymphocytes	HAEMATOLOGY	2.83	10^9/L	2.83	10^9/L	NORMAL		BASELINE	1	2017-09-05	-1
KLV-7702	LB	KLV-7702-1046	8	LYM	Lymphocytes	HAEMATOLOGY	0.36	10^9/L	0.36	10^9/L	LOW	3	WORST POST-BASELINE	2	2018-04-10	217
KLV-7702	LB	KLV-7702-1046	9	CA125	Cancer Antigen 125	CHEMISTRY	10.0	kU/L	10.0	kU/L	NORMAL		BASELINE	1	2017-09-05	-1
KLV-7702	LB	KLV-7702-1046	10	CA125	Cancer Antigen 125	CHEMISTRY	52.9	kU/L	52.9	kU/L	HIGH	1	WORST POST-BASELINE	2	2018-04-10	217
KLV-7702	LB	KLV-7702-1046	11	ALT	Alanine aminotransferase	CHEMISTRY	23.0	U/L	23.0	U/L	NORMAL		BASELINE	1	2017-09-05	-1
KLV-7702	LB	KLV-7702-1046	12	ALT	Alanine aminotransferase	CHEMISTRY	18.6	U/L	18.6	U/L	NORMAL		WORST POST-BASELINE	2	2018-04-10	217
KLV-7702	LB	KLV-7702-1046	13	AST	Aspartate aminotransferase	CHEMISTRY	18.0	U/L	18.0	U/L	NORMAL		BASELINE	1	2017-09-05	-1
KLV-7702	LB	KLV-7702-1046	14	AST	Aspartate aminotransferase	CHEMISTRY	20.0	U/L	20.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-04-10	217
KLV-7702	LB	KLV-7702-1046	15	CREAT	Creatinine	CHEMISTRY	67.0	umol/L	67.0	umol/L	NORMAL		BASELINE	1	2017-09-05	-1
KLV-7702	LB	KLV-7702-1046	16	CREAT	Creatinine	CHEMISTRY	71.0	umol/L	71.0	umol/L	NORMAL		WORST POST-BASELINE	2	2018-04-10	217
KLV-7702	LB	KLV-7702-1046	17	LDH	Lactate dehydrogenase	CHEMISTRY	202.0	U/L	202.0	U/L	NORMAL		BASELINE	1	2017-09-05	-1
KLV-7702	LB	KLV-7702-1046	18	LDH	Lactate dehydrogenase	CHEMISTRY	203.0	U/L	203.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-04-10	217
KLV-7702	LB	KLV-7702-1046	19	ALB	Albumin	CHEMISTRY	43.6	g/L	43.6	g/L	NORMAL		BASELINE	1	2017-09-05	-1
KLV-7702	LB	KLV-7702-1046	20	ALB	Albumin	CHEMISTRY	41.9	g/L	41.9	g/L	NORMAL		WORST POST-BASELINE	2	2018-04-10	217
KLV-7702	LB	KLV-7702-1047	1	HGB	Haemoglobin	HAEMATOLOGY	73.0	g/L	73.0	g/L	LOW	2	BASELINE	1	2016-11-25	-1
KLV-7702	LB	KLV-7702-1047	2	HGB	Haemoglobin	HAEMATOLOGY	42.9	g/L	42.9	g/L	LOW	3	WORST POST-BASELINE	2	2017-03-19	114
KLV-7702	LB	KLV-7702-1047	3	PLAT	Platelets	HAEMATOLOGY	226.0	10^9/L	226.0	10^9/L	NORMAL		BASELINE	1	2016-11-25	-1
KLV-7702	LB	KLV-7702-1047	4	PLAT	Platelets	HAEMATOLOGY	247.0	10^9/L	247.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-03-19	114
KLV-7702	LB	KLV-7702-1047	5	NEUT	Neutrophils	HAEMATOLOGY	3.6	10^9/L	3.6	10^9/L	NORMAL		BASELINE	1	2016-11-25	-1
KLV-7702	LB	KLV-7702-1047	6	NEUT	Neutrophils	HAEMATOLOGY	5.7	10^9/L	5.7	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-03-19	114
KLV-7702	LB	KLV-7702-1047	7	LYM	Lymphocytes	HAEMATOLOGY	0.79	10^9/L	0.79	10^9/L	LOW	1	BASELINE	1	2016-11-25	-1
KLV-7702	LB	KLV-7702-1047	8	LYM	Lymphocytes	HAEMATOLOGY	0.88	10^9/L	0.88	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-03-19	114
KLV-7702	LB	KLV-7702-1047	9	CA125	Cancer Antigen 125	CHEMISTRY	10.6	kU/L	10.6	kU/L	NORMAL		BASELINE	1	2016-11-25	-1
KLV-7702	LB	KLV-7702-1047	10	CA125	Cancer Antigen 125	CHEMISTRY	16.3	kU/L	16.3	kU/L	NORMAL		WORST POST-BASELINE	2	2017-03-19	114
KLV-7702	LB	KLV-7702-1047	11	ALT	Alanine aminotransferase	CHEMISTRY	136.0	U/L	136.0	U/L	HIGH	2	BASELINE	1	2016-11-25	-1
KLV-7702	LB	KLV-7702-1047	12	ALT	Alanine aminotransferase	CHEMISTRY	129.4	U/L	129.4	U/L	HIGH	2	WORST POST-BASELINE	2	2017-03-19	114
KLV-7702	LB	KLV-7702-1047	13	AST	Aspartate aminotransferase	CHEMISTRY	17.4	U/L	17.4	U/L	NORMAL		BASELINE	1	2016-11-25	-1
KLV-7702	LB	KLV-7702-1047	14	AST	Aspartate aminotransferase	CHEMISTRY	16.3	U/L	16.3	U/L	NORMAL		WORST POST-BASELINE	2	2017-03-19	114
KLV-7702	LB	KLV-7702-1047	15	CREAT	Creatinine	CHEMISTRY	150.0	umol/L	150.0	umol/L	HIGH	1	BASELINE	1	2016-11-25	-1
KLV-7702	LB	KLV-7702-1047	16	CREAT	Creatinine	CHEMISTRY	149.0	umol/L	149.0	umol/L	HIGH	1	WORST POST-BASELINE	2	2017-03-19	114
KLV-7702	LB	KLV-7702-1047	17	LDH	Lactate dehydrogenase	CHEMISTRY	171.0	U/L	171.0	U/L	NORMAL		BASELINE	1	2016-11-25	-1
KLV-7702	LB	KLV-7702-1047	18	LDH	Lactate dehydrogenase	CHEMISTRY	156.0	U/L	156.0	U/L	NORMAL		WORST POST-BASELINE	2	2017-03-19	114
KLV-7702	LB	KLV-7702-1047	19	ALB	Albumin	CHEMISTRY	45.7	g/L	45.7	g/L	NORMAL		BASELINE	1	2016-11-25	-1
KLV-7702	LB	KLV-7702-1047	20	ALB	Albumin	CHEMISTRY	41.2	g/L	41.2	g/L	NORMAL		WORST POST-BASELINE	2	2017-03-19	114
KLV-7702	LB	KLV-7702-1048	1	HGB	Haemoglobin	HAEMATOLOGY	131.8	g/L	131.8	g/L	NORMAL		BASELINE	1	2018-03-12	-1
KLV-7702	LB	KLV-7702-1048	2	HGB	Haemoglobin	HAEMATOLOGY	142.6	g/L	142.6	g/L	NORMAL		WORST POST-BASELINE	2	2018-09-23	195
KLV-7702	LB	KLV-7702-1048	3	PLAT	Platelets	HAEMATOLOGY	285.0	10^9/L	285.0	10^9/L	NORMAL		BASELINE	1	2018-03-12	-1
KLV-7702	LB	KLV-7702-1048	4	PLAT	Platelets	HAEMATOLOGY	255.0	10^9/L	255.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-09-23	195
KLV-7702	LB	KLV-7702-1048	5	NEUT	Neutrophils	HAEMATOLOGY	1.6	10^9/L	1.6	10^9/L	LOW	1	BASELINE	1	2018-03-12	-1
KLV-7702	LB	KLV-7702-1048	6	NEUT	Neutrophils	HAEMATOLOGY	1.6	10^9/L	1.6	10^9/L	LOW	1	WORST POST-BASELINE	2	2018-09-23	195
KLV-7702	LB	KLV-7702-1048	7	LYM	Lymphocytes	HAEMATOLOGY	1.78	10^9/L	1.78	10^9/L	NORMAL		BASELINE	1	2018-03-12	-1
KLV-7702	LB	KLV-7702-1048	8	LYM	Lymphocytes	HAEMATOLOGY	2.91	10^9/L	2.91	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-09-23	195
KLV-7702	LB	KLV-7702-1048	9	CA125	Cancer Antigen 125	CHEMISTRY	19.9	kU/L	19.9	kU/L	NORMAL		BASELINE	1	2018-03-12	-1
KLV-7702	LB	KLV-7702-1048	10	CA125	Cancer Antigen 125	CHEMISTRY	23.4	kU/L	23.4	kU/L	NORMAL		WORST POST-BASELINE	2	2018-09-23	195
KLV-7702	LB	KLV-7702-1048	11	ALT	Alanine aminotransferase	CHEMISTRY	75.8	U/L	75.8	U/L	HIGH	1	BASELINE	1	2018-03-12	-1
KLV-7702	LB	KLV-7702-1048	12	ALT	Alanine aminotransferase	CHEMISTRY	75.0	U/L	75.0	U/L	HIGH	1	WORST POST-BASELINE	2	2018-09-23	195

~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1048	13	AST	Aspartate aminotransferase	CHEMISTRY	62.0	U/L	62.0	U/L	HIGH	1	BASELINE	1	2018-03-12	-1
KLV-7702	LB	KLV-7702-1048	14	AST	Aspartate aminotransferase	CHEMISTRY	60.2	U/L	60.2	U/L	HIGH	1	WORST POST-BASELINE	2	2018-09-23	195
KLV-7702	LB	KLV-7702-1048	15	CREAT	Creatinine	CHEMISTRY	73.0	umol/L	73.0	umol/L	NORMAL		BASELINE	1	2018-03-12	-1
KLV-7702	LB	KLV-7702-1048	16	CREAT	Creatinine	CHEMISTRY	280.0	umol/L	280.0	umol/L	HIGH	2	WORST POST-BASELINE	2	2018-09-23	195
KLV-7702	LB	KLV-7702-1048	17	LDH	Lactate dehydrogenase	CHEMISTRY	210.0	U/L	210.0	U/L	NORMAL		BASELINE	1	2018-03-12	-1
KLV-7702	LB	KLV-7702-1048	18	LDH	Lactate dehydrogenase	CHEMISTRY	188.0	U/L	188.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-09-23	195
KLV-7702	LB	KLV-7702-1048	19	ALB	Albumin	CHEMISTRY	42.5	g/L	42.5	g/L	NORMAL		BASELINE	1	2018-03-12	-1
KLV-7702	LB	KLV-7702-1048	20	ALB	Albumin	CHEMISTRY	44.4	g/L	44.4	g/L	NORMAL		WORST POST-BASELINE	2	2018-09-23	195
KLV-7702	LB	KLV-7702-1049	1	HGB	Haemoglobin	HAEMATOLOGY	149.1	g/L	149.1	g/L	NORMAL		BASELINE	1	2017-12-25	-1
KLV-7702	LB	KLV-7702-1049	2	HGB	Haemoglobin	HAEMATOLOGY	73.3	g/L	73.3	g/L	LOW	2	WORST POST-BASELINE	2	2018-08-21	239
KLV-7702	LB	KLV-7702-1049	3	PLAT	Platelets	HAEMATOLOGY	221.0	10^9/L	221.0	10^9/L	NORMAL		BASELINE	1	2017-12-25	-1
KLV-7702	LB	KLV-7702-1049	4	PLAT	Platelets	HAEMATOLOGY	93.0	10^9/L	93.0	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-08-21	239
KLV-7702	LB	KLV-7702-1049	5	NEUT	Neutrophils	HAEMATOLOGY	4.2	10^9/L	4.2	10^9/L	NORMAL		BASELINE	1	2017-12-25	-1
KLV-7702	LB	KLV-7702-1049	6	NEUT	Neutrophils	HAEMATOLOGY	3.7	10^9/L	3.7	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-08-21	239
KLV-7702	LB	KLV-7702-1049	7	LYM	Lymphocytes	HAEMATOLOGY	0.83	10^9/L	0.83	10^9/L	LOW	1	BASELINE	1	2017-12-25	-1
KLV-7702	LB	KLV-7702-1049	8	LYM	Lymphocytes	HAEMATOLOGY	0.59	10^9/L	0.59	10^9/L	LOW	2	WORST POST-BASELINE	2	2018-08-21	239
KLV-7702	LB	KLV-7702-1049	9	CA125	Cancer Antigen 125	CHEMISTRY	55.2	kU/L	55.2	kU/L	HIGH	1	BASELINE	1	2017-12-25	-1
KLV-7702	LB	KLV-7702-1049	10	CA125	Cancer Antigen 125	CHEMISTRY	111.7	kU/L	111.7	kU/L	HIGH	2	WORST POST-BASELINE	2	2018-08-21	239
KLV-7702	LB	KLV-7702-1049	11	ALT	Alanine aminotransferase	CHEMISTRY	19.7	U/L	19.7	U/L	NORMAL		BASELINE	1	2017-12-25	-1
KLV-7702	LB	KLV-7702-1049	12	ALT	Alanine aminotransferase	CHEMISTRY	19.0	U/L	19.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-08-21	239
KLV-7702	LB	KLV-7702-1049	13	AST	Aspartate aminotransferase	CHEMISTRY	22.5	U/L	22.5	U/L	NORMAL		BASELINE	1	2017-12-25	-1
KLV-7702	LB	KLV-7702-1049	14	AST	Aspartate aminotransferase	CHEMISTRY	248.0	U/L	248.0	U/L	HIGH	3	WORST POST-BASELINE	2	2018-08-21	239
KLV-7702	LB	KLV-7702-1049	15	CREAT	Creatinine	CHEMISTRY	144.0	umol/L	144.0	umol/L	HIGH	1	BASELINE	1	2017-12-25	-1
KLV-7702	LB	KLV-7702-1049	16	CREAT	Creatinine	CHEMISTRY	655.0	umol/L	655.0	umol/L	HIGH	3	WORST POST-BASELINE	2	2018-08-21	239
KLV-7702	LB	KLV-7702-1049	17	LDH	Lactate dehydrogenase	CHEMISTRY	216.0	U/L	216.0	U/L	NORMAL		BASELINE	1	2017-12-25	-1
KLV-7702	LB	KLV-7702-1049	18	LDH	Lactate dehydrogenase	CHEMISTRY	162.0	U/L	162.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-08-21	239
KLV-7702	LB	KLV-7702-1049	19	ALB	Albumin	CHEMISTRY	40.5	g/L	40.5	g/L	NORMAL		BASELINE	1	2017-12-25	-1
KLV-7702	LB	KLV-7702-1049	20	ALB	Albumin	CHEMISTRY	46.1	g/L	46.1	g/L	NORMAL		WORST POST-BASELINE	2	2018-08-21	239
KLV-7702	LB	KLV-7702-1050	1	HGB	Haemoglobin	HAEMATOLOGY	142.5	g/L	142.5	g/L	NORMAL		BASELINE	1	2018-02-20	-1
KLV-7702	LB	KLV-7702-1050	2	HGB	Haemoglobin	HAEMATOLOGY	105.7	g/L	105.7	g/L	LOW	1	WORST POST-BASELINE	2	2018-05-09	78
KLV-7702	LB	KLV-7702-1050	3	PLAT	Platelets	HAEMATOLOGY	332.0	10^9/L	332.0	10^9/L	NORMAL		BASELINE	1	2018-02-20	-1
KLV-7702	LB	KLV-7702-1050	4	PLAT	Platelets	HAEMATOLOGY	244.0	10^9/L	244.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-05-09	78
KLV-7702	LB	KLV-7702-1050	5	NEUT	Neutrophils	HAEMATOLOGY	4.8	10^9/L	4.8	10^9/L	NORMAL		BASELINE	1	2018-02-20	-1
KLV-7702	LB	KLV-7702-1050	6	NEUT	Neutrophils	HAEMATOLOGY	1.7	10^9/L	1.7	10^9/L	LOW	1	WORST POST-BASELINE	2	2018-05-09	78
KLV-7702	LB	KLV-7702-1050	7	LYM	Lymphocytes	HAEMATOLOGY	2.82	10^9/L	2.82	10^9/L	NORMAL		BASELINE	1	2018-02-20	-1
KLV-7702	LB	KLV-7702-1050	8	LYM	Lymphocytes	HAEMATOLOGY	3.05	10^9/L	3.05	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-05-09	78
KLV-7702	LB	KLV-7702-1050	9	CA125	Cancer Antigen 125	CHEMISTRY	52.9	kU/L	52.9	kU/L	HIGH	1	BASELINE	1	2018-02-20	-1
KLV-7702	LB	KLV-7702-1050	10	CA125	Cancer Antigen 125	CHEMISTRY	54.0	kU/L	54.0	kU/L	HIGH	1	WORST POST-BASELINE	2	2018-05-09	78
KLV-7702	LB	KLV-7702-1050	11	ALT	Alanine aminotransferase	CHEMISTRY	32.2	U/L	32.2	U/L	NORMAL		BASELINE	1	2018-02-20	-1
KLV-7702	LB	KLV-7702-1050	12	ALT	Alanine aminotransferase	CHEMISTRY	24.5	U/L	24.5	U/L	NORMAL		WORST POST-BASELINE	2	2018-05-09	78
KLV-7702	LB	KLV-7702-1050	13	AST	Aspartate aminotransferase	CHEMISTRY	29.2	U/L	29.2	U/L	NORMAL		BASELINE	1	2018-02-20	-1
KLV-7702	LB	KLV-7702-1050	14	AST	Aspartate aminotransferase	CHEMISTRY	19.9	U/L	19.9	U/L	NORMAL		WORST POST-BASELINE	2	2018-05-09	78
KLV-7702	LB	KLV-7702-1050	15	CREAT	Creatinine	CHEMISTRY	82.0	umol/L	82.0	umol/L	NORMAL		BASELINE	1	2018-02-20	-1
KLV-7702	LB	KLV-7702-1050	16	CREAT	Creatinine	CHEMISTRY	150.0	umol/L	150.0	umol/L	HIGH	1	WORST POST-BASELINE	2	2018-05-09	78
KLV-7702	LB	KLV-7702-1050	17	LDH	Lactate dehydrogenase	CHEMISTRY	400.0	U/L	400.0	U/L	HIGH	1	BASELINE	1	2018-02-20	-1
KLV-7702	LB	KLV-7702-1050	18	LDH	Lactate dehydrogenase	CHEMISTRY	388.0	U/L	388.0	U/L	HIGH	1	WORST POST-BASELINE	2	2018-05-09	78
KLV-7702	LB	KLV-7702-1050	19	ALB	Albumin	CHEMISTRY	41.1	g/L	41.1	g/L	NORMAL		BASELINE	1	2018-02-20	-1
KLV-7702	LB	KLV-7702-1050	20	ALB	Albumin	CHEMISTRY	40.8	g/L	40.8	g/L	NORMAL		WORST POST-BASELINE	2	2018-05-09	78
KLV-7702	LB	KLV-7702-1051	1	HGB	Haemoglobin	HAEMATOLOGY	145.4	g/L	145.4	g/L	NORMAL		BASELINE	1	2017-11-16	-1
KLV-7702	LB	KLV-7702-1051	2	HGB	Haemoglobin	HAEMATOLOGY	68.8	g/L	68.8	g/L	LOW	2	WORST POST-BASELINE	2	2018-09-24	312
KLV-7702	LB	KLV-7702-1051	3	PLAT	Platelets	HAEMATOLOGY	220.0	10^9/L	220.0	10^9/L	NORMAL		BASELINE	1	2017-11-16	-1
KLV-7702	LB	KLV-7702-1051	4	PLAT	Platelets	HAEMATOLOGY	304.0	10^9/L	304.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-09-24	312
KLV-7702	LB	KLV-7702-1051	5	NEUT	Neutrophils	HAEMATOLOGY	4.1	10^9/L	4.1	10^9/L	NORMAL		BASELINE	1	2017-11-16	-1
KLV-7702	LB	KLV-7702-1051	6	NEUT	Neutrophils	HAEMATOLOGY	0.7	10^9/L	0.7	10^9/L	LOW	3	WORST POST-BASELINE	2	2018-09-24	312
KLV-7702	LB	KLV-7702-1051	7	LYM	Lymphocytes	HAEMATOLOGY	1.98	10^9/L	1.98	10^9/L	NORMAL		BASELINE	1	2017-11-16	-1
KLV-7702	LB	KLV-7702-1051	8	LYM	Lymphocytes	HAEMATOLOGY	0.36	10^9/L	0.36	10^9/L	LOW	3	WORST POST-BASELINE	2	2018-09-24	312
KLV-7702	LB	KLV-7702-1051	9	CA125	Cancer Antigen 125	CHEMISTRY	17.3	kU/L	17.3	kU/L	NORMAL		BASELINE	1	2017-11-16	-1
KLV-7702	LB	KLV-7702-1051	10	CA125	Cancer Antigen 125	CHEMISTRY	105.8	kU/L	105.8	kU/L	HIGH	2	WORST POST-BASELINE	2	2018-09-24	312
KLV-7702	LB	KLV-7702-1051	11	ALT	Alanine aminotransferase	CHEMISTRY	25.2	U/L	25.2	U/L	NORMAL		BASELINE	1	2017-11-16	-1
KLV-7702	LB	KLV-7702-1051	12	ALT	Alanine aminotransferase	CHEMISTRY	30.3	U/L	30.3	U/L	NORMAL		WORST POST-BASELINE	2	2018-09-24	312
KLV-7702	LB	KLV-7702-1051	13	AST	Aspartate aminotransferase	CHEMISTRY	31.3	U/L	31.3	U/L	NORMAL		BASELINE	1	2017-11-16	-1
KLV-7702	LB	KLV-7702-1051	14	AST	Aspartate aminotransferase	CHEMISTRY	25.2	U/L	25.2	U/L	NORMAL		WORST POST-BASELINE	2	2018-09-24	312
KLV-7702	LB	KLV-7702-1051	15	CREAT	Creatinine	CHEMISTRY	74.0	umol/L	74.0	umol/L	NORMAL		BASELINE	1	2017-11-16	-1
KLV-7702	LB	KLV-7702-1051	16	CREAT	Creatinine	CHEMISTRY	169.0	umol/L	169.0	umol/L	HIGH	1	WORST POST-BASELINE	2	2018-09-24	312
KLV-7702	LB	KLV-7702-1051	17	LDH	Lactate dehydrogenase	CHEMISTRY	215.0	U/L	215.0	U/L	NORMAL		BASELINE	1	2017-11-16	-1
KLV-7702	LB	KLV-7702-1051	18	LDH	Lactate dehydrogenase	CHEMISTRY	433.0	U/L	433.0	U/L	HIGH	1	WORST POST-BASELINE	2	2018-09-24	312
KLV-7702	LB	KLV-7702-1051	19	ALB	Albumin	CHEMISTRY	20.1	g/L	20.1	g/L	LOW	2	BASELINE	1	2017-11-16	-1
KLV-7702	LB	KLV-7702-1051	20	ALB	Albumin	CHEMISTRY	12.8	g/L	12.8	g/L	LOW	3	WORST POST-BASELINE	2	2018-09-24	312

~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1052	1	HGB	Haemoglobin	HAEMATOLOGY	133.2	g/L	133.2	g/L	NORMAL		BASELINE	1	2017-06-24	-1
KLV-7702	LB	KLV-7702-1052	2	HGB	Haemoglobin	HAEMATOLOGY	39.2	g/L	39.2	g/L	LOW	3	WORST POST-BASELINE	2	2018-09-15	448
KLV-7702	LB	KLV-7702-1052	3	PLAT	Platelets	HAEMATOLOGY	229.0	10^9/L	229.0	10^9/L	NORMAL		BASELINE	1	2017-06-24	-1
KLV-7702	LB	KLV-7702-1052	4	PLAT	Platelets	HAEMATOLOGY	279.0	10^9/L	279.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-09-15	448
KLV-7702	LB	KLV-7702-1052	5	NEUT	Neutrophils	HAEMATOLOGY	4.0	10^9/L	4.0	10^9/L	NORMAL		BASELINE	1	2017-06-24	-1
KLV-7702	LB	KLV-7702-1052	6	NEUT	Neutrophils	HAEMATOLOGY	5.3	10^9/L	5.3	10^9/L	NORMAL		WORST POST-BASELINE	2	2018-09-15	448
KLV-7702	LB	KLV-7702-1052	7	LYM	Lymphocytes	HAEMATOLOGY	2.91	10^9/L	2.91	10^9/L	NORMAL		BASELINE	1	2017-06-24	-1
KLV-7702	LB	KLV-7702-1052	8	LYM	Lymphocytes	HAEMATOLOGY	0.35	10^9/L	0.35	10^9/L	LOW	3	WORST POST-BASELINE	2	2018-09-15	448
KLV-7702	LB	KLV-7702-1052	9	CA125	Cancer Antigen 125	CHEMISTRY	19.5	kU/L	19.5	kU/L	NORMAL		BASELINE	1	2017-06-24	-1
KLV-7702	LB	KLV-7702-1052	10	CA125	Cancer Antigen 125	CHEMISTRY	59.2	kU/L	59.2	kU/L	HIGH	1	WORST POST-BASELINE	2	2018-09-15	448
KLV-7702	LB	KLV-7702-1052	11	ALT	Alanine aminotransferase	CHEMISTRY	74.4	U/L	74.4	U/L	HIGH	1	BASELINE	1	2017-06-24	-1
KLV-7702	LB	KLV-7702-1052	12	ALT	Alanine aminotransferase	CHEMISTRY	66.3	U/L	66.3	U/L	HIGH	1	WORST POST-BASELINE	2	2018-09-15	448
KLV-7702	LB	KLV-7702-1052	13	AST	Aspartate aminotransferase	CHEMISTRY	23.6	U/L	23.6	U/L	NORMAL		BASELINE	1	2017-06-24	-1
KLV-7702	LB	KLV-7702-1052	14	AST	Aspartate aminotransferase	CHEMISTRY	17.9	U/L	17.9	U/L	NORMAL		WORST POST-BASELINE	2	2018-09-15	448
KLV-7702	LB	KLV-7702-1052	15	CREAT	Creatinine	CHEMISTRY	82.0	umol/L	82.0	umol/L	NORMAL		BASELINE	1	2017-06-24	-1
KLV-7702	LB	KLV-7702-1052	16	CREAT	Creatinine	CHEMISTRY	83.0	umol/L	83.0	umol/L	NORMAL		WORST POST-BASELINE	2	2018-09-15	448
KLV-7702	LB	KLV-7702-1052	17	LDH	Lactate dehydrogenase	CHEMISTRY	157.0	U/L	157.0	U/L	NORMAL		BASELINE	1	2017-06-24	-1
KLV-7702	LB	KLV-7702-1052	18	LDH	Lactate dehydrogenase	CHEMISTRY	202.0	U/L	202.0	U/L	NORMAL		WORST POST-BASELINE	2	2018-09-15	448
KLV-7702	LB	KLV-7702-1052	19	ALB	Albumin	CHEMISTRY	41.9	g/L	41.9	g/L	NORMAL		BASELINE	1	2017-06-24	-1
KLV-7702	LB	KLV-7702-1052	20	ALB	Albumin	CHEMISTRY	44.0	g/L	44.0	g/L	NORMAL		WORST POST-BASELINE	2	2018-09-15	448
KLV-7702	LB	KLV-7702-1053	1	HGB	Haemoglobin	HAEMATOLOGY	133.0	g/L	133.0	g/L	NORMAL		BASELINE	1	2017-06-25	-1
KLV-7702	LB	KLV-7702-1053	2	HGB	Haemoglobin	HAEMATOLOGY	144.6	g/L	144.6	g/L	NORMAL		WORST POST-BASELINE	2	2017-12-07	165
KLV-7702	LB	KLV-7702-1053	3	PLAT	Platelets	HAEMATOLOGY	251.0	10^9/L	251.0	10^9/L	NORMAL		BASELINE	1	2017-06-25	-1
KLV-7702	LB	KLV-7702-1053	4	PLAT	Platelets	HAEMATOLOGY	257.0	10^9/L	257.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-12-07	165
KLV-7702	LB	KLV-7702-1053	5	NEUT	Neutrophils	HAEMATOLOGY	1.7	10^9/L	1.7	10^9/L	LOW	1	BASELINE	1	2017-06-25	-1
KLV-7702	LB	KLV-7702-1053	6	NEUT	Neutrophils	HAEMATOLOGY	1.2	10^9/L	1.2	10^9/L	LOW	2	WORST POST-BASELINE	2	2017-12-07	165
KLV-7702	LB	KLV-7702-1053	7	LYM	Lymphocytes	HAEMATOLOGY	1.87	10^9/L	1.87	10^9/L	NORMAL		BASELINE	1	2017-06-25	-1
KLV-7702	LB	KLV-7702-1053	8	LYM	Lymphocytes	HAEMATOLOGY	2.05	10^9/L	2.05	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-12-07	165
KLV-7702	LB	KLV-7702-1053	9	CA125	Cancer Antigen 125	CHEMISTRY	19.1	kU/L	19.1	kU/L	NORMAL		BASELINE	1	2017-06-25	-1
KLV-7702	LB	KLV-7702-1053	10	CA125	Cancer Antigen 125	CHEMISTRY	110.2	kU/L	110.2	kU/L	HIGH	2	WORST POST-BASELINE	2	2017-12-07	165
KLV-7702	LB	KLV-7702-1053	11	ALT	Alanine aminotransferase	CHEMISTRY	129.9	U/L	129.9	U/L	HIGH	2	BASELINE	1	2017-06-25	-1
KLV-7702	LB	KLV-7702-1053	12	ALT	Alanine aminotransferase	CHEMISTRY	139.7	U/L	139.7	U/L	HIGH	2	WORST POST-BASELINE	2	2017-12-07	165
KLV-7702	LB	KLV-7702-1053	13	AST	Aspartate aminotransferase	CHEMISTRY	111.1	U/L	111.1	U/L	HIGH	2	BASELINE	1	2017-06-25	-1
KLV-7702	LB	KLV-7702-1053	14	AST	Aspartate aminotransferase	CHEMISTRY	452.8	U/L	452.8	U/L	HIGH	4	WORST POST-BASELINE	2	2017-12-07	165
KLV-7702	LB	KLV-7702-1053	15	CREAT	Creatinine	CHEMISTRY	74.0	umol/L	74.0	umol/L	NORMAL		BASELINE	1	2017-06-25	-1
KLV-7702	LB	KLV-7702-1053	16	CREAT	Creatinine	CHEMISTRY	75.0	umol/L	75.0	umol/L	NORMAL		WORST POST-BASELINE	2	2017-12-07	165
KLV-7702	LB	KLV-7702-1053	17	LDH	Lactate dehydrogenase	CHEMISTRY	216.0	U/L	216.0	U/L	NORMAL		BASELINE	1	2017-06-25	-1
KLV-7702	LB	KLV-7702-1053	18	LDH	Lactate dehydrogenase	CHEMISTRY	166.0	U/L	166.0	U/L	NORMAL		WORST POST-BASELINE	2	2017-12-07	165
KLV-7702	LB	KLV-7702-1053	19	ALB	Albumin	CHEMISTRY	27.5	g/L	27.5	g/L	LOW	1	BASELINE	1	2017-06-25	-1
KLV-7702	LB	KLV-7702-1053	20	ALB	Albumin	CHEMISTRY	29.3	g/L	29.3	g/L	LOW	1	WORST POST-BASELINE	2	2017-12-07	165
KLV-7702	LB	KLV-7702-1054	1	HGB	Haemoglobin	HAEMATOLOGY	143.5	g/L	143.5	g/L	NORMAL		BASELINE	1	2018-09-22	-1
KLV-7702	LB	KLV-7702-1054	2	HGB	Haemoglobin	HAEMATOLOGY	97.1	g/L	97.1	g/L	LOW	1	WORST POST-BASELINE	2	2019-01-09	109
KLV-7702	LB	KLV-7702-1054	3	PLAT	Platelets	HAEMATOLOGY	134.0	10^9/L	134.0	10^9/L	LOW	1	BASELINE	1	2018-09-22	-1
KLV-7702	LB	KLV-7702-1054	4	PLAT	Platelets	HAEMATOLOGY	90.0	10^9/L	90.0	10^9/L	LOW	2	WORST POST-BASELINE	2	2019-01-09	109
KLV-7702	LB	KLV-7702-1054	5	NEUT	Neutrophils	HAEMATOLOGY	5.6	10^9/L	5.6	10^9/L	NORMAL		BASELINE	1	2018-09-22	-1
KLV-7702	LB	KLV-7702-1054	6	NEUT	Neutrophils	HAEMATOLOGY	1.6	10^9/L	1.6	10^9/L	LOW	1	WORST POST-BASELINE	2	2019-01-09	109
KLV-7702	LB	KLV-7702-1054	7	LYM	Lymphocytes	HAEMATOLOGY	2.41	10^9/L	2.41	10^9/L	NORMAL		BASELINE	1	2018-09-22	-1
KLV-7702	LB	KLV-7702-1054	8	LYM	Lymphocytes	HAEMATOLOGY	2.76	10^9/L	2.76	10^9/L	NORMAL		WORST POST-BASELINE	2	2019-01-09	109
KLV-7702	LB	KLV-7702-1054	9	CA125	Cancer Antigen 125	CHEMISTRY	53.8	kU/L	53.8	kU/L	HIGH	1	BASELINE	1	2018-09-22	-1
KLV-7702	LB	KLV-7702-1054	10	CA125	Cancer Antigen 125	CHEMISTRY	229.3	kU/L	229.3	kU/L	HIGH	3	WORST POST-BASELINE	2	2019-01-09	109
KLV-7702	LB	KLV-7702-1054	11	ALT	Alanine aminotransferase	CHEMISTRY	26.4	U/L	26.4	U/L	NORMAL		BASELINE	1	2018-09-22	-1
KLV-7702	LB	KLV-7702-1054	12	ALT	Alanine aminotransferase	CHEMISTRY	27.9	U/L	27.9	U/L	NORMAL		WORST POST-BASELINE	2	2019-01-09	109
KLV-7702	LB	KLV-7702-1054	13	AST	Aspartate aminotransferase	CHEMISTRY	30.2	U/L	30.2	U/L	NORMAL		BASELINE	1	2018-09-22	-1
KLV-7702	LB	KLV-7702-1054	14	AST	Aspartate aminotransferase	CHEMISTRY	24.4	U/L	24.4	U/L	NORMAL		WORST POST-BASELINE	2	2019-01-09	109
KLV-7702	LB	KLV-7702-1054	15	CREAT	Creatinine	CHEMISTRY	85.0	umol/L	85.0	umol/L	NORMAL		BASELINE	1	2018-09-22	-1
KLV-7702	LB	KLV-7702-1054	16	CREAT	Creatinine	CHEMISTRY	83.0	umol/L	83.0	umol/L	NORMAL		WORST POST-BASELINE	2	2019-01-09	109
KLV-7702	LB	KLV-7702-1054	17	LDH	Lactate dehydrogenase	CHEMISTRY	189.0	U/L	189.0	U/L	NORMAL		BASELINE	1	2018-09-22	-1
KLV-7702	LB	KLV-7702-1054	18	LDH	Lactate dehydrogenase	CHEMISTRY	195.0	U/L	195.0	U/L	NORMAL		WORST POST-BASELINE	2	2019-01-09	109
KLV-7702	LB	KLV-7702-1054	19	ALB	Albumin	CHEMISTRY	29.8	g/L	29.8	g/L	LOW	1	BASELINE	1	2018-09-22	-1
KLV-7702	LB	KLV-7702-1054	20	ALB	Albumin	CHEMISTRY	21.8	g/L	21.8	g/L	LOW	2	WORST POST-BASELINE	2	2019-01-09	109
KLV-7702	LB	KLV-7702-1055	1	HGB	Haemoglobin	HAEMATOLOGY	149.0	g/L	149.0	g/L	NORMAL		BASELINE	1	2018-11-16	-1
KLV-7702	LB	KLV-7702-1055	2	HGB	Haemoglobin	HAEMATOLOGY	137.6	g/L	137.6	g/L	NORMAL		WORST POST-BASELINE	2	2019-03-07	111
KLV-7702	LB	KLV-7702-1055	3	PLAT	Platelets	HAEMATOLOGY	276.0	10^9/L	276.0	10^9/L	NORMAL		BASELINE	1	2018-11-16	-1
KLV-7702	LB	KLV-7702-1055	4	PLAT	Platelets	HAEMATOLOGY	263.0	10^9/L	263.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2019-03-07	111
KLV-7702	LB	KLV-7702-1055	5	NEUT	Neutrophils	HAEMATOLOGY	5.2	10^9/L	5.2	10^9/L	NORMAL		BASELINE	1	2018-11-16	-1
KLV-7702	LB	KLV-7702-1055	6	NEUT	Neutrophils	HAEMATOLOGY	4.6	10^9/L	4.6	10^9/L	NORMAL		WORST POST-BASELINE	2	2019-03-07	111
KLV-7702	LB	KLV-7702-1055	7	LYM	Lymphocytes	HAEMATOLOGY	1.96	10^9/L	1.96	10^9/L	NORMAL		BASELINE	1	2018-11-16	-1
KLV-7702	LB	KLV-7702-1055	8	LYM	Lymphocytes	HAEMATOLOGY	0.85	10^9/L	0.85	10^9/L	LOW	1	WORST POST-BASELINE	2	2019-03-07	111

~~**Appendix 16.2.10 Listing of individual laboratory measurements**~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1055	9	CA125	Cancer Antigen 125	CHEMISTRY	12.4	kU/L	12.4	kU/L	NORMAL		BASELINE	1	2018-11-16	-1
KLV-7702	LB	KLV-7702-1055	10	CA125	Cancer Antigen 125	CHEMISTRY	191.2	kU/L	191.2	kU/L	HIGH	3	WORST POST-BASELINE	2	2019-03-07	111
KLV-7702	LB	KLV-7702-1055	11	ALT	Alanine aminotransferase	CHEMISTRY	21.1	U/L	21.1	U/L	NORMAL		BASELINE	1	2018-11-16	-1
KLV-7702	LB	KLV-7702-1055	12	ALT	Alanine aminotransferase	CHEMISTRY	33.3	U/L	33.3	U/L	NORMAL		WORST POST-BASELINE	2	2019-03-07	111
KLV-7702	LB	KLV-7702-1055	13	AST	Aspartate aminotransferase	CHEMISTRY	30.4	U/L	30.4	U/L	NORMAL		BASELINE	1	2018-11-16	-1
KLV-7702	LB	KLV-7702-1055	14	AST	Aspartate aminotransferase	CHEMISTRY	31.2	U/L	31.2	U/L	NORMAL		WORST POST-BASELINE	2	2019-03-07	111
KLV-7702	LB	KLV-7702-1055	15	CREAT	Creatinine	CHEMISTRY	69.0	umol/L	69.0	umol/L	NORMAL		BASELINE	1	2018-11-16	-1
KLV-7702	LB	KLV-7702-1055	16	CREAT	Creatinine	CHEMISTRY	67.0	umol/L	67.0	umol/L	NORMAL		WORST POST-BASELINE	2	2019-03-07	111
KLV-7702	LB	KLV-7702-1055	17	LDH	Lactate dehydrogenase	CHEMISTRY	436.0	U/L	436.0	U/L	HIGH	1	BASELINE	1	2018-11-16	-1
KLV-7702	LB	KLV-7702-1055	18	LDH	Lactate dehydrogenase	CHEMISTRY	1540.0	U/L	1540.0	U/L	HIGH	3	WORST POST-BASELINE	2	2019-03-07	111
KLV-7702	LB	KLV-7702-1055	19	ALB	Albumin	CHEMISTRY	29.6	g/L	29.6	g/L	LOW	1	BASELINE	1	2018-11-16	-1
KLV-7702	LB	KLV-7702-1055	20	ALB	Albumin	CHEMISTRY	29.8	g/L	29.8	g/L	LOW	1	WORST POST-BASELINE	2	2019-03-07	111
KLV-7702	LB	KLV-7702-1056	1	HGB	Haemoglobin	HAEMATOLOGY	137.8	g/L	137.8	g/L	NORMAL		BASELINE	1	2017-01-07	-1
KLV-7702	LB	KLV-7702-1056	2	HGB	Haemoglobin	HAEMATOLOGY	69.2	g/L	69.2	g/L	LOW	2	WORST POST-BASELINE	2	2017-01-15	8
KLV-7702	LB	KLV-7702-1056	3	PLAT	Platelets	HAEMATOLOGY	223.0	10^9/L	223.0	10^9/L	NORMAL		BASELINE	1	2017-01-07	-1
KLV-7702	LB	KLV-7702-1056	4	PLAT	Platelets	HAEMATOLOGY	88.0	10^9/L	88.0	10^9/L	LOW	2	WORST POST-BASELINE	2	2017-01-15	8
KLV-7702	LB	KLV-7702-1056	5	NEUT	Neutrophils	HAEMATOLOGY	4.5	10^9/L	4.5	10^9/L	NORMAL		BASELINE	1	2017-01-07	-1
KLV-7702	LB	KLV-7702-1056	6	NEUT	Neutrophils	HAEMATOLOGY	6.0	10^9/L	6.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-01-15	8
KLV-7702	LB	KLV-7702-1056	7	LYM	Lymphocytes	HAEMATOLOGY	2.17	10^9/L	2.17	10^9/L	NORMAL		BASELINE	1	2017-01-07	-1
KLV-7702	LB	KLV-7702-1056	8	LYM	Lymphocytes	HAEMATOLOGY	0.87	10^9/L	0.87	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-01-15	8
KLV-7702	LB	KLV-7702-1056	9	CA125	Cancer Antigen 125	CHEMISTRY	13.0	kU/L	13.0	kU/L	NORMAL		BASELINE	1	2017-01-07	-1
KLV-7702	LB	KLV-7702-1056	10	CA125	Cancer Antigen 125	CHEMISTRY	53.0	kU/L	53.0	kU/L	HIGH	1	WORST POST-BASELINE	2	2017-01-15	8
KLV-7702	LB	KLV-7702-1056	11	ALT	Alanine aminotransferase	CHEMISTRY	32.4	U/L	32.4	U/L	NORMAL		BASELINE	1	2017-01-07	-1
KLV-7702	LB	KLV-7702-1056	12	ALT	Alanine aminotransferase	CHEMISTRY	33.4	U/L	33.4	U/L	NORMAL		WORST POST-BASELINE	2	2017-01-15	8
KLV-7702	LB	KLV-7702-1056	13	AST	Aspartate aminotransferase	CHEMISTRY	21.3	U/L	21.3	U/L	NORMAL		BASELINE	1	2017-01-07	-1
KLV-7702	LB	KLV-7702-1056	14	AST	Aspartate aminotransferase	CHEMISTRY	226.4	U/L	226.4	U/L	HIGH	3	WORST POST-BASELINE	2	2017-01-15	8
KLV-7702	LB	KLV-7702-1056	15	CREAT	Creatinine	CHEMISTRY	80.0	umol/L	80.0	umol/L	NORMAL		BASELINE	1	2017-01-07	-1
KLV-7702	LB	KLV-7702-1056	16	CREAT	Creatinine	CHEMISTRY	67.0	umol/L	67.0	umol/L	NORMAL		WORST POST-BASELINE	2	2017-01-15	8
KLV-7702	LB	KLV-7702-1056	17	LDH	Lactate dehydrogenase	CHEMISTRY	366.0	U/L	366.0	U/L	HIGH	1	BASELINE	1	2017-01-07	-1
KLV-7702	LB	KLV-7702-1056	18	LDH	Lactate dehydrogenase	CHEMISTRY	2902.0	U/L	2902.0	U/L	HIGH	4	WORST POST-BASELINE	2	2017-01-15	8
KLV-7702	LB	KLV-7702-1056	19	ALB	Albumin	CHEMISTRY	20.5	g/L	20.5	g/L	LOW	2	BASELINE	1	2017-01-07	-1
KLV-7702	LB	KLV-7702-1056	20	ALB	Albumin	CHEMISTRY	9.7	g/L	9.7	g/L	LOW	4	WORST POST-BASELINE	2	2017-01-15	8
KLV-7702	LB	KLV-7702-1057	1	HGB	Haemoglobin	HAEMATOLOGY	105.6	g/L	105.6	g/L	LOW	1	BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1057	2	HGB	Haemoglobin	HAEMATOLOGY	43.5	g/L	43.5	g/L	LOW	3	WORST POST-BASELINE	2	2017-07-12	129
KLV-7702	LB	KLV-7702-1057	3	PLAT	Platelets	HAEMATOLOGY	253.0	10^9/L	253.0	10^9/L	NORMAL		BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1057	4	PLAT	Platelets	HAEMATOLOGY	292.0	10^9/L	292.0	10^9/L	NORMAL		WORST POST-BASELINE	2	2017-07-12	129
KLV-7702	LB	KLV-7702-1057	5	NEUT	Neutrophils	HAEMATOLOGY	1.8	10^9/L	1.8	10^9/L	LOW	1	BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1057	6	NEUT	Neutrophils	HAEMATOLOGY	1.7	10^9/L	1.7	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-07-12	129
KLV-7702	LB	KLV-7702-1057	7	LYM	Lymphocytes	HAEMATOLOGY	0.89	10^9/L	0.89	10^9/L	LOW	1	BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1057	8	LYM	Lymphocytes	HAEMATOLOGY	0.8	10^9/L	0.8	10^9/L	LOW	1	WORST POST-BASELINE	2	2017-07-12	129
KLV-7702	LB	KLV-7702-1057	9	CA125	Cancer Antigen 125	CHEMISTRY	12.5	kU/L	12.5	kU/L	NORMAL		BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1057	10	CA125	Cancer Antigen 125	CHEMISTRY	9.8	kU/L	9.8	kU/L	NORMAL		WORST POST-BASELINE	2	2017-07-12	129
KLV-7702	LB	KLV-7702-1057	11	ALT	Alanine aminotransferase	CHEMISTRY	20.8	U/L	20.8	U/L	NORMAL		BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1057	12	ALT	Alanine aminotransferase	CHEMISTRY	34.6	U/L	34.6	U/L	NORMAL		WORST POST-BASELINE	2	2017-07-12	129
KLV-7702	LB	KLV-7702-1057	13	AST	Aspartate aminotransferase	CHEMISTRY	23.6	U/L	23.6	U/L	NORMAL		BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1057	14	AST	Aspartate aminotransferase	CHEMISTRY	25.3	U/L	25.3	U/L	NORMAL		WORST POST-BASELINE	2	2017-07-12	129
KLV-7702	LB	KLV-7702-1057	15	CREAT	Creatinine	CHEMISTRY	65.0	umol/L	65.0	umol/L	NORMAL		BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1057	16	CREAT	Creatinine	CHEMISTRY	64.0	umol/L	64.0	umol/L	NORMAL		WORST POST-BASELINE	2	2017-07-12	129
KLV-7702	LB	KLV-7702-1057	17	LDH	Lactate dehydrogenase	CHEMISTRY	173.0	U/L	173.0	U/L	NORMAL		BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1057	18	LDH	Lactate dehydrogenase	CHEMISTRY	216.0	U/L	216.0	U/L	NORMAL		WORST POST-BASELINE	2	2017-07-12	129
KLV-7702	LB	KLV-7702-1057	19	ALB	Albumin	CHEMISTRY	42.5	g/L	42.5	g/L	NORMAL		BASELINE	1	2017-03-05	-1
KLV-7702	LB	KLV-7702-1057	20	ALB	Albumin	CHEMISTRY	19.9	g/L	19.9	g/L	LOW	2	WORST POST-BASELINE	2	2017-07-12	129
KLV-7702	LB	KLV-7702-1058	1	HGB	Haemoglobin	HAEMATOLOGY	68.2	g/L	68.2	g/L	LOW	2	BASELINE	1	2018-07-03	-1
KLV-7702	LB	KLV-7702-1058	2	HGB	Haemoglobin	HAEMATOLOGY	67.6	g/L	67.6	g/L	LOW	2	WORST POST-BASELINE	2	2019-02-10	222
KLV-7702	LB	KLV-7702-1058	3	PLAT	Platelets	HAEMATOLOGY	122.0	10^9/L	122.0	10^9/L	LOW	1	BASELINE	1	2018-07-03	-1
KLV-7702	LB	KLV-7702-1058	4	PLAT	Platelets	HAEMATOLOGY	126.0	10^9/L	126.0	10^9/L	LOW	1	WORST POST-BASELINE	2	2019-02-10	222
KLV-7702	LB	KLV-7702-1058	5	NEUT	Neutrophils	HAEMATOLOGY	5.9	10^9/L	5.9	10^9/L	NORMAL		BASELINE	1	2018-07-03	-1
KLV-7702	LB	KLV-7702-1058	6	NEUT	Neutrophils	HAEMATOLOGY	5.7	10^9/L	5.7	10^9/L	NORMAL		WORST POST-BASELINE	2	2019-02-10	222
KLV-7702	LB	KLV-7702-1058	7	LYM	Lymphocytes	HAEMATOLOGY	2.97	10^9/L	2.97	10^9/L	NORMAL		BASELINE	1	2018-07-03	-1
KLV-7702	LB	KLV-7702-1058	8	LYM	Lymphocytes	HAEMATOLOGY	2.8	10^9/L	2.8	10^9/L	NORMAL		WORST POST-BASELINE	2	2019-02-10	222
KLV-7702	LB	KLV-7702-1058	9	CA125	Cancer Antigen 125	CHEMISTRY	15.3	kU/L	15.3	kU/L	NORMAL		BASELINE	1	2018-07-03	-1
KLV-7702	LB	KLV-7702-1058	10	CA125	Cancer Antigen 125	CHEMISTRY	23.2	kU/L	23.2	kU/L	NORMAL		WORST POST-BASELINE	2	2019-02-10	222
KLV-7702	LB	KLV-7702-1058	11	ALT	Alanine aminotransferase	CHEMISTRY	19.3	U/L	19.3	U/L	NORMAL		BASELINE	1	2018-07-03	-1
KLV-7702	LB	KLV-7702-1058	12	ALT	Alanine aminotransferase	CHEMISTRY	25.8	U/L	25.8	U/L	NORMAL		WORST POST-BASELINE	2	2019-02-10	222
KLV-7702	LB	KLV-7702-1058	13	AST	Aspartate aminotransferase	CHEMISTRY	60.0	U/L	60.0	U/L	HIGH	1	BASELINE	1	2018-07-03	-1
KLV-7702	LB	KLV-7702-1058	14	AST	Aspartate aminotransferase	CHEMISTRY	61.0	U/L	61.0	U/L	HIGH	1	WORST POST-BASELINE	2	2019-02-10	222
KLV-7702	LB	KLV-7702-1058	15	CREAT	Creatinine	CHEMISTRY	166.0	umol/L	166.0	umol/L	HIGH	1	BASELINE	1	2018-07-03	-1
KLV-7702	LB	KLV-7702-1058	16	CREAT	Creatinine	CHEMISTRY	298.0	umol/L	298.0	umol/L	HIGH	2	WORST POST-BASELINE	2	2019-02-10	222

~~Appendix 16.2.10 Listing of individual laboratory measurements~~

STUDYID	DOMAIN	USUBJID	LBSEQ	LBTESTCD	LBTEST	LBCAT	LBORRES	LBORRESU	LBSTRESN	LBSTRESU	LBNRIND	LBTOXGR	VISIT	VISITNUM	LBDTC	LBDY
KLV-7702	LB	KLV-7702-1058	17	LDH	Lactate dehydrogenase	CHEMISTRY	158.0	U/L	158.0	U/L	NORMAL		BASELINE	1	2018-07-03	-1
KLV-7702	LB	KLV-7702-1058	18	LDH	Lactate dehydrogenase	CHEMISTRY	214.0	U/L	214.0	U/L	NORMAL		WORST POST-BASELINE	2	2019-02-10	222
KLV-7702	LB	KLV-7702-1058	19	ALB	Albumin	CHEMISTRY	42.4	g/L	42.4	g/L	NORMAL		BASELINE	1	2018-07-03	-1
KLV-7702	LB	KLV-7702-1058	20	ALB	Albumin	CHEMISTRY	42.9	g/L	42.9	g/L	NORMAL		WORST POST-BASELINE	2	2019-02-10	222