DATA DEFINITION DOCUMENT

Study KLV-7704 — Analysis and Tabulation Datasets

Kelvaparib (KLV-3308)

Marnholt Oncology GmbH

Indication: High-grade serous ovarian carcinoma

1. SCOPE

This document describes the datasets provided for study KLV-7704. The tabulation datasets follow the Study Data Tabulation Model naming conventions and the analysis datasets follow the Analysis Data Model. Every table, listing and figure in the clinical study report is derived from these datasets.

2. CONVENTIONS

- Files are comma-separated, UTF-8 encoded, with one header row.
- Dates are recorded in ISO 8601 format as YYYY-MM-DD.
- Study day variables are relative to the first dose; day 1 is the day of first dose and there is no day 0.
- Missing values are represented by an empty field.
- Subject identifiers take the form STUDYID-nnnn and are unique across the programme.
- Centre identifiers are recorded as four-digit codes; investigator names are not held in the datasets.

Table 1 Datasets Provided

Dataset	Class	Contents	Records
klv-7704-dm.csv	Tabulation	Demographics and reference dates	81
klv-7704-ex.csv	Tabulation	Study drug exposure	193
klv-7704-ae.csv	Tabulation	Adverse events, coded to preferred term and system organ class	459
klv-7704-cm.csv	Tabulation	Concomitant medications, including supportive care	376
klv-7704-lb.csv	Tabulation	Laboratory results with toxicity grade	1620
klv-7704-vs.csv	Tabulation	Vital signs at baseline	486
klv-7704-ds.csv	Tabulation	Disposition events and protocol milestones	169
klv-7704-rs.csv	Tabulation	Disease response assessments	81
klv-7704-pc.csv	Tabulation	Plasma concentrations of study drug	1134
klv-7704-adsl.csv	Analysis	Subject-level analysis dataset, one record per subject	81
klv-7704-adtte.csv	Analysis	Time-to-event analysis dataset	195

3. TRACEABILITY

The subject counts, response categories, adverse event incidences and time-to-event values in these datasets are the same records from which the study report tables are produced. A figure quoted in the report can be reproduced by applying the stated analysis population filter to the corresponding dataset.

4. VARIABLE DEFINITIONS

Every variable in every dataset is defined below, in the order of the file's columns. Origin is Collected (recorded on the case report form), Assigned (set by the sponsor, including dictionary coding), Derived (computed from other variables, by the rule given) or Predecessor (copied from the tabulation dataset named). Where a variable takes twelve or fewer values, all of them are listed. Medical history, physical examination, electrocardiogram, coagulation, urinalysis and pregnancy test results were recorded at the sites but are not held in these datasets.

Table 2 Variables in klv-7704-dm.csv

Variable	Label	Type	Origin	Values or derivation
STUDYID	Study Identifier	Char	Assigned	KLV-7704
DOMAIN	Domain Abbreviation	Char	Assigned	DM
USUBJID	Unique Subject Identifier	Char	Collected	81 distinct values
SUBJID	Subject Identifier for the Study	Num	Collected	Range 1001 to 1081
SITEID	Study Site Identifier	Num	Collected	Range 0101 to 0113
RFSTDTC	Subject Reference Start Date/Time	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-06-17 to 2020-03-25
RFENDTC	Subject Reference End Date/Time	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-07-25 to 2020-04-16
RFXSTDTC	Date/Time of First Study Treatment	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-06-17 to 2020-03-25
RFXENDTC	Date/Time of Last Study Treatment	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-07-25 to 2020-04-16
RFICDTC	Date/Time of Informed Consent	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-06-08 to 2020-03-15
RFPENDTC	Date/Time of End of Participation	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-09-10 to 2020-04-30
DTHDTC	Date/Time of Death	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2019-02-11 to 2020-04-17; empty in 69 records
DTHFL	Subject Death Flag	Char	Collected	Y; empty in 69 records
AGE	Age	Num	Collected	Range 38 to 88
AGEU	Age Units	Char	Collected	YEARS
SEX	Sex	Char	Collected	F
RACE	Race	Char	Collected	ASIAN, BLACK OR AFRICAN AMERICAN, OTHER, WHITE
ETHNIC	Ethnicity	Char	Collected	NOT REPORTED
ARMCD	Planned Arm Code	Char	Collected	KELVAPARIB300MG
ARM	Description of Planned Arm	Char	Collected	Kelvaparib 300 mg
ACTARMCD	Actual Arm Code	Char	Collected	KELVAPARIB300MG
ACTARM	Description of Actual Arm	Char	Collected	Kelvaparib 300 mg
COUNTRY	Country	Char	Collected	14 distinct values
DMDTC	Date/Time of Collection	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-06-08 to 2020-03-15
DMDY	Study Day of Collection	Num	Derived	Study day of DMDTC: date minus the date of first dose, plus one when on or after it (there is no day 0); empty when DMDTC is empty.

Table 3 Variables in klv-7704-ex.csv

Variable	Label	Type	Origin	Values or derivation
STUDYID	Study Identifier	Char	Assigned	KLV-7704
DOMAIN	Domain Abbreviation	Char	Assigned	EX
USUBJID	Unique Subject Identifier	Char	Collected	81 distinct values
EXSEQ	Sequence Number	Num	Derived	Record number within the subject, from 1 in file order. Values: 1, 2, 3
EXTRT	Name of Treatment	Char	Collected	KELVAPARIB
EXDOSE	Dose	Num	Collected	150, 225, 300
EXDOSU	Dose Units	Char	Collected	mg
EXDOSFRM	Dose Form	Char	Collected	FILM-COATED TABLETS
EXROUTE	Route of Administration	Char	Collected	ORAL
EXDOSFRQ	Dosing Frequency per Interval	Char	Collected	BID, ONCE
EXDOSLVL	Dose Level (% of Starting Dose)	Num	Collected	Dose level of the period as a percentage of the starting dose (100, 75 or 50 per the protocol dose-modification table). Values: 50, 75, 100
EXADJ	Reason for Dose Adjustment	Char	Collected	Adverse event, Intercurrent illness, Subject decision; empty in 162 records
EXSTDTC	Start Date/Time of Treatment	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-06-17 to 2020-03-26
EXENDTC	End Date/Time of Treatment	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-06-17 to 2020-04-16
EXSTDY	Study Day of Start of Treatment	Num	Derived	Study day of EXSTDTC: date minus the date of first dose, plus one when on or after it (there is no day 0); empty when EXSTDTC is empty.
EXENDY	Study Day of End of Treatment	Num	Derived	Study day of EXENDTC: date minus the date of first dose, plus one when on or after it (there is no day 0); empty when EXENDTC is empty.

Table 4 Variables in klv-7704-ae.csv

Variable	Label	Type	Origin	Values or derivation
STUDYID	Study Identifier	Char	Assigned	KLV-7704
DOMAIN	Domain Abbreviation	Char	Assigned	AE
USUBJID	Unique Subject Identifier	Char	Collected	81 distinct values
AESEQ	Sequence Number	Num	Derived	Record number within the subject, from 1 in file order. Values: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11
AETERM	Reported Term for the Adverse Event	Char	Collected	40 distinct values
AEDECOD	Dictionary-Derived Term	Char	Assigned	MedDRA preferred term (dictionary version as recorded in the programme dictionary version log).
AEBODSYS	Body System or Organ Class	Char	Assigned	MedDRA primary system organ class of AEDECOD.
AECAT	Category for Adverse Event	Char	Derived	"ADVERSE EVENT OF SPECIAL INTEREST" for myelodysplastic syndrome or acute myeloid leukaemia and pneumonitis (AEDECOD, any grade) and for anaemia of grade 3 or higher (severe anaemia); otherwise empty. Values: ADVERSE EVENT OF SPECIAL INTEREST; empty in 447 records
AETOXGR	Standard Toxicity Grade	Num	Derived	Common Terminology Criteria for Adverse Events version 5.0 grade. Values: 1, 2, 3, 4, 5
AESER	Serious Event	Char	Collected	N, Y
AESDTH	Results in Death	Char	Collected	N, Y
AEREL	Causality	Char	Collected	N, Y
AEACN	Action Taken with Study Treatment	Char	Collected	DOSE NOT CHANGED, DOSE REDUCED, DRUG INTERRUPTED, DRUG WITHDRAWN
AEOUT	Outcome of Adverse Event	Char	Collected	FATAL, NOT RECOVERED/NOT RESOLVED, RECOVERED/RESOLVED
AESTDTC	Start Date/Time of Adverse Event	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-06-28 to 2020-04-28
AEENDTC	End Date/Time of Adverse Event	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-07-09 to 2020-04-29; empty in 58 records
AESTDY	Study Day of Start of Adverse Event	Num	Derived	Study day of AESTDTC: date minus the date of first dose, plus one when on or after it (there is no day 0); empty when AESTDTC is empty.
AEENDY	Study Day of End of Adverse Event	Num	Derived	Study day of AEENDTC: date minus the date of first dose, plus one when on or after it (there is no day 0); empty when AEENDTC is empty.

Table 5 Variables in klv-7704-cm.csv

Variable	Label	Type	Origin	Values or derivation
STUDYID	Study Identifier	Char	Assigned	KLV-7704
DOMAIN	Domain Abbreviation	Char	Assigned	CM
USUBJID	Unique Subject Identifier	Char	Collected	81 distinct values
CMSEQ	Sequence Number	Num	Derived	Record number within the subject, from 1 in file order. Values: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
CMTRT	Reported Name of Drug, Medication or Therapy	Char	Collected	16 distinct values
CMDECOD	Standardized Medication Name	Char	Assigned	WHO Drug Dictionary preferred name (version as recorded in the programme dictionary version log).
CMINDC	Indication	Char	Collected	22 distinct values
CMDOSE	Dose per Administration	Num	Collected	Range 2 to 1000
CMDOSU	Dose Units	Char	Collected	mg, ug
CMROUTE	Route of Administration	Char	Collected	INHALATION, ORAL, SUBCUTANEOUS
CMDOSFRQ	Dosing Frequency per Interval	Char	Collected	BID, PRN, QD, QID, TID
CMSTDTC	Start Date/Time of Medication	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2016-02-02 to 2020-04-27
CMENDTC	End Date/Time of Medication	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-07-09 to 2020-04-29; empty in 179 records
CMSTDY	Study Day of Start of Medication	Num	Derived	Study day of CMSTDTC: date minus the date of first dose, plus one when on or after it (there is no day 0); empty when CMSTDTC is empty.
CMENDY	Study Day of End of Medication	Num	Derived	Study day of CMENDTC: date minus the date of first dose, plus one when on or after it (there is no day 0); empty when CMENDTC is empty.

Table 6 Variables in klv-7704-lb.csv

Variable	Label	Type	Origin	Values or derivation
STUDYID	Study Identifier	Char	Assigned	KLV-7704
DOMAIN	Domain Abbreviation	Char	Assigned	LB
USUBJID	Unique Subject Identifier	Char	Collected	81 distinct values
LBSEQ	Sequence Number	Num	Derived	Record number within the subject, from 1 in file order.
LBTESTCD	Lab Test or Examination Short Name	Char	Collected	ALB, ALT, AST, CA125, CREAT, HGB, LDH, LYM, NEUT, PLAT
LBTEST	Lab Test or Examination Name	Char	Collected	Alanine aminotransferase, Albumin, Aspartate aminotransferase, Cancer Antigen 125, Creatinine, Haemoglobin, Lactate dehydrogenase, Lymphocytes, Neutrophils, Platelets
LBCAT	Category for Lab Test	Char	Collected	CHEMISTRY, HAEMATOLOGY
LBORRES	Result or Finding in Original Units	Num	Collected	Range 0.15 to 1604.0
LBORRESU	Original Units	Char	Collected	10^9/L, U/L, g/L, kU/L, umol/L
LBSTRESN	Numeric Result/Finding in Standard Units	Num	Derived	LBORRES as a number; the original units are the standard units.
LBSTRESU	Standard Units	Char	Derived	LBORRESU (the original units are the standard units). Values: 10^9/L, U/L, g/L, kU/L, umol/L
LBNRIND	Reference Range Indicator	Char	Assigned	Assigned by the central laboratory against its reference ranges, which are not among the datasets provided. Values: HIGH, LOW, NORMAL
LBTOXGR	Standard Toxicity Grade	Num	Derived	Common Terminology Criteria for Adverse Events version 5.0 grade of the result. Values: 1, 2, 3, 4; empty in 981 records
VISIT	Visit Name	Char	Collected	BASELINE, WORST POST-BASELINE
VISITNUM	Visit Number	Num	Collected	1, 2
LBDTC	Date/Time of Specimen Collection	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-06-16 to 2020-04-16
LBDY	Study Day of Specimen Collection	Num	Derived	Study day of LBDTC: date minus the date of first dose, plus one when on or after it (there is no day 0); empty when LBDTC is empty.

Table 7 Variables in klv-7704-vs.csv

Variable	Label	Type	Origin	Values or derivation
STUDYID	Study Identifier	Char	Assigned	KLV-7704
DOMAIN	Domain Abbreviation	Char	Assigned	VS
USUBJID	Unique Subject Identifier	Char	Collected	81 distinct values
VSSEQ	Sequence Number	Num	Derived	Record number within the subject, from 1 in file order. Values: 1, 2, 3, 4, 5, 6
VSTESTCD	Vital Signs Test Short Name	Char	Collected	DIABP, HEIGHT, PULSE, SYSBP, TEMP, WEIGHT
VSTEST	Vital Signs Test Name	Char	Collected	Diastolic Blood Pressure, Height, Pulse Rate, Systolic Blood Pressure, Temperature, Weight
VSORRES	Result or Finding in Original Units	Num	Collected	Range 36.1 to 190.0
VSORRESU	Original Units	Char	Collected	C, beats/min, cm, kg, mmHg
VSSTRESN	Numeric Result/Finding in Standard Units	Num	Derived	VSORRES as a number; the original units are the standard units.
VSSTRESU	Standard Units	Char	Derived	VSORRESU (the original units are the standard units). Values: C, beats/min, cm, kg, mmHg
VSBLFL	Baseline Flag	Char	Collected	Y
VISIT	Visit Name	Char	Collected	BASELINE
VISITNUM	Visit Number	Num	Collected	1
VSDTC	Date/Time of Measurements	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-06-16 to 2020-03-24
VSDY	Study Day of Vital Signs	Num	Derived	Study day of VSDTC: date minus the date of first dose, plus one when on or after it (there is no day 0); empty when VSDTC is empty. Values: -1

Table 8 Variables in klv-7704-ds.csv

Variable	Label	Type	Origin	Values or derivation
STUDYID	Study Identifier	Char	Assigned	KLV-7704
DOMAIN	Domain Abbreviation	Char	Assigned	DS
USUBJID	Unique Subject Identifier	Char	Collected	81 distinct values
DSSEQ	Sequence Number	Num	Derived	Record number within the subject, from 1 in file order. Values: 1, 2, 3
DSCAT	Category for Disposition Event	Char	Collected	DISPOSITION EVENT, PROTOCOL MILESTONE
DSTERM	Reported Term for the Disposition Event	Char	Collected	ADVERSE EVENT, COMPLETED, DEATH, DISEASE PROGRESSION, INFORMED CONSENT OBTAINED, LOST TO FOLLOW-UP, PHYSICIAN DECISION, PROTOCOL DEVIATION, WITHDRAWAL BY SUBJECT
DSDECOD	Standardized Disposition Term	Char	Assigned	ADVERSE EVENT, COMPLETED, DEATH, INFORMED CONSENT OBTAINED, LOST TO FOLLOW-UP, PHYSICIAN DECISION, PROGRESSIVE DISEASE, PROTOCOL DEVIATION, WITHDRAWAL BY SUBJECT
DSSTDTC	Start Date/Time of Disposition Event	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-06-08 to 2020-04-17
DSSTDY	Study Day of Start of Disposition Event	Num	Derived	Study day of DSSTDTC: date minus the date of first dose, plus one when on or after it (there is no day 0); empty when DSSTDTC is empty.

Table 9 Variables in klv-7704-rs.csv

Variable	Label	Type	Origin	Values or derivation
STUDYID	Study Identifier	Char	Assigned	KLV-7704
DOMAIN	Domain Abbreviation	Char	Assigned	RS
USUBJID	Unique Subject Identifier	Char	Collected	81 distinct values
RSSEQ	Sequence Number	Num	Derived	Record number within the subject, from 1 in file order. Values: 1
RSTESTCD	Assessment Short Name	Char	Collected	OVRLRESP
RSTEST	Assessment Name	Char	Collected	Best overall response
RSCAT	Category for Assessment	Char	Collected	RECIST VERSION 1.1
RSORRES	Result or Finding in Original Units	Char	Collected	CR, NE, PD, PR, SD
RSSTRESC	Character Result/Finding in Standard Format	Char	Derived	RSORRES. Values: CR, NE, PD, PR, SD
RSEVAL	Evaluator	Char	Collected	INVESTIGATOR
VISIT	Visit Name	Char	Collected	BEST OVERALL RESPONSE
VISITNUM	Visit Number	Num	Collected	1
RSDTC	Date/Time of Assessment	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-07-25 to 2020-04-12
RSDY	Study Day of Assessment	Num	Derived	Study day of RSDTC: date minus the date of first dose, plus one when on or after it (there is no day 0); empty when RSDTC is empty.

Table 10 Variables in klv-7704-pc.csv

Variable	Label	Type	Origin	Values or derivation
STUDYID	Study Identifier	Char	Assigned	KLV-7704
DOMAIN	Domain Abbreviation	Char	Assigned	PC
USUBJID	Unique Subject Identifier	Char	Collected	81 distinct values
PCSEQ	Sequence Number	Num	Derived	Record number within the subject, from 1 in file order.
PCTESTCD	Pharmacokinetic Test Short Name	Char	Collected	KLV3308
PCTEST	Pharmacokinetic Test Name	Char	Collected	Kelvaparib Plasma Concentration
PCORRES	Result or Finding in Original Units	Char	Collected	970 distinct values
PCORRESU	Original Units	Char	Collected	ng/mL
PCSTRESN	Numeric Result/Finding in Standard Units	Num	Derived	PCORRES as a number; empty where PCORRES is "<1.00" (below the lower limit of quantification, 1.00 ng/mL).
PCSTRESU	Standard Units	Char	Derived	PCORRESU (the original units are the standard units). Values: ng/mL
PCTPT	Planned Time Point Name	Char	Collected	0.5H, 12H, 1H, 24H, 2H, 4H, 8H, PREDOSE
PCTPTNUM	Planned Time Point Number	Num	Collected	0, 1, 2, 3, 4, 5, 6
PCDTC	Date/Time of Specimen Collection	Date	Collected	ISO 8601 date (YYYY-MM-DD), 2018-06-17 to 2020-04-01
PCDY	Study Day of Specimen Collection	Num	Derived	Study day of PCDTC: date minus the date of first dose, plus one when on or after it (there is no day 0); empty when PCDTC is empty. Values: 1, 8

Table 11 Variables in klv-7704-adsl.csv

Variable	Label	Type	Origin	Values or derivation
STUDYID	Study Identifier	Char	Predecessor	KLV-7704
USUBJID	Unique Subject Identifier	Char	Predecessor	81 distinct values
SUBJID	Subject Identifier for the Study	Num	Predecessor	Range 1001 to 1081
SITEID	Study Site Identifier	Num	Predecessor	Range 0101 to 0113
AGE	Age	Num	Predecessor	Range 38 to 88
AGEGR1	Pooled Age Group 1	Char	Derived	"<65" when AGE is below 65, otherwise ">=65". Values: <65, >=65
SEX	Sex	Char	Predecessor	F
RACE	Race	Char	Predecessor	ASIAN, BLACK OR AFRICAN AMERICAN, OTHER, WHITE
COUNTRY	Country	Char	Predecessor	14 distinct values
ECOGBL	Baseline ECOG Performance Status	Num	Derived	ECOG performance status at the screening assessment. Values: 0, 1, 2
ARM	Description of Planned Arm	Char	Predecessor	Kelvaparib 300 mg
TRT01P	Planned Treatment for Period 01	Char	Derived	DM.ARM. Values: Kelvaparib 300 mg
TRT01A	Actual Treatment for Period 01	Char	Derived	DM.ACTARM. Values: Kelvaparib 300 mg
TRTSDT	Date of First Exposure to Treatment	Date	Derived	DM.RFXSTDTC.
TRTEDT	Date of Last Exposure to Treatment	Date	Derived	DM.RFXENDTC.
TRTDURD	Total Treatment Duration (Days)	Num	Derived	TRTEDT minus TRTSDT plus 1.
SAFFL	Safety Population Flag	Char	Derived	"Y" for every subject who received at least one dose (a record in EX). Values: Y
ITTFL	Intent-to-Treat Population Flag	Char	Derived	"Y" for a subject in the safety set (SAFFL = "Y") with an evaluable best overall response (EFFFL = "Y"), i.e. at least one post-baseline disease assessment: the full analysis set; otherwise "N". Values: N, Y
EFFFL	Efficacy Population Flag	Char	Derived	"Y" when the best overall response is evaluable (RSSTRESC other than "NE"), otherwise "N". Values: N, Y
PPROTFL	Per-Protocol Population Flag	Char	Derived	"Y" for a subject in the full analysis set (ITTFL = "Y") with no disposition record of a protocol deviation (DS, DSDECOD = "PROTOCOL DEVIATION"), otherwise "N". Values: N, Y
PKFL	Pharmacokinetic Population Flag	Char	Derived	"Y" when the subject has at least one quantifiable concentration after dosing (PC, PCTPTNUM above 0 and PCSTRESN above 0), otherwise "N". Values: Y
DTHFL	Subject Death Flag	Char	Derived	"Y" when DTHDT is present, otherwise "N". Values: N, Y
DTHDT	Date of Death	Date	Derived	DM.DTHDTC.
DTHCAUS	Primary Cause of Death	Char	Derived	Primary cause of death as recorded; empty for subjects alive at the data cut-off. Values: Adverse event, Disease progression; empty in 69 records

Variable	Label	Type	Origin	Values or derivation
DCSREAS	Reason for Discontinuation of Study Treatment	Char	Derived	Reason recorded for ending study treatment; empty while treatment is ongoing at the data cut-off. Values: Adverse event, Death, Disease progression, Lost to follow-up, Physician decision, Protocol deviation, Withdrawal by subject; empty in 20 records
RESPFL	Responder Flag	Char	Derived	"Y" when the best overall response (RS, RSTESTCD = "OVRLRESP") is CR or PR, otherwise "N". Values: N, Y
PRIORLIN	Number of Prior Lines of Platinum-based Therapy	Num	Assigned	1, 2, 3, 4
BRCAFL	BRCA Mutation Status	Char	Assigned	BRCA wild-type, BRCA1 mutated, BRCA2 mutated
HRDFL	Homologous Recombination Deficiency Status	Char	Assigned	Negative, Positive
PLATSFL	Platinum-sensitive Disease	Char	Assigned	No, Yes
RESDFL	Residual Disease After Cytoreductive Surgery	Char	Assigned	Absent, Present
CMPLPCT	Treatment Compliance (%)	Num	Derived	Percentage of the prescribed doses taken, from drug accountability; the accountability records are not among the datasets provided.
RDI	Relative Dose Intensity (%)	Num	Derived	CMPLPCT multiplied by the dose intensity, where the dose intensity is the sum over EX periods of EXDOSLVL / 100 times the period length in days, divided by TRTDURD; one decimal.
DOSREDFL	Dose Reduction Flag	Char	Derived	"Y" when EXDOSLVL falls from one EX period to the next, otherwise "N". Values: N, Y
DOSINTFL	Dose Interruption Flag	Char	Derived	"Y" when there is a gap of one day or more between consecutive EX periods, otherwise "N". Values: N, Y

Table 12 Variables in klv-7704-adtte.csv

Variable	Label	Type	Origin	Values or derivation
STUDYID	Study Identifier	Char	Predecessor	KLV-7704
USUBJID	Unique Subject Identifier	Char	Predecessor	81 distinct values
PARAMCD	Parameter Code	Char	Assigned	DOR, OS, PFS
PARAM	Parameter	Char	Assigned	Duration of response, Overall survival, Progression-free survival
AVAL	Analysis Value	Num	Derived	(ADT minus STARTDT) in days divided by 30.4375, rounded to one decimal.
AVALU	Analysis Value Unit	Char	Assigned	MONTHS
CNSR	Censor	Num	Derived	0 = event (EVNTDESC: Death; Progression-free survival; Response ended); 1 = censored (EVNTDESC: Censored at data cut-off; Censored at last assessment; Censored at last contact). Values: 0, 1
STARTDT	Time-to-Event Origin Date	Date	Derived	TRTSDT for every parameter, duration of response included: the file does not date duration of response from the first documented response, and the individual response assessments are not among the datasets provided (RS holds the best overall response only).
ADT	Analysis Date	Date	Derived	Date of the event or of censoring, as delivered. Overall survival deaths: ADSL.DTHDT. Progression-free survival and duration of response: dates from the individual tumour assessments, which are not among the datasets provided, so those dates cannot be re-derived from them. ISO 8601 date (YYYY-MM-DD), 2018-08-31 to 2020-04-30.
EVNTDESC	Event or Censoring Description	Char	Assigned	Censored at data cut-off, Censored at last assessment, Censored at last contact, Death, Progression-free survival, Response ended
TRT01P	Planned Treatment for Period 01	Char	Derived	ADSL.TRT01P. Values: Kelvaparib 300 mg