EXPEDITED SAFETY REPORT

Suspected Unexpected Serious Adverse Reaction — Study KLV-7704

Kelvaparib (KLV-3308)

Marnholt Oncology GmbH

Indication: High-grade serous ovarian carcinoma

Table 1 Case Details

Item	Detail
Sponsor case reference	KLV-3308-7704-002
Study	KLV-7704
Subject identifier	KLV-7704-1076
Age and sex	73 years, female
Investigational product	Kelvaparib (KLV-3308), oral PARP1-selective inhibitor
Treatment group	Kelvaparib 300 mg
Dose at onset	Kelvaparib 300 mg
Reaction reported	Pneumonitis
System organ class	Respiratory, thoracic and mediastinal disorders
CTCAE grade	4
Date of first dose	8 February 2019
Date of onset	9 February 2019
Sponsor awareness	10 February 2019
Seriousness criterion	Life-threatening
Causality, investigator	Related
Causality, sponsor	Related
Expectedness	Unexpected
Outcome	Recovered/resolved

1. NARRATIVE

A 73-year-old female subject with high-grade serous ovarian carcinoma received Kelvaparib 300 mg from 8 February 2019. On study day 2 the subject developed pneumonitis of CTCAE grade 4. Study treatment was continued at the same dose. The reaction resolved on 20 February 2019. The event was assessed by the investigator as related to study treatment and the sponsor concurred.

2. SPONSOR ASSESSMENT

The reaction is unexpected because the term is listed with a maximum expected severity of grade 3 and the reaction was grade 4, and it is therefore reported on an expedited basis. The case is reported to the competent authorities and to the ethics committees concerned within the required timeframe: 7 calendar days from the date the sponsor first became aware, which was 10 February 2019. No change to the conduct of the study is proposed on the basis of this single

case; the event is kept under review in the aggregate analysis.

1 ADMINISTRATIVE INFORMATION

This report is submitted by Marnholt Oncology GmbH as sponsor. It concerns a suspected unexpected serious adverse reaction arising in a subject receiving Kelvaparib in the study identified above. The report is submitted within the timeline applicable in each territory: 7 calendar days for a fatal or life-threatening reaction and 15 calendar days otherwise, calculated from the date the sponsor first became aware.

2 REPORTER AND SOURCE

The report originated from the investigator at the site identified above. The site is identified by number; no investigator is named. The primary source is the clinical record held at the site, and the sponsor has verified the report against that record.

3 SUBJECT INFORMATION

The subject is identified by study number only. Age, sex, relevant medical history and the treatment assigned are given in the case description. No information capable of identifying the subject is included in this report or in any attachment to it.

4 SUSPECT PRODUCT

The suspect product is Kelvaparib (KLV-3308), oral PARP1-selective inhibitor, administered orally twice daily on a continuous schedule. The dose received at the time of the reaction, the date of first dose and the date of the most recent dose before onset are given in the case description.

5 CONCOMITANT MEDICATION

Medication taken at the time of the reaction is listed in the case description with its indication and dates. Where a concomitant medication is a plausible alternative cause, it is identified as such and the reasoning is given in the causality assessment.

6 DESCRIPTION OF THE REACTION

The reaction, its date of onset, its severity graded against the criteria in the protocol, the seriousness criterion met, the treatment given and the outcome are given in the case description. The description is written from the clinical record and is revised as further information is received.

7 SERIOUSNESS ASSESSMENT

The reaction met at least one of the criteria for seriousness: it resulted in death, was life-threatening, required or prolonged hospitalisation, resulted in persistent or significant disability, was a congenital anomaly, or was an important medical event requiring intervention to prevent one of those outcomes. The criterion met is stated in the case description.

8 CAUSALITY ASSESSMENT

The investigator assessed the relationship of the reaction to study treatment. The sponsor made its own assessment independently. Where the two differ, both are reported and neither is suppressed; a report is submitted on the basis of a reasonable possibility of a relationship asserted by either party.

9 EXPECTEDNESS ASSESSMENT

Expectedness was assessed by the sponsor against the reference safety information in the current edition of the investigator brochure. The reaction was assessed as unexpected in nature, in severity or in frequency, which is why it is reported on an expedited basis. The edition of the brochure used for the assessment is recorded.

10 ACTION TAKEN AND OUTCOME

The action taken with study treatment, the treatment given for the reaction and the outcome at the time of this report are given in the case description. Where the outcome is not resolved, follow-up continues and a follow-up report is submitted when material new information is received.

11 SPONSOR ASSESSMENT AND ACTION

The sponsor has reviewed this case against the cumulative experience with the product. The case has been assessed for whether it alters the characterisation of the identified risk, whether it indicates a new risk, and whether any change to the protocol, to the reference safety information or to the conduct of the study is required. Where a change is required, it is described here and implemented by amendment.

12 DISTRIBUTION

This report is distributed to the responsible regulatory authorities, to the ethics committees responsible for the participating sites, and to all investigators participating in studies of this

product, in accordance with the requirements applicable in each territory.