

AYUSHMAN BHARAT DIGITAL MISSION

Table of Contents

1. Terminology
2. HPRID Session API
3. API for Search Facility
4. API to Check HPID exist by Aadhaar
5. HPRID API for verifying mobile number same as Aadhaar mobile number

Terminology:

ABDM - Ayushman Bharat Digital Mission

Authorization token - To obtain, the HPR can call 'sessions API' along with the received ClientID and Client Secret. Same must be used in header for other APIs.

Client ID - Post internal approval, Integrator will receive Client ID to access ABDM APIs

Client Secret - Post internal approval, Integrator will receive Client Secret to access ABDM APIs

HPRID – Healthcare professional ID

CREATE HPRID SESSION

Authentication Token need be generated using client ID and client Secret, To obtain clientId and clientSecret, please register on [Sandbox Application](#).

Headers

REQUEST-ID :

Unique UUID for tracking the end-to-end unique transaction.

Code example: java

<https://www.uuidgenerator.net/dev-corner/java>

TIMESTAMP:

The actual time when the request was initiated, ISO 8601 represents the date and time by starting

with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds

X-CM-ID :

This value depends on the environment where API is getting executed.

Eg. SBX or PROD.

For SBX- sbx and for PROD- abdm

Method	POST
URL	https://dev.abdm.gov.in/api/hiecm/gateway/v3/sessions
Request Body	<pre>{ "clientId": "****", "clientSecret": "3****bf3b-d***d-47a2-be2f-10d*****1d9", "grantType": "client_credentials" }</pre>

Sample Response –

```
{
  "accessToken": "eyJhbGciOiJIUzI1NiIsInR5cCIgOiAiSldUiIiwia2kiOiA6IChBbFJlbnVDbThUbTlFSl9JZk85ejA2aWVQ3Y1MXBLS0Zrbkd1X1RCdksWln0.eyJleHAiOiJ0e2ODk2Nzk0NjQsImhhdCI6MTY4OTY1Nzg2NCwianRpljoianWl5MmMzNtGtOWYzYy00YzdkLTkwODYtZjhmZTI1ZGE3Njc4IiwiaXNzIjoiaHR0cHM6Ly9kZXUubmRobSS5nb3YuaW4wYXV0aC9yZWZfbXVY2VudHJhbC1yZWdpc3RyeSIsImF1c1c_BYe4MUjykeu3hhQzKLKbXBRpPq6QRq1ej9ECvDLGjauaoScnif3zuDGzkzEaBJ0RkTgEU4GKFj5-uqsSE4nOC4QGYNycD0F33ki0yNpllt3omukLZE8MojCmtGsAdz8bHMFnuFi2ZVMfnpSS2Fwq870gEhkpKg_BYe4MUjykeu3hhQzKLKbXBRpPq6QRq1ej9ECvDLGjauaoScnif3zuDGzkzEaBJ0RkTgEU4GKFj5-uqsSE4nOC4QGYNycD0F33ki0yNpllt3omukLZE8MojCmtGsAdz8bHMFnuFi2ZVMfnpSS2Fwq870gEhkpKg_n6Q",
  "expiresIn": 21600,
  "refreshExpiresIn": 1800,
  "refreshToken": "eyJhbGciOiJIUzI1NiIsInR5cCIgOiAiSldUiIiwia2kiOiA6IChyMWU5NzA4OS00ZTcxLTQyNGEOTAzYS1jOTAyMWM1NmFINWYifQ.eyJtItOGU2ZS0wYm1ONWM3MDA1MWWQilClJzY29wZSI6Im9wZW5pZCBlbWZfbmBwcm9maWxln0.jCYdYr-ABS7snKmlSzeY-gpBm9wBpxYISRCOnF8Tj2A",
  "tokenType": "bearer"
}
```

SEARCH FOR FACILITY

This API will provide you with a list of facilities present in the HFR system based on the search criteria. It returns the basic details of the facilities like Facility Id, Name, demographic details, etc.

Please note:

- You can either search for a particular facility, by sending in the facility Id, or with search criteria.
- If you search with facility Id, then other search parameters will not be considered.
- If search is performed without facility id, then you must pass in all the required parameters for a successful search.
- The data needs to be passed in the required format as mentioned for each field.
- Certain demographic details need to be filled in as LGD Codes (Local Government Directory).

Please visit

<https://lgdirectory.gov.in/> for more information.

- The API performs fuzzy match on facility name and exact match on all the other attributes.
- It returns the result in pagination format. By default, it will return the first page consisting of 10 records

unless specified otherwise.

- Please note this API is to be used to find the facilities registered, so that no duplicate facilities are created by the other APIs

Parameters:	Required	Description	Data type	Format if any
ownershipCode	Yes (iffacilityId not present)	Ownership of the facility to be searched	String	Accepted codes as specified in get-master- data APIwith type='OWNER'
stateLGDCode	Yes (iffacilityId not present)	State of the facility. The value should be from LGD	String	LGD Code
districtLGDCode	No	District of the facility. The value should be from LGD	String	LGD Code
subdistrictLGDCode	No	Sub district of the facility. The value should be from LGD	String	LGD Code
pincode	No	Pin code of the facility. This needs to be a valid 6 digit value.	String	6-digit number

facilityName	Yes (iffacilityId not present)	Name of the facility being searched. This value can be either full or partial name	String	Alphanumeric string
facilityId	No	12-character Facility Id allotted to each facility at the time of submission. If this value is present in search call, then only the respective facility details will be returned.	String	Id generated by HFR system.
page	No	The page number of which results need to be seen. Default value is 1	integer	Integer number
resultsPerPage	No	Number of facilities what will come in one page. Default value is 10.	integer	Integer number

Add the accessToken received from the HPRID Gateway Token API for authorization.

Note: Append **tokenType** Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

Method	Post
URL	https://apihspsbx.abdm.gov.in/v4/int/FacilityManagement/v1.5/facility/search
Request Body	<pre>{ "ownershipCode": "", "subDistrictLGDCode": "", "pincode": "", "facilityName": "", "facilityId": "IN0610090166", "page": "", "resultsPerPage": "", "stateLGDCode": "", "districtLGDCode": "" }</pre>

Sample Response
<pre>{ "facilities": [{ "ownership": "PRIVATE", "systemOfMedicineCode": "M", "systemOfMedicine": "Modern Medicine(Allopathy)", "facilityType": "Cath Laboratory", "stateName": "Haryana", "stateLGDCode": "6", "districtName": "Gurugram", "districtLGDCode": "62", "subDistrictName": "Gurgaon", "subDistrictLGDCode": "417", "villageCityTownName": null, "villageCityTownLGDCode": null, "address": "Jeevan Bharti bhilding 7th Floor, , New Delhi", "pincode": "110094", "latitude": "28.446006", "longitude": " 77.042902", "facilityId": "IN0610090166", "facilityName": "NHA ABDM Facility", "facilityStatus": "Submitted", "ownershipCode": "P", "facilityTypeCode": "OTH" }], "message": "Request processed successfully", "totalFacilities": 1, "numberOfPages": 1 }</pre>

CHECK HPID EXIST BY AADHAAR

This API will provide you with HPID registered in Portal after the verification of Aadhaar OTP. Add the accessToken received from the HPRID Gateway Token API for authorization.

- Encryption of Aadhar.
- Get Public certificate from <https://apihspsbx.abdm.gov.in/v4/int/api/v1/auth/cert>
- After receiving public certificate user needs to encrypt OTP with the public key using RSA Encryption Algo RS512. RSA Encryption to encrypt the data. Cipher Type - RSA/ECB/PKCS1Padding. online tool to encrypt data <https://www.devglan.com/online-tools/rsa-encryption-decryption>

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

1. Send OTP on Aadhar registered mobile Number

Method	Post
URL	https://apihspsbx.abdm.gov.in/v4/int/v2/registration/aadhaar/generateOtp
Request Body	<pre>{ "aadhaar": "stOt1sFX9Yig27nrSjXXHHE/YHEzOjd0/QR9NA6dVGi6bmM36c6DRUZgy2H/yL/uda Hr1qa33Dy+Caow8+hwjLe5+QXo/Pr5oK0unVvKQm3JDLgdadqFPkwAqOJ65FHpyDfV L81HzqzG2vj9lrpIEwmIN9/KopVA4RbaDDAbYaCROG7GkH1zIqZ73k01CEvQeX5cvrA dpvUG0GLrTvMxCRI2aS3fwqO2EzYvBtGbsx35BF6/EMtPypkOqwJpbc5I6zTAEfcSMQ wBEK6VRmD+NV32y6+mhXYrswxGyfpMyAVw4TjHoz1ZJzEPDWaCGGYnyb+LaeRvgu6WX pFWiDenw==" }</pre>

Sample Response

```
{  
  "txnId": "143ec756-d312-4a0a-b833-b4202fc394d9",  
  "mobileNumber": "*****5860"  
}
```

2. Verify OTP by Aadhar registered mobile Number

Method	Post
URL	https://apihpsbx.abdm.gov.in/v4/int/v2/registration/aadhaar/verifyOTP
Request Body	<pre>{ "otp": "SWGj9jJ/RBu7FlvJvm9CG0w556Rw3yc2NBbebunisVY7uLsWqXX0ls/2Uta4lMo1Cn dDwacDlIO/+8iixWeZ6ay69iwaDP3GEMImcnNQYf/3ZvSjkdIUdvrBzLe2EvBEXGX48 WFFhjJcgUvvgUwZFw- Kaitbq53MJgSaEMzqTs6sR9JhH7kt6SCnahfQeC/xDv0rTyVsa8dpFje8mQ5m82XUhf FrQ2C7L0HsK4oTxVW7SKlkhugMeA40M2LpPOfcEd4lk5SY1U+Rmr95mWLh5CydK9iOA ydkP6aqLosDZvYLQpHYZcPOTj0o9WkxTKG8Rut++Kw2FbbyryhTT+/PE/A==", "txnId": "{{txnId}}" }</pre>

Response Body
<pre>{ "txnId": "143ec756-d312-4a0a-b833-b4202fc394d9", "mobileNumber": null, "photo": "LzlqLzRBQVFTalpkUmdBQkFnQUFBUUFCQUFELzJ3QkRBQWdHQmdjR0JRZ0hCd2NKQ1FnS0RCUU5EQXN MREJrU0V3OFVIUm9mSGgwYUhCd2dKQzRuSUNJc0l4d2NLRGNwTERBeE5EUTBIeWM1UFRneVBDNHpOREwvMn dCR EFRa0pDUXdMREJnTkRSZ3lJUndoTWpJeU1qQ==", "gender": "M", "name": "K**il Ku***r ****", "email": null, "pincode": "2****8", "birthdate": "***-**-****", "careOf": null, "house": "****", "street": "***", "landmark": "****", "locality": null, "villageTownCity": "*****", "subDist": null, "district": "*****", "state": "Uttar Pradesh", "postOffice": null, "address": " ****" }</pre>

3. Check HPID Exist or Not

HPRID API FOR VERIFYING MOBILE NUMBER SAME AS AADHAAR MOBILE

This API will provide you with HPID registered in Portal after the verification of

Aadhaar OTP. Add the accessToken received from the HPRID Gateway Token

API for authorization.

Note: Append tokenType Bearer before the access token, give a space and then add your access token as shown below.

Key: Authorization

Value: Bearer<Leave Space><Your Access Token goes here>

1. Send OTP on Aadhar registered mobile Number

Method	Post
URL	https://apihpsbx.abdm.gov.in/v4/int/v2/registration/aadhaar/generateOtp
Request Body	<pre>{ "aadhaar": "stOt1sFX9Yig27nrSjXXHHE/YHEzOjd0/QR9NA6dVGi6bmM36c6DRUZgy2H/yL/uda Hr1qa33Dy+Caow8+hwjLe5+QXo/Pr5oK0unVvKQm3JDLgdadqFPkwAqOJ65FHpyDfV L81HzqzG2vj9lrpIEwmIN9/KopVA4RbaDDAbYaCROG7GkH1zIqZ73k01CEvQeX5cvrA dpvUG0GLrTvMxCRI2aS3fwqO2EzYvBtGbsx35BF6/EMtPypkOqwJpbc5I6zTAEfcSMQ wBEK6VRmD+NV32y6+mhXYrswxGyfpMyAVw4TjHoz1ZJzEPDWaCGGYnyb+LaeRvgu6WX pFWiDenw==" }</pre>

Sample Response
<pre>{ "txnId": "143ec756-d312-4a0a-b833-b4202fc394d9", "mobileNumber": "*****560" }</pre>

2. Verify OTP by Aadhar registered mobile Number

Method	Post
URL	https://apihpsbx.abdm.gov.in/v4/int/v2/registration/aadhaar/verifyOTP
Request Body	<pre>{ "domainName": "@hpr.abdm", "idType": "hpr_id", "otp": " SWgi9jJ/RBu7FlvJvm9CG0w556Rw3yc2NBbebunisVY7uLsWqXXO1s/2Uta4l Mo1CndDwacD1IO/+8iixWeZ6ay69iwaDP3GEmImcnNQYf/ XXXXXXXXXX", "restrictions": "", "txnId": "143ec756-d312-4a0a-b833-b4202fc394d9" }</pre>

Response Body	
<pre> { "txnId": "143ec756-d312-4a0a-b833-b4202fc394d9", "mobileNumber": null, "photo": "LzlqLzRBQVFTalpKUmdBQkFnQUFBUUFQUFELzJ3QkRBQWdHQmdjR0JRZ0hCd2NKQ1FnS0RCUU5EQXN MREJrU0V3OFVIUm9mSGgwYUhCd2dKQzRuSUNJc014d2NLRGNwTERBeE5EUTBIeWM1UFRneVBDNHpOREwvMnd CR EFRa0pDUXdMREJnTkRSZ3lJUndoTWpJeU1qQ==", "gender": "M", "name": "K**il Ku***r ****", "email": null, "pincode": "2****8", "birthdate": "**-**-****", "careOf": null, "house": "****", "street": "***", "landmark": "****", "locality": null, "villageTownCity": "*****", "subDist": null, "district": "*****", "state": "Uttar Pradesh", "postOffice": null, "address": " *****" } </pre>	

3. Match Mobile number with Aadhaar registered mobile number

Method	Post
URL	https://apihspbx.abdm.gov.in/v4/int/v2/registration/aadhaar/demographicA uthViaMobile
Request Body	<pre> { "txnId": "143ec756-d312-4a0a-b833-b4202fc394d9", "mobileNumber": "JrHfDROoEcsYJ41g2wdkicsI7mT1ATCP347iqwBhWbfaEIgZ03/WHAYvDHRG2WX14H BNuP2orD+3O75pN0xFhOz4oLXrePAxKTLK8uG5jdeAiGE2lKwOrShq9/gg+BckrQcDY jpMUePRuDau4mqLHa8FdSCQ8npGPY9KCpD2hZkscWNqZR68gRo/EwpY4u32kDzv5i1K /s+A7FNVwXqZS5AK2BadEhG5drSRk7P83eFxJZUlwtsvDK6iipOsM4VtMrDkZyszv37 JppSiyRMFBOyKN+VErG1EdTkoRHHJORYLszKcea6X+8RySQcYA3KOoDZNSrBrQmkG9e+ iGIMZ6hg==" } </pre>

Sample Response

<pre>{ "verified": true }</pre>
