

MONOLITHIC ARCHITECTURE

User Interface


Business Logic

Data Access Layer



DB

MICROSERVICES ARCHITECTURE





Container Orchestration



Containers Limitation?

High Availability?

Overlay Network?

Versioning of Application – Rollout, Rollback?

Scaling?


Autoscaling?

Monitoring?

Dependency between containers?



Container orchestration





Orchestration Technologies





What is Kubernetes?

The Kubernetes project was started by Google in 2014.

Kubernetes builds upon a decade and a half of experience that Google has with running production workloads at scale.

Kubernetes can run on a range of platforms, from your laptop, to VMs on a cloud provider, to rack of bare metal servers.

Kubernetes is an open-source platform for automating deployment, scaling, and operations of application containers across clusters of hosts, providing container-centric infrastructure.

portable: with all public, private, hybrid, community cloud

self-healing: auto-placement, auto-restart, auto-replication, auto-scaling



Why Kubernetes

Kubernetes can schedule and run application containers on clusters of physical or virtual machines.

host-centric infrastructure to a **container-centric** infrastructure.

Orchestrator

Load balancing


Auto Scaling

Application Health checks

Rolling updates



Kubernetes Advantage





And that is kubernetes...



Setup





play-with-k8s.com

Setup Kubernetes



Setup - kubeadm



Kubernetes Cluster

A Kubernetes cluster consists of two types of resources:

Master: Which coordinates with the cluster


The Master is responsible for managing the cluster. The master coordinates all activities in your cluster, such as scheduling applications, maintaining applications' desired state, scaling applications, and rolling out new updates.

Nodes: Are the workers that run application

A node is a VM or a physical computer that serves as a worker machine in a Kubernetes cluster.

Masters manage the cluster and the nodes are used to host the running applications.

The nodes communicate with the master using the Kubernetes API, which the master exposes.





kubeadm


Network Service DNS Service Kube-Proxy Service </>> kube-apiserver 0 etcd node-controller replica-controller </> kubelet **Container Runtime** Master

Network Service Kube-Proxy Service </> kubelet **Container Runtime Worker Node 1**

Network Service KubeProxy Service </> kubelet **Container Runtime** Worker Node 2



Steps





POD




Assumptions

Docker Image

Kubernetes Cluster



POD





POD

