

Getting Started

What is Segment?
How Segment Works
Getting Started Guide
A Basic Segment Installation
Planning a Full Installation
A Full Segment Installation
Sending Data to Destinations
Testing and Debugging
What's Next
Use Cases

Guides

Connections

Unify

Engage

Privacy

Protocols

Segment App

API

Partners

Glossary

Config API

Help

details on how the Humanic PLG CRM can help unlock revenue from your existing user base. To sign up and explore right away, navigate to Humanic today.

This destination is maintained by Humanic. For any issues with the destination, contact the Humanic Support team.

Getting Started

Navigate to **Connections > Catalog** and select the **Destinations** tab in the catalog.

2earch for *Humanic AI* in the catalog and select the destination.

Shoose which source should send data to the *Humanic AI* destination.

So to the Humanic dashboard and select the API Keys tab. Generate an API key and copy it.

5nter the API Key in the Humanic AI destination settings in Segment.

Supported methods

Humanic AI supports the following methods as specified in the Segment Spec.

Page

Send Page calls to record which web pages users visited. For example:

```
analytics.page("Pricing", {
  title: "Segment Pricing",
  url: "https://segment.com/pricing",
  path: "/pricing",
  referrer: "https://segment.com/warehouses",
});
```

Segment sends Page calls to Humanic AI as a pageview.

Screen

Send Screen calls to record which mobile app screens users viewed. For example:

Segment sends Screen calls to Humanic AI as a screenview.

Identify

Send Identify calls to create new users or update existing users with new values. For example:

```
analytics.identify('userId123', {
   email: 'john.doe@example.com',
});
```

Segment sends Identify calls to Humanic AI as an identify event.

Track

Send Track calls to record user behavior in your app. For example:

```
analytics.track('Login Button Clicked');
```

Segment sends Track calls to Humanic AI as a track event.

Engage

You can send computed traits and audiences generated using Engage to this destination as a **user property**. To learn more about Engage, schedule a demo.

For user-property destinations, an identify call is sent to the destination for each user being added and removed. The property name is the snake_cased version of the audience name, with a true/false value to indicate membership. For example, when a user first completes an order in the last 30 days, Engage sends an Identify call with the property order_completed_last_30days: true. When the user no longer satisfies this condition (for example, it's been more than 30 days since their last order), Engage sets that value to false.

When you first create an audience, Engage sends an Identify call for every user in that audience. Later audience syncs only send updates for users whose membership has changed since the last sync.



Real-time to batch destination sync frequency

Real-time audience syncs to Humanic AI may take six or more hours for the initial sync to complete. Upon completion, a sync frequency of two to three hours is expected.

Settings

Segment lets you change these destination settings from the Segment app without having to touch any code.

SETTING	DESCRIPTION
API Key (required)	string. Your Humanic AI API key

This page was last modified: 12 Aug 2024

Need support?

Questions? Problems? Need more info? Contact Segment Support for assistance!

Visit our Support page

Help improve these docs!

Edit this page

♠ Request docs change

Was this page helpful?



Get started with Segment

Segment is the easiest way to integrate your websites & mobile apps data to over 300 analytics and growth tools.

Your work e-mail

Request Demo

or

Create free account

