



Documentation

Getting Started

What is Segment?
[How Segment Works](#)
Getting Started Guide
A Basic Segment Installation
Planning a Full Installation
A Full Segment Installation
Sending Data to Destinations
Testing and Debugging
What's Next
Use Cases

Guides

Connections

Unify

Engage

Privacy

Protocols

Segment App

API

Partners

Glossary

Config API

Help

Server

Server

[Mouseflow](#) is a session replay and heatmap tool that shows how visitors click, move, scroll, browse, and pay attention on websites. It helps clients simplify their analytics to make decisions that matter. The `analytics.js` Mouseflow Destination is open-source. You can browse the code [on GitHub](#).

Getting Started

1. From the Segment web app, click **Catalog**.

2. Search for "Mouseflow" in the Catalog, select it, and choose which of your sources to connect the destination to.

3. In the destination settings, enter your Site ID within the Segment Settings UI. You can find this in [your Mouseflow UI](#).

Your changes appear in the Segment CDN in about 45 minutes, and then Analytics.js starts asynchronously loading the Mouseflow snippet on your page and sending data.

Page

If you're not familiar with the Segment Specs, take a look to understand what the [Page method](#) does. An example call would look like:

```
analytics.page()
```

An initial `page` call is required for data to be sent to Mouseflow using Analytics.js and sends a page view. This is included by default in your [Segment snippet](#).

Identify

If you're not familiar with the Segment Specs, take a look to understand what the [Identify method](#) does. An example call would look like:

```
analytics.identify('user1234', {
  email: 'petergibbon@email.com',
  firstname: 'Peter',
  lastname: 'Gibbon'
})
```

When you call Identify, the `traits` you set will be sent as custom variables to Mouseflow.

Settings

Segment lets you change these destination settings from the Segment app without having to touch any code.

SETTING	DESCRIPTION
Site ID <i>(required)</i>	<code>string</code> . Your Mouseflow site ID.
Mouseflow HTML Delay	<code>number</code> , defaults to 0. HTML Delay

This page was last modified: 27 Oct 2023

Need support?

Questions? Problems? Need more info? Contact Segment Support for assistance!

[Visit our Support page](#)


Help improve these docs!

 [Edit this page](#)

 [Request docs change](#)

Was this page helpful?

 [Yes](#)

 [No](#)

Get started with Segment

Segment is the easiest way to integrate your websites & mobile apps data to over 300 analytics and growth tools.

Your work e-mail

Request Demo

or

Create free account

© 2025 Segment.io, Inc.

[Privacy](#)

[Terms](#)

[Website Data Collection Preferences](#)

