



Getting Started

- What is Segment?
- How Segment Works
- Getting Started Guide
- A Basic Segment Installation
- Planning a Full Installation
- A Full Segment Installation
- Sending Data to Destinations
- Testing and Debugging
- What's Next
- Use Cases

Guides

Connections

Unify

Engage

Privacy

Protocols

Segment App

API

Partners

Glossary

Config API

Help

When you connect AppFit to your Segment account, you get a top level dashboard for your mobile phone and weekly reminders to review your metrics. If you see a metric that doesn't look right, AppFit lets you flag it and add comments so everyone can discuss what's going on right from their phone.

This destination is maintained by AppFit. For any issues with the destination, [contact their Support team](#).

Getting started

1. From the Segment web app, click **Catalog**, then click **Destinations**.
2. Find the Destinations Actions item in the left navigation, and click it.
3. Click **Configure AppFit**.
4. Select an existing Source to connect to AppFit (Actions).


To find your API key, go to the AppFit app and click on Connectors in the main menu. If you already have a Segment Destination connector created, you can click on it and find your API key there, otherwise you can create a new connector by clicking on "Create New Connector" and selecting "Segment Destination"

Destination Settings

SETTING	DESCRIPTION
API Key	<i>Required.</i> AppFit project API key.

Available Actions

Build your own Mappings. Combine supported [triggers](#) with the following AppFit-supported actions:

**Mapping limits per destination**
Individual destination instances have support a maximum of 50 mappings.

 [Track](#)

Track

Send an event to AppFit.

Track is a **Cloud** action.

Click to show / hide fields

FIELD	DESCRIPTION
External User ID	Type: <code>STRING</code> The unique user identifier
Time *	Type: <code>DATETIME</code> When the event occurred.
Event Name *	Type: <code>STRING</code> The event name
Anonymous ID	Type: <code>STRING</code> The anonymous ID of the user
Event Properties	Type: <code>OBJECT</code> Properties of the event
App Version	Type: <code>STRING</code> The app version
Device ID	Type: <code>STRING</code> The device ID of the user
Device Type	Type: <code>STRING</code> The device type
Device Manufacturer	Type: <code>STRING</code> The device manufacturer
Device Model	Type: <code>STRING</code> The device model
Device Advertising ID	Type: <code>STRING</code> The device advertising ID
IP Address	Type: <code>STRING</code> The IP address of the client

FIELD	DESCRIPTION
OS Name	Type: <code>STRING</code> The name of the operating system
OS Version	Type: <code>STRING</code> The version of the operating system
Event ID *	Type: <code>STRING</code> The event ID

Engage

You can send computed traits and audiences generated using [Engage](#) to this destination as a **user property**. To learn more about Engage, schedule a [demo](#).

For user-property destinations, an [identify](#) call is sent to the destination for each user being added and removed. The property name is the snake_cased version of the audience name, with a true/false value to indicate membership. For example, when a user first completes an order in the last 30 days, Engage sends an Identify call with the property `order_completed_last_30days: true`. When the user no longer satisfies this condition (for example, it's been more than 30 days since their last order), Engage sets that value to `false`.

When you first create an audience, Engage sends an Identify call for every user in that audience. Later audience syncs only send updates for users whose membership has changed since the last sync.



Real-time to batch destination sync frequency

Real-time audience syncs to AppFit (Actions) may take six or more hours for the initial sync to complete. Upon completion, a sync frequency of two to three hours is expected.

Settings

Segment lets you change these destination settings from the Segment app without having to touch any code.

SETTING	DESCRIPTION
API Key (required)	<code>string</code> . AppFit project API key.

This page was last modified: 07 Aug 2024

Need support?

Questions? Problems? Need more info? Contact Segment Support for assistance!

[Visit our Support page](#)

Help improve these docs!

[Edit this page](#)

[Request docs change](#)

Was this page helpful?

 Yes

 No

Get started with Segment

Segment is the easiest way to integrate your websites & mobile apps data to over 300 analytics and growth tools.

Your work e-mail

[Request Demo](#)

or

[Create free account](#)

© 2025 Segment.io, Inc.

[Privacy](#)

[Terms](#)

[Website Data Collection Preferences](#)

