



## Documentation

### Getting Started

What is Segment?  
[How Segment Works](#)  
Getting Started Guide  
A Basic Segment Installation  
Planning a Full Installation  
A Full Segment Installation  
Sending Data to Destinations  
Testing and Debugging  
What's Next  
Use Cases

### Guides

### Connections

### Unify

### Engage

### Privacy

### Protocols

### Segment App

### API

### Partners

### Glossary

### Config API

### Help

1 From the Segment web app, click **Catalog**, then click **Destinations**.

2 Search for *Rupt (Actions)* and select it.

3 Click **Configure Rupt (Actions)**.

4 Select an existing Source to connect to Rupt (Actions).

5 Copy your **API key Client ID** from the [Rupt dashboard](#).

6 Add your API key to the Rupt (Actions) settings in Segment.

## Destination Settings

SETTING	DESCRIPTION
Client ID	<i>Required.</i> The API client id of your Rupt project.
Logout URL	A URL to redirect the user to if they choose to logout or if they are removed by a verified owner.

SETTING	DESCRIPTION
New Account URL	<i>Required.</i> A URL to redirect the user to if they want to stop account sharing and create a new account.
Success URL	A URL to redirect the user to if they are successfully verified and are within the device limit.
Suspended URL	A URL to redirect the user to if they are suspended.

## Available Presets

Rupt has the following presets:

PRESET NAME	TRIGGER	DEFAULT ACTION
Attach Device	Event type = 'page'	Attach Device

## Available Actions

Build your own Mappings. Combine supported [triggers](#) with the following Rupt-supported actions:

**Mapping limits per destination**  
Individual destination instances have support a maximum of 50 mappings.

[Attach Device](#)

### Attach Device

Attach a device to an account.

Attach Device is a **Web** action. The default Trigger is: `type = "page"`

[Click to show / hide fields](#)

FIELD	DESCRIPTION
Account *	Type: <code>STRING</code> The account to attach the device to.
Email	Type: <code>STRING</code> The email of the user to attach the device to.
Phone	Type: <code>STRING</code> The phone number of the user to attach the device to.
Metadata	Type: <code>OBJECT</code> Metadata to attach to the device.
Include Page	Type: <code>BOOLEAN</code> Whether to include the page (url) in the attach request

To learn more about how Rupt works, see: [How account sharing prevention works](#).

## Need support?

Questions? Problems? Need more info? Contact Segment Support for assistance!

[Visit our Support page](#)

## Help improve these docs!

 [Edit this page](#)

 [Request docs change](#)

## Was this page helpful?

 [Yes](#)

 [No](#)

## Get started with Segment

Segment is the easiest way to integrate your websites & mobile apps data to over 300 analytics and growth tools.

Your work e-mail

[Request Demo](#)

or

[Create free account](#)

© 2025 Segment.io, Inc.

[Privacy](#)

[Terms](#)

[Website Data Collection Preferences](#)

