



## Getting Started

- What is Segment?
- How Segment Works
- Getting Started Guide
- A Basic Segment Installation
- Planning a Full Installation
- A Full Segment Installation
- Sending Data to Destinations
- Testing and Debugging
- What's Next
- Use Cases

## Guides

## Connections

## Unify

## Engage

## Privacy

## Protocols

## Segment App

## API

## Partners

## Glossary

## Config API

## Help

## Getting started

- From the Segment web app, click **Catalog**, then click **Destinations**.
- Find the **LogRocket** destination item in the left navigation, and click it.
- Click **Configure LogRocket**.
- Select an existing Source to connect to LogRocket.
- On the **Settings** tab, set your LogRocket [appID](#).

## Destination Settings

SETTING	DESCRIPTION
LogRocket App	<i>Required.</i> The LogRocket app ID.

SETTING	DESCRIPTION
Input Sanitization	<i>Required.</i> Obfuscate all user-input elements (like <code>&lt;input&gt;</code> and <code>&lt;select&gt;</code> ) from session recordings.
Network Sanitization	<i>Required.</i> Sanitize all network request and response bodies from session recordings.


## Available Presets

LogRocket has the following presets:

PRESET NAME	TRIGGER	DEFAULT ACTION
Identify	Event type = "identify"	Identify
Track	Event type = "track"	Track

## Available Actions

Build your own Mappings. Combine supported [triggers](#) with the following LogRocket-supported actions:



**Mapping limits per destination**  
Individual destination instances have support a maximum of 50 mappings.

- Identify
- Track

### Identify

Send identification information to logrocket.

Identify is a **Web** action. The default Trigger is: `type = "identify"`

Click to show / hide fields

FIELD	DESCRIPTION
User ID	Type: <code>STRING</code> user id
Traits	Type: <code>OBJECT</code> A JSON object containing additional traits that will be associated with the user.

### Track

Send track events to logrocket for filtering and tagging.

Track is a **Web** action. The default Trigger is: `type = "track"`

Click to show / hide fields

FIELD	DESCRIPTION
Name *	Type: <code>STRING</code> The name of the event.

FIELD	DESCRIPTION
Properties	Type: OBJECT A JSON object containing additional properties that will be associated with the event.

This page was last modified: 06 Dec 2023

### Need support?

Questions? Problems? Need more info? Contact Segment Support for assistance!

[Visit our Support page](#)

### Help improve these docs!

[Edit this page](#)

[Request docs change](#)

### Was this page helpful?

☐ Yes

☐ No

### Get started with Segment

Segment is the easiest way to integrate your websites & mobile apps data to over 300 analytics and growth tools.

[Request Demo](#)

or

[Create free account](#)

© 2025 Segment.io, Inc.

[Privacy](#)

[Terms](#)

[Website Data Collection Preferences](#)

