assignment-3

February 19, 2024

Q1) Perform the following operations on Age-Income dataset (Age- Income-Dataset.csv)

Provide summary statistics (mean, median, minimum, maximum, standard deviation) for numeric variables with and without using any library functions. Provide summary statistics of income grouped by the age groups. Create a list that contains a numeric value for each response to the categorical variable.

[2]:
```
import numpy as np
import pandas as pd

df = pd.read_excel("/content/Age-Income-Dataset.xlsx")
df.head()
```

[2]:
```
           Age  Income
0       Young   25000
1  Middle Age   54000
2         Old   60000
3       Young   15000
4       Young   45000
```

[3]:
```
df.isnull().sum()
```

[3]:
```
Age       0
Income    0
dtype: int64
```

[4]:
```
df['Age'].unique()
```

[4]:
```
array(['Young', 'Middle Age', 'Old'], dtype=object)
```

0.0.1 Calculating Measures of Central Tendancy

[5]:
```
# Calcualting mean by formula
mean_score = sum(df['Income'])/len(df['Income'])
print(mean_score)
```

```
50966.0
```

[6]:
```
#Using Pandas function
mean_score = df['Income'].mean()
print(mean_score)
```

```
50966.0
```

Therefore from given data the mean Income is Rs 50966.0

[7]:
```
# Calculating Median by formula
n = len(df['Income'])
if n % 2:
    income_median = sorted(df['Income'])[round(0.5*(n-1))]
else:
    x_ord, index = sorted(df['Income']), round(0.5 * n)
    income_median = 0.5 * (x_ord[index-1] + x_ord[index])

print(income_median)
```

```
46850.0
```

[8]:
```
# Using Pandas function
df['Income'].median()
```

[8]:
```
46850.0
```

The median is simply the middle value of the sorted dataset.The value 46850.0 splits the dataset in half.

[9]:
```
# Finding the mode
df['Income'].mode()
```

[9]:
```
0    23000
1    25600
2    45000
3    65400
4    80000
Name: Income, dtype: int64
```

The above are the values that appears most frequently in the dataset.

[12]:
```
income_grouped_by_age = df.groupby('Age')['Income'].describe()
print(income_grouped_by_age)
```

```
             count          mean           std      min      25%      50%  \
Age
Middle Age    15.0  52453.333333  20497.800114  25600.0  36900.0  53200.0
Old           19.0  53942.105263  20868.165968  24500.0  38700.0  45300.0
Young         16.0  46037.500000  22356.859499  15000.0  28750.0  41500.0
```

```
                75%      max
Age
Middle Age  61200.0  93000.0
Old         71400.0  89700.0
Young       65850.0  87000.0
```

Above is the summary statistics of income of people which are grouped by age groups.

[14]:
```
age_numeric_values = {'Young': 25, 'Middle Age': 45, 'Old': 65}
# Create a list with numeric values for each response to the categorical␣
 ↪variable
numeric_for_age = [age_numeric_values[age] for age in df['Age']]

print("\nNumeric Values for Categorical Variable 'Age':")
print(numeric_for_age)
```

```
Numeric Values for Categorical Variable 'Age':
[25, 45, 65, 25, 25, 25, 25, 25, 45, 25, 25, 65, 25, 65, 65, 65, 45, 45, 65, 45,
65, 65, 65, 65, 45, 45, 25, 25, 25, 25, 45, 45, 65, 45, 45, 65, 65, 65, 25, 65,
45, 65, 25, 45, 65, 65, 45, 65, 25, 45]
```

Numeric_for_age contains a numeric values for each response to the categorical variable(Age).

Q2) Write a Python program to display some basic statistical details

like percentile, mean, standard deviation etc. of the species of 'Iris- setosa', 'Iris-versicolor' and 'Iris-virginica' of iris.csv dataset.

Calculate the measures of variability. Calculate and provide the visualization of the Correlation among the variables.

[15]:
```
iris_df = pd.read_csv('/content/Iris.csv')
iris_df.head()
```

[15]:

	Id	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm	Species
0	1	5.1	3.5	1.4	0.2	Iris-setosa
1	2	4.9	3.0	1.4	0.2	Iris-setosa
2	3	4.7	3.2	1.3	0.2	Iris-setosa
3	4	4.6	3.1	1.5	0.2	Iris-setosa
4	5	5.0	3.6	1.4	0.2	Iris-setosa

[17]:
```
iris_df.isnull().sum()
```

[17]:
```
Id               0
SepalLengthCm    0
SepalWidthCm     0
PetalLengthCm    0
PetalWidthCm     0
Species          0
```

```
dtype: int64
```

0.0.2 Filter data for each species

[18]:
```
setosa_data = iris_df[iris_df['Species'] == 'Iris-setosa']
versicolor_data = iris_df[iris_df['Species'] == 'Iris-versicolor']
virginica_data = iris_df[iris_df['Species'] == 'Iris-virginica']
```

[19]:
```
virginica_data.head()
```

[19]:

	Id	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm	Species
100	101	6.3	3.3	6.0	2.5	Iris-virginica
101	102	5.8	2.7	5.1	1.9	Iris-virginica
102	103	7.1	3.0	5.9	2.1	Iris-virginica
103	104	6.3	2.9	5.6	1.8	Iris-virginica
104	105	6.5	3.0	5.8	2.2	Iris-virginica

[20]:
```
versicolor_data.head()
```

[20]:

	Id	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm	Species
50	51	7.0	3.2	4.7	1.4	Iris-versicolor
51	52	6.4	3.2	4.5	1.5	Iris-versicolor
52	53	6.9	3.1	4.9	1.5	Iris-versicolor
53	54	5.5	2.3	4.0	1.3	Iris-versicolor
54	55	6.5	2.8	4.6	1.5	Iris-versicolor

[21]:
```
setosa_data.head()
```

[21]:

	Id	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm	Species
0	1	5.1	3.5	1.4	0.2	Iris-setosa
1	2	4.9	3.0	1.4	0.2	Iris-setosa
2	3	4.7	3.2	1.3	0.2	Iris-setosa
3	4	4.6	3.1	1.5	0.2	Iris-setosa

```
4   5            5.0           3.6            1.4           0.2  Iris-setosa
```

[22]:
```
setosa_data.mean()
```

```
<ipython-input-22-4264295ec158>:1: FutureWarning: The default value of
numeric_only in DataFrame.mean is deprecated. In a future version, it will
default to False. In addition, specifying 'numeric_only=None' is deprecated.
Select only valid columns or specify the value of numeric_only to silence this
warning.
  setosa_data.mean()
```

[22]:
```
Id               25.500
SepalLengthCm     5.006
SepalWidthCm      3.418
PetalLengthCm     1.464
PetalWidthCm      0.244
dtype: float64
```

[23]:
```
versicolor_data.median()
```

```
<ipython-input-23-c4adffb41e64>:1: FutureWarning: The default value of
numeric_only in DataFrame.median is deprecated. In a future version, it will
default to False. In addition, specifying 'numeric_only=None' is deprecated.
Select only valid columns or specify the value of numeric_only to silence this
warning.
  versicolor_data.median()
```

[23]:
```
Id               75.50
SepalLengthCm     5.90
SepalWidthCm      2.80
PetalLengthCm     4.35
PetalWidthCm      1.30
dtype: float64
```

[29]:
```
from scipy.stats import percentileofscore

percentileofscore(virginica_data['SepalLengthCm'], 6.3)
```

[29]:
```
33.0
```

The percentile of value 6.3 in virginica_data[‘SepalLength’] is 33.0

0.0.3 Measures of variability

Measures of variability are capable of quantifying the spread of data points.

[32]:
```
print("Variance for Iris-setosa SepalWidthCm:")
print(setosa_data['SepalWidthCm'].var())
```

```
Variance for Iris-setosa SepalWidthCm:
0.1451795918367347
```

The variance quantifies the spread of the data. It signifies how far are the data points from the mean.

[33]:
```
print("Standard Deviation for versicolor_data PetalLengthCm:")
print(versicolor_data['PetalLengthCm'].std())
```

```
Standard Deviation for versicolor_data PetalLengthCm:
0.46991097723995795
```

Standard deviation is the positive square root of the sample variance. Here low standard deviation for a PetalLengthCm indicates that the data points tend to be close to its mean

0.0.4 Visualization of Correlation

[42]:
```
import matplotlib.pyplot as plt
import seaborn as sns

plt.figure(figsize=(10, 8))
correlation_matrix = setosa_data.corr()
sns.heatmap(correlation_matrix, annot=True, cmap="Pastel2", linewidths=.5)
plt.title("Correlation Matrix of Setosa Data")
plt.show()
```

```
<ipython-input-42-b7dcdef79e65>:5: FutureWarning: The default value of
numeric_only in DataFrame.corr is deprecated. In a future version, it will
default to False. Select only valid columns or specify the value of numeric_only
to silence this warning.
  correlation_matrix = setosa_data.corr()
```


Correlation Matrix of Setosa Data
Id
SepalLengthCm
SepalWidthCm
PetalLengthCm
PetalWidthCm
1
-0.034
-0.067
0.053
0.087
-0.034
1
0.75
0.26
0.28
-0.067
0.75
1
0.18
0.28
0.053
0.26
0.18
1
0.31
0.087
0.28
0.28
0.31
1
Id
SepalLengthCm
SepalWidthCm
PetalLengthCm
PetalWidthCm
1.0
0.8
0.6
0.4
0.2
0.0