Specification for transport label for Bring (revised services sent from Norway)

Version 5.00
(New edition)

Contents

1 INTRODUCTION 5

2 CONTENT 5

3 DIMENSION 5

4 MATERIAL 5

5 QUALITY 5

6 BARCODES 5

6.1 Description of GS-1 128 5

6.2 Description of Code 39 6

6.3 FACT standard 6

6.4 Use of barcodes in Posten/Bring 6

7 ELEMENTS OF DATA 7

8 INFORMATION BLOCKS 8

9 THE CONTENTS OF THE DATA ELEMENTS 8

9.1 Fonts 8

9.2 Description of content in the data elements 8

9.2.1 Field A: Information regarding the consignor 8
9.2.2 Field B: Return address /Alternative consignor 8
9.2.3 Field C: Information regarding the consignee 9
9.2.4 Field D: Date 9
9.2.5 Field E: Postcode for delivery address 9
9.2.6 Field F: City 9
9.2.7 Field G: Postal address 9
9.2.8 Field H: Phone number 9
9.2.9 Field I: Country 10
9.2.10 Field J: (Not in use) 10
9.2.11 Field K: License plate number 10
9.2.12 Field L: Number of transport units 10
9.2.13 Field M: Weight 10
9.2.14 Field N: Volume 10
9.2.15 Field O: Consignment number 10

9.2.16 Field P: Freight payer ... 11
9.2.17 Field Q: Transport instruction ... 11
9.2.18 Field R: COD amount ... 11
9.2.19 Field S: Bank account number ... 11
9.2.20 Field T: KID/COD reference ... 11
9.2.21 Field U: COD identifier ... 11
9.2.22 Field V: Identification of additional services ... 12
9.2.23 Field W: Transporter logo ... 12
9.2.24 Field X: Service name ... 12
9.2.25 Field Y: Service code ... 12
9.2.26 Field Z: Priority code ... 12
9.2.27 Field AA: Code regarding the additional service ... 12
9.2.28 Field AB: (merged with field AA) ... 12
9.2.29 Field AC: (merged with field AA) ... 12
9.2.30 Field AD: Reference ... 12
9.2.31 Field AE: Consignees reference ... 13
9.2.32 Field AF: Delivery instruction ... 13
9.2.33 Field AG: License plate (barcode) ... 13

10 GENERAL SERVICES ... 14

11 BRING CARGO OFFSHORE & ENERGY ... 16

12 EXAMPLES ... 17

12.1 "Business Delivery Groupage" ... 17

12.2 "Delivery to pick-up point Parcel" including COD ... 18

12.3 "Courier standard" ... 19

12.4 "Business delivery" ... 20

12.5 "Express next day" ... 21

12.6 "Express next day with Saturday delivery and Choice pickup point" ... 22

Version history:

Version number	Date	Description
5.0	5.4.2018	New and improved edition.

1 Introduction

This specification is a description of the labels for marking goods and parcels for transportation by simultaneous use of EDI. To which countries you can send packets with EDI, we refer to the applicable specifications for EDI file formats.

The label is designed according to the CEN EN 1573 Multi-industry Transport Label. For more information follow the link below:

https://www.norstella.no/

2 Content

The specification contains descriptions regarding:

- Bring Parcels
- Bring Cargo
- partly Bring Express

Bring Express has also a specific specification regarding their cooperation with UPS.
Bring Frigo Norway has also their own specification regarding temperature regulated transportation.

3 Dimension

The most useful standard dimension for the label is 101x192mm. This specification is based on this dimension.
It is also possible to use other dimension, like a width of 148mm.
But the minimum height is 192mm.

4 Material

The label should have a material that it can resist the physical strain, and that the package's underlying structure does not affect the readability of barcodes. More about barcodes in next chapter 5 “Quality”.

5 Quality

In addition to good quality to the barcode, it’s important how the label is placed on the consignment.
To maintain a good delivery quality, the barcode must be located so that the entire barcode is displayed, without wrinkles or folds.
Do not place tape above the barcode.
The print quality should be without wounds or blurred lines.
To achieve good quality, the printers must be cleaned at least once a week.

6 Barcodes

6.1 Description of GS-1 128

The barcode should, depending on the content, be of symbology GS1-128 according to GS1 / UCC standard, Code 128 according to EN 799, X-module a minimum of 0,375 mm, height at least 22 mm. Readability should be tested and be satisfactory after CEN EN1635 standard, quality (overall) minimum ANSI B (according to ANSI X3.182:1990).

For more detail information, see the documentation from GS1 Norge “GS1 General Specification”:
https://www.gs1.org/docs/barcodes/GS1_General_Specifications.pdf

The CEN license plate requires the use of standard identifiers to describe the use of the barcode. When GS1-128 code is used, it should be an application identifier (00) ahead of the barcode for the License plate-number. This code also contains identifiers for packaging type, country, and shall also contain the customer number in GS1. Including the code identifiers, the License plate-number consists of 20 numeric characters.

6.2 Description of Code 39

Regarding Parcels, until further notice, only Code 39 can be used as barcode symbology and UPU's S10 standard for content.
The bar code shall be of symbology code 39 according to EN 800 Quality ANSI B, X module 0375 mm and the ratio 2.33:1 or 2.0:1, height 22 mm. The customer is obliged to order a new number series at the Post Office, at least two weeks prior to the current number series is expected to be exhausted.
Readability should be tested and be satisfactory after CEN EN1635 standard, minimum ANSI B
For more detail documentation:
http://www.barcodeisland.com/code39.phtml

6.3 FACT standard

Only for special use in Posten/Bring. Requires agreement.

FACT standard, which uses Code128, also contains identifiers. For the License Plate it will be 3J when EDI is used. This code can contain up to 35 alpha-numeric characters.

6.4 Use of barcodes in Posten/Bring

GS1-128 is used for all transport domestic.

For transport abroad for the parcel service is it code 39 (S10). All other transport abroad we use GS1-128.

7 Elements of data

The illustration below shows which fields the label is divided into. In chapter 9 we will refer to the field. The illustration is based on the dimension 101x192mm.



Figure 1: Field description

8 Information blocks

The label consists of 4 major blocks that shall contain as described below:

1. Consignor:
The sender-information is in these fields:
A – B

2. Consignee:
The receiver-information is in these fields:
C – J

3. Information about the transport:
The transport information is in field:
K – AF

4. Barcodes:
The barcode is in field:
AG

9 The contents of the data elements

9.1 Fonts

The font should be Arial, Gill Sans or Sans Gentle, or fonts with another term that gives almost the same look. Is it indicated in fonts in bold, the font will be Arial Narrow bold / Gill Sans Bold / Gentle Sans bold, or another clear sans serif font. General size is set to 10 - 12 points. The prompts are set to 8 point.

In the examples and the font in this specification is in Arial.

9.2 Description of content in the data elements

9.2.1 Field A: Information regarding the consignor

Type	Place	Selectable	Size	Notes
Information regarding the consignor				
Name	Left alignment	Mandatory	10 – 12 point	
Address	Left alignment	Mandatory	10 – 12 point	
Postcode	Left alignment	Mandatory	10 – 12 point	
City	Left alignment	Mandatory	10 – 12 point	
Country	Left alignment	May	10 – 12 point	Regarding Bring Cargo this is a Mandatory-Field. For others recommended.
Prompt: From:			8 point	

9.2.2 Field B: Return address /Alternative consignor

Type	Place	Selectable	Size	Notes
Return address/Alternative consignor	Left alignment			Return address when its deviate from the information in Field A
Prompt: Return to:			8 point	

Content in the field:

Type	Place	Selectable	Size	Notes
Name	Left alignment	Mandatory	10 – 12 point	
Address	Left alignment	May	10 – 12 point	
Postcode	Left alignment	Mandatory	10 – 12 point	
City	Left alignment	Mandatory	10 – 12 point	
Country	Left alignment	May	10 – 12 point	

9.2.3 Field C: Information regarding the consignee

NB! There should be a frame of 1mm width round the fields C - J

Type	Place	Selectable	Size	Notes
Information regarding the consignee	Left alignment			
Name	Left alignment	Mandatory	10 – 12 point	
Attention	Left alignment	May	10 – 12 point	
Address lines	Left alignment	May	10 – 12 point	Number of address lines depending on demand and place
Prompt: To:			8 point	For location and design, see examples

9.2.4 Field D: Date

Type	Place	Selectable	Size	Notes
Date	Left alignment	Mandatory	10 – 12 point	Should be stated as: 13.01.17 or 13.01.2017
Prompt: Date			8 point	For location and design, see examples

9.2.5 Field E: Postcode for delivery address

Type	Place	Selectable	Size	Notes
Postcode for delivery address (with country code)	Left alignment	Mandatory	28 point	Country codes with 2 letter codes. According to the international standard ISO-3166

9.2.6 Field F: City

Type	Place	Selectable	Size	Notes
City	Left alignment	Mandatory	20 point	

9.2.7 Field G: Postal address

Type	Place	Selectable	Size	Notes
Postal address (Post box or street/road) Postcode and city	Left alignment	Mandatory	10-12 point	To be used when different from the delivery address.
Prompt: Postal address:			8 point	For location and design, see examples

9.2.8 Field H: Phone number

Type	Place	Selectable	Size	Notes
Phone number	Left alignment	Mandatory	10-12 point	
Prompt: Phone			8 point	For location and design, see examples

9.2.9 Field I: Country

Type	Place	Selectable	Size	Notes
Country	Left alignment	Mandatory	10-12 point Bold	To be stated in capital letters

9.2.10 Field J: (Not in use)

Merged with field I: Country

9.2.11 Field K: License plate number

Type	Place	Selectable	Size	Notes
License plate number	Left alignment	Mandatory	10-12 point	License plate number (mandatory) be unique for each parcel
Prompt: License Plate No:			8 point	For location and design, see examples

9.2.12 Field L: Number of transport units

Type	Place	Selectable	Size	Notes
Number of transport units	Left alignment	Mandatory	18 point, Bold	The total number of transport units (colli or packages)
Prompt: Colli:			8 point	For location and design, see examples

9.2.13 Field M: Weight

Type	Place	Selectable	Size	Notes
Weight	Left alignment	Conditional	18 point, Bold	Is mandatory for Business delivery Groupage, International forwarding and Nordic forwarding
Prompt: Weight:			8 point	For location and design, see examples

9.2.14 Field N: Volume

Type	Place	Selectable	Size	Notes
Volume	Left alignment	Conditional	18 point, Bold	To be stated in dm^3 This is mandatory for Business delivery Groupage, International forwarding and Nordic forwarding.
Prompt: Volum:			8 point	For location and design, see examples

9.2.15 Field O: Consignment number

Type	Place	Selectable	Size	Notes
Consignment number	Left alignment	Conditional	10-12 point	This is mandatory for services Business delivery Groupage, International forwarding and Nordic forwarding. Must be unique for each consignment.
Prompt: ConsignmentID:			8 point	For location and design, see examples

9.2.16 Field P: Freight payer

Type	Place	Selectable	Size	Notes
Freight payer	Left alignment	Mandatory	10-12 point	To show who is paying the freight (examples): - Consignor - Consignee - Third party
Prompt: Payer:			8 point	For location and design, see examples

9.2.17 Field Q: Transport instruction

Type	Place	Selectable	Size	Notes
Transport instruction	Mid alignment	Only to be used according to special agreement		
Prompt: Transport instruction:			8 point	For location and design, see examples

9.2.18 Field R: COD amount

Type	Place	Selectable	Size	Notes
COD amount	Left alignment	Conditional	10-12 point	Mandatory-field when ”COD” is chosen. At multi-parcel the amount must be stated on each (every) label. Must also contain currency code according to ISO 4217 three-letter code
Prompt: Amount/currency:			8 point	For location and design, see examples

9.2.19 Field S: Bank account number

Type	Place	Selectable	Size	Notes
Bank account number	Left alignment	Conditional	10-12 point	Mandatory when “COD” is chosen. If this is more than one transport unit (colli or package) you have to state the account number on each label.
Prompt: Bank account no:			8 point	For location and design, see examples

9.2.20 Field T: KID/COD reference

Type	Place	Selectable	Size	Notes
KID/COD reference	Left alignment	May	10-12 point	May contain a KID number, or the text : ”GIROSENDING COD”.
Prompt: KID/COD reference:			8 point	For location and design, see examples

9.2.21 Field U: COD identifier

Type	Place	Selectable	Size	Notes
COD identifier Graphic element (triangle)	Right alignment	Conditional	Length: 28mm Height: 12mm	Mandatory if ”COD” is chosen. If multi-parcel

				the symbol must be printed at each label. For location and design, see examples

9.2.22 Field V: Identification of additional services

Type	Place	Selectable	Size	Notes
Identification of additional services	Left alignment	Conditional	10-12 point	

9.2.23 Field W: Transporter logo

Type	Place	Selectable	Size	Notes
Logo (graphical element)	Left alignment	Mandatory		Look to the appendix 2 in the Implementation-guide for IFTMIN D04A, regarding the use of logo. For location and design, see examples and size.

9.2.24 Field X: Service name

Type	Place	Selectable	Size	Notes
Service name	Left alignment	Mandatory	10-12 point	See point 10: Service table down below for correct name
Prompt: Service			8 point	For location and design, see examples

9.2.25 Field Y: Service code

Type	Place	Selectable	Size	Notes
Service code	Left alignment	Mandatory	10-12 point	See point 10: Service table down below for correct code
Prompt: ServiceID:			8 point	For location and design, see examples

9.2.26 Field Z: Priority code

Type	Place	Selectable	Size	Notes
Priority code	Left alignment	Mandatory	26 point	See point 10: Service table for correct priority code

9.2.27 Field AA: Code regarding the additional service

Type	Place	Selectable	Size	Notes
Additional service	Ahead of the priority code in Field Z	Conditional	26 point	See point 10: Service table for correct additional service

9.2.28 Field AB: (merged with field AA)

9.2.29 Field AC: (merged with field AA)

9.2.30 Field AD: Reference

Type	Place	Selectable	Size	Notes
Reference field	Left alignment	Conditional	10-12 point	Mandatory for the products Groupage and Part Load.

				Otherwise it is optional
Prompt: Consignee reference:		Mandatory	8 point	For location and design, see examples

9.2.31 Field AE: Consignees reference

Type	Place	Selectable	Size	Notes
Reference field	Left alignment		10-12 point	
Prompt: Consignor reference:			8 point	For location and design, see examples

9.2.32 Field AF: Delivery instruction

Type	Place	Selectable	Size	Notes
Delivery disclaimer	Left alignment		10-12 point	
Prompt: Delivery instruction:			8 point	For location and design, see examples

9.2.33 Field AG: License plate (barcode)

Type	Place	Selectable	Size	Notes
Barcode and text	Mid alignment	Mandatory	Height: 35 % of the with, minimum 22mm	The contents of the bar code shall be printed below the code in clear
Prompt: License plate no:		Mandatory	8 point	For location and design, see examples

10 General Services

Service				Priority and perfomance		
Name (field X)	**Code (field Y)**	**Additional service (field V)**	**Name (field V)**	**Code (field AA)**	**Code (field Z)**	**Notes**
International forwarding	4000	2152	Dangerous goods Nordic	PL	2	
		2141	Frost-free			
		2142	Special goods			
Courier Standard	4500	1134	Personal delivery		0	
		1099	VIP			
		1100	1 hour			
		1101	2 hours			
		1102	4 hours			
		1103	6 hours			
		1104	Long distance			
Courier Systemized	4550	1134	Personal delivery		2	
Express	4850	0041	Simplified delivery		1	
		1036	Choice of pick up point	V	1	Could also be combined with “L” for Saturday delivery: “LV1”
		1062	Saturday delivery	L	1	”L” to be used when delivery Saturday is chosen
		1083	Thermo transport	T	1	”T” to be used in combination with the additional service code 1083. **Valid only after special agreement between Bring and customer**
		1133	Proof of identity required		1	
		1134	Personal delivery			
		2152	Dangerous goods Nordic			
		2141	Frost-free			
		2142	Special goods			
Business delivery	5000	0041	Simplified delivery		2	
		1063	ID contract			
		1133	Proof of identity required			
		2152	Dangerous goods Nordic			
Business delivery Groupage	5100	1218	Evening delivery	SG	2	Agreement only
		1245	Dangerous goods			
		0041	Simplified Delivery			
		2142	Special goods			
		2141	Frost-free			

		2517	Priority handling			
		1245	Dangerous goods			
		0041	Simplified Delivery			
Business delivery before 7 am	5200	2142	Special goods	ED	1	Agreement only
		2141	Frost-free			
		2504	Direct transit			
		1245	Dangerous goods			
Nordic forwarding	5300	0041	Simplified Delivery	PL	2	Agreement only
		2142	Special goods			
		2141	Frost-free			
		2165	Night delivery (Before 7 am)			
		2517	Priority handling			
		2152	Dangerous goods Nordic			
		0041	Simplified Delivery			
		1063	ID contract			
		1082	Social control			
Business delivery pallet	5400	1133	Proof of identity required		2	
Home delivery Parcel	5600	1134	Personal delivery	H	2	
		1245	Dangerous goods			
		0041	Simplified Delivery			
		2142	Special goods			
		1063	ID contract			
Home delivery Curbside	5700	1082	Social check	H	2	
		1133	Proof of identity required			
		1134	Personal delivery			
Home delivery indoor	5750	2152	Dangerous goods Nordic	H	2	
		2142	Special goods			
		0041	Simplified Delivery			
		1063	ID contract			
		1082	Social check			
		1133	Proof of identity required			
Delivery to pick up point Parcel	5800	1134	Personal delivery		3	
		1036	Choice of pickup point			
		1133	Proof of identity required			
		2142	Special goods			
		2152	Dangerous goods Nordic			
		1063	ID contract	V	3	
Delivery to pick up point Heavy	5900	1133	Proof of identity required		2	
		1134	Personal delivery			
Business	7600	0041	Simplified		2	

delivery Parcel Bulk			Delivery			
Delivery to Pick up point Parcel Bulk	7650	1133	Proof of identity required		3	
		1134	Personal delivery			
		0041	Simplified Delivery			
		0041	Simplified delivery			
Home delivery Parcel Bulk	7700	2152	Dangerous goods Nordic		2	
		2152	Dangerous goods Nordic			
		2142	Special goods			
Express Next Day Bulk	7750	2152	Dangerous goods Nordic		1	
		2142	Special goods			
Return Business Collection Parcel	9000	2152	Dangerous goods Nordic	R	2	
		2142	Special goods			
Return Home Collection Parcel	9150	2152	Dangerous goods Nordic	R	2	
		2142	Special goods			
Return Home Collection Curbside	9200			R	2	
Return Home Collection Indoor	9250			R	2	
Return Drop-of Parcel	9300			R	2	
Business Collection Parcel Bulk Return	9550			R	2	

11 Bring Cargo Offshore & Energy

Product			Priority and performance		
Name	**Code**	**Significance**	**Code (Field AA)**	**Code (Field Z)**	**Notes**
Supply Base Truck	(3428) OXPR	Offshore/Supply Base Logistics	SG	2	Always to be used. Agreement only

12 Examples

12.1 "Business Delivery Groupage"

12.2 "Delivery to pick-up point Parcel" including COD

12.3 "Courier standard"

From
Avsender
Gateadresse
Postnr./sted

Return to
Retur til
Gateadresse
Postnr./sted

To
Mottaker AS
Att.
Storgaten 24
3260 Larvik

Date
27.01.18

Postal adress
Postboks xx
3251 Larvik

Phone
99999999

NORGE

Lisence plate no
(00)370438111223312283

Colli 1/1
Weight 4,0
Volume 4,0

Consignment ID
(401)70438100514861127

Payer:

Customer no: 00001234567

Transport Instructions

1101: 2 hours

bring

Service:
Courier standard

0

ServiceID:
4500

Senders reference:
Ordre nr 12345678543
Delivery instruction:

(00)370438111223312283

12.4 "Business delivery"

From
Avsender
Gateadresse
Postnr./sted

Return to
Retur til
Gateadresse
Postnr./sted

To
Mottaker AS
Att.
Storgaten 24
3260 Larvik

Date
27.01.18

Postal adress
Postboks xx
3251 Larvik

Phone
99999999

NORGE

Lisence plate no
(00)370438111223312283

Colli 1/2
Weight 24,5
Volume 45,0

Consignment ID
(401)70438100514861127

Payer:

Customer no: 00001234567

Transport Instructions

0041: Simplified delivery

bring

Service:
Business Delivery Parcel

2

ServiceID:
5000

Senders reference:
Ordre nr 12345678543
Delivery instruction:

(00)370438111223312283

12.5 "Express next day"



12.6 "Express next day with Saturday delivery and Choice pickup point"