FedEx LABEL SPECIFICATION GUIDE & SAMPLES

INTL PRIORITY-DRY ICE

1) DRY ICE Weight must be printed in KG.

2) Consignee label: DESC 3 must contain the verbiage "Dry Ice, UN1845 1X10.00KG" Format is Dry Ice, UN1845 piece countXDryIceWeight



A	Quiet Zone – Both Left & Right Sides Minimum .04" Preferred.25"	Quiet Zone -Top & Bottom Minimum .10"
B	Quiet Zone – Both Left & Right Sides Minimum .04" Preferred.25"	Quiet Zone – Top & Bottom Minimum .10"

No.	Description	FSMS Response Field
1	Shipper Information Block All info -Arial Narrow 8 pt "Origin ID:" -Origin Location ID – U -Country Code (ISO) – U	
2	Recipient Information "TO:" - Arial Narrow 8pt U Name and Address Lines - Arial Bold 8pt U/L City – Arial Bold 10pt U/L State & Postal Code - Arial Bold 10 pt. U Country Code – Arial Bold 10pt U	
3	Recipient Phone# Arial Narrow 8pt U/L	
4	Reference Information # Reference Numbers 1 – 5 Arial Ref#:/Inv#:/Dept#:/PO#:/RMA#:	
5	2D Barcode 2D PDF-417 ANSI MH.10 Font – 5:1, S=5 Size 10 mil	3064
6	650-# – Tracking Number verbiage (TRK#) 651-# – Form ID verbiage 652-# – Master verbiage/s in case of MPS 655-# – Piece count verbiage 656-# – Shipment Tracking number (**#** - sequential fields will be returned only in case of Multi Piece shipment)	650, 651, 652, 655 656
7	URSA Routing Code Arial 18pt Bold	653
8	FedEx 1D Barcode Height = 1" X dimension = 15 mil	664
9	Airport ID Arial 14pt U	663
10	Destination Information Destination ZIP - Courier New Bold 20pt Destination State & Country -Arial Bold 12pt	661,662
11	Special Handling Codes Multiple handling code ICE - Arial 9pt U	660
12	Service Description Arial Black 14pt U	659
13	Planned Service Label	658
14	CLS Version Identifier or CSP version Arial Narrow 6pt U/L	
15	Box enclosing OpCo identifier 0.50" sq. thick Company Identifier Letter – Graphics Image	
16	Destination State-Country code	
17	Recipient Country Code Country Code with parentheses – Arial Bold 10pt U	
18	UVSDK Version number Arial Narrow 8pt U/L	665
19	Horizontal Split Min 0.10" thick	
20	Bill Type Bill Sender / Bill Recipient / Bill 3rd Party	
21	Miscellaneous Data All info -Arial Narrow 8pt U/L	
22	Vertical Split Minimum .010"	

INTL PRIORITY-DRY ICE AWB



A	Quiet Zone – Both Sides Minimum.04” Preferred.25”	Quiet Zone -Top and Bottom Minimum .10”
B	Quiet Zone – Both Sides Minimum .04” Preferred.25”	Quiet Zone -Top and Bottom Minimum .10”

No.	Description	FSMS Response Field
1	Shipper Information Block All info -Arial Narrow 8 pt. “Origin ID:” -Origin Location ID – U - Country Code (ISO) – U	1084
2	Recipient Information “TO:” - Arial Narrow 8pt U Name and Address Lines - Arial Bold 8pt U/L City – Arial Bold 10pt U/L State & Postal Code - Arial Bold 10 pt U Country Code – Arial Bold 10pt U	
3	AWB Label Arial Bold 12 pt. U	
4	Tracking# barcode-CODABAR/CBAR, Size 10 mil	
5	650-# – Tracking Number verbiage (TRK#) 651-# – Form ID verbiage 652-# – Master verbiage/s in case of MPS 655-# – Piece count verbiage 656-# – Shipment Tracking number (# - sequential fields will be returned only in case of Multi Piece shipment)	650, 651, 652, 655 656
6	Planned Service Label	658
7	Service Description Arial Black 14pt U	
8	All Information Label - Arial 8pt All Detail DESC1 & DESC3 should be present with correct calculation of weight	
9	All Information Label - Arial 8pt U “CTRY/TERR MFR:” Country Code (ISO) – U, 2 char “CARRIAGE VALUE:” Carriage Value data – 5.2 digits, space, AAA “CUSTOMS VALUE” Customs Value data – 5.2 digits, space, AAA	
10	Instructions Must appear as shown Arial Bold 10 pt. U	
11	D/T, T/C account details with pre-processor S / R / O i.e., Sender, Recipient, Third Party respectively	
12	Horizontal Split Min 0.10” thick	
13	Special Handling code- Arial 12pt U Packaging Type PKG TYPE: CUSTOMER Arial 12pt U	
14	URSA Routing Code Arial 18pt Bold	653
15	CLS Version Identifier Arial Narrow 6pt U/L	
16	Box enclosing OpCo identifier 0.50” sq. thick Company Identifier Letter – Graphics Image	
17	Recipient Country Code Country Code with parentheses – Arial Bold 10pt U	662
18	Recipient Phone # Arial Narrow 8pt	
19	Line Horizontal Min 0.10” thick	
20	Bill Type Bill Sender / Bill Recipient / Bill Third Party	
21	Miscellaneous Data All info -Arial Narrow 8pt U/L	
22	Vertical Split Minimum .010” IP – BSO HLD	

PRIORITY OVERNIGHT

A	Quiet Zone – Both Sides Minimum.04” Preferred.25	Quiet Zone -Top and Bottom Minimum .10”
B	Quiet Zone – Both Sides Minimum.04” Preferred.25”	Quiet Zone – Top and Bottom Minimum .10”

Delivery Address Barcode Specifications

Data Character Length	20 to 36 characters (Symbology / Print Method Dependent)
Format Indicator	Start Character = 7
Bar Code Symbology	Code 128B
Print Head Resolution	203 DPI
Check Digit	None
X Dimension	10 mil (203 DPI)
N Ratio	2.5-3.0 wide to narrow
Bar Height	0.5 minimum to 0.75 (preferred)
Bar Length	3.5” max
Quiet Zones	.25 each side and .10 top and bottom
Background Colour	White Only

No.	Description	FSMS Response Field
1	Shipper Information Block All info - Arial Narrow 8 pt. “Origin ID:” -Origin Location ID – U - Country Code (ISO) – U	1084
2	Recipient Information Phone # - Arial Bold 8pt “TO:” - Arial Narrow 8pt U Name and Address Lines - Arial Bold 8pt U/L City – Arial Bold 10pt U/L State & Postal Code - Arial Bold 10 pt. U Country Code – Arial Bold 10pt U	
3	Recipient Phone# Arial Narrow 8pt U/L	
4	Reference Information#- Reference Numbers 1 – 5 Ref#:/Inv#:/Dept#:/PO#:/RMA#:	
5	Delivery Address Barcode Arial Narrow Bold 8pt U/L	553
6	2D Barcode 2D PDF-417 ANSI MH.10 Font – 5:1, S=5 Size 10 mil	3064
7	650-# – Tracking Number verbiage (TRK#) 651-# – Form ID verbiage 652-# – Master verbiage/s in case of MPS 655-# – Piece count verbiage 656-# – Shipment Tracking number (# - sequential fields will be returned only in case of Multi Piece shipment)	650, 651, 652, 655 656
8	Form Code Arial Narrow 8 pt.	
9	URSA Routing Codes Arial Narrow Bold 36pt U	653
10	FedEx 1D Barcode Height = 1” X dimension = 15 mil	664
11	Destination State-Country	
12	Destination Airport ID Arial 14pt U	663
13	Destination Information Destination ZIP - Courier New Bold 20pt Destination State & Country -Arial Bold 12pt U	661,662
14	Special Handling Codes Multiple handling code *PA - Arial 9pt U	
15	Service Description Arial Black 14pt U	659
16	Planned Service Level	658
17	CLS Version Identifier Arial Narrow 6pt U/L	
18	Box enclosing OpCo identifier 0.50” sq. thick Company Identifier Letter – Graphics Image	
19	Horizontal Split Min 0.10” thick	
20	UVSDK Version number Arial Narrow 8pt U/L	665
21	Line Horizontal Min 3 pixels wide 0.015” thick	
22	Bill Type Bill Sender / Bill Recipient / Bill Third Party	
23	Vertical Split, Minimum 010”	
24	Miscellaneous Data All info - Arial Narrow 8pt U/L except as noted	

FedEx Ground Home Delivery Prepaid

A	Quiet Zone – Both Sides Minimum.04” Preferred.25”	Quiet Zone -Top and Bottom Minimum .10”
B	Quiet Zone – Both Sides Minimum.04” Preferred.25”	Quiet Zone -Top and Bottom Minimum .10”

No.	Description	FSMS Response Field
1	Shipper Information Block All info - Arial Narrow 8 pt. “Origin ID:” -Origin Location ID – U - Country Code (ISO) – U	
2	Recipient Information “TO:” - Arial Narrow 8pt U Name and Address Lines - Arial Bold 8pt U/L City – Arial Bold 10pt U/L State & Postal Code - Arial Bold 10 pt. U Country Code – Arial Bold 10pt U	
3	Recipient Phone# Arial Narrow 8pt U/L	
4	Reference Information# Reference Numbers 1 – 5 Ref#:/Inv#:/Dept#:/PO#:/RMA#:	
5	2D Barcode 2D PDF-417 ANSI MH.10 Font – 5:1, S=5 Width – x dimension must be 10 mil Height – y dimension must be 5 times the x dimension at 50 mil Data Columns – Must be 14 columns wide (12 data fields)	3064
6	Horizontal Split Min 0.10” thick	
7	650-# – Tracking Number verbiage (TRK#) 651-# – Form ID verbiage 652-# – Master verbiage/s in case of MPS 655-# – Piece count verbiage 656-# – Shipment Tracking number (**#** - sequential fields will be returned only in case of Multi Piece shipment)	650, 651, 652, 655 656
8	FedEx 1D Barcode Height = 1” X dimension = 15 mil	664
9	The 96 is the Application Identifier. (2 digits) SCNC Code (2 digits –32)	
10	Ground Service Code (3 digits preceded by a leading 0)	
10a	Product Index Check Digit	
11	The 9-digit Account Number is masked with 10 zeros in parenthesis and a zero for check digit after the parenthesis. The 9-digit account number is encoded in the 1D barcode preceded by one zero.	
11a	Shipper Number Check Digit – Position after the parenthesis	
12	Ground Tracking Number (14 digits) – 12-digit tracking ID preceded by 2 zeros’	
12a	FedEx Ground Track Number Check Digit	
13	Destination ZIP Code or Postal Code Destination ZIP - Courier New Bold 20pt	661
14	CLS version Identifier, Arial Narrow 6pt U/L U	
15	Box enclosing OpCo identifier 0.50” sq. thick Company Identifier Letter – Graphics Image	
16	Horizontal Split Min 0.10” thick	
17	Recipient Country Code Country Code with parentheses – Arial Bold 10pt U	662
18	UVSDK Version number Arial Narrow 8pt U/L	665
19	Horizontal Split Min 0.10” thick	
20	Bill Type Bill Sender / Bill Recipient / Bill Third Party	
21	Ground Operational Instructions Element	668
22	Vertical Split, Minimum 010”	
23	Miscellaneous Data, All info - Arial Narrow 8pt U/L	

FedEx Ground Prepaid (GSNE with 9-digit masked account

A	Quiet Zone – Both Sides Minimum .04” Preferred.25”	Quiet Zone -Top and Bottom Minimum .10”
B	Quiet Zone – Both Sides Minimum .04” Preferred.25”	Quiet Zone -Top and Bottom Minimum .10”

No.	Description	FSMS Response Field
1	Shipper Information Block All info - Arial Narrow 8 pt. “Origin ID:” -Origin Location ID – U - Country Code (ISO) – U	
2	Recipient Information “TO:” - Arial Narrow 8pt U Name and Address Lines - Arial Bold 8pt U/L City – Arial Bold 10pt U/L State & Postal Code - Arial Bold 10 pt. U Country Code – Arial Bold 10pt U	
3	Recipient Phone# Arial Narrow 8pt U/L	
4	Reference Information# Reference Numbers 1 – 5 Ref#:/Inv#:/Dept#:/PO#:/RMA#:	
5	2D Barcode 2D PDF-417 ANSI MH.10 Font – 5:1, S=5 Width – x dimension must be 10 mil Height – y dimension must be 5 times the x dimension at 50 mil Data Columns – Must be 14 columns wide (12 data fields)	3064
6	Horizontal Split Min 0.10” thick	
7	650-# – Tracking Number verbiage (TRK#) 651-# – Form ID verbiage 652-# – Master verbiage/s in case of MPS 655-# – Piece count verbiage 656-# – Shipment Tracking number (**#** - sequential fields will be returned only in case of Multi Piece shipment)	650, 651, 652, 655 656
8	FedEx 1D Barcode Height = 1” X dimension = 15 mil	664
9	The 96 is the Application Identifier. (2 digits) SCNC Code (2 digits – 32)	
10	Ground Service Code (3 digits preceded by a leading 0)	
10a	Product Index Check Digit	
11	The 9-digit Account Number is masked with 10 zeros in parenthesis and a zero for check digit after the parenthesis. The 9-digit account number is encoded in the 1D barcode preceded by one zero.	
11a	Shipper Number Check Digit – Position after the parenthesis	
12	Ground Tracking Number (14 digits) – 12-digit tracking ID preceded by 2 zeros’	
12a	FedEx Ground Track Number Check Digit	
13	Destination ZIP Code or Postal Code Destination ZIP - Courier New Bold 20pt	661
14	CLS version Identifier, Arial Narrow 6pt U/L U	
15	Box enclosing OpCo identifier 0.50” sq. thick Company Identifier Letter – Graphics Image	
16	Recipient Country Code Country Code with parentheses – Arial Bold 10pt U	
17	UVSDK Version number Arial Narrow 8pt U/L	665
18	Horizontal Split Min 0.10” thick	
19	Bill Type Bill Sender / Bill Recipient / Bill Third Party	
20	Vertical Split, Minimum 010”	
21	Ground Operational Instructions Element	668
22	Miscellaneous Data, All info - Arial Narrow 8pt U/L	

PRIORITY OVERNIGHT MULTI PIECE SHIPMENT

No.	Description	FSMS Response Field
1	Tracking Number verbiage (TRK#)	650
2	Form ID verbiage	651
3	Master verbiage/s in case of MPS	652
4	Piece count verbiage	655
5	Shipment Tracking number	656

PRIORITY OVERNIGHT – DANGEROUS GOODS

ORIGIN ID:HKAA 90126345580000
CSP US METER
MEMPHIS
20 FED EX PKWY

COLLIERVILLE, TN 38017
UNITED STATES US

SHIP DATE: 03MAY23
ACTWGT: 60.00 LB
CAD: 100767423/FXRS2007
DIMS: 20x15x20 IN

BILL SENDER

TO **323388**
CSP TESTING
6 FEDEX PARKWAY

GOWRIE IA 50543
(901) 263-3035 REF: CSP TESTING
INV:
PO: DEPT:

563/C3/2B/C3/FE2D

FedEx Express

Dangerous Goods as per associated DGD

THU - 04 MAY 12:00P
PRIORITY OVERNIGHT

TRK# 0201 **4319 8735 8868**

IDG
50543

XH AMWA

IA-US DSM

PRIORITY OVERNIGHT – DANGEROUS GOODS

ORIGIN ID:HKAA 90126345580000
CSP US METER
MEMPHIS
20 FED EX PKWY

COLLIERVILLE, TN 38017
UNITED STATES US

SHIP DATE: 03MAY23
ACTWGT: 60.00 LB
CAD: 100767423/FXRS2007
DIMS: 20x15x20 IN

BILL SENDER

TO **323388**
CSP TESTING
6 FEDEX PARKWAY

GOWRIE IA 50543
(901) 263-3035 REF: CSP TESTING
INV:
PO: DEPT:

563/C3/2B/C3/FE2D

FedEx Express

Dangerous Goods as per associated DGD

THU - 04 MAY 12:00P
PRIORITY OVERNIGHT

TRK# 0201 **4319 8735 8868**

IDG
50543

XH AMWA

IA-US DSM

INTERNATIONAL PRIORITY – BROKER SELECT OPTION

ORIGIN ID:HKAA (901) 263-3035
CSP
TEST # 119367280
20 FED EX PKWY

COLLIERVILLE, TN 380178711 US
SIGN: CSP

SHIP DATE: 04MAY23
ACTWGT: 25.00 KG
CAD: 100767423/FXRS2007

BILL SENDER
NO EEI 30.37 (f)

TO IP1
CSP
80 FEDEX PRKWY
RTC
BRUSSELS BE 1820 (BE)
9012633035 REF: IP1
INV:
PO: DEPT: RTC

583C1/D116/FE2D

FedEx Express

J23102211020Zuz

A3

TRK# 0430 4319 8735 8971

INTL PRIORITY BSO
BSO

X6 BRUIP

1820
BRU
-BE

INTERNATIONAL PRIORITY – BROKER SELECT OPTION-AWB

ORIGIN ID:HKAA (901) 263-3035
CSP
TEST # 119367280
20 FED EX PKWY

COLLIERVILLE, TN 380178711
UNITED STATES, US

SHIP DATE: 04MAY23
ACTWGT: 25.00 KG
CAD: 100767423/FXRS2007

BILL SENDER
EIN/VAT: 123456789

TO IP1
CSP
80 Fedex Prkwy
RTC
Brussels, BE 1820
BELGIUM, BE

9012633035

FedEx Express

(BE)

AWB

J2310221102200uv

X6 BRUIP

BSO
PKG:25KG BOX
BSO

TRK# 4319 8735 8971

Form
0430

BROKER,PH#,CITY,COUNTRY/ZIP
BROKER 1
(901) 263 5448
Brussels, BE
1820

A3
INTL PRIORITY

REF: IP1
DESC1:Auto Parts
DESC2:
DESC3:
DESC4:
EEI: NO EEI 30.37 (f)

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.

COUNTRY MFG: US
CARRIAGE VALUE: 325.00 USD
CUSTOMS VALUE: 325.00 USD

SIGN: CSP
T/C: S 615274291
D/T: R

The Montreal or Warsaw Convention may apply and will govern and in most cases limit the liability of Federal Express for loss or delay of or damage to your shipment. Subject to the conditions of the contract on the reverse.

FEDEX AWB COPY - PLEASE PLACE IN POUCH

FEDEX 2 DAY – COD

ORIGIN ID:HKAA (901) 263-3035
CSP TESTING
RTC
20 FED EX PKWY

COLLIERVILLE, TN 38017
UNITED STATES US

SHIP DATE: 03MAY23
ACTWGT: 1.00 LB
CAD: 100767423/FXRS2007

BILL SENDER

TO **323229**
CSP TESTING
98 FEDEX PARKWAY

NORTH LAS VEGAS NV 89030
(901) 263-3035 REF: CSP TESTING
INV:
PO: DEPT: RTC

583/C3/2BC3/FE20

FedEx Express

J23100221 N03/BLV

FRI - 05 MAY 4:30P
** 2DAY **

TRK# 0301 **4319 8735 8879**

COD
89030

SW VGTA

NV-US LAS

STANDARD OVERNIGHT – COD, RETURN

ORIGIN ID:HKAA (901) 263-3035
323229
CSP TESTING
98 FEDEX PARKWAY

NORTH LAS VEGAS, NV 89030
UNITED STATES US

CAD: 100767423/FXRS2007

BILL SENDER

TO **CSP TESTING**
RTC
20 FED EX PKWY

COLLIERVILLE TN 38017
(901) 263-3035 REF: CSP TESTING
INV:
PO: DEPT: RTC

583/C3/2BC3/FE2D

FedEx Express

TRK# 0321 **4319 8735 8880**

STANDARD OVERNIGHT
COD RETURN
38017

COD AMOUNT 100.00
UNSECURED

TN-US

PRIORITY OVERNIGHT – LITHIUM BATTERY

ORIGIN ID:HKAA 90126345580000
CSP US METER
MEMPHIS
20 FED EX PKWY

COLLIERVILLE, TN 38017
UNITED STATES US

SHIP DATE: 03MAY23
ACTWGT: 10.00 LB
CAD: 100767423/FXRS2007

BILL SENDER

TO **LIB2**
CSP TESTING
55 FEDEX PARKWAY

COLLIERVILLE TN 38017
(901) 263-3035 REF: LIB2
INV:
PO: DEPT:

583C3/ZBC3/FE2D

FedEx Express

J2310221102201uv

THU - 04 MAY 10:30A
PRIORITY OVERNIGHT
ELB
38017
MEM

TRK# 0201 **4319 8735 8890**

XH HKAA

TN-US

FedEx EXTRA HOURS PRIORITY – DSR

ORIGIN ID:HKAA (901) 263-3035
CSP TESTING
RTC
20 FED EX PKWY

COLLIERVILLE, TN 38017
UNITED STATES US

SHIP DATE: 04MAY23
ACTWGT: 44.00 LB
CAD: 100767423/FXRS2007
DIMS: 20x15x20 IN

BILL SENDER

TO **323501**
CSP TESTING
20 FEDEX PKWY

COLLIERVILLE TN 38017

(901) 263-3035 REF: CSP TESTING
INV:
PO: DEPT: RTC

583C3/2BC3/FE2D

FedEx Express

4310221102011v

FRI - 05 MAY 10:30A
EXTRA HRS PRIORITY

TRK# 0201 **4319 8735 8905**

DSR
38017

XH HKAA

TN-US MEM

FedEx HOME DELIVERY

FROM: (901) 263-3035
CSP testing
RTC
20 FED EX PKWY
COLLIERVILLE TN 38017
US

SHIP DATE: 11APR23
ACTWGT: 150.00 LB
CAD: 100767423/FXRS2007

BILL SENDER

TO 804
RTC TEST
80 FEDEX PRKWY

Memphis TN 38125 (US)
(901) 263-3035 REF:
INV:
PO: CSP TESTING DEPT: RTC

583C1/75C5/FE2D

FedEx
Home Delivery

J23102211020 1uv

TRK# 4319 8735 8490

38125

9632 0804 0 (000 000 0000) 0 00 4319 8735 8490

FedEx

STANDARD OVERNIGHT –HOLD

ORIGIN ID:HKAA (901) 263-3035
CSP TESTING
RTC
20 FED EX PKWY

COLLIERVILLE, TN 38017
UNITED STATES US

SHIP DATE: 03MAY23
ACTWGT: 20.00 LB
CAD: 100767423/FXRS2007

BILL SENDER

TO **323197**

HOLD EXPRESS
8455 PARDEE DR

OAKLAND CA 94621
(212) 233-5456 REF: CSP TESTING
INV:
PO: DEPT: RTC

583C3/2BC3/FE2D

FedEx Express

J23102211020luw

THU - 04 MAY HOLD
STANDARD OVERNIGHT

TRK# 0201 **4319 8735 8813**

HLD

XW JBSA

94621
CA-US **OAK**

FedEx International Ground® Consolidation

FROM: (480) 857-7900
CSP US Meter
CSP
20 FED EX PKWY

COLLIERVILLE TN 38017
US

SHIP DATE: 04MAY23
ACTWGT: 15.00 LB
CAD: 100767423/FXRS2007

BILL SENDER
EEI : NO EEI 30.36

TO IGC-1
RTC TEST
80 FEDEX PRKWY

MISSISSAUGA ON L4V1S6 (CA)
(901) 263-3035 REF: CSP TESTING
INV:
PO: DEPT:

583C1/D116/FE2D

FedEx Ground

ETD

J2310221102 01uv

TRK# 4319 8735 8927

INTL
BSO
L4V 1S6

9632 0026 6 (000 000 0000) 0 00 4319 8735 8927

FedEx GROUND – ECOD

Deposit Check
DO NOT MAIL

Ship Date: 07NOV22
Electronic C.O.D.
ECOD

TO SHIP TO CONTACT ME WITH LG30 **(412) 123-4567**
SHIP TO COMPANY ME WITH LG30
Ship To Street line 1
Ship to Street line 2

RECIPIENT CITY USA T, MA 02747 (US)

FedEx Ground

J2310221020111uv

GUARANTEED FUNDS!

ORIGINAL TRACKING ID: 421132545316
REFERENCE NUMBER: 421132545316

C.O.D. Amount: 200.00 USD

FedEx

GROUND ORMD

FROM: (901) 263-3035
CSP testing
RTC
20 FED EX PKWY

COLLIERVILLE TN 38017
US

SHIP DATE: 04MAY23
ACTWGT: 40.00 LB
CAD: 100767423/FXRS2007

BILL 3rd PARTY

TO 339
RTC TEST
80 FEDEX PRKWY

AURORA OH 44202 (US)
(901) 263-3035 REF:
INV:
PO: CSP TESTING DEPT: RTC

583C1/D116/FE2D

FedEx Ground

J23102211020 1uv

TRK# 4319 8735 8938

NO-AIR
DSR
44202

9632 0313 0 (000 000 0000) 0 00 4319 8735 8938

GROUND ORMD – ECOD

FROM: (412) 222-4444
Jul 2021 Corp Load
Barcode department
100000 FedEx Gnd Drive fourth floor
West Wing
Pittsburgh PA 15108
US

SHIP DATE: 07NOV22
ACTWGT: 10.00 LB
CAD: 208215/FXRS2007

BILL 3rd PARTY

TO SHIP TO CONTACT ME WITH LG30
SHIP TO COMPANY ME WITH LG30
Ship To Street line 1
Ship to Street line 2
RECIPIENT CITY USA T MA 02747 (US)
(412) 123-4567 REF: JUL 2021 CL FXRS (US) GND
INV:
PO: DEPT:

592C1/833A/FE2D

FedEx Ground

J2310221020001uv

TRK# 4211 3254 5316

ECOD GUAR
02747

9622 0443 8 (000 000 0000) 0 00 4211 3254 5316

FIRST OVERNIGHT – PRIORITY ALERT

ORIGIN ID:HKAA (901) 263-3035
CSP TESTING
RTC
20 FED EX PKWY

COLLIERVILLE, TN 38017
UNITED STATES US

SHIP DATE: 19APR23
ACTWGT: 16.00 LB
CAD: 100767423/FXRS2007

BILL SENDER

TO **323236**
CSP TESTING
7 FEDEX PARKWAY

WEST PALM BEACH FL 33404
(901) 263-3035 REF: CSP TESTING
INV:
PO: DEPT: RTC

583C1/75C5/FE2D

FedEx Express

J23192211928/tw

THU - 20 APR 8:30A
FIRST OVERNIGHT
*PA
33404
PBI

TRK# 0710 4319 8735 8607

X1 PBIA

FL-US

FedEx International Priority® Freight – Inaccessible Dangerous Goods

ORIGIN ID:OLVRT (901) 263-3035
CSP 018
TEST # 119367280
20 FED EX PKWY

COLLIERVILLE, TN 380178711 US
SIGN: CSP 018

SHIP DATE: 04MAY23
ACTWGT: 500.00 LB
CAD: 100767423/FXRS2007
DIMS: 50x50x50 IN

BILL THIRD PARTY
NO EEI 30.37 (f)

TO 413108
CSP
80 FEDEX PRKWY
DIMS/DV/IDG
CALGARY AB T2E7R3 (CA)
(901) 263-3035 REF: CSP
INV:
PO: DEPT: RTC

583C1/D116/FE2D

FedEx Express

J231022110/202uv

H2

TRK# 0430 4319 8735 8960

INTL PRI FRT

IDG

XY YYCRT

T2E 7R3
AB-CA YYC

FedEx International Priority® Freight – Inaccessible Dangerous Goods -AWB

ORIGIN ID:OLVRT (901) 263-3035
CSP 018
TEST # 119367280
20 FED EX PKWY

COLLIERVILLE, TN 380178711
UNITED STATES, US

SHIP DATE: 04MAY23
ACTWGT: 500.00 LB
CAD: 100767423/FXRS2007

DIMS: 50x50x50 IN
BILL THIRD PARTY
EIN/VAT: 123456789

TO 413108
(901) 263-3035

CSP
80 Fedex Prkwy
Dims/DV/IDG
CALGARY, AB T2E7R3
CANADA, CA

(CA)

FedEx Express

J23102211022 0uv

AWB

XY YYCRT

IDG
PKG:YOUR PKG

TRK# 4319 8735 8960

Form
0430

H2
INTL PRI FRT

REF: CSP
DESC1:Books
DESC2:
DESC3:
DESC4:Dangerous Goods as per associated DGD
EEI: NO EEI 30.37 (f)

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.

COUNTRY MFG: US
CARRIAGE VALUE: 15000.00 USD
CUSTOMS VALUE: 15000.00 USD

SIGN: CSP 018
T/C: O 222326460
D/T: S 615274291

The Montreal or Warsaw Convention may apply and will govern and in most cases limit the liability of Federal Express for loss or delay of or damage to your shipment. Subject to the conditions of the contract on the reverse.

FEDEX AWB COPY - PLEASE PLACE IN POUCH