EXCELLENCE. SIMPLY DELIVERED.

Message Specification Guidelines

Global EDI Manifesting Service
IFCSUM D01B version 3.0
(document version 1.3.9)

Confidentiality

The specifications, definitions and examples in this manual are to be used by the recipient for the sole purpose of programming to meet the requirements of DHL, and should not be altered or modified by the recipient.

This document contains confidential, proprietary information. No part of this document may be used, modified, reproduced, disseminated, or disclosed without the express written consent of DHL. DHL employees, third-party vendors, and others authorized to use this document shall only disclose this information internally to their coworkers, employees, or agents on a need-to-know basis and in keeping with DHL confidentiality requirements. The information in this document is subject to change without notice.

DHL SHALL NOT BE LIABLE FOR TECHNICAL OR EDITORIAL ERRORS OR OMISSIONS CONTAINED HEREIN NOR FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF THIS INFORMATION.

© 2005 - 2012 DHL Express, Inc. All rights reserved.

Terms and Conditions

The requirements and specifications outlined in this manual are governed by DHL's Terms and Conditions of Carriage, found on DHL's website, www.DHL.com.

Audience

This document is intended to serve as a guide to assist DHL customers and third party developers during the integration development process. This document contains the record layout of DHL Global Standard Manifesting messages. The primary audience of this document is intended to be a trading partner's technical resources and internal DHL EDI support staff.

Table of Contents

Confidentiality 2

Terms and Conditions 3

Audience 4

Table of Contents 5

Document Change Report 9

Introduction 11

Definition of EDI 12

Service Terms and Conditions 13

IFCSUM Description 14

Mandatory/Optional Fields 15

IFCSUM D01B Message Branching Diagram 16

Units of Measure 17

Declaration of Data Elements - Header 18

Declaration of Data Elements – Shipment Information 19

Declaration of Data Elements – Shipment Item Information 21

Declaration of Data Elements – Invoice Information 22

Declaration of Data Elements – Invoice Line Item Information 23

UNH 24

BGM 25

DTM 26

MOA 27

FTX 28

CNT 29

Segment Group 4 30

SG4 - NAD 30

Segment Group 5 32

SG 5 - CTA 32
SG 5 - COM 33
Segment Group 6 34
SG 6 - RFF 34
Segment Group 25 (Shipment Level) 35
SG 25 – CNI 36
SG 25 - DTM 37
SG 25 - CNT 38
SG 25 - TSR 39
SG 25 - MOA 40
SG 25 - FTX 41
Segment Group 31 42
SG 31 - TOD 42
SG 31 - LOC 44
Segment Group 32 45
SG 32 - RFF 45
Segment Group 33 47
SG 33 - GOR 47
Segment Group 34 48
SG 34 - DOC 48
SG 34 - DTM 49
Segment Group 43 50
SG 43 - NAD 50
SG 43 - LOC 52
Segment Group 44 53
SG 44 - CTA 53
SG 44 - COM 54
Segment Group 47 55
SG 47 - RFF 55
Segment Group 49 56
SG 49 - TSR 56
SG 49 - FTX 57

Segment Group 50 58
SG 50 - GID 58
Segment Group 52 59
SG 52 - MEA 59
Segment Group 53 60
SG 53 - DIM 60
Segment Group 54 61
SG 54 - RFF 61
Segment Group 55 62
SG 55 - PCI 62
SG 55 - GIN 63
Segment Group 65 64
SG 65 - DGS 64
SG 65 - FTX 65
Segment Group 67 66
SG 67 - MEA 66
Segment Group 70 67
SG 70 - EQD 67
SG 70 - EQN 68
SG 70 - MEA 69
Segment Group 25 (Invoice Level) 70
SG 25 - CNI 70
SG 25 - CNT 71
SG 25 - MOA 72
SG 25 - FTX 73
Segment Group 31 (Invoice Level) 74
SG 31 - TOD 74
SG 31 - LOC 75
Segment Group 32 (Invoice Level) 76
SG 32 - RFF 76
Segment Group 33 (Invoice Level) 77
SG 33 - GOR 77

SG 33 - FTX 78
Segment Group 34 (Invoice Level) 79
SG 34 - DOC 79
SG 34 - DTM 80
Segment Group 50 (Invoice Line Item) 81
SG 50 - GID 81
SG 50 - LOC 82
SG 50 - MOA 83
SG 50 - FTX 84
Segment Group 52 (Invoice Line Item) 85
SG 52 - MEA 85
Segment Group 54 (Invoice Line Item) 86
SG 54 - RFF 86
Segment Group 56 (Invoice Line Item) 87
SG 56 - DOC 87
Segment Group 63 (Invoice Line Item) 88
SG 63 - TCC 88
SG 63 - QTY 89
UNT Segment – Message Trailer 90

Appendix A – Product Type 91

Appendix B – Product Features 96

Appendix C – Example File 99

Appendix D – Message structure and content for Loose BBX shipments and Sample Message 102

Appendix E – Commercial Invoice data usage and sample message 108

Appendix F – Return Shipments 112

Document Change Report

Date	Version	Name	Reason for Change	Status
01/02/2013	0.1	Annie Richardson	First draft	Draft
3/16/2013	0.2	Annie Richardson	Clarification on the BBX reference value needed – C502	Draft
4/11/2013	0.3	Annie Richardson	Updated to include Email contact Qualifier – Group 44 : COM	Draft
12/27/2013	0.4	Jan Hornak	BBX review	Draft
5/16/2014	0.5	Kris Michelle S. Malano	Advance Shipment - Added Appendix B – Product Features	Draft
08/12/2016	0.6	Ganesan Subramaniam	EDI2.0 MIG Update	Draft
18/01/2020	0.8	Bedrich Jedlicka	**Modified for LBBX purposes:** Added segment SG25 CNT SG25 CNT+56 : number of mother pieces (placed in each baby shipment, needed for Label) SG43 NAD+JD : new address qualifier for Port of Entry Additional Product Features added – APP B Added APP D – Loose BBX usage **Other fixes/corrections** Segment CNT – explanation part: string “Note 6066” corrected to “Note 6069” SG31 – TOD – added two samples of usage in explanation part (for LBBX Baby or Mother service code) SG44 – COM – added qualifier “AL” for element 3155 *Previous version of MIG allowed only TEL, EML and FAX. As relevant mapping specification for this message already contains as well rule for AL-->MOB, I added this option to MIG as well.*	Draft
6/5/2020	0.9	Bedrich Jedlicka	LBBX**:** Addtional information that Baby Importer must be the same as Mother Receiver	Draft

22/09/2020	0.10	Lee White	Modified and expanded Appendix D, with updated example message	Draft
12/01/2021	0.11	Erika Joy Banta	Added VAT22 related changes.	Draft
28/06/2021	1.1	Erika Joy Banta	SG 31 – TOD - Added 4052:2 (Account Number)	Baseline
28/07/2021	1.2	Cristelle Mae Manio	SG6/RFF – Added RFF/C506/1156 SG46/RFF – Added RFF/C506/1156 SG25/MOA (Invoice Level) – Added new notes	Update
22/10/2021	1.3	Lee White	Added Appendix F – Return Shipments	Update
15/11/2021	1.3.1	Lee White	Added example remarks against point 4 in Appendix F – Return shipments	Update
22/12/2021	1.3.2	Lee White	Modified Appendix F – Return shipments to include corrected mapping of Duty Free Import Remarks (FTX with AAU qualifier)	Update
3/5/2022	1.3.3	Lee White	Corrected SG32 (Invoice level) – C506, 1153, to show that qualifier for MRN is ABT not MRN	Update
30/9/2022	1.3.4	Alma Enriquez/ Lee White	Added notes for low value dutiable shipments to Singapore	Update
30/09/2022	1.3.4	Lee White	Removed Appendices for Reference Data and references to them, referring to DHL Reference Data document instead	Update
19/10/2022	1.3.5	Diana Chua	Updated the branching diagram to reflect the actual data structure	Update
13/12/2022	1.3.5	Lee White	Updated SG65 to include note that not used when shipping Dangerous Goods with DHL Express	Update
19/07/2023	1.3.6	Diana Chua	Added notes for enabling the “Perfect Invoice” to carry further Duty/Tax amounts on Commercial Invoice (see SG 25 – MOA)	Update
12/09/2023	1.3.7	Celestine Eu	Update to UNH Message Header - Note 0068 to capture the file source shipping system platform, with corresponding change to first example message	Update
15/12/2023	1.3.8	Lee White	Correct SG 31 - LOC and SG 43 - LOC to show how DHL Express Facility Codes should be given	Update
02/09/2024	1.3.9	Alma Enriquez	Added notes for SG 25/FTX (with CCI qualifier) on how to populate Custom Remarks/ Instructions for if DHL render Invoice Image (which may then be returned to shipper)	Update

Introduction

This specification provides the definition of the global standard DHL manifesting EDI messages. This is a guide to be used in satisfying the requirements when exchanging electronic data to become a certified trading partner with DHL and its partners. The data contained in these EDI messages consist of manifesting information related to the transportation of cargo and transport related charges.

For purposes of this document, “Charges” means all applicable transportation and other charges, including but not limited to, all applicable accessorial charges, surcharges, additional handling charges, late payment fees, and collection costs including collection agency fees, legal fees, court costs, credit reports, and bad check collection fees, in accordance with applicable laws.

Notwithstanding any billing plan that is in effect or payment or billing option selected at the time of shipment, the shipper is ultimately liable for and agrees to pay all Charges, including in the event of insolvency, bankruptcy, or non-payment or refusal to pay by the consignee or third party.

All Charges must be ‘paid in full’ (per the invoice), in the lawful currency noted as the billing currency.

Definition of EDI

EDI is the computer to computer exchange of business transactions between organizations in an agreed upon format. "Computer-to-computer" means that the data sent or received is communicated via electronic transmission, without human intervention or interpretation.

Maintaining standardized formats is the foundation of a Global EDI service. EDI requires business partners to follow the standards as defined by the format layout and content held within. After integrating onto the EDI platform, data will be converted by EDI translation programs into the exact same format and provided by each country. Industry standard formats have been defined by EDIFACT, ANSI and RosettaNet.

Service Terms and Conditions

Unless otherwise agreed in writing, the transportation products and services mentioned in this document are subject to DHL's Terms and Conditions of Carriage. Since these may vary depending on location of the country of origin of the shipment, please contact the nearest DHL service center to obtain a copy of the local terms and conditions. Not all of DHL's products and services may be available in every country.

It is the customer's responsibility to complete an appropriate amount of testing and inform DHL when their systems are ready to send and/or receive the electronic files. DHL will provide test files as they become available until customer has completed their testing and provides written confirmation that they are ready to be moved to production status.

IFCSUM Description

This document is part of the document “EDI Implementation Guide for customer interfaces”. It provides the definition of the International Forwarding and Consolidation Summary Message (IFCSUM) to be used in Electronic Data Interchange (EDI) between Deutsche Post World Net partners and its customers.

Therefore, this specification can be used for EDI exchange between customers and Deutsche Post subsidiaries. The Deutsche Post World Net partner takes care of the EDI exchange to DHL Express and other partners in this group.

Within this document the IFCSUM declaration of data elements will be described along with branching diagrams to show the arrangement of segments and segment groups. It also contains detailed descriptions of segment and assignment information for individual data elements.

Mandatory/Optional Fields

M Mandatory - This item must be present in all data transactions - used for critical data which is also Mandatory in the EDIFACT standard.

R Required - This item must be present in all data transactions. In the opinion of the implementation guide designers it is essential for this business use of the transaction set, however not defined as Mandatory in the EDIFACT standard.

C Conditional - This item is the subject of a syntax rule (a relational condition) which links its usage with that of other items. If not used a data element separator giving its position must still be given, unless it appears at the end of a segment in which case the data element separator is also not required.

X Not Used - This item is not used in a data transaction. A data element separator giving its position must still be given, but no content should be given, unless it appears at the end of a segment in which case the data element separator is also not required.

IFCSUM D01B Message Branching Diagram



Units of Measure

The following codes are valid for unit of measurement for weight, volume and dimensions

Weight

Default = KGM (Kilograms)
Also acceptable: LBR (Pounds)

Volume

Default = MTQ (Cubic Meters)
Also acceptable: CMQ (Cubic Centimeters), INQ (Cubic Inches)

Dimensions (Length, Width, Height)

Default = CMT (Centimeters)
Also acceptable: MTR (Meters), INH (Inches)

Declaration of Data Elements - Header

Element	Sub Type 1	Sub Type 2	Type	Description
UNA			Message Header	A service string advice segment to define the characters selected for use as delimiters and indicators in the rest of the interchange.
UNH			Message Header	A service segment starting and uniquely identifying the message.
BGM			Beginning of Message	A segment to indicate the beginning of the message and to transmit an identifying number (e.g. order number), type, date and the function of the message.
DTM			Date/Time/ Period	A segment indicating creation date and time of the message.
MOA			Monetary Amounts	A segment to indicate a monetary value for the entire consignment, e.g. cash on delivery or insurance.
FTX			Free text	A segment used to indicate any additional information such as business party trader type for consignor.
CNT			Control Totals	A segment to specify totals of the consolidation (e.g. total number of equipment, total number of consignments, total gross weight and/or dimensions of the whole consolidation etc.).
Segment Group 4				A segment to identify the consignor
	NAD			NAD - Name and address • A segment with account numbers, names and addresses.
	SG 5			A group of segments to identify a party and related contacts and references
		CTA		To specify a person within a party.
		COM		To identify a communication number of a person or department to whom com directed
	SG 6			A group of segments to indicate references regarding the VAT number
		RFF		RFF - References • A segment indicating the Registration Numbers (e.g. VAT number) of the consignor
Segment Group 9				A group of segments to indicate all transport details of the consolidation
	TDT			TDT - Details of transport • A segment to indicate information related to a certain stage of the transport
Segment Group 25				A group of segments to indicate all data on shipment level.
UNT			Message trailer	A service segment ending a message, giving the total number of segments in the message (incl. UNH and UNT)

Declaration of Data Elements – Shipment Information

Element	Sub Type 1	Sub Type 2	Type	Description
Segment Group 2	**A group of segments to indicate all data on shipment level.**			
	CNI			CNI - Consignment information • A segment to indicate consignments included in the consolidation using the transport document/message number.
	DTM			DTM - A segment to indicate date and time such as expected delivery
	CNT			CNT – Control Totals within the Shipment
	TSR			TSR, Transport service requirements • A segment indicating products
	MOA			MOA, Monetary amounts • A segment to indicate a monetary value for an entire shipment, e.g. declared customs value, cash on delivery or insurance.
	FTX			FTX, Free text • A segment to specify free form or process available supplementary information, such consignment remarks
	SG31			A group of segments to specify terms of delivery
		TOD		TOD, Terms of delivery • A segment to indicate product features
		LOC		Place/location identification • A segment to identify a location related to the incoterms
	SG32			A group of segments containing a references and constants which apply or shipment.
		RFF		RFF, To identify a reference used by a party
	SG33	GOR		GOR, A segment to indicate applicable governmental procedures related transport of the goods.
		SG34		A group of segments to indicate documents.
			DOC	Documents • A segment to indicate accompanying documents for customs clearance
			DTM	A segment to indicate date and time related to invoice.

Element	Sub Type 1	Sub Type 2	Type	Description
	SG43			A group of segments to indicate names and addresses of different party roles such as Consignee/Importer/Exporter.
		NAD		NAD, Name and address • A segment with names and addresses.
		LOC		LOC, Place/location identification • A segment to specify locations in relation to the preceding NAD segment.
		SG44		A group of segments to indicate names of contact persons for delivery of the shipments.
			CTA	CTA, Contact information • A segment to indicate the name of a contact person.
			COM	COM, Communication contact • A segment to indicate the type of communication contact to be used to inform the contact person.
		SG47		A group of segments to indicate references regarding the delivery
			RFF	RFF, References • A segment indicating the Reference Numbers (i.e VAT number) of different party roles such as Consignee/Importer/Exporter.
		SG49		A group of segments to specify a transport service requirement and its associated details (such as applicable commercial agreement) related to the party.
			TSR	TSR, Transport service requirements A segment indicating products
			FTX	Freetext A segment used to indicate any additional information such as business party trader type.
	SG50			A group of segments to describe the goods items for which transport is undertaken.
	SG70			A group of segment to specify equipment in which goods are transported
		EQD		EQD, Equipment details • A segment to specify equipment, equipment size and type used in the transport
		EQN		EQN, Number of items • A segment to specify number of pieces of equipment required.
		MEA		MEA, Measurements • A segment to specify loading meters of the shipment.

Declaration of Data Elements – Shipment Item Information

Element	Sub Type 1	Sub Type 2	Type	Description
Segment Group 50	**A group of segments to describe the goods items for which transport is undertaken.**			
	GID			GID - Goods item details • A segment to identify a goods item for which transport is undertaken.
	SG52			A group of segments to specify measurements applicable to a goods item
		MEA		A segment to specify measurements, applicable to a goods item
	SG53			A group of segments to specify dimensions applicable to a goods item.
		DIM		DIM, Dimensions • A segment to specify dimensions, applicable to a goods item.
	SG54			A group of segments to identify references to a goods item.
		RFF		RFF, To identify a goods items references used by a party.
	SG55			A group of segments to specify marks and numbers of a goods item.
		PCI		PCI, Package identification • A segment to indicate the type of markings on the item.
		GIN		GIN, Goods identity number • A segment containing the bar coded identification code (e.g. CEN License plate).
	SG65			A segment group to indicate dangerous goods information.
		DGS		DGS, Dangerous goods • A segment to indicate the details of the dangerous goods within the item.
		FTX		FTX, Free text • A segment to indicate the technical name of the dangerous goods.
		SG67		A group of segments to specify measurements applicable to the dangerous goods within the item.
			MEA	MEA, Measurements • A segment to specify measurements applicable to the dangerous goods within the item.

Declaration of Data Elements – Invoice Information

Element	Sub Type 1	Sub Type 2	Type	Description
Segment Group 25	**A group of segments to indicate all data on Invoice level.**			
	CNI			CNI Invoice information
	CNT			CNT Control Totals within an Invoice (i.e. Total Gross Weight, Total Net Weight)
	MOA			MOA, Monetary amounts • A segment to indicate a monetary value for an Invoice, e.g. declared customs value, cash on delivery or insurance.
	FTX			Free text • A segment to specify free form or process available supplementary information (i.e. Reason for Export)
	SG31			A group of segments to specify terms of delivery
		TOD		TOD, Terms of delivery Incoterm - Invoice level
		LOC		Place of Incoterms - Invoice level
	SG32			A group of segments containing a references related to the Invoice
		RFF		RFF - References A segment indicating the Registration Numbers (i.e. Commercial Invoice Reference Number, MRN)
	SG33			A group of segments to identify customs and other governmental procedures and required documents.
		GOR		A segment indicating the Document Function
		FTX		Free text A segment to specify free form or process available supplementary information, (i.e. Trading Transaction Type)
	SG33	SG34		A group of segments to indicate documents.
			DOC	Documents • A segment to indicate accompanying documents for customs clearance (i.e Invoice Number, Customs Document)
			DTM	A segment to indicate date and time related to invoice.

Declaration of Data Elements – Invoice Line Item Information

Element	Sub Type 1	Sub Type 2	Type	Description
Segment Group 50	**A group of segments to describe the goods line items related Invoice**			
	GID			GID - Goods item details A segment to identify a line item in an Invoice
	LOC			A segment to specify a country associated with a line item (i.e. Line Item Country of Manufacture)
	MOA			A segment to specify a monetary amount associated with a line item, such as Line Item Total Customs Value, Single Item (Article) Customs Value, etc.
	FTX			Free text A segment to specify processable supplementary information relating to the line item (e.i Line Item Description)
	SG52			A group of segments to specify measurements applicable to a line item
		MEA		A segment to specify measurements, applicable to a line item (i.e. Line Item Gross weight, Line Item Net Weight)
	SG54			A group of segments to identify references to a line item.
		RFF		RFF, A segment indicating the Line Item Reference Numbers
	SG56			A group of segments to specify documents and associated date(s) and time(s) for a line item.
		DOC		A segment to specify a document prepared for a line item.
	SG63			A group of segments to indicate the quantity for the line item.
		TCC		A segment used to indicate the charge related to the line item.
		QTY		A segment used to indicate the quantity related to the line item.

UNH

Segment	Occurrence	Usage	Description
UNH	**1**	**M**	**Message Header**
Function: To head, identify and specify a message.			

Element	Usage	Format	Element Name
0062	M	AN..14	Message reference number
S009	**M**		**MESSAGE IDENTIFIER**
0065	M	AN..6	Message type identifier
0052	M	AN..3	Message type version number
0054	M	AN..3	Message type release number
0051	M	AN..3	Controlling agency
0068	R	AN..35	Common access reference

Example: UNH+123+IFCSUM:D:01B:UN+GM2/ACMESHIPPINGPLATFORM_V1.6

Note 0062: An application generated unique message reference number. This number must be unique for a period of 3 months.

Note 0065: Use ‘IFCSUM’

Note 0052: Use ‘D’

Note 0054: Use ‘01B’

Note 0051: Use ‘UN’

Note 0068: DHL Express determined identification for recognizing the name of the source shipping system platform, application or software that created the message. The data is divided with Slash (‘/’). Value GM2 is to be given before the slash. The name of the source shipping platform is given after the slash. The source name must be bilaterally agreed by the party generating the message (so the DHL Express customer or their shipping system provider) and DHL Express. For instance this could be a concatenation of the name, version and release of the generating software.

BGM

Segment	Occurrence	Usage	Description
BGM	**1**	**M**	**Beginning of Message**
Function: To indicate the type and function of a message and to transmit the identifying number.			

Element	Usage	Format	Element Name
C002	**M**		**DOCUMENT / MESSAGE NAME**
1001	R	AN..3	Document name code
C106	**M**		**DOCUMENT MESSAGE IDENTIFICATION**
1004	M	AN..35	Document identifier
1225	R	AN..3	Message function code

Example: BGM+785+9600280001+9'

Note 1001: Use '785' – Cargo Manifest.

Note 1004: Unique identifier that represents the whole document.Could be the same number as in preceding UNH segment.

Note 1225: Use '9' – Original.

DTM

Segment	Occurrence	Usage	Description
DTM	**3**	**R**	**Date, Time or Period**
Function: A segment to indicate date and time.			

Element	Usage	Format	Element Name
C507	**M**		**DATE/TIME/PERIOD**
2005	M	AN..3	Date/Time/Period function code qualifier
2380	R	AN..35	Date/Time/Period value
2379	R	AN..3	Date/Time/Period format code

Example: DTM+9:200906011500:203'
DTM+11:20090820:102'

Note: This segment is at least used twice, for specifying the processing date/time of the EDI message and for specifying the dispatch of the shipments.

Note 2005: Use:
'9' - Processing date/time (that the file is created and send to DHL)
'11' - Dispatch date of the shipment

Note 2380: With '11' in preceding element, this is Date and time on which the goods are or are expected to be dispatched or shipped. Both date time qualifier mask '102' or '203' can be used.

Note 2379: Use:
'203' for the date time mask CCYYMMDDHHMM
'102' for the date mask CCYYMMDD
Use the format qualifier '102' when the date refers to a dispatch date. Otherwise use the qualifier '203'.

MOA

Segment	Occurrence	Usage	Description
MOA	**1**	**C**	**Monetary Amount**
Function: To specify monetary amounts.			

Element	Usage	Format	Element Name
C516	**M**		**MONETARY AMOUNT**
5025	M	AN..3	Monetary amount type code qualifier
5004	R	N..18	Monetary amount
6345	R	AN..3	Currency identification code

Example: MOA+43:1500,90:EUR'

Note 5025: Use: '43' - Declared total customs value.

Note 5004: This is a value represented for all shipment within the file.
Rules for numeric value:

- The maximum number of digit is 18 where the 2 decimals are included.
- All amounts have to be specified with 2 decimals included, regardless currency.
- Decimal sign may be point or comma depending of what has been specified in segment UNA.
- COD value has to be given in the currency of the destination country.

Note 6345: Currency codes are according to ISO 4217.
This must be the currency of the shipper country except for Cash On Delivery (COD) where it will the currency of the destination country.

FTX

Segment	Occurrence	Usage	Description
FTX	**1**	**C**	**Free Text**
Function: A segment used to indicate any additional information such as business party trader type for consignor.			

Element	Usage	Format	Element Name
4451	M	AN..3	Text Subject code qualifier
4453	X	AN..3	Free text function code
C107	**X**		**TEXT REFERENCE**
C108	**C**		**TEXT LITERAL**
4440	M	AN..256	Free text value

Example: FTX+AIJ+++Private'

Note 4451: Use:
'AIJ' - Business Party Trader Type (Consignor)

Note 4453: Not used.

Note C107: Not used.

Note 4440: For the full list of Business Party Trader Types, refer to "DHL Express Integrated Solution Reference Information" (available from DHL Express on request)

CNT

Segment	Occurrence	Usage	Description
CNT	**3**	**R**	**Control Totals**
Function: To provide control total.			

Element	Usage	Format	Element Name
C270	**M**		**CONTROL**
6069	M	AN..3	Control total type code qualifier
6066	M	N..18	Control Total value
6411	C	AN..3	Measurement unit code

Example: CNT+7:225,1:KGM'
CNT+11:100'
CNT+15:25,500:MTQ'

Note: This segment is used to indicate total gross weight for the entire shipment, total number of pieces in the shipment and total volume of the shipment.
The total volume is required for a shipment with destination outside the Shipper country. It can be provided here or the dimensions per item can be provided later in the GID segment.
The maximum of pieces cannot exceed 999 in one shipment.

Note 6069: Use:
'7' - Gross Weight. In 6069, the value may be specified with maximum 1 decimal.
'11' - Total number of Packages. In 6069 the value may be specified with maximum 3 decimals.
'15' - Cube, Volume.

Decimal sign may be point or comma depending of what has been specified in the UNA segment.

Note 6411: Confirm with DHL Express which of the following units can be supported in the shipment origin country:
With '7' in 6069 'KGM or 'LBR'
With '15' in 6069 MTQ, CMQ or INQ
Element 6411 is not used with '8' in 6069

Segment Group 4

Group	Occurrence	Usage	Description
SG 4	**2**	**R**	**NAD-SG5-SG6**
Function: Used to identify different parties. Although this group may occur twice, this is limited to the NAD segment only. The other elements and groups within group 4 are allowed only once.			

SG4 - NAD

Segment	Occurrence	Usage	Description
NAD	**1**	**M**	**Name and Address**
Function: Specify Consignee/Receiver. The first occurrence of NAD is mandatory, to indicate the consignor. Use qualifier CZ. The second occurrence is optional. If used, it contains the name and address of the dispatch party, if deviating from the consignor. Element 3035 contains value PW.			

Element	Usage	Format	Element Name
3035	M	AN..3	Party qualifier
C082	**C**		**PARTY IDENTIFICATION DETAILS**
3039	M	AN..17	Party identification
C058	**C**		**NAME AND ADDRESS**
3124	M	AN .. 35	Building Name
3124	C	AN .. 35	District
C080	**C**		**PARTY NAME**
3036	R	AN..35	Party Name
C059	**C**		**STREET**
3042	M	AN..35	Street name
3042	R	AN..35	Building number
3042	R	AN..35	House number
3042	C	AN..35	Address line 4
3164	C	AN..35	City name
C819	**C**		**COUNTRY SUB-ENTITY DETAILS**
3229	C	AN..9	State Code
1131	X	AN..17	Code list identification code
3055	X	AN..3	Code list responsible agency code
3228	C	AN..70	Province
3251	C	AN..9	Postcode identification
3207	C	AN..3	Country, coded

]Example: NAD+CZ+++MICHEL VANHOREN SA+WOLUWELAAN::151+DIEGEM++1831+BE'
NAD+CZ+270834367+CZ BUILDING:CZ DISTRICT+BEPCO PARTS SA+RUE CHAUMONT 4D:CZ STNO:CZ ADDSTNO+HERMALLE-SOUS-HUY+AH:::liege+4480+BE'

Note: Only 1 occurrence in SG4 Group. Use qualifier 'CZ' to represent Shipper or Consignor.

Note 3035: Use: 'CZ' -- Consignor/Shipper.
'PW' – Dispatch party

.

Note 3039: This element is used only in combination with qualifier ‘CZ’ in element 3035. It contains the assigned shipper account number of DHL.

Note 3036: They contain the full name of the Shipper party.

Note 3042: Use this element three times to specify street name, building number, house number and house number addition. However if for technical reason, it is not possible for the customer to split the address data, the street name, building number and house number may be concatenate in the first element 3042.

Note 3229: Use this for 2-char state code as defined in Format ISO 3166-2, e.g. TX.

Note 3251: Mandatory except for countries where no postcode system is available, e.g. Ireland.

Note 3207: Format ISO 3166-1 Alpha 2 country codes.

Segment Group 5

Group	Occurrence	Usage	Description
SG 5	**9**	**C**	**CTA-COM**
Function: A group of segments to identify a party and related contacts and references			

SG 5 - CTA

Segment	Occurrence	Usage	Description
CTA	**1**	**M**	**Contact Information**
Function: To specify a person within a party.			

Element	Usage	Format	Element Name
3139	R	AN..3	Contact function code
C056	**R**		**DEPARTMENT OR EMPLOYEE DETAILS**
3413	X	AN..17	Department or employee name code
3412	R	AN..35	Department or employee name

Example: CTA+CO+:M. OLIVIER ABIDTS'

Note: This segment contains the shipper or consignor contact information.

Note 3139: Use:
'CO' – Consignor Contact else use
'IC' - Contact information.

SG 5 - COM

Segment	Occurrence	Usage	Description
COM	**9**	**C**	**Communication Contact**
Function: To identify a communication number of a person or department to whom communication should be directed.			

Element	Usage	Format	Element Name
C076	**M**		**COMMUNICATION CONTACT**
3148	M	AN..70	Communication address identifier
3155	M	AN..3	Communication address code qualifier

Example: COM+31 653 123 456:TE'
COM+?+31 653 123 456:TE'

Note: This segment is used to indicate a communication contact with the Shipper or Consignor of the shipment.

Note 3148: If the phone number is beginning with the '+' sign, the '?' release character should come immediately before the '+' sign in order to avoid translation problem.
Only 70 characters will be accepted by DHL.

Note 3155: Use:
'EM' - Electronic Mail.
'FX' – Telefax.
'TE' - Telephone.
'AL' - Cellular phone (Mobile)

Segment Group 6

Group	Occurrence	Usage	Description
SG 6	**9**	**C**	**RFF**
Function: A group of segments to specify a reference related to the party			

SG 6 - RFF

Segment	Occurrence	Usage	Description
RFF	**1**	**M**	**References**
Function: To identify a reference, in this case the VAT number and Registration numbers, used by a party. This segment group may be used for customs clearance shipments (only destinations in non-EU countries).			

Element	Usage	Format	Element Name
C506	**M**		**REFERENCE**
1153	M	AN..3	Reference code qualifier
1154	R	AN..35	Reference identifier
1156	R	AN..2	Document line identifier

Example: RFF+VA:BE12345678:BE'
RFF+ZZZ:123456789:SG

Note: This segment used to record the Registration numbers of the different role types. For example, VAT number of the Shipper/Consignor, Route Code and Cycle code.
Values are validated against role types under the DHL equivalent values of SG4-NAD-3035.

Note 1153: For the full list of possible Registration Number Type for different role types / Country, refer to "DHL Express Integrated Solution Reference Information" (available from DHL Express on request)
Examples include:
'VA' – VAT Registration Number
'AUS' – Delivery Route reference or shipper route code and pickup cycle code
'ZZZ' – Overseas Registered Supplier Reference No.", for example where it is required with low value shipments to Singapore (see also SG-50 FTX)

Note 1154: Actual registration number. Only 35 characters will be accepted by DHL.
Note 1156: ISO 3166-1 Alpha 2 country codes format

Segment Group 25 (Shipment Level)

Group	Occurrence	Usage	Description
SG 25	**9999**	**M**	**CNI-DTM-TSR-MOA-FTX-SG31-SG33-SG43-SG50-SG70**
Function: A group of segments to give information about all consignments included in a voyage/flight or consolidation.			

Note: The data for each individual consignment has not been sent to the receiving partner by means of single consignment based messages (e.g. booking and/or instruction messages) separate to the IFCSUM message. For every consignment the complete structure of a single consignment based message can be used starting with the segment CNI replacing the BGM.
Thus the extended form IFCSUM message has not the function of referencing but to show as full a set of consignment data as is necessary to meet the requirements of type of consolidation message being constructed e.g. Cargo vs. Full Freight.

Note on the Occurrence: 9999 is for the combination of Segment Group 25 (Shipment Level) and Segment Group 25 (Invoice Level)

SG 25 – CNI

Segment	Occurrence	Usage	Description
CNI	**1**	**M**	**Consignment Information**
Function: To identify one consignment			

Element	Usage	Format	Element Name
1490	R	N..4	Consolidation Item Number
C503	**R**		**Document/Message Details**
1004	R	AN..35	Document Identifier

Example: CNI+1+5146665856'
CNI+2+6215236112:5'

Note 1490 : Sequence Number. In each message (UNH – UNT) the CNI sequence number starts with 1, incremented with ‘1’ for each CNI in the message.

Note 1004 : Unique Shipment Number or waybill number. These shipment number needs to be unique per shipment for at least 6 months.

SG 25 - DTM

Segment	Occurrence	Usage	Description
DTM	**1**	**O**	**Date, Time or Period**
Function: A segment to indicate date and time.			

Element	Usage	Format	Element Name
C507	**M**		**DATE/TIME/PERIOD**
2005	M	AN..3	Date/Time/Period function code qualifier
2380	R	AN..35	Date/Time/Period value
2379	R	AN..3	Date/Time/Period format code

Example: DTM+191:200906011500:203'

Note: This segment is used for specifying the estimated delivery date/time

Note 2005: Use:
'191' – Expected/Estimated Delivery date/time

Note 2380: With '191' in preceding element, this is the Estimated Delivery or POD date time.

Note 2379: Use:
'203' for the date time mask CCYYMMDDHHMM
'102' for the date mask CCYYMMDD

SG 25 - CNT

Segment	Occurrence	Usage	Description
CNT	**9**	**O**	**Control Totals**
Function: To provide control total.			

Element	Usage	Format	Element Name
C270	**M**		**CONTROL**
6069	M	AN..3	Control total type code qualifier
6066	M	N..18	Control Total value
6411	C	AN..3	Measurement unit code

Example: CNT+56:137'

Note: This segment represents control totals within respective Shipment.
For "LBBX Customer Controlled solution" purposes - this segment should be sent within the each 'baby' shipment.

Note 6069: Use:
'56' – for LBBX purposes: Total number of transport units (number of mother pieces = sum of all baby pieces – optional.)

Decimal sign may be point or comma depending of what has been specified in the UNA segment.

Note 6411: Use:
Element 6411 is not used with '56' in 6069.

SG 25 - TSR

Segment	Occurrence	Usage	Description
TSR	**1**	**R**	**Transport Service requirements**
Function: To specify contract and carriage conditions and service and priority requirements for the transport.			

Element	Usage	Format	Element Name
C536	**X**		**CONTRACT AND CARRIAGE CONDITION**
C233	**X**		**SERVICE**
C537	**R**		**TRANSPORT PRIORITY**
4219	M	AN..3	Transport service priority code
1131	R	AN..17	Code list identification code
3055	R	AN..3	Code list responsible agency code

Example: TSR+++189:57:87' (Express Worldwide EU)
TSR+++110:57:87' (Economy Select EU)

Note 4219: Use of this element is to indicate the DHL product. For more information about the product codes, please consult your Sales Representative.

Note 1131: Use '57' – Product code.

Note 3055: Use '87' – Assigned by carrier.

SG 25 - MOA

Segment	Occurrence	Usage	Description
MOA	**99**	**O**	**Monetary Amount**
Function: To specify monetary amounts.			

Element	Usage	Format	Element Name
C516	**M**		**MONETARY AMOUNT**
5025	M	AN..3	Monetary amount type code qualifier
5004	R	N..18	Monetary amount
6345	R	AN..3	Currency identification code

Example: MOA+43:150090:EUR'

Note 5025: Use:
'22' - Cash on delivery.
'43' - Declared total customs value.
'157' - Insurance value.
'64' – Freight Charge. Can be used for Override Charge.
'39' – Invoice Total Amount
'124' – Tax Amount

Note 5004: Rules for numeric value:

- The maximum number of digit is 18 where the 2 decimals are included.
- All amounts have to be specified with 2 decimals included, regardless currency.
- Decimal sign depends on what has been specified in segment UNA.
  If UNA is not specified then default sign will be point.
- COD value has to be given in the currency of the destination country.

Note 6345: Currency codes are according to ISO 4217.
This must be the currency of the shipper country except for qualifier '22' – COD currency of destination needs to be populated.

SG 25 - FTX

Segment	Occurrence	Usage	Description
FTX	**3**	**R**	**Free Text**
Function: To specify description of goods.			

Element	Usage	Format	Element Name
4451	M	AN..3	Text Subject code qualifier
4453	X	AN..3	Free text function code
C107	**X**		**TEXT REFERENCE**
C108	**R**		**TEXT LITERAL**
4440	M	AN..256	Free text value

Example: FTX+AAA+++ELECTRONIC COMPONENTS'

Note 4451: Use:
'AAA' - Goods description.
'AAB' - Terms of Payment (COD)
'DIN' - Delivery instructions.
'SPH' – Special handling
'CCI' - Custom Remarks
When customer wants to specify the method of payment in case of Cash on Delivery, the qualifier 'AAB' has to be used.

Note 4453: Not used.

Note C107: Not used.

Note 4440: Goods description (qualifier 'AAA') is mandatory for all shipments. Detail description is preferred. In case the customer is using qualifier AAB to specify the terms of payment, the element 4440 should content one letter code (from A to Q) – Please consult your Sales Representative in order to have more information about the country specific codes.

Custom Remarks/ Customs clearance instructions (qualifier 'CCI'). Any code or clear instruction agreed by customer and carrier regarding the declaration of the goods. Only populated if the shipper requires DHL Express to generate an image file of the invoice, which can then be returned to the shipper, in which case contents of field will be given under field "DECLARATION".

Segment Group 31

Group	Occurrence	Usage	Description
SG 31	**1**	**R**	**TOD-LOC**
Function: A group of segments to specify terms of delivery (Freight costs and Saturday Deliveries). Segment group 31 is mandatory to indicate freight costs payment. On conditional base, product features can be indicated.			

SG 31 - TOD

Segment	Occurrence	Usage	Description
TOD	**1**	**M**	**Terms of Delivery**
Function: To specify terms of delivery or transport.			

Element	Usage	Format	Element Name
4055	R	AN..3	Delivery or transport form function code
4215	X	AN..3	Transport charges payment method code
C100	**R**		**TERMS OF DELIVERY OR TRANSPORT**
4053	R	AN..3	Delivery or transport terms description code
1131	X	AN..17	Code list identification code
3055	X	AN..3	Code list responsible agency code
4052:1	C	AN..70	Delivery or transport terms description
4052:2	C	AN..70	Delivery or transport terms description

Example: TOD+6++DDU' (Default value or no feature)
TOD+6++CPT:::050051' (Using product features 'Saturday delivery' and 'Named signature')
TOD+6++DDU:::958' (Using the 'Recap with signature' feature)
TOD+6++DDU:::300' (Using the direct injection product feature)
TOD+6++DDP:::231' (Represents the 'Loose Bulk Baby' Service)
TOD+6++DDP:::230' (Represents the 'Loose Bulk Mother' Service)
TOD+6++CPT:::050051' (Using product features 'Saturday delivery' and 'Named signature')
TOD+6+A+DDU:::220:ACC123456' (Represents the 'Importer of Record' Service)

Note: Segment group 31 is mandatory to indicate freight costs payment and also to register the agreement between the Seller and the Buyer (Incoterms). On conditional base, product features can be indicated. If you wish to have more information about the product features and availability please contact your Sales representative.

Note 4055: Use '6' – Delivery conditions.

Note 4053: Incoterms, the default value is 'DDU'.
To have a complete list of all possible incoterms, please contact your Sales representative.

Note 1131: Not Used

Note 3055: Not Used

Note 4052:1 This element is reserved for product features. All appropriate product features should be stored in this element, without separation sign. See example. The format of each occurrence is 3 digits length, leading ‘0’ (zero) included. Please contact your Sales representative for valid product features codes.
The length of this element (AN..70) can handle a maximum of 23 product features codes (Extra Charge Code). Extra Charge Codes with related Account Numbers should always be stored in this element first followed by the Extra Charge Codes without related Account Number.

Note 4215: Use ‘A’ – To Indicate that the charges are to be charged to an account.

Note 4052:2: Account Numbers (to which the extra charges will be applied) should be stored in this element, without separation sign, and must be in the same order as the related to an Extra Charge Code are placed in element 4052:1. See example. The format of each occurrence is 9 digits length. The length of this element (AN..70) can handle a maximum of 7 Account Numbers.

Multiple Extra Charge Codes and Accounts Example:
TOD+6+A+DDU:::101103151152202203204207208:ACC123456BCC123456CCC123456DCC123456ECC123456FCC123456GCC123456' (First 7 Extra Charge Codes are related to the 7 Account Numbers. The last 2 Extra Charge Codes have no related Account Number.

SG 31 - LOC

Group	Occurrence	Usage	Description
SG31	**1**	**C**	**LOC**
Function: A group of segments to specify locations which apply to the entire message, e.g. place of departure.			

Segment	Occurrence	Usage	Description
LOC	**1**	**M**	**Place/Location Identification**
Function: To specify a location related to the terms of Delivery.			

Element	Usage	Format	Element Name
3227	M	AN..3	Location function code qualifier
C517	**R**		**LOCATION IDENTIFICATION**
3225	R	AN..3	Location name code
1131	X	AN..17	Code List Identification Code
3055	X	AN..3	Code List Responsible agency Code
C519	**O**		**LOCATION IDENTIFICATION**
3223	R	AN..3	Location name code

Example: DHL Time Definite: LOC+5+BFS+BFS'

Note: The segment LOC with qualifier '5' is required for DHL Express Air when SG4/NAD+PW or full NAD+CZ is not provided.

Note 3227: Use: '5' - Place of origin. Use for DHL Express TD

Note 3225: To be populated with DHL Express Service Area code for the location of the shipment origin. A list of DHL Express Service Area codes with corresponding DHL Express Facility codes by location name, post code and country is available on request.

Note 3055: Use: '6' – UN/ECE

Note 3223: To be populated with DHL Express Facility code for the location of the shipment origin. May or may not be the same value as in 3225. A list of DHL Express Service Area codes with corresponding DHL Express Facility codes by location name, post code and country is available on request.

Segment Group 32

Group	Occurrence	Usage	Description
SG 32	**999**	**C**	**RFF**
Function: A group of segments containing a references and constants which apply to entire consignment or shipment			

SG 32 - RFF

Segment	Occurrence	Usage	Description
RFF	**1**	**M**	**References**
Function: To identify a reference used by a party			

Element	Usage	Format	Element Name
C506	**M**		**REFERENCE**
1153	M	AN..3	Reference code qualifier
1154	R	AN..70	Reference identifier

Example: RFF+CU:1154345678'

Note: This segment may be used to record various reference numbers.

Note 1153: Use:
'ACL' - Bulk Shipment Reference.
'CU' - Consignor/Shipper's reference.
'FN' - Freight Bill number.
'IBC' - Inbound center reference number.
'LLR' - Load list reference.
'OBC' - Outbound center reference number
'PRN' - Booking reference number.
'DGC' – Dangerous Goods Identifier

Qualifier ACL is used for bulk shipments. Break Bulk (baby) shipments come from the same shipper, but can have different receivers. They are grouped to 1 Break Bulk shipment, to accommodate the customs Clearance of the "Bulk Shipment" only and not all of the associated "Baby Shipments". The baby shipments must have the Product code: Break bulk (BBE or BBX) assigned to it. The Break Bulk shipment travels under the standard Product code (like ESI or ESU). This Break Bulk shipment is just an aggregation of the "Baby shipments" and travels FOC (Free of Charge) over the network. It terminates after Customs clearance in the inbound country has taken place. For more information about Break Bulk Express, please contact your Sales Representative.

In order to have the mother shipment/piece checkpoint available for baby shipment the following need to be available in the manifest data:

1. Mother shipment and baby shipments need to be available in the manifest files.

2. Mother shipment need to have network product code ‘P’ or “H’ and charge code ‘YW’.
3. Linking between baby shipment and mother shipment need to be provided with Shipment reference type = ‘ACL’ and shipment reference = <Mother Shipment ID/ 6647324213>.
4. Linking between baby shipment piece and mother shipment piece need to be provided with Shipment reference type = ‘ACL’ and shipment reference = <Mother Piece ID/ JD012959879580000001>.

Segment Group 33

Group	Occurrence	Usage	Description
SG 33	**1**	**C**	**GOR**
Function: A group of segments to identify customs and other governmental procedures and required documents. Segment group 33 is not used, but is mandatory to be able to specify segment group 34.			

SG 33 - GOR

Segment	Occurrence	Usage	Description
GOR	**1**	**M**	**Governmental Requirements**
Function: A segment to indicate applicable governmental procedures related to import, export and transport of the goods.			

Element	Usage	Format	Element Name
8323	M	AN..3	Transport Movement code

Example: GOR+1'

Note: Segment group 4 is used as flag to indicate shipment is due to customs clearance and to enable the usage of SG34. This segment has to be used only in combination with SG34 DOC.

Note 8323: Use '1' – Export.

Segment Group 34

Group	Occurrence	Usage	Description
SG34	9	R	DOC
Function: A group of segments to specify documents and associated date(s) and time(s) for a goods item.			

SG 34 - DOC

Segment	Occurrence	Usage	Description
DOC	1	M	Document Message Details
Function: To specify contract and carriage conditions and service and priority requirements for the transport.			

Element	Usage	Format	Element Name
C002	**M**		**DOCUMENT / MESSAGE NAME**
1001	R	AN..3	Document name code
C503	**R**		**DOCUMENT MESSAGE DETAILS**
1004	R	AN..35	Document identifier

Example: DOC+821+12345678'

Note: This segment is only to be used for identifying export-documents for dutiable shipments, for customs clearance.

Note 1001: Use of this element is to indicate the type of document:
Document code - Document type
'811' - Export license.
'812' - Exchange control declaration, export.
'820' - Dispatch note model T.
'821' - Dispatch note model T1.
'822' - Dispatch note model T2.
'823' - Control document T5.
'825' - Dispatch note model T2L.
'830' - Goods declaration for exportation.
'841' - Goods control certificate.
'935' – Customs invoice

Note 1004: Related document number

SG 34 - DTM

Segment	Occurrence	Usage	Description
DTM	**1**	**O**	**Date, Time or Period**
Function: A segment to indicate date and time.			

Element	Usage	Format	Element Name
C507	**M**		**DATE/TIME/PERIOD**
2005	M	AN..3	Date/Time/Period function code qualifier
2380	R	AN..35	Date/Time/Period value
2379	R	AN..3	Date/Time/Period format code

Example: DTM+3:200906011500:203'

Note: This segment is used for specifying the document date/time

Note 2005: Use:
'3' – Commercial Invoice date/time

Note 2380: With '3' in preceding element, this is Invoice Date of the Commercial Invoice. The specified format is mandatory.

Note 2379: Use:
'203' for the date time mask CCYYMMDDHHMM
'102' for the date mask CCYYMMDD
.

Segment Group 43

Group	Occurrence	Usage	Description
SG43	**99**	**R**	**NAD-LOC-SG44-SG47- SG49**
Function: A group of segments to identify a party, related references, locations contacts, required documents, and charges to be paid by the party.			

SG 43 - NAD

Segment	Occurrence	Usage	Description
NAD	**1**	**M**	**Name and Address**
Function: Specify Consignee/Receiver.			

Element	Usage	Format	Element Name
3035	M	AN..3	Party qualifier
C082	**C**		**PARTY IDENTIFICATION DETAILS**
3039	M	AN..17	Party identification
C058	**C**		**NAME AND ADDRESS**
3124	M	AN..35	Building Name
3124	C	AN..35	City District
3124	C	AN..35	Address Line 1
3124	C	AN..35	Address Line 2
3124	C	AN..35	Address Line 3
C080	**C**		**PARTY NAME**
3036	M	AN..35	Party Name
C059	**C**		**STREET**
3042	M	AN..35	Street name
3042	C	AN..35	Building number
3042	C	AN..35	House number
3042	C	AN..35	Address line 4
3164	C	AN..35	City name
C819	**C**		**COUNTRY SUB-ENTITY DETAILS**
3229	C	AN..9	State Code
1131	X	AN..17	Code list identification code
3055	X	AN..3	Code list responsible agency code
3228	C	AN..70	Province
3251	C	AN..9	Postcode identification
3207	C	AN..3	Country, coded

Example: NAD+CN+++MICHEL VANHOREN SA+WOLUWELAAN::151+DIEGEM++1831+BE'
NAD+FP+12345678'
NAD+JD+++MAXIM INTEGRATED PRODUCTS+HERMANN-KOEHL STRASSE::15+SCHKEUDITZ++04435+DE'

Note: The 1st and 2nd occurrences of SG11/NAD are mandatory, to indicate the Consignor/Shipper and Consignee/Receiver. Use qualifier 'CZ' for Consignor and

‘CN’ for Consignee.
JD used for LBBX purpose.

Note 3035: Use:
‘CN’ - Consignee/Receiver
‘IM’ – Importer
‘EX’ – Exporter
‘FP’ – Freight Payer
‘JD’ – Port of Entry (for LBBX - Baby Shipments only)
Qualifier ‘IV’ is not valid for International shipments.
For the full list of Role Types (except Shipper related), refer to "DHL Express Integrated Solution Reference Information" (available from DHL Express on request).

The address JD (Port of Entry) of Baby Shipment must be the same as Mother Shipment Receiver address because of possible DCVS label re-printing functionality

Note 3039: This element is used only in combination with qualifier ‘CZ’ in element 3035. It contains the assigned account number of DHL. For DHL Global Forwarding: Agreed customer’s code for dispatch address (i.e. for Dispatch party or for Consignee/Receiver where no separate dispatch party is specified).This is also the field to have payer or billing account no.

Note 3124:3-5: Address line 1-3 to be used only as supplementary information to the specific address fields. Specific address fields like Street name, City name, etc. have priority as they provide structured address that allows better label printing and are expected by DHL systems.

Note 3036: They contain the full name of the Shipper/Receiver party.

Note 3042: Use this element three times to specify street name, building number, house number and house number addition. However if for technical reason, it is not possible for the customer to split the address data, the street name, building number and house number may be concatenate in the first element 3042.

Note 3229: Use this for 2-char state code as defined in Format ISO 3166-2, e.g. TX.

Note 3251: Mandatory except for countries where no postcode system is available, e.g. Ireland.

Note 3207: Format ISO 3166-1 Alpha 2 country codes.

SG 43 - LOC

Segment	Occurrence	Usage	Description
LOC	**9**	**M**	**Place/Location Identification**
Function: To specify a location.			

Element	Usage	Format	Element Name
3227	M	AN..3	Location function code qualifier
C517	**R**		**LOCATION IDENTIFICATION**
3225	R	AN..25	Location name code
C519	**O**		**LOCATION IDENTIFICATION**
3223	R	AN..25	Location name code

Example: DHL Time Definite: LOC+8+BFS+BFS'
DHL Day Definite: LOC+7+AMS+UTX'

Note: The segment LOC with qualifier '8' is mandatory to indicate the DHL Express Service Area code and DHL Express Facility code corresponding to the destination location of the shipment.
It is also mandatory for DHL Express Road shipments with product feature 'Hold at Depot' and 'PackStation'. In this segment, the appropriate code is specified.

Note 3227: Use:
'8' - Place of destination. Use for DHL Express TD
'7' - Place of delivery. Use for DHL Express DD

Note 3225: To be populated with DHL Express Facility code for the location of the shipment destination. May or may not be the same value as in 3223. A list of DHL Express Service Area codes with corresponding DHL Express Facility codes by location name, post code and country is available on request.

Note 3223: To be populated with DHL Express Facility code for the location of the shipment destination. May or may not be the same value as in 3225. A list of DHL Express Service Area codes with corresponding DHL Express Facility codes by location name, post code and country is available on request.

Segment Group 44

Group	Occurrence	Usage	Description
SG44	**1**	**C**	**CTA-COM**
Function: A group of segments to identify a party, related references, locations contacts, required documents, and charges to be paid by the party.			

SG 44 - CTA

Segment	Occurrence	Usage	Description	
CTA	**1**	**M**	**Contact Information**	**SG12**
Function: To specify a person within a party.				

Element	Usage	Format	Element Name
3139	R	AN..3	Contact function code
C056	**R**		**DEPARTMENT OR EMPLOYEE DETAILS**
3413	X	AN..17	Department or employee name code
3412	R	AN..35	Department or employee name

Example: CTA+AC+:M. OLIVIER ABIDTS'

Note: This segment contains the 'for the attention of' information. The segment group is mandatory for product feature 'Delivery limited to receiver' because it holds the name of the person to whom delivery must be accomplished. This segment is to be used only to give the receiver contact name.

Note 3139: Use:
'AC' - Accepting contact. Use for product feature 'Delivery limited to receiver"; else use 'IC' - Contact information.

SG 44 - COM

Segment	Occurrence	Usage	Description
COM	**9**	**C**	**Communication Contact**
Function: To identify a communication number of a person or department to whom communication should be Directed.			

Element	Usage	Format	Element Name
C076	**M**		**COMMUNICATION CONTACT**
3148	M	AN..70	Communication address identifier
3155	M	AN..3	Communication address code qualifier

Example: COM+31 653 123 456:TE'
COM+?+31 653 123 456:TE'

Note: This segment is used to indicate a communication contact with the Consignee/Receiver for pre-notifying about a to-be delivered shipment or to inform of a to-be collected shipment. This segment has to be used to give additional information on the specified contact given in the previouhs CTA segment.

Note 3148: If the phone number is beginning with the '+' sign, the '?' release character should come immediately before the '+' sign in order to avoid translation problem.
Only 70 characters will be accepted by DHL.

Note 3155: Use:
'EM' - Electronic Mail.
'FX' – Telefax.
'TE' - Telephone.
'AL' – Cellular phone

Segment Group 47

Group	Occurrence	Usage	Description
SG47	**9**	**C**	**RFF**
Function: A group of segments to specify a reference related to a party			

SG 47 - RFF

Segment	Occurrence	Usage	Description
RFF	**1**	**M**	**References**
Function: To identify a reference used by a party			

Element	Usage	Format	Element Name
C506	**M**		**REFERENCE**
1153	M	AN..3	Reference code qualifier
1154	C	AN..70	Reference identifier
1156	R	AN..2	Document line identifier

Example: RFF+VA:1154345678:BE’

Note: This segment may be used to record the different Registration numbers of the different role types. For example, consignee related reference numbers.
Values are validated against role types under the DHL equivalent values of SG43-NAD-3035.

Note 1153: Use:
‘VA’ – VAT Registration Number of Consignee
For the full list of all possible Registration Number Type for different role types / Country, refer to "DHL Express Integrated Solution Reference Information" (available from DHL Express on request)

Note 1154: Only 35 characters will be accepted by DHL.

Note 1156: Format ISO 3166-1 Alpha 2 country codes

Segment Group 49

Group	Occurrence	Usage	Description
SG49	**1**	**C**	**TSR**
Function: A group of segments to specify a transport service requirement and its associated details (such as appl agreement) related to the party.			

SG 49 - TSR

Segment	Occurrence	Usage	Description
TSR	**1**	**M**	**Transport Service requirements**
Function: To specify contract and carriage conditions and service and priority requirements for the transport.			

Element	Usage	Format	Element Name
C536	**X**		**CONTRACT AND CARRIAGE CONDITION**
C233	**X**		**SERVICE**
C537	**R**		**TRANSPORT PRIORITY**
4219	M	AN..3	Transport service priority code
1131	C	AN..17	Code list identification code
3055	C	AN..3	Code list responsible agency code

Example: TSR+++ECX:57:87' (Express Worldwide EU)
TSR+++ESU:57:87' (Economy Select EU)

Note 4219: Use of this element is to indicate the DHL product. For more information about the product codes, please consult your Sales Representative.

Note 1131: Use '57' – Product code.

Note 3055: Use '87' – Assigned by carrier.

SG 49 - FTX

Segment	Occurrence	Usage	Description
FTX	**1**	**C**	**Free Text**
Function: A segment used to indicate any additional information such as business party trader type.			

Element	Usage	Format	Element Name
4451	M	AN..3	Text Subject code qualifier
4453	X	AN..3	Free text function code
C107	**X**		**TEXT REFERENCE**
C108	**R**		**TEXT LITERAL**
4440	M	AN..20	Free text value

Example: FTX+AIJ+++Private'

Note 4451: Use:
'AIJ' - Business Party Trader Type

Note 4453: Not used.

Note C107: Not used.

Note 4440: For the full list of Business Party Trader Types, refer to "DHL Express Integrated Solution Reference Information" (available from DHL Express on request).

Segment Group 50

Group	Occurrence	Usage	Description
SG50	**999**	**R**	**GID-SG52-SG53-SG55-SG65**
Function: A group of segments to describe the goods items for transport undertaken			

SG 50 - GID

Segment	Occurrence	Usage	Description
GID	**1**	**M**	**Goods Item Details**
Function: A segment to describe the goods items for which transport is undertaken.			

Element	Usage	Format	Element Name
1496	C	N..5	Goods item number
C213	**R**		**NUMBER AND TYPE OF PACKAGES**
7224	R	N..8	Package quantity
7065	R	AN..17	Package type description code

Example: GID++1:CT'

Example with weight and dimensions on shipment level.
GID+99999+2:CT'
MEA+WT+AAE+KGM:18'
PCI+18'
GIN+VZ+J:VGL4502332243369101'
GID+99999+2:CT'
MEA+WT+AAE+KGM:18'
PCI+18'
GIN+VZ+J:VGL4502332243369102'

Example with weight and dimensions on piece level.
GID++1:CT'
MEA+WT+AAE+KGM:1'
DIM+2+CMT:10:10:10'
PCI+18'
GIN+VZ+J:VGL4502332243369101'
GID++1:CT'
MEA+WT+AAE+KGM:17'
DIM+2+CMT:20:10:15'
PCI+18'
GIN+VZ+J:VGL4502332243369102'

Note 1496: If data in SG52/MEA and SG53/DIM is not available on item level, the GID should be used as follows:
Element 1496 contains value 99999 and element 7224 contains the totals number of pieces in the shipment. The segment SG52 MEA and SG53 DIM will then contents the total volume.

Note 7224: The number of packages is always 1, since the following segments indicate items within one shipment.
BGM is on shipment level, within this group SG50, GID is on piece level. Since the GID group may occur 999 times, a shipment can contain up to 999 pieces.

Note 7065: For the list of package types, please consult your Sales Representative.

Segment Group 52

Group	Occurrence	Usage	Description
SG52	**2**	**R**	**MEA**
Function: A group of segments to specify measurements applicable to a piece.			

SG 52 - MEA

Segment	Occurrence	Usage	Description
MEA	**1**	**M**	**Measurements**
Function: Measurements of a piece.			

Element	Usage	Format	Element Name
6311	M	AN..3	Measurement application qualifier
C502	**R**		**MEASUREMENTS DETAILS**
6313	R	AN..3	Measured attribute code
C174	**R**		**VALUE / RANGE**
6411	M	AN..3	Measure unit qualifier
6314	R	N..18	Measurement value

Example: MEA+WT+AAE+KGM:12'
MEA+VOL+AAW+MTQ:45.000'

Note: The segment will occur twice. The first occurrence is reserved for the piece weight and the second for the piece volume.

Note 6311: Use: 'WT' – Weight.
'VOL' - Volume.

Note C108/4440: This segment with element 6311 = VOL, becomes mandatory if no dimensions of the piece are available.

Note 6313: Use: 'AAE' - Piece gross weight.
'AAW' - Gross volume.

Note 6411: Confirm with DHL Express which of the following units can be supported in the shipment origin country:
For WT 'KGM or 'LBR'
For VOL MTQ, CMQ or INQ

Note 6314:
- The gross weight and volume of the item are allowed with a maximum of 3 decimals.
- Decimal sign may be point or comma depending of what specified in segment UNA.

Segment Group 53

Group	Occurrence	Usage	Description
SG53	**1**	**R**	**DIM**
Function: A group of segments to specify dimensions applicable to a piece.			

SG 53 - DIM

Segment	Occurrence	Usage	Description
DIM	**1**	**M**	**Dimensions**
Function: Measurements of a piece.			

Element	Usage	Format	Element Name
6145	M	AN..3	Dimensions type code qualifier
C211	**M**		**DIMENSIONS**
6411	M	AN..3	Measurement unit code
6168	R	N..15	Length dimension code
6140	R	N..15	Width dimension code
6008	R	N..15	Height dimension code

Example: DIM+2+CMT:10:10:10’

Note: This segment becomes mandatory if SG52 MEA+VOL is not used. See also SG52 MEA.

Note 6145: Use ‘2’ – Package dimensions.

Note 6411: Confirm with DHL Express which of the following units can be supported in the shipment origin country:
‘CMT’, ‘MTR’ or “INH’

Segment Group 54

Group	Occurrence	Usage	Description
SG54	**9**	**C**	**RFF**
Function: A group of segments to identify references to a goods item.			

SG 54 - RFF

Segment	Occurrence	Usage	Description
RFF	**9**	**M**	**References**
Function: To identify a reference used by a party			

Element	Usage	Format	Element Name
C506	**M**		**REFERENCE**
1153	M	AN..3	Reference code qualifier
1154	R	AN..70	Reference identifier

Example: RFF+ACL:1154345678'

Note: This segment may be used to record various reference numbers.
Note 1153: Use:
'ACL' - Bulk Shipment Reference.
'CU' – Consignor/Shipper's reference

1. Linking between baby shipment piece and mother shipment piece need to be provided with Shipment reference type = 'ACL' and shipment reference = <Mother Piece ID/ JD012959879580000001>.

Segment Group 55

Group	Occurrence	Usage	Description
SG55	**1**	**R**	**PCI-GIN**
Function: A group of segments to specify marks and numbers of a goods item.			

SG 55 - PCI

Segment	Occurrence	Usage	Description
PCI	**1**	**M**	**Package identification**
Function: To specify marks and numbers of a good item.			

Element	Usage	Format	Element Name
4233	R	AN..3	Marking instructions, coded

Example: PCI+18'

Note 4233: Use '18' – Carrier's instructions.

SG 55 - GIN

Segment	Occurrence	Usage	Description
GIN	**9**	**R**	**Goods identity number**
Function: To give specific identification number.			

Element	Usage	Format	Element Name
7405	M	AN..3	Object identification code qualifier
C208	**M**		**IDENTIFY NUMBER RANGE**
7402	M	AN..35	Object identifier
7402	M	AN..35	Object identifier

Example: GIN+VZ+J:VGL0858922671234563'
GIN+AW+00:357121231234567893'
GIN+VZ+J:JD0030112708872040054737'

Note 7405: For DHL shipment items this is the License plate number. For qualifier 'VZ', the range is provided by DHL. The license plate number should be the same as on the Global SOP label.
Use:
'AW' - Serial shipper container code - for items identifiable via the EAN128 SSCC. Use allowed for DHL Express Road shipments. Starting qualifier '00' is not part of the unique number.
'VZ' - Transport unit identification according to ISO/IES 15459 - for DHL Express Road shipment items this is the CEN License plate. The number consists of a fixed part and a sequential part. The fixed part is provided by DHL Express Road. The sequential part is free for the customer to define. The whole number should be stored in the GIN segment (including the starting qualifier 'J').
'WA' - Indivisible transport unit identification according to ISO/IES 15459 - same as 'VZ', but indicating pallet units travelling under one unique item bar code.

Segment Group 65

Group	Occurrence	Usage	Description
SG65	**99**	**C**	**DGS-FTX-SG67**
Function: *A group of segments to specify dangerous goods details related to the goods item. One goods item may be in different dangerous goods classes.*			

SG 65 - DGS

Segment	Occurrence	Usage	Description
DGS	**1**	**M**	**Document message details**
Function: *To identify dangerous goods in limited quantities.*			

Element	Usage	Format	Element Name
8273	*R*	*AN..3*	*Dangerous goods regulations, coded*
C205	***C***		***HAZARD CODE***
8351	*R*	*AN..7*	*Hazard code identification*
8078	*R*	*AN..7*	*Additional hazard classification identifier*
8092	*R*	*AN..10*	*Hazard code version identifier*
C234	***R***		***UNDG INFORMATION***
7124	*R*	*N..4*	*United Nation Dangerous Goods identifier*

Example: *DGS+ADR+3:3:B+1294'*

Note: This section is not to be used to describe a shipment as including Dangerous Goods when shipping with DHL Express. When commodities categorized as Dangerous Goods or Restricted Commodities are sent then particular values are given in SG25 – FTX, SG31 – TOD and SG32 – RFF. Contact DHL Express for advice as to the values to use.

SG 65 - FTX

Segment	Occurrence	Usage	Description
FTX	**1**	**C**	**Free Text**
Function: *To specify the dangerous goods technical name.*			

Element	Usage	Format	Element Name
4451	*M*	*AN..3*	*Text Subject code qualifier*
4453	*X*	*AN..3*	*Free text function code*
C107	***X***		***TEXT REFERENCE***
C108	***R***		***TEXT LITERAL***
4440	*M*	*AN..256*	*Free text value*

Example: *FTX+AAD+++TECHNICAL NAME'*

Note: This section is not to be used to describe a shipment as including Dangerous Goods when shipping with DHL Express. When commodities categorized as Dangerous Goods or Restricted Commodities are sent then particular values are given in SG25 – FTX, SG31 – TOD and SG32 - RFF. Contact DHL Express for advice as to the values to use

Segment Group 67

Group	Occurrence	Usage	Description
SG67	**1**	**R**	**MEA**
Function: *A group of segments to identify dangerous goods measurements.*			

SG 67 - MEA

Segment	Occurrence	Usage	Description
MEA	**1**	**M**	**Measurements**
Function: *Measurements of goods items.*			

Element	Usage	Format	Element Name
6311	*M*	*AN..3*	*Measurement purpose code qualifier*
C502	**R**		**MEASUREMENTS DETAILS**
C174	**R**		**VALUE / RANGE**
6411	*M*	*AN..3*	*Measure unit qualifier*
6314	*R*	*N..18*	*Measurement value*

Note: This section is not to be used to describe a shipment as including Dangerous Goods when shipping with DHL Express. When commodities categorized as Dangerous Goods or Restricted Commodities are sent then particular values are given in SG25 – FTX, SG31 – TOD and SG32 - RFF. Contact DHL Express for advice as to the values to use

Segment Group 70

Group	Occurrence	Usage	Description
SG70	**4**	**C**	**EQD-EQN-MEA**
Function: A group of segments to specify equipment in which goods are transported.			

SG 70 - EQD

Segment	Occurrence	Usage	Description
EQD	**1**	**M**	**Equipment Details**
Function: To identify a unit of equipment. The type of pallets etc.			

Element	Usage	Format	Element Name
8053	M	AN..3	Equipment Type code

Example: EQD+EFP'

Note 8053: Use: 'EFP' – Changeable Pallet
'EYP' – Changeable Box
'FPN' – Pallet
'BPN' – Box Pallet WT' – Weight.

SG 70 - EQN

Segment	Occurrence	Usage	Description
EQN	**1**	**M**	**Number of Units**
Function: A segment to specify the number of pieces of equipment required. The total number of pallets etc. of all shipments in the message.			

Element	Usage	Format	Element Name
C523	**M**		**NUMBER OF UNITS DETAILS**
6350	M	N..15	Number of Units

Example: EQN+10'

Note 6350: Number of Pallets/boxes

SG 70 - MEA

Segment	Occurrence	Usage	Description
MEA	**1**	**O**	**Measurements**
Function: To specify the length in a vehicle, whereby the complete width and height over the length is needed for the shipment.			

Element	Usage	Format	Element Name
6311	M	AN..3	Measurement Application Qualifier
C502	**X**		**MEASUREMENT DETAILS**
C174	**R**		**VALUE RANGE**
6411	M	AN..3	Measure Unit Qualifier
6314	R	N..18	Measurement Value

Example: MEA+LMT++MTR:20'

Note 6311: Use: LMT – Load Meters

Note 6411: Confirm with DHL Express which of the following units can be supported in the shipment origin country: 'CMT', 'MTR' or "INH'

Note 6314: The total loading meters needed for the entire shipment with decimals.

Segment Group 25 (Invoice Level)

Group	Occurrence	Usage	Description
SG 25	**9999**	**M**	**CNI-DTM-CNT-TSR-MOA-FTX-SG31-SG32-SG33-SG43-SG50-SG70**
Function: A group of segments to give information about an Invoice			

Note on the Occurrence: 9999 is for the combination of Segment Group 25 (Shipment Level) and Segment Group 25 (Invoice Level)

SG 25 - CNI

Segment	Occurrence	Usage	Description
CNI	**1**	**M**	**Consignment Information**
Function: To identify one Invoice			

Element	Usage	Format	Element Name
1490	R	N..4	Consolidation Item Number
C503	**R**		**Document/Message Details**
1004	R	AN..35	Document Identifier

Example: CNI+9999+2187304991:5'

Note 1490 : '9999' – Invoice Level

Note 1004 : Unique Shipment Number or waybill number the Invoice level information are related to. These shipment number needs to be unique per shipment for at least 6 months.

SG 25 - CNT

Segment	Occurrence	Usage	Description
CNT	**9**	**C**	**Control Totals**
Function: To provide control total within an Invoice			

Element	Usage	Format	Element Name
C270	**M**		**CONTROL**
6069	M	AN..3	Control total type code qualifier
6066	M	N..18	Control Total value
6411	C	AN..3	Measurement unit code

Example: CNT+7:1.24:KGM'
CNT+29:1.20:KGM'

Note: This segment represents control totals within respective Invoice.

Note 6069: Use:
'7' - Total Gross Weight (Invoice)
'29' - Total Net Weight

Note 6066: Decimal sign may be point or comma depending of what has been specified in the UNA segment.

Note 6411: Confirm with DHL Express which units of the following can be supported in the shipment origin country: 'KGM or 'LBR'

SG 25 - MOA

Segment	Occurrence	Usage	Description
MOA	**99**	**R**	**Monetary Amount**
Function:	A segment to indicate a monetary value for an Invoice.		

Element	Usage	Format	Element Name
C516	**M**		**MONETARY AMOUNT**
5025	M	AN..3	Monetary amount type code qualifier
5004	R	N..18	Monetary amount
6345	R	AN..3	Currency identification code

Example: MOA+43:150090:EUR'

Note: DHL will only accept 5 monetary amount other than 43 – Total Customs Value (TCUSV)
79 – Invoice Line Items Total Value (TINVA)

Note 5025: Use:
'43' - Declared total customs value.
'64' – Freight Charge. Can be used for Override Charge.
For the full list of other Invoice Monetary Amount type codes, refer to "DHL Express Integrated Solution Reference Information" (available from DHL Express on request).

For DDP shipments (refer to SG31 TOD Segment, C100/4053 Element), the following additional charges must be provided:
'55' – Import Duty Value
'161' – Import Tax Value
Sum of '55' + '161' + '43' – Import Total Value will be calculated by DHL.

Note 5004: Rules for numeric value:

- The maximum number of digit is 18 where the 3 decimals are included.
- All amounts have to be specified with 3 decimals included, regardless currency.
- Decimal sign depends on what has been specified in segment UNA.
  If UNA is not specified then default sign will be point.
- COD value has to be given in the currency of the destination country.

Note 6345: Currency codes are according to ISO 4217.
This must be the currency of the shipper country except for qualifier '22' – COD currency of destination needs to be populated.

SG 25 - FTX

Segment	Occurrence	Usage	Description
FTX	**1**	**R**	**Free Text**
Function: A segment to specify free form or process available supplementary information within an Invoice, such as Reason for Export			

Element	Usage	Format	Element Name
4451	M	AN..3	Text Subject code qualifier
4453	X	AN..3	Free text function code
C107	**X**		**TEXT REFERENCE**
C108	**R**		**TEXT LITERAL**
4440	M	AN..5	Free text value

Example: FTX+CEX+++C'

Note 4451: For Reason for Export use 'CEX', mandatory for all shipments
For Duty Free Import Remark use "AAU' – may be used with Return shipments, see Appendix F

Note 4453: Not used.

Note C107: Not used.

Note 4440: For the full list of Reason for Export values, refer to "DHL Express Integrated Solution Reference Information" (available from DHL Express on request).

Segment Group 31 (Invoice Level)

Group	Occurrence	Usage	Description
SG 31	**1**	**R**	**TOD-LOC**
Function: A group of segments to specify terms of delivery			

SG 31 - TOD

Segment	Occurrence	Usage	Description
TOD	**1**	**M**	**Terms of Delivery**
Function: To specify terms of delivery or transport. Incoterm - Invoice level			

Element	Usage	Format	Element Name
4055	R	AN..3	Delivery or transport form function code
4215	X	AN..3	Transport charges payment method code
C100	**R**		**TERMS OF DELIVERY OR TRANSPORT**
4053	R	AN..3	Delivery or transport terms description code
1131	X	AN..17	Code list identification code
3055	X	AN..3	Code list responsible agency code
4052	C	AN..70	Delivery or transport terms description

Example: TOD+6++DDU' (Default value or no feature)
TOD+6++CPT:::050051' (Using product features 'Saturday delivery' and 'Named signature')
TOD+6++DDU:::958' (Using the 'Recap with signature' feature)
TOD+6++DDU:::300' (Using the direct injection product feature)
TOD+6++DDP:::231' (Represents the 'Loose Bulk Baby' Service)
TOD+6++DDP:::230' (Represents the 'Loose Bulk Mother' Service)

Note: Segment group 31 is mandatory to indicate freight costs payment and also to register the agreement between the Seller and the Buyer (Incoterms). On conditional base, product features can be indicated. If you wish to have more information about the product features and availability please contact your Sales representative.

Note 4055: Use '6' – Delivery conditions.

Note 4053: Incoterms, the default value is 'DDU'.
To have a complete list of all possible incoterms, please contact your Sales representative.

Note 1131: Not Used

Note 3055: Not Used

Note 4052: This element is reserved for product features. All appropriate product features should be stored in this element, without separation sign. See example. The format of each occurrence is 3 digits length, leading '0' (zero) included. Please contact your Sales representative for valid product features codes.

SG 31 - LOC

Segment	Occurrence	Usage	Description
LOC	**1**	**C**	**Place/Location Identification**
Function: To specify a location related to the terms of Delivery. Place of Incoterms - Invoice level			

Element	Usage	Format	Element Name
3227	M	AN..3	Location function code qualifier
C517	**R**		**LOCATION IDENTIFICATION**
3225	R	AN..3	Location name code
1131	X	AN..17	Code List Identification Code
3055	X	AN..3	Code List Responsible agency Code
3244	R	AN..256	Location Name

Example: LOC+1+AH:::liege'

Note 3227: Use:
'1' - Place of Incoterms

Note 3225: To be populated with DHL Express Service Area code for the location of where the Incoterms were applied. A list of DHL Express Service Area codes with corresponding DHL Express Facility codes by location name, post code and country is available on request.

Segment Group 32 (Invoice Level)

Group	Occurrence	Usage	Description
SG 32	**999**	**C**	**RFF**
Function: A group of segments containing a references related to the Invoice			

SG 32 - RFF

Segment	Occurrence	Usage	Description
RFF	**1**	**M**	**References**
Function: A segment indicating the Registration Numbers			

Element	Usage	Format	Element Name
C506	**M**		**REFERENCE**
1153	M	AN..3	Reference code qualifier
1154	R	AN..35	Reference identifier

Example: RFF+CU:1154345678’

Note: This segment may be used to record various Invoice Reference numbers.
Values are validated against Shipper OR Consignee Country Codes under SG4-NAD-3207 and SG43-NAD-3207.

Note 1153: Use:
‘CU’ - Consignor/Shipper’s reference.
‘ABT’ – MRN (Master Reference No., goods declaration document identifier for export from Germany)
For the full list of Invoice Reference Types, refer to "DHL Express Integrated Solution Reference Information" (available from DHL Express on request).

Segment Group 33 (Invoice Level)

Group	Occurrence	Usage	Description
SG 33	**1**	**M**	**GOR**
Function: A group of segments to identify customs and other governmental procedures and required documents. Segment group 33 is not used, but is mandatory to be able to specify segment group 34.			

SG 33 - GOR

Segment	Occurrence	Usage	Description
GOR	**1**	**M**	**Governmental Requirements**
Function: A segment to indicate applicable governmental procedures related to import, export and transport of the goods.			

Element	Usage	Format	Element Name
8323	M	AN..3	Transport Movement code

Example: GOR+1'
GOR+2'

Note: This segment has to be used only in combination with SG34 DOC.

Note 8323: Use:
'1' – Export
'2' – Import

SG 33 - FTX

Segment	Occurrence	Usage	Description
FTX	**1**	**R**	**Free Text**
Function: A segment to specify free form or process available supplementary information within an Invoice, such as Trading Transaction Type			

Element	Usage	Format	Element Name
4451	M	AN..3	Text Subject code qualifier
4453	X	AN..3	Free text function code
C107	**X**		**TEXT REFERENCE**
C108	**R**		**TEXT LITERAL**
4440	M	AN..15	Free text value

Example: FTX+AAI+++Commercial'

Note 4451: Use:
'AAI' - Trading Transaction Type

Note 4453: Not used.

Note C107: Not used.

Note 4440: For the full list of Trading Transaction Types, refer to "DHL Express Integrated Solution Reference Information" (available from DHL Express on request)

Segment Group 34 (Invoice Level)

Group	Occurrence	Usage	Description
SG34	**9**	**R**	**DOC**
Function: A group of segments to specify documents and associated date(s) and time(s) for a goods item.			

SG 34 - DOC

Segment	Occurrence	Usage	Description
DOC	**1**	**M**	**Document Message Details**
Function: A segment to indicate accompanying documents for customs clearance (i.e Invoice Number, Customs Document)			

Element	Usage	Format	Element Name
C002	**M**		**DOCUMENT / MESSAGE NAME**
1001	R	AN..3	Document name code
C503	**R**		**DOCUMENT MESSAGE DETAILS**
1004	R	AN..35	Document identifier

Example: DOC+861+COO1111199'
DOC+380+INVNO11199'

Note: This segment is only to be used for identifying export-documents for dutiable shipments, for customs clearance.

Note 1001: Use of this element is to indicate the type of document:
Document code – Main Document type
‘380’ - Commercial Invoice
‘325’ – Proforma Invoice
For full list of other Associated Document Type Codes, refer to "DHL Express Integrated Solution Reference Information" (available from DHL Express on request).

Note 1004: Related document number

SG 34 - DTM

Segment	Occurrence	Usage	Description
DTM	**1**	**O**	**Date, Time or Period**
Function: A segment to indicate date and time.			

Element	Usage	Format	Element Name
C507	**M**		**DATE/TIME/PERIOD**
2005	M	AN..3	Date/Time/Period function code qualifier
2380	R	AN..35	Date/Time/Period value
2379	R	AN..3	Date/Time/Period format code

Example: DTM+3:200906011500:203'

Note: This segment is used for specifying the document date/time

Note 2005: Use:
'3' – Commercial Invoice date/time

Note 2380: With '3' in preceding element, this is Invoice Date of the Commercial Invoice. The specified format is mandatory.

Note 2379: Use:
'203' for the date time mask CCYYMMDDHHMM

Segment Group 50 (Invoice Line Item)

Group	Occurrence	Usage	Description
SG50	**999**	**R**	**GID-SG52-SG53-SG55-SG65**
Function: A group of segments to describe the goods line items related in an Invoice			

SG 50 - GID

Segment	Occurrence	Usage	Description
GID	**1**	**M**	**Goods Item Details**
Function: A segment to identify a line item in an Invoice			

Element	Usage	Format	Element Name
1496	C	N..5	Goods item number
C213	**R**		**NUMBER AND TYPE OF PACKAGES**
7224	R	N..8	Package quantity
7065	R	AN..17	Package type description code

Example: GID+3+1:CT'

Note: For Invoice Line Item SG 50 GID, SG 50 FTX - FTX+LIN' is mandatory

Note 1496: Sequence number incrementing per line item
Note 7224: The number of packages is always 1, since the following segments indicate items within one shipment.
Note 7065: For the list of package types, please consult your Sales Representative.

SG 50 - LOC

Segment	Occurrence	Usage	Description
LOC	**1**	**R**	**Place/Location Identification**
Function: A segment to specify a country associated with a line item (i.e. Line Item Country of Manufacture)			

Element	Usage	Format	Element Name
3227	M	AN..3	Location function code qualifier
C517	**R**		**LOCATION IDENTIFICATION**
3225	R	AN..3	Location name code
1131	X	AN..17	Code List Identification Code
3055	X	AN..3	Code List Responsible agency Code

Example: LOC+27+AMS::6'

Note 3227: Use:
'27' - Line Item Country of Manufacture

Note 3225: A list of codes are available on request at your Sales Representative.

SG 50 - MOA

Segment	Occurrence	Usage	Description
MOA	**9**	**R**	**Monetary Amount**
Function: A segment to specify a monetary amount associated with a line item, such as Line Item Total Customs (Article) Customs Value, etc.			

Element	Usage	Format	Element Name
C516	**M**		**MONETARY AMOUNT**
5025	M	AN..3	Monetary amount type code qualifier
5004	R	N..18	Monetary amount
6345	R	AN..3	Currency identification code

Example: MOA+38:130000000000000.101:EUR'

Note 5025: Use:
'38' or '39' - Line Item Value.
'146' – Single Item (Article) Customs Value
For the full list of other Invoice Line Item Monetary Amount type codes, refer to "DHL Express Integrated Solution Reference Information" (available from DHL Express on request).

Note 5004: Rules for numeric value:

- The maximum number of digit is 18 where the 3 decimals are included.
- All amounts have to be specified with 3 decimals included, regardless currency.
- Decimal sign depends on what has been specified in segment UNA.
  If UNA is not specified then default sign will be point.
- COD value has to be given in the currency of the destination country.

Note 6345: Currency codes are according to ISO 4217.
This must be the currency of the shipper country except for qualifier '22' – COD currency of destination needs to be populated.

SG 50 - FTX

Segment	Occurrence	Usage	Description
FTX	**2**	**R**	**Free Text**
Function: A segment to specify processable supplementary information relating to the line item (i.e. Line Item Description)			

Element	Usage	Format	Element Name
4451	M	AN..3	Text Subject code qualifier
4453	X	AN..3	Free text function code
C107	**X**		**TEXT REFERENCE**
C108	**R**		**TEXT LITERAL**
4440	M	AN..512	Free text value

Example: FTX+LIN'
FTX+AAA+++DESCRIPTION LINE ITEM1'

Note 4451: Use:
'LIN' – Line Item indicator for GID
'AAA' - Line Item Description
For low value shipments to Singapore Y or N must be given in SG50 within the GID segment - this is to indicate whether GST on the shipment contents has been paid in the exporting country already (Y = yes) or not (N = no), (see also SG-6 RFF)
Examples:
FTX+Y'
FTX+N'
Each line item should have such a GST flag/ indicator.

Note 4453: Not used.

Note C107: Not used.

Note 4440: Line Item Description

Segment Group 52 (Invoice Line Item)

Group	Occurrence	Usage	Description
SG52	**2**	**R**	**MEA**
Function: A group of segments to specify measurements applicable to a line item			

SG 52 - MEA

Segment	Occurrence	Usage	Description
MEA	**1**	**M**	**Measurements**
Function: A segment to specify measurements, applicable to a line item (i.e. Line Item Gross weight, Line Item Net Weight)			

Element	Usage	Format	Element Name
6311	M	AN..3	Measurement application qualifier
C502	**R**		**MEASUREMENTS DETAILS**
6313	R	AN..3	Measured attribute code
C174	**R**		**VALUE / RANGE**
6411	M	AN..3	Measure unit qualifier
6314	R	N..15	Measurement value

Example: MEA+WT+AAE+KGM:2.8'
MEA+WT+AAF+KGM:2.0'

Note 6311: Use: 'WT' – Weight.

Note 6313: Use: 'AAE' - Line Item Gross Weight
'AAF' - Line Item Net Weight

Note 6411: Confirm with DHL Express which units of the following can be supported in the shipment origin country: 'KGM or 'LBR'

Note 6314:
- The weight of the item is given with a maximum of 15 digits inclusive 3 decimal.
- Decimal sign may be point or comma depending of what has been specified in segment UNA.

Segment Group 54 (Invoice Line Item)

Group	Occurrence	Usage	Description
SG54	**9**	**C**	**RFF**
Function: A group of segments to identify references to a goods item.			

SG 54 - RFF

Segment	Occurrence	Usage	Description
RFF	**1**	**M**	**References**
Function: A segment indicating the Line Item Reference Numbers used by a party			

Element	Usage	Format	Element Name
C506	**M**		**REFERENCE**
1153	M	AN..3	Reference code qualifier
1154	R	AN..35	Reference identifier

Example: RFF+HS:BEHS111199'
RFF+MF:MFPAN11199'
RFF+AFE:AFE1111199'

Note: This segment may be used to record various reference numbers for each line items. Values are validated against Shipper OR Consignee Country Codes under SG4-NAD-3207 and SG43-NAD-3207.

Note 1153: Use:
‘HS’ - Line Item Harmonized code
‘MF’ - Manufacturer's part number
‘AFE’ – Export Control Commodity number (ECCN)
For the full list of Line Item Reference Numbers type codes, refer to "DHL Express Integrated Solution Reference Information" (available from DHL Express on request).

Note 1154: Only 35 characters will be accepted by DHL.

Segment Group 56 (Invoice Line Item)

Group	Occurrence	Usage	Description
SG56	**9**	**C**	**DOC**
Function: A group of segments to specify documents and associated date(s) and time(s) for a line item.			

SG 56 - DOC

Segment	Occurrence	Usage	Description
DOC	**1**	**M**	**Document Message Details**
Function: A segment to specify a document prepared for a line item.			

Element	Usage	Format	Element Name
C002	**M**		**DOCUMENT / MESSAGE NAME**
1001	R	AN..3	Document name code
C503	**R**		**DOCUMENT MESSAGE DETAILS**
1004	R	AN..35	Document identifier

Example: DOC+41+LIASCDOC19'

Note 1001: Use of this element is to indicate the type of document:
Document code - Document type
’41’ - Driver's License
For the full list of Associated Document Types, refer to "DHL Express Integrated Solution Reference Information" (available from DHL Express on request).

Note 1004: Related document number

Segment Group 63 (Invoice Line Item)

Group	Occurrence	Usage	Description
SG63	**1**	**R**	**TCC**
Function: A group of segments to specify information associated with the goods item.			

SG 63 - TCC

Segment	Occurrence	Usage	Description
TCC	**1**	**M**	**Charge/Rate Calculations**
Function: A segment to specify charges/quantity associated with the goods item.			

Element	Usage	Format	Element Name
C200	**R**		**CHARGE**
8023	R	AN..17	Freight and other charges description identifier

Example: TCC+DHL'

Note 8023: Use ‘DHL’

SG 63 - QTY

Segment	Occurrence	Usage	Description
QTY	**1**	**R**	**Quantity**
Function: A segment to indicate a Invoiced line item quantity			

Element	Usage	Format	Element Name
C186	**M**		**QUANTITY DETAILS**
6063	M	AN..3	Quantity type code qualifier
6060	M	N..35	Quantity
6411	R	AN..3	Measurement unit code

Example: QTY+47:1:PCE'

Note 6063: Use:
47 - Invoiced line item quantity

Note 6060: Count of the total number of goods items within a line item. No Decimals values

Note 6411: Code specifying the unit of measurement. e.g. PCE, PCS

UNT Segment – Message Trailer

Segment	Occurrence	Usage	Description
UNT	**1**	**M**	**Message trailer**
Function: To end and check the completeness of a message.			

Element	Usage	Format	Element Name
0074	M	N..6	Number of segments in a message
0062	M	AN..14	Message reference number

Example: UNT+22+123'

Note 0074: Number of segments in the message (UNH to UNT).

Note 0062: The value shall be identical to the value in element 0062 in the corresponding UNH segment.

Appendix A – Product Type

Product group description	Global product name	Global product content code	Global product code	Global product description
Time Definite International	B2C	BTC	2	A systemized, international door-to-door delivery of **document** shipments within Time Definite transit times, targeted at business-to-consumer internet retailing
	B2C	B2C	3	A systemized, international door-to-door delivery of **non-document** shipments within Time Definite transit times, targeted at business-to-consumer internet retailing
	EXPRESS EASY	XEP	8	Systemized export or domestic pre-18:00hrs door-to-door delivery of **non-document** shipments on the next possible business day. Sold from Service Point outlets on cash payment terms, with DHL branded packaging included at eight standard weight intervals.
	EXPRESS WORLDWIDE	DOX	D	Systemized export or import pre-18:00hrs door-to-door delivery of **document** shipments on the next possible business day.
	EXPRESS 9:00	TDE	E	Systemized export, import or domestic pre-9:00hrs door-to-door delivery of **non-document** shipments on the next possible business day, with a full money-back guarantee and proactive delivery notification.
	BREAK BULK EXPRESS	BBX	B	A systemized door-to-door pick-up of an already consolidated shipment sent from one customs zone to another, with a consolidated clearance at the destination gateway and subsequent delivery of individual shipments to different receivers on the next possible business day.
	EXPRESS WORLDWIDE	ECX	U	Systemized export or import pre-18:00hrs door-to-door delivery of **document** shipments on the next possible business day.

Time Definite International	EXPRESS 12:00	TDY	Y	Systemized export, import or domestic pre-12:00hrs door-to-door delivery of **non-document** shipments on the next possible business day, with a full money-back guarantee.
	JUMBO BOX	JBX	J	A packaging-based product sold with a bundled pricing approach, with a pick-up from a Shipper's premises, and an international export delivery of **non-document** shipments by the end of the next possible business day.
	EXPRESS 10:30	TDM	M	Systemized export, import or domestic pre-10:30hrs door-to-door delivery of **non-document** shipments on the next possible business day, with a full money-back guarantee.
	EXPRESS WORLDWIDE	WPX	P	Systemized export or import pre-18:00hrs door-to-door delivery of **non-document** shipments on the next possible business day.
	MEDICAL EXPRESS	WMX	Q	The outbound transportation of time sensitive **supplies** and **medicines** and the associated inbound transportation of time sensitive **diagnostic samples** during the clinical trials phase of a new medicine (sent as **non-document**).
	GLOBALMAIL BUSINESS	GMB	R	Distribution of non-sorted **business correspondence** via international postal networks such as DPWN, with a pick-up by a DHL Express courier.
Time Definite Domestic	DOMESTIC EXPRESS 9:00	DOK	I	A systemized and guaranteed door-to-door pick-up and domestic delivery of **documents** and **parcels** on the next possible business day by 9:00hrs, targeted at time-critical business-to-business needs.
	DOMESTIC EXPRESS 12:00	DOT	1	A systemized and guaranteed door-to-door pick-up and domestic delivery of **documents** and **parcels** on the next possible business day by 12:00hrs, targeted at time-critical business-to-business needs.

	DOMESTIC EXPRESS	DOM	N	Systemized door-to-door delivery of **documents** and **parcels** within the same country on the next possible business day.
	DOMESTIC EXPRESS 10:30	DOL	O	A systemized and guaranteed door-to-door pick-up and domestic delivery of **document** and **parcel shipments** on the next possible business day by 10:30hrs, targeted at time-critical business-to-business needs
Time Definite International and Domestic	EXPRESS 9:00	TDK	K	Systemized export, import or domestic pre-9:00hrs door-to-door delivery of **document** shipments on the next possible business day, with a full money-back guarantee and proactive delivery notification.
	EXPRESS 10:30	TDL	L	Systemized export, import or domestic pre-10:30hrs door-to-door delivery of **document** shipments on the next possible business day, with a full money-back guarantee.
	EXPRESS 12:00	TDT	T	Systemized export, import or domestic pre-12:00hrs door-to-door delivery of **document** shipments on the next possible business day, with a full money-back guarantee.
	MEDICAL EXPRESS	CMX	C	The outbound transportation of time sensitive **supplies** and **medicines** and the associated inbound transportation of time sensitive **diagnostic samples** during the clinical trials phase of a new medicine (sent as **documents**).
	EXPRESS EASY	XED	7	Systemized export or domestic pre-18:00hrs door-to-door delivery of **document** shipments on the next possible business day. Sold from Service Point outlets on cash payment terms, with DHL branded packaging included at eight standard weight intervals.
	EXPRESS ENVELOPE	XPD	X	Systemized export pre-18:00hrs door-to-door delivery of **document** shipments weighing up to 250g on the next possible business day, within a DHL envelope designed and branded for the purpose.

Day Definite International	ECONOMY SELECT	ESI	H	Systemized door-to-door export or import delivery of **single** or **multi-piece shipments** and **pallets** with transit times quoted in a certain number of days.
	BREAK BULK ECONOMY	BBE	I	The same approach as for the Time Definite solution, only with the individual shipments delivered to Day Definite transit times. To be developed and deployed during 2009 using the DHL ECONOMY SELECT platform.
	EUROPACK	EPP	V	Systemized door-to-door export or domestic delivery of **single piece shipments** weighing up to 31.5kg for customers in certain countries sending within Europe, with transit times quoted in a certain number of days.
	ECONOMY SELECT	ESU	W	Systemized door-to-door export or import delivery of **single** or **multi-piece document shipments** and pallets with transit times quoted in a certain number of days.
Day Definite International and Domestic	EUROPACK	EPA	9	Systemized door-to-door export or domestic delivery of **single piece shipments** weighing up to 31.5kg for customers in certain countries sending within Europe, with transit times quoted in a certain number of days.
Day Definite Domestic	DOMESTIC ECONOMY SELECT	DES	G	Systemized door-to-door domestic delivery of **single** or **multi-piece shipments** and **pallets** with transit times quoted in a certain number of days.
Same Day (International and Domestic)	JETLINE	NFO	4	A fully flexible service with an immediate pick-up and an export or domestic door-to-door **dedicated delivery** by way of the next **commercial** or **network flight** out, within a target of 24 hours.
	SPRINTLINE	SPL	5	A fully flexible service with an immediate pick-up and an export or domestic door-to-door delivery by way of a **dedicated ground vehicle**, within a target of 24 hours.

	SECURELINE	OBC	6	A fully flexible service with an immediate pick-up and an export or domestic door-to-door delivery by way of an **on-board courier** or **chartered aircraft** for the highest level of security, within a target of 24 hours.
	SAME DAY	SDX	S	Scheduled door-to-door pick-up generally before noon and an export or domestic delivery to limited destinations within the very same business day. At times limited to **document** shipment only.

Appendix B – Product Features

Feature Group	Feature name	DHL Feature ID	EDI Feature ID	Feature description
Shipment Preparation (Advance Shipment)	Data staging 03	PT	803	On contractual agreement with the Shipper, pre-printed waybills for the management of his return second leg shipments are created via one of the available eCom tools that offers a pre-print functionality for Global SOP approved eCom Labels. Data Staging will ensure that the complete set of shipment details entered into the eCom tool will be stored until the waybill /label is actually used within **3 months**.
	Data staging 06	PU	806	On contractual agreement with the Shipper, pre-printed waybills for the management of his return second leg shipments are created via one of the available eCom tools that offers a pre-print functionality for Global SOP approved eCom Labels. Data Staging will ensure that the complete set of shipment details entered into the eCom tool will be stored until the waybill /label is actually used within **6 months**.
	Data staging 12	PV	812	On contractual agreement with the Shipper, pre-printed waybills for the management of his return second leg shipments are created via one of the available eCom tools that offers a pre-print functionality for Global SOP approved eCom Labels. Data Staging will ensure that the complete set of shipment details entered into the eCom tool will be stored until the waybill /label is actually used within **12 months.**
	Data staging 24	PW	824	On contractual agreement with the Shipper, pre-printed waybills for the management of his return second leg shipments are created via one of the available eCom tools that offers a pre-print functionality for Global SOP approved eCom Labels. Data Staging will ensure that the complete set of shipment details entered into the eCom tool will be stored until the waybill /label is actually used within **24 months.**

Weekends & Holidays	Saturday Delivery	AA	050	At Shipper's request, the international delivery of a shipment/piece on a Saturday, to selected postal/zip code areas that have the capability, in countries where Saturday is not a normal working day. For more information about this service and availability, please contact your Sales representative.
Insurance Services	Supplementary Insurance	II	101	At Shipper's request, the provision at individual shipment level, of declared value coverage above Standard Liability, for the amount necessary to repair or replace a shipment/piece in the event of physical loss or damage. Called Shipment Value Protection in the US/CA. For more information about this service and availability, please contact your Sales representative.
Billing Instructions	Cash on Delivery	KB	100	By contractual agreement with the Shipper, the delivery of a shipment/piece only against payment of the goods value indicated by the Shipper on the waybill (below a certain maximum amount). Procedures and means of payment to the Courier depend on local conditions and practices (cash, bank guaranteed cheques, or credit card). Available only with domestic products. Only a Shipper with an account and who contractually guarantees the amount of such shipments can use this service. For more information about this service and availability, please contact your Sales representative.
Y- Non Standard Shipments	Loose Bulk Mother	YM	230	indicates loose break bulk shipment (virtual mother)
	Loose Bulk Baby	YZ	231	Indicate loose bulk baby shipment.

D – Billing Services	**Importer of Record**	DU	220	At Shipper's request, the use of a feature code to support the payment process when the Importer of Record is different from the shipment Receiver.

Appendix C – Example File

```
UNB+UNOA:2+CIT+DHLEUAPGW+040301:1438+1298
UNH+1298+IFCSUM:D:01B:UN+GM2/ ACMESHIPPINGPLATFORM
BGM+785+1298+9
DTM+9:200403011438:203
DTM+11:200403011438:203
MOA+43:1500,90:EUR
CNT+7:292:KGM
CNT+11:15
CNT+15:1.1:MTQ
NAD+CZ+123456789++MICH  VANHOUTEN SA+11 STREET::151+DIEGEM CITY++1831+BE
CTA+CO+:M. OLIVIER ABIDTS
COM+31 653 123 456:TE'
RFF+VA:NL001545954B01
CNI+1+6215236101:5
DTM+191:200906011500:203
TSR+++ECX:57:87
MOA+43:323.1:EUR
FTX+AAA+++ELECTRICAL PARTS
TOD+6++014
LOC+5+BFS::6
RFF+CU:1154345678
GOR+1
DOC+821+12345678
DTM+3:200906011500:203
NAD+CN+++REXEL-DISTRIBUICAO DE MATERIAL+EDIFICIO REXEL:ESTRADA SEIXALINHO+MONTIJO++2870399+PT
LOC+8+LIS::87
CTA+AC+:M. OLIVIER ABIDTS
COM+31 653 123 456:TE
RFF+VA:1154345678
NAD+FP+123456789
GID+1+1:CT
MEA+WT+AEE+KGM:6.3
MEA+VOL+AAW+MTQ:0.1
DIM+2+CMT:10:10:10
RFF+ACL:1154345678
PCI+18
GIN+BN+6215236101
GID+2+1:CT
MEA+WT+AEE+KGM:6.3
MEA+VOL+AAW+MTQ:0.1
PCI+18
GIN+VZ+J:JD0030112708872040054737
DGS+ADR+3:3:B+1294
FTX+AAD+++TECHNICAL NAME
MEA+WT+AAE+KGM :12
EQD+EFP
EQN+10
```

```
MEA+LMT++MTR:20
CNI+2+6215236112:5
TSR+++ECX:57:87
MOA+43:42:EUR
FTX+AAA+++ELECTRICAL PARTS
TOD+6++014
NAD+CN+++ACESSOMATIC+RUA MARIA DA CONCEICAO, 4-B+SOBRALINHO++2615740+PT
LOC+8+LIS::87
GID+1+1:CT
MEA+WT+AEE+KGM:1.3
MEA+VOL+AAW+MTQ:0.1
PCI+18
GIN+BN+6215236112
GID+2+1:CT
MEA+WT+AEE+KGM:1.3
MEA+VOL+AAW+MTQ:0.1
PCI+18
GIN+BN+6215236112
CNI+3+6215236123:5
TSR+++ECX:57:87
MOA+43:18612.36:EUR
FTX+AAA+++ELECTRICAL PARTS
TOD+6++014
NAD+CN+++ELECTRO HAINAUT+RUE PABLO PICASSO BT 100:ZI PROUVY ROUVIGNIES+VALENCIENNES++59309+FR
LOC+8+LIL::87
GID+1+1:CT
MEA+WT+AEE+KGM:3.0
MEA+VOL+AAW+MTQ:0.1
PCI+18
GIN+BN+6215236123
GID+2+1:CT
MEA+WT+AEE+KGM:15.3
MEA+VOL+AAW+MTQ:0.1
PCI+18
GIN+BN+6215236123
GID+3+1:CT
MEA+WT+AEE+KGM:0.5
MEA+VOL+AAW+MTQ:0.1
PCI+18
GIN+BN+6215236123
GID+4+1:CT
MEA+WT+AEE+KGM:0.3
MEA+VOL+AAW+MTQ:0.1
PCI+18
GIN+BN+6215236123
GID+5+1:CT
MEA+WT+AEE+KGM:0.9
MEA+VOL+AAW+MTQ:0.1
PCI+18
```

```
GIN+BN+6215236123
GID+6+1:CT
MEA+WT+AEE+KGM:1.0
MEA+VOL+AAW+MTQ:0.1
PCI+18
GIN+BN+6215236123
GID+7+1:CT
MEA+WT+AEE+KGM:18.6
MEA+VOL+AAW+MTQ:0.1
PCI+18
GIN+BN+6215236123
GID+8+1:CT
MEA+WT+AEE+KGM:21.6
MEA+VOL+AAW+MTQ:0.2
PCI+18
GIN+BN+6215236123
GID+9+1:CT
MEA+WT+AEE+KGM:13.2
MEA+VOL+AAW+MTQ:0.1
PCI+18
GIN+BN+6215236123
GID+10+1:CT
MEA+WT+AEE+KGM:63.9
MEA+VOL+AAW+MTQ:0.2
PCI+18
GIN+BN+6215236123
GID+11+1:CT
MEA+WT+AEE+KGM:138.4
MEA+VOL+AAW+MTQ:0.5
PCI+18
GIN+BN+6215236123
UNT+107+1298
UNZ+1+1298
```

Appendix D – Message structure and content for Loose BBX shipments and Sample Message

Break Bulk Express (BBX) is a DHL Express service which streamlines destination Customs procedures, minimizing Customs lodgment fees charged. It includes the submission of shipment data records for a "Mother" shipment and a number of corresponding "Baby" shipments.
Consolidated BBX is where the Baby shipments are packed together, e.g. on pallets, forming a smaller number of pieces of the Mother shipment (e.g. 1 pallet = 1 Mother shipment piece)
Loose BBX is where the BBX service is used but shipments are not packed together (e.g. not palletized).

No.	Requirement	Location in Message
Applied to both Mother shipment record and Baby shipment records		
1*	Records for Baby shipments and their corresponding Mother shipment must be submitted together in one IFCSUM file	-
2	Shipper Account given in SG4 - NAD segment (therefore applied to all shipment records in file) with CZ qualifier, but not in Payer Account (see point 6)	SG 4 – NAD Page 31
Against Mother Shipment		
3	DHL Product Code likely WPX (confirm with DHL Express) As TSR+++WPX:57:87'	SG 25 – TSR Page 40
4	Dutiable shipment, therefore must include Declared Total Customs Value As MOA+43:x:yyy' where x is numeric value to 2 decimal places and yyy is three letter currency code	SG 25 - MOA Page 41
5*	Service Code 230 given, as TOD+6++DDU:::230' *(where DDU is Terms of Trade of shipment)*	SG 31 – TOD Page 43
6	Payer Account is FOC (free of charge) account. Exact value must be confirmed with DHL Express in the shipping country - will likely consist of 9 alpha characters including a pre-fix of FOC As NAD+FP+FOCXXXXXX', where FOCXXXXXX is payer account	SG 43 – NAD Page 51
7	Receiver Name contains Company Name of Importer of Record c/o DHL Express. Receiver Contact Name and details, and Receiver address details given for DHL facility at point of entry into destination country (confirm details with DHL Express)	SG 43 – NAD Page 51
8*	Piece records against each Baby shipment also given against Mother shipment i.e. Piece IDs shared *(therefore No. of Mother Shipment Pieces = Sum of Shipment Pieces across all Baby Pieces)*	SG 50 – GID Page 59
Against Baby Shipment		
9*	No. of Mother shipment pieces (so sum of all corresponding Baby shipment pieces) given against each Baby Shipment As CNT+56:x' where x is no. of Mother shipment pieces	SG 25 – CNT Page 39
10	Has DHL Product Code BBX, as TSR+++BBX:57:87'	SG 25 – TSR Page 40
11*	Service Code 231 given, as TOD+6+++:::231'	SG 31 – TOD Page 43
12	Corresponding Mother Shipment AWB no. given as Shipper Reference with ACL Qualifier As RFF+ACL:9999999999' where 9999999999 is Mother AWB no.	SG 32 – RFF Page 46
13*	Mother shipment Receiver Address and Contact Details given as Port of Entry Address and Contact Details, in NAD segment with JD qualifier with corresponding CTA and COM segments.	SG 43 – NAD Page 51

	Given after Consignee address (NAD+CN and corresponding LOC, CTA and COM segments)	
14	Customer's account given in Payer Account	SG 43 – NAD Page 51
15	Receiver Contact and Address details given for end receiver of Baby shipment	SG 43 – NAD Page 51

*Requirement of Loose BBX but not of Consolidated BBX
Consolidated BBX requires the Mother Piece ID in which a Baby shipment piece is packed to be given as a Piece Reference against that Baby shipment piece with Reference Type ACL – this is NOT required in Loose BBX
Also different Service Codes are given to indicate Mother and Baby shipments with Consolidated BBX

Example Loose BBX Message

```
UNA:+.? '
UNB+UNOA:2+CIT+DHLEUAPGW+200105:1438+1298'
UNH+1298+IFCSUM:D:01B:UN+GM2/DCGFW4.6'
BGM+785+1298+9'
DTM+9:202018161505:203'
DTM+11:202018161505:203'
MOA+43:4475.43:EUR'
CNT+7:2.0:KGM'
CNT+11:3'
CNT+15:0.6:MTQ'
NAD+CZ+999999999++DISPLAY MANUFACTURER+8 Fengming 4th St+Dongguan++523757+CN'
CTA+CO+:CO-DISPLAY MAN(SP)'
CTA+IC+:CI-DISPLAY MAN(SP)'
COM+86 769 5566 5568(SP):TE'
COM+86 769 5566 9999(SP):FX'
COM+IFCSUM_Sender@email.com(SP):EM'
COM+86 769 5566 7777(SP):AL'
RFF+VA:CN001545954B01'
TDT+11'
CNI+1+5684631853'
DTM+191:202009141500:203'
TSR+++WPX:57:87'
MOA+43:4475.43:EUR'
MOA+64:300:EUR'
MOA+124:200:EUR'
MOA+39:4975.43:EUR'
FTX+AAA+++ELECTRICAL PARTS'
FTX+DIN+++FOR TESTING PARTS ONLY'
TOD+6++DDU:::230'
LOC+5+OSA::6'
RFF+CU:CUSTREFMOTHER001'
GOR+1'
DOC+821+12345678'
DTM+3:202009141500:203'
NAD+CN+555777888++DISPLAY MAN CUSTOMS+HERMANN-KOEHL-STRASSE 1+SCHKEUDITZ++04435+DE'
```

```
LOC+8+LEJ'
CTA+AC+:DISPMANCUST REP'
COM+49-341-44995866:TE'
CTA+IC+:C/O DHL EXPRESS LEIPZIG HUB'
COM+31 222 222 222:FX'
COM+receiver_one@email.com:EM'
COM+99 999 999 999:AL'
RFF+VA:1154345679'
NAD+FP+FOCBBXXXX'
LOC+8+LEJ'
CTA+AC+:DISPMANCUST REP'
COM+49-341-44995866:TE'
CTA+IC+:C/O DHL EXPRESS LEIPZIG HUB'
COM+31 222 222 222:FX'
COM+receiver_one@email.com:EM'
COM+99 999 999 999:AL'
RFF+VA:1154345679'
GID++1:CT'
MEA+WT+AAE+KGM:0.1'
MEA+VOL+AAW+MTQ:0.2'
DIM+2+CMT:10:10:10'
PCI+18'
GIN+VZ+J:JD0081108205684631400'
GID++1:CT'
MEA+WT+AEE+KGM:0.2'
MEA+VOL+AAW+MTQ:0.2'
DIM+2+CMT:10:10:10'
PCI+18'
GIN+VZ+J:JD0081108205684631573'
GID++1:CT'
MEA+WT+AAE+KGM:0.3'
MEA+VOL+AAW+MTQ:0.2'
DIM+2+CMT:10:10:10'
PCI+18'
GIN+VZ+J:JD0081108205684631013'
GID++1:CT'
MEA+WT+AAE+KGM:0.3'
MEA+VOL+AAW+MTQ:0.2'
DIM+2+CMT:10:10:10'
PCI+18'
GIN+VZ+J:JD0081108205684632726'
GID++1:CT'
MEA+WT+AEE+KGM:0.5'
MEA+VOL+AAW+MTQ:0.2'
DIM+2+CMT:10:10:10'
PCI+18'
GIN+VZ+J:JD0081108205684630921'
GID++1:CT'
MEA+WT+AEE+KGM:0.6'
```

```
MEA+VOL+AAW+MTQ:0.2'
DIM+2+CMT:10:10:10'
PCI+18'
GIN+VZ+J:JD0081108205684633286'
CNI+2+5684631271'
DTM+191:202009141500:203'
CNT+56:6'
TSR+++BBX:57:87'
FTX+AAA+++COMPUTER ACCESSORY'
TOD+6++DDU:::231'
LOC+5+OSA::6'
RFF+ACL:5684631853'
RFF+CU:CUSTREFBABY001'
NAD+CN+++SEDMICKA, A.S.(B1RV)+DLOUHA 33+PRAGUE++11000+CZ'
LOC+8+PRG::87'
CTA+AC+:KAREL JELEN(B1RV)'
COM+00 420 777 999 555(B1RV):TE'
NAD+FP+555777888'
LOC+8+LEJ'
CTA+AC+:DISPMANCUST REP'
COM+49-341-44995866:TE'
CTA+IC+:C/O DHL EXPRESS LEIPZIG HUB'
COM+31 222 222 222:FX'
COM+receiver_one@email.com:EM'
COM+99 999 999 999:AL'
NAD+JD+++DISPLAY MAN CUSTOMS+HERMANN-KOEHL-STRASSE 1+SCHKEUDITZ++04435+DE'
CTA+AC+:DISPMANCUST REP'
COM+49-341-44995866:TE'
CTA+IC+:C/O DHL EXPRESS LEIPZIG HUB'
GID++1:CT'
MEA+WT+AAE+KGM:0.1'
MEA+VOL+AAW+MTQ:0.2'
DIM+2+CMT:10:10:10'
PCI+18'
GIN+VZ+J:JD0081108205684631400'
GID++1:CT'
MEA+WT+AEE+KGM:0.2'
MEA+VOL+AAW+MTQ:0.2'
DIM+2+CMT:10:10:10'
PCI+18'
GIN+VZ+J:JD0081108205684631573'
CNI+3+5684632601'
DTM+191:202009141500:203'
CNT+56:6'
TSR+++BBX:57:87'
FTX+AAA+++COMPUTER ACCESSORY'
TOD+6++DDU:::231'
LOC+5+OSA::6'
RFF+ACL:5684631853'
```

```
RFF+CU:CUSTREFBABY002'
NAD+CN+++BIEDRONKA(B2RV)+SEPA-SZARZYNSKIEGO 84/1A+WROCLAW++50334+PL'
LOC+8+WRO::87'
CTA+AC+:KLAUS KINSKI(B2RV)'
COM+?+48 71 714 24 70(B2RV):TE'
NAD+FP+555777888'
LOC+8+LEJ'
CTA+AC+:DISPMANCUST REP'
COM+49-341-44995866:TE'
CTA+IC+:C/O DHL EXPRESS LEIPZIG HUB'
COM+31 222 222 222:FX'
COM+receiver_one@email.com:EM'
COM+99 999 999 999:AL'
NAD+JD+++DISPLAY MAN CUSTOMS(B2DF)+HERMANN-KOEHL-STRASSE 1+SCHKEUDITZ++04435+DE'
CTA+AC+:DISPMANCUST REP'
COM+49-341-44995866:TE'
CTA+IC+:C/O DHL EXPRESS LEIPZIG HUB'
GID++1:CT'
MEA+WT+AAE+KGM:0.3'
MEA+VOL+AAW+MTQ:0.2'
DIM+2+CMT:10:10:10'
PCI+18'
GIN+VZ+J:JD0081108205684631013'
CNI+4+5684632682'
DTM+191:202009141500:203'
CNT+56:6'
TSR+++BBX:57:87'
FTX+AAA+++COMPUTER ACCESSORY'
TOD+6++DDU:::231'
LOC+5+OSA::6'
RFF+ACL:5684631853'
RFF+CU:CUSTREFBABY003'
NAD+CN+++THERMOTECHNIKA+KOER UTCA 3+BUDAPEST++1103+HU'
LOC+8+BUD::87'
CTA+AC+:JANOSZ POHA(B3RV)'
COM+00 36 1 260 7126(B3RV):TE'
NAD+FP+555777888'
LOC+8+LEJ'
CTA+AC+:DISPMANCUST REP'
COM+49-341-44995866:TE'
CTA+IC+:C/O DHL EXPRESS LEIPZIG HUB'
COM+31 222 222 222:FX'
COM+receiver_one@email.com:EM'
COM+99 999 999 999:AL'
NAD+JD+++DISPLAY MAN CUSTOMS+HERMANN-KOEHL-STRASSE 1+SCHKEUDITZ++04435+DE'
CTA+AC+:DISPMANCUST REP(B3DF)'
COM+49-341-44995866(B3DF):TE'
CTA+IC+:C/O DHL EXPRESS LEIPZIG HUB(B3DF)'
GID++1:CT'
```

```
MEA+WT+AAE+KGM:0.3'
MEA+VOL+AAW+MTQ:0.2'
DIM+2+CMT:10:10:10'
RFF+CU:1154345678'
PCI+18'
GIN+VZ+J:JD0081108205684632726'
GID++1:CT'
MEA+WT+AEE+KGM:0.5'
MEA+VOL+AAW+MTQ:0.2'
DIM+2+CMT:10:10:10'
PCI+18'
GIN+VZ+J:JD0081108205684630921'
GID++1:CT'
MEA+WT+AEE+KGM:0.6'
MEA+VOL+AAW+MTQ:0.2'
DIM+2+CMT:10:10:10'
PCI+18'
GIN+VZ+J:JD0081108205684633286'
UNT+174+1298'
UNZ+1+1298'
```

Appendix E – Commercial Invoice data usage and sample message

Commercial Invoice information must be included in the message for shipments that require declaration to Customs, unless such data is sent to DHL Express by an agreed separate data flow.
If there are multiple invoices for a shipment, each invoice must be given as group in a CNI+9999 segment group following the related CNI segment group for that shipment. The party addresses are given in this CNI group.

Example message with Commercial Invoice data

```
UNB+UNOC:4+TVHBEPCO1+DHL+20201202:2015+211'
UNH+211+IFCSUM:D:01B:UN+GM2/PRECISIONV18'
BGM+785+211+9'
DTM+9:202012022015:203'
DTM+11:202012022015:203'
MOA+43:0:EUR'
FTX+AIJ+++Business'
CNT+7:38:KGM'
CNT+11:4'
CNT+15:0.075:MTQ'
NAD+CZ+950009760+SP Building Name XXEXXXXXXXXXXXXXXZ:SP District 11XXXXXXXXXXEXXXXXXXXXZ+SP Name
XXXXXXXXXXXXXXXXXXXXXXXXXXZ+SP Street Name 1234567890XXXXXEXXXZ:SP Street Number
11EXXXXXXXXXXXXXXZ+DAYTON+S:::NJ+08810+US'
CTA+IC+:SP Contact Name XXXXXXXXXXXXXXXXXEZ'
COM+?+010 1 1111 0000000000000000000000000000000000000000000000000000000001 :TE'
COM+?+010 1 2222 0000000000000000000000000000000000000000000000000000000001 :AL'
COM+sp_email0000000000000000000000000000000000000000000000000000@gmail.com:EM'
COM+?+010 1 3333 0000000000000000000000000000000000000000000000000000000001 :FX'
RFF+ZZZ:IESPSDT00000000000000000000000000000Z'
RFF+EI:USSPEIN00000000000000000000000000000Z'
CNI+1+2187305050'
CNT+7:8.230:KG'
CNT+29:7.430:KG'
TSR+++WPX:57:87'
MOA+43:760000000000030.71:EUR'
FTX+AAA+++Footwear'
TOD+6++DAP'
LOC+1+DUBLIN PORT::6'
RFF+CU:405631980/00'
GOR+1'
NAD+PR+950009760'
NAD+CN++RV Building Name XXEXXXXXXXXXXXXXXZ:RV District 11XXXXXXXXXXEXXXXXXXXXZ+RV Name
XXXXXXXXXXXXXXXXXXXXXXXXXXZ+RV Street Name 1234567890XXXXXEXXXZ:RV Street Number
11EXXXXXXXXXXXXXXZ+DUBLIN+P:::Leinster++IE'
LOC+8+LIL'
CTA+IC+:RV Contact Name XXXXXXXXXXXXXXXXXEZ'
COM+?+010 2 1111 0000000000000000000000000000000000000000000000000000000001 :TE'
COM+?+010 2 2222 0000000000000000000000000000000000000000000000000000000001 :AL'
COM+rv_email0000000000000000000000000000000000000000000000000000@gmail.com:EM'
COM+?+010 1 3333 0000000000000000000000000000000000000000000000000000000001 :FX'
```

```
TSR+1'
FTX+AIJ+++Government'
NAD+EX++EP Building Name XXEXXXXXXXXXXXXXXZ:EP District 11XXXXXXXXXXEXXXXXXXXXZ+EP Name
XXXXXXXXXXXXXXXXXXXXXXXXXXXZ+EP Street Name 1234567890XXXXXEXXXZ:EP Street Number
11EXXXXXXXXXXXXXXZ+DAYTON+:::NJ+08810+US'
LOC+8+LIL'
CTA+IC+:EP Contact Name XXXXXXXXXXXXXXXXXEZ'
COM+?+010 3 1111 0000000000000000000000000000000000000000000000000000000001 :TE'
COM+?+010 3 2222 0000000000000000000000000000000000000000000000000000000001 :AL'
COM+ep_email0000000000000000000000000000000000000000000000000000@gmail.com:EM'
TSR+1'
FTX+AIJ+++Business'
NAD+IM++IP Building Name XXEXXXXXXXXXXXXXXZ:IP District 11XXXXXXXXXXEXXXXXXXXXZ+IP Name
XXXXXXXXXXXXXXXXXXXXXXXXXXXZ+IP Street Name 1234567890XXXXXEXXXZ:IP Street Number
11EXXXXXXXXXXXXXXZ+DUBLIN+:::Leinster++IE'
LOC+8+LIL'
CTA+IC+:IP Contact Name XXXXXXXXXXXXXXXXXEZ'
COM+?+010 3 1111 0000000000000000000000000000000000000000000000000000000001 :TE'
COM+?+010 3 2222 0000000000000000000000000000000000000000000000000000000001 :AL'
COM+ip_email0000000000000000000000000000000000000000000000000000@gmail.com:EM'
RFF+DA:DAN00000000000000000000000000000000Z'
RFF+VA:IEIPVAT00000000000000000000000000000Z:IE'
TSR+1'
FTX+AIJ+++Business'
NAD+SE++SL Building Name XXEXXXXXXXXXXXXXXZ:SL District 11XXXXXXXXXXEXXXXXXXXXZ+SL Name
XXXXXXXXXXXXXXXXXXXXXXXXXXXZ+SL Street Name 1234567890XXXXXEXXXZ:SL Street Number
11EXXXXXXXXXXXXXXZ+DAYTON+:::NJ+08810+US'
LOC+8+LIL'
CTA+IC+:SL Contact Name XXXXXXXXXXXXXXXXXEZ'
COM+?+010 5 1111 0000000000000000000000000000000000000000000000000000000001 :TE'
COM+?+010 5 2222 0000000000000000000000000000000000000000000000000000000001 :AL'
COM+sl_email0000000000000000000000000000000000000000000000000000@gmail.com:EM'
TSR+1'
FTX+AIJ+++Business'
NAD+BY++BY Building Name XXEXXXXXXXXXXXXXXZ:BY District 11XXXXXXXXXXEXXXXXXXXXZ+BY Name
XXXXXXXXXXXXXXXXXXXXXXXXXXXZ+BY Street Name 1234567890XXXXXEXXXZ:BY Street Number
11EXXXXXXXXXXXXXXZ+DUBLIN+P:::Leinster++IE'
LOC+8+LIL'
CTA+IC+:BY Contact Name XXXXXXXXXXXXXXXXXEZ'
COM+?+010 6 1111 0000000000000000000000000000000000000000000000000000000001 :TE'
COM+?+010 6 2222 0000000000000000000000000000000000000000000000000000000001 :AL'
COM+by_email0000000000000000000000000000000000000000000000000000@gmail.com:EM'
COM+?+010 1 3333 0000000000000000000000000000000000000000000000000000000001 :FX'
RFF+VA:IEBYVAT00000000000000000000000000Z'
TSR+1'
FTX+AIJ+++Private'
GID++1:PK'
MEA+WT+AAE+KGM:13'
MEA+VOL+AAW+MTQ:0.027'
```

```
DIM+2+CMT:81:16:21'
PCI+18'
GIN+VZ+J:JD0000230100012895'
GID++1:PK'
MEA+WT+AAE+KGM:10'
MEA+VOL+AAW+MTQ:0.016'
DIM+2+CMT:26:23:26'
PCI+18'
GIN+VZ+J:JD0000230100012896'
GID++1:PK'
MEA+WT+AAE+KGM:2'
MEA+VOL+AAW+MTQ:0.004'
DIM+2+CMT:23:11:17'
PCI+18'
GIN+VZ+J:JD0000230100012897'
CNI+9999+2187305050:5'
CNT+7:1100000.145:KGM'
CNT+29:1000000.145:KGM'
MOA+43:310000000000030.307:EUR'
MOA+79:110000000000000.105:EUR'
MOA+64:100000000000010.101:EUR'
MOA+81:100000000000020.101:EUR'
FTX+AAA+++SITC2 TC-Biz-010'
FTX+CEX+++T'
TOD+6++FOB'
LOC+1+AH:::DUBLIN PORT'
RFF+CU:DCGCINREF1000XXXXXXXXXXXXXXXXXXXXXXZ'
GOR+1'
FTX+AAI+++Commercial'
DOC+380+DCGINV1000XXXXXXXXXXXXXXXXXXXXXXXXXZ'
DTM+3:202101182112:203'
DOC+830+DCGCUSDOC1000XXXXXXXXXXXXXXXXXXXXXXZ'
DOC+585+DCGCUSDOC1972XXXXXXXXXXXXXXXXXXXXXXZ'
GID+1+1:CT'
LOC+27+PT::6'
MOA+38:110000000000000.105:EUR'
MOA+146:110000000000000.105:EUR'
FTX+LIN'
FTX+AAA+++Boy -> leather shoe'
MEA+WT+AAE+KG:0.5'
MEA+WT+AAF+KG:0.5'
MEA+VOL+AAW+MTQ:0.002'
RFF+HS:6403.59'
RFF+MF:PARTNUM1000000000000000000000000000Z'
RFF+ABW:SKU1NUM1000000000000000000000000000Z'
DOC+823+CRL000000000000000000000000000000009'
DOC+39+PAS000000000000000000000000000000009'
TCC+DHL'
QTY+47:1:PCE'
```

```
CNI+9999+2187305050:5'
CNT+7:2200000.145:KGM'
CNT+29:2200000.145:KGM'
MOA+43:450000000000000.404:EUR'
MOA+79:250000000000000.202:EUR'
MOA+64:100000000000000.101:EUR'
MOA+67:100000000000000.101:EUR'
MOA+81:100000000000000.101:EUR'
FTX+AAA+++SITC2 TC-Biz-010'
FTX+CEX+++M'
TOD+6++CIF'
LOC+1+AH:::DUBLIN PORT'
RFF+ABT:DCGCINREF2100XXXXXXXXXXXXXXXXXXXXXXXZ'
RFF+ANK:DCGCINREF2200XXXXXXXXXXXXXXXXXXXXXXXZ'
GOR+2'
FTX+AAI+++Commercial'
DOC+325+DCGINV2000XXXXXXXXXXXXXXXXXXXXXXXXXZ'
DTM+3:202101182112:203'
DOC+FDI+DCGCUSDOC2000XXXXXXXXXXXXXXXXXXXXXXZ'
GID+2+1:CT'
LOC+27+GB::6'
MOA+38:120000000000000.101:EUR'
MOA+146:120000000000000.111:EUR'
FTX+LIN'
FTX+AAA+++leather boot & socks'
MEA+WT+AAE+KG:0.25'
MEA+WT+AAF+KG:0.25'
MEA+VOL+AAW+MTQ:0.002'
RFF+HS:6109.10.0010'
RFF+BRD:BRAND1000000000000000000000000000Z'
DOC+CSD+CSD000000000000000000000000000000009'
TCC+DHL'
QTY+47:1:PCE'
GID+3+1:CT'
LOC+27+GB::6'
MOA+38:130000000000000.101:EUR'
MOA+146:130000000000000.111:EUR'
FTX+LIN'
FTX+AAA+++shoelaces'
MEA+WT+AAE+KG:0.5'
MEA+WT+AAF+KG:0.5'
MEA+VOL+AAW+MTQ:0.003'
RFF+HS:5609.00.0000'
RFF+AFE:AFE1000000000000000000000000000000Z'
DOC+AHC+AHC000000000000000000000000000000009'
TCC+DHL'
QTY+47:1:PCE'
UNT+269+211'
UNZ+1+211'
```

Appendix F – Return Shipments

A "Return" shipment (a shipment of items previously exported from a country, by any carrier, now being returned for repair or some other reason) may, depending on the shipment destination country, need to be assessed differently by destination Customs. Therefore particular information may need to be provided in the manifest data submitted for such a shipment and on any documents also submitted, such as a Commercial Invoice.

The Commercial Invoice may be rendered as an image file by DHL Express from the manifest data, which can then be made available to the shipper (please contact DHL Express if this solution is required).

The information particular to Return shipments is as follows:

No.	Information Required	Location in Message
1	Original Export Date (of line item within shipment)	Segment Group 54 (Invoice Line Item) RFF with ZZZ qualifier See Page 87 *e.g. RFF+ZZZ:original export date'*
2	Original Export Tracking ID (of line item within shipment) – i.e. consignment note number of shipment on which item/s being returned were originally exported	Segment Group 54 (Invoice Line Item) RFF with ERN qualifier See Page 87 *e.g. RFF+ERN:original export tracking ID'*
3	Original Export Carrier Name (of line item within shipment) – i.e. carrier of shipment on which item/s being returned were originally exported	Segment Group 54 (Invoice Line Item) RFF with CN qualifier See Page 87 *e.g. RFF+CN:2 original outbound carrier name'*
4	Duty Free Import Remark – i.e. free text remark to assist in Customs submission for Return shipment Remarks differ by re-import / destination country. Examples: • US: **"**Goods returning to the US and were not advanced in value or condition while outside the US" • UK: "British Returned Goods" • CA: "Canadian Goods Return" • AU: "Australian goods returned" • NZ: "New Zealand Returned Goods"	Segment Group 25 (Invoice level) FTX with AAU qualifier See Page 74 *e.g. FTX+AAU+++Duty free import remarks'*
5	Reason for Export	Segment Group 25 (Invoice level) FTX with CEX qualifier, populate with R (Return) See page 74 *e.g. FTX+CEX+++R'*

Other information mandatory for all dutiable shipments, such as line item descriptions, quantities and values, should also be provided

Example Message with data for Return shipment

```
UNB+UNOC:4+TVHBEPCO1+DHL+20201202:2015+211'
UNH+211+IFCSUM:D:01B:UN+GM2/SOLUTIONV18'
BGM+785+211+9'
DTM+9:202012022015:203'
DTM+11:202012022015:203'
MOA+43:0:EUR'
FTX+AIJ+++Private'
CNT+7:38:KGM'
CNT+11:4'
CNT+15:0.075:MTQ'
NAD+CZ+211111111+BUILDING:DISTRICT+TEST PARTS SA+NEW STREET:10:1+HERMALLE-SOUS-
HUY+AH:::liege+4480+BE'
CTA+IC+:CONTACT'
COM+3333344444:TE'
COM+?+32 32 32 32:AL'
COM+TESTEMAIL@BE.COM:EM'
COM+EXFAX:FX'
RFF+ZZZ:BE1111111111:BE'
CNI+1+1928013290'
TSR+++WPX:57:87'
TOD+6++DAT'
RFF+CU:SHIPPER REF'
NAD+CN+962222222+TEST:TEST+TEST CO+Ind Estate:Street No+MASCOT+SYD:::MASCOT+2020+AU'
LOC+8+SYD'
CTA+IC+:CONTACT'
COM+9999999999:TE'
COM+?+34 21 345 687:AL'
COM+ESEMAIL@AU.COM:EM'
COM+CNFAX:FX'
RFF+AVY:33331188:AU'
TSR+++WPX:57:87'
FTX+AIJ+++Business'
NAD+IM++TEST:TEST+IMP CO+Ind Estate:Street No+MASCOT+SYD:::MASCOT+2020+AU'
LOC+8+SYD'
CTA+IC+:CONTACT'
COM+?+111111111:TE'
COM+?+444444444:AL'
COM+IMTESTEMAIL@AU.COM:EM'
COM+IMFAX:FX'
RFF+DA:IMDA111188'
RFF+FT:IMFTZ11188:AY'
TSR+++WPX:57:87'
FTX+AIJ+++Business'
GID++1:PK'
MEA+WT+AAE+KGM:13'
MEA+VOL+AAW+MTQ:0.027'
DIM+2+CMT:81:16:21'
PCI+18'
```

```
GIN+VZ+J:JD0000230100001235'
GID++1:PK'
MEA+WT+AAE+KGM:10'
MEA+VOL+AAW+MTQ:0.016'
DIM+2+CMT:26:23:26'
PCI+18'
GIN+VZ+J:JD00002301000012326'
GID++1:PK'
MEA+WT+AAE+KGM:2'
MEA+VOL+AAW+MTQ:0.004'
DIM+2+CMT:23:11:17'
PCI+18'
GIN+VZ+J:JD0000230100001239'
CNI+9999+1928013290:5'
CNT+7:1.24:KGM'
CNT+29:1.20:KGM'
TSR+++WPX:57:87'
MOA+79:3928.59:EUR'
MOA+43:3928.59:EUR'
MOA+64:13.08:EUR'
MOA+67:45.00:EUR'
MOA+47:3.00:EUR'
FTX+AAA+++TRACTOR SPARE PARTS'
FTX+CEX+++R'
FTX+AAI+++Commercial'
FTX+AAU+++DUTY FREE IMPORT REMARKS'
TOD+6++CIP'
LOC+1+AH:::liege'
RFF+CU:405631980/00'
RFF+MRN:MRNXXX1199'
GOR+1'
FTX+AAI+++Commercial'
DOC+861+COO1111188'
DOC+380+INVNO11188'
DTM+3:202012172112:203'
CPI+9+PP'
TDT+30'
GID+0010+1:CT'
LOC+27+AMS::6'
MOA+43:159.56:EUR'
59:EUR'
MOA+79:90.00:EUR'
MOA+64:40.56:EUR'
MOA+67:20.00:EUR'
FTX+LIN'
FTX+AAA+++DESCRIPTION LINE ITEM1'
MEA+WT+AAE+KGM:2.8'
MEA+WT+AAF+KGM:2.0'
MEA+VOL+AAW+MTQ:0.002'
```

```
RFF+HS:BEHS111155'
RFF+MF:MFPAN11155'
RFF+AFE:AFE1111155'
RFF+ZZZ:original export date'
RFF+ERN:original export tracking ID'
RFF+CN:original outbound carrier name'
DOC+41+LIASCDOC15'
TCC+609114'
QTY+47:9.000:PCE'
GID+0020+1:CT'
LOC+27+AMS::6'
MOA+43:149.56:EUR'
MOA+146:8.59:EUR'
MOA+79:80.00:EUR'
MOA+64:40.56:EUR'
MOA+67:20.00:EUR'
FTX+LIN'
FTX+AAA+++DESCRIPTION LINE ITEM2'
MEA+WT+AAE+KGM:2.7'
MEA+WT+AAF+KGM:2.1'
MEA+VOL+AAW+MTQ:0.003'
RFF+HS:BEHS111177'
RFF+MF:MFPAN11177'
RFF+AFE:AFE1111177'
RFF+ZZZ:2 original export date'
RFF+ERN:2 original export tracking ID'
RFF+CN:2 original outbound carrier name'
DOC+41+LIASCDOC17'
TCC+609114'
QTY+47:5.000:PCE'
UNT+219+211'
UNZ+1+211'
```