UPS® GUIDE TO LABELING

FOR CUSTOMERS LOCATED IN EUROPE

Effective January 1, 2025

Version 1.5

© 2024 United Parcel Service of America, Inc. UPS, the UPS brandmark and the color brown are trademarks of United Parcel Service of America, Inc. All rights reserved.

What's New

Users shipping to Germany or from Germany will be able see a new symbology on the shipping labels. If the user enters a weight that is greater than or equal 10kg then a 10+ kg symbology will appear on the label. If the user enters a weight that is greater than or equal to 20 kg, then the 20+kg symbology will appear on the label. Examples of the labels can be found on page 52- 58.

Please note that all UPS labels featured in this guide are for visual representation only and should not be used as real shipping labels.

NOTE: Some label creation software providers and printer manufacturers have interpreted Mode 2 for U.S. destinations and Mode 3 for non-U.S. destinations exclusively.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Table of Contents

Page

UPS Smart Label™ Design 3
- Introduction 3
- Label Segment 4
- Label Sample 5

Label Format Requirements 6
- Font Requirements 6
- Font Point Conversion Chart 6
- Address Block 7
- Package Information Block 8
- Postal Barcode Block 10
- Tracking Number Barcode Block 12
- Additional Routing Instructions Block 14
- UPS Returns™ Service 17
- UPS Import Control™ Service 23
- UPS Carbon Neutral 27
- UPS Worldwide Express Freight™ Service 30
- UPS Express™ 12: 00 Service 30
- UPS Worldwide Express Freight™ Midday Service 30
- Irregular Packages 36

Europe-Specific Label Requirements 37
- Service Level Indicators 37
- Return of Documents - Poland to Poland 38
- Additional Routing Instructions Block 39
- Lead Label for a COD Shipment 40
- Child Label for a COD Shipment 41
- COD Additional Routing Instructions Block 42
- UPS EXPRESS™ (Domestic COD) — Lead Package and Child Package 43
- UPS COD Turn-In Copy 44
- Direct Delivery Only 45

Label Examples by Service 46

UPS Access Point™ Service 57
- Access Point™ Economy 60

UPS Manifest Summary 67

Appendix A 77
- MaxiCode™ Specifications 77

Appendix B 79
- Barcode Specifications — Code 128 79
- Barcode Size Based on Printer DPI 80

Appendix C 81
- Check Digit Calculation 81

Appendix D 83
- Shipment Number Calculation 83

Appendix E 88
- ISO Country Codes (ISO 3166) 88

Appendix F 93
- Postal Code Line Format Matrix 93

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Page

Appendix G 100
- Label Submission Process 100

Definitions 101

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS continues to apply sophisticated technology to computer-generated labels. The latest innovations to the UPS Smart Label™ design provides prompt deliveries, more accurate routing and 24/7 access to up-to-the-minute tracking and delivery information for all packages and shipments.

As soon as UPS scans the label, the physical (your package and the UPS delivery system) joins the virtual (the information about it).

The UPS Smart Label™ print contains five key data elements that enables it to be processed efficiently by the technologies used in the delivery network. The elements are:

1. MaxiCode™ Symbology - contains the shipment detail.
2. Tracking Number Barcode - uniquely identifies your package in the UPS network.
3. UPS Routing Code: - identifies the UPS delivery facility.
4. Postal Barcode - contains the receiver's postal code.
5. Service Icon - identifies the service you selected.

Enabling Timely Deliveries and Accurate Information

UPS aims to provide timely, accurate delivery information. By continuously investing in technology, UPS ensures that the most up-to-date routing and tracking methods are used as packages move from one location to another. These advancements in technology helps UPS meet customer's transportation needs.

The foundation of routing, tracking and information management at UPS is the automated scanning system that reads barcodes on each package. Every barcode uniquely identifies each individual package and relays information about that package's movement until it reaches its final destination.

When modified by the shipper, barcodes provide added benefits, such as aggregating inventory SKUs, prices and purchase order numbers with UPS required shipment information. Whether uploaded via UPS shipping systems or UPS Ready™ vendor shipping systems, shippers receive the added benefit of linking their internal information with UPS's scan information.



The user-created barcodes and the MaxiCode™ data are important in the delivery of critical information to shippers and to their trading partners, suppliers and customers. Using an automated shipping solution provides additional benefits to shippers from quick access to the addresses you use most often, to checking rates with the built-in rate calculator, to keeping track of your shipping activities with the system's report feature. UPS has incorporated features into our automated shipping solutions that will continue to improve the efficiency of your logistics operations.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

In an effort to make it easier for the label creator, the shipping label is divided into three separate parts called segments. Information can be changed within one segment without affecting the others. One segment is dedicated solely to the Carrier, one to the Receiver, and one to the Shipper (in that order, from top to bottom). These segments may be combined to form a single label or they can each comprise their own label. A shipping label, however, must include the Carrier segment, since that segment contains the information necessary for delivering the package. The Carrier segment must be applied to your package's natural top, so consider this requirement when choosing your shipping label size. The labels represented in this guide are 4" x 4.25" for regular labels and 4" x 6" and 4" x 8" when the extended area is used.

Example

Carrier Required Information:

- Ship From address
- Ship To address
- MaxiCode™ Symbology
- UPS Routing Code
- Postal Barcode
- UPS Service Icon
- Tracking Number Barcode
- Service instructions as required by the carrier

Example Receiver Information:

- Order number
- Department receiving the shipment
- Part number
- Receiver Barcodes
- Other information as required by the receiver

Example Shipper Information:

- P.O. number
- Outbound loading dock
- Manufacturer or part number
- Quantity
- Shipper Barcodes
- Other information as required by the shipper
- Shipper Reference Numbers

NOTE: The allocated space for each segment is not to proportion. The shipper, receiver and carrier will determine space per section.



NOTE: All non-carrier information must be below the Carrier segment in the Receiver and Shipper segments.

NOTE: Conforms with ISO Standard 15394:2000.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Font Requirements

- Font sizes will vary by printer
- Font type = OCR quality fonts
- Recommended font types (in alphabetical order):

Arial	Helvetica
Avant Garde-Book	Helvetica-Bold
Avant Garde-Demi	Helvetica-Narrow
Courier	Helvetica-Narrow-Bold

- Highlight Bars, Service Title, Barcode Title, barcode and human readable interpretation of the barcode are to be printed in black

Font Point Conversion Chart

Font Point Conversion Chart			
POINT SIZE	INCHES	32ths	64ths
6 PT	0.0833	2.69	5.56
7 PT	0.0972	3.14	6.48
8 pt.	0.1111	3.58	7.41
9 PT	0.1250	4.03	8.33
10 pt.	0.1389	4.48	9.26
11 PT	0.1528	4.93	10.19
12 PT	0.1667	5.38	11.11
15 PT	0.2083	6.72	13.89
16 PT	0.2222	7.17	14.81
17 PT	0.2361	7.62	15.74
18 pt.	0.2500	8.06	16.67
19 PT	0.2639	8.51	17.59
20 PT	0.2778	8.96	18.52
24 PT	0.3333	10.75	22.22



© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Address Block

- All uppercase characters
- Punctuation is not recommended
  If punctuation must be used, validate the use with destination postal authority. (MaxiCode™ data string should not contain any punctuation)
- Standard abbreviations should be employed (including 2-letter state or province abbreviations)

SHIP FROM ADDRESS

- Left-justified at the top of the shipping label
- Phone number, contact name and country are required except when the origin and destination country are the same
- See Appendix F for the appropriate Postal Code line configuration
- Font Size = 8 pt.

SHIP TO ADDRESS

- The text SHIP TO must be printed to the left of the destination address
- The Ship To address prints below the Ship From address
- The street address must print directly above the Postal Code line
- Phone number, contact name and country are required except when the origin and destination country are the same
- See Appendix F. for the appropriate Postal Code line configuration
- Font Sizes
  = 10 pt. bold for the text "SHIP TO"
  = 10 pt. for the address lines, except for the Postal Code line
  = 12 pt. bold for the Postal Code and Country Lines
- City/State, Province or County must print on the same line with the Postal Code
- ZIP+4™ codes must be used if available

NOTE:
- Phone number is optional when shipping to/from the European Union (EU)
- ZIP Code and ZIP+4™ codes are registered trademarks of the United States Postal Service.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Package Information Block

The Package Information Block is located in the top right corner of the shipping label. This block contains data necessary for the accurate billing of the shipment.

PACKAGE WEIGHT*

The package weight is required. The data format should appear as outlined below. The actual package weight, rounded up to the next whole pound or half kilogram, appears at the top of this block, immediately to the left of the package count.

- Data Content
  - Positions 1- 4 = Up to four alphanumeric
  - Position 5 = Space
  - Positions 6 - 8 = KG or LBS
- Font Size = 12 pt, bold
- For Example: 12.5 KG
  5 LBS

UPS PAK INDICATOR

When a UPS PAK is used, the weight and PAK indicator must replace the package weight field. One decimal point must be added to the weight when using pounds.

- Font Size = 12 pt, bold
- For Example: 5.5 KG PAK
  2.4 LBS PAK

25 KG BOX AND 10 KG BOX

When a UPS 25 KG BOX or 10 KG box is selected as the shipping option (where available), the text 25 KG BOX or 10 KG BOX must print in the package weight area.

- Font Size = 12 pt, bold
- For Example: 25 KG BOX
  10 KG BOX

If the actual weight of the package exceeds the shipping option selected, the actual package weight must print as described above.

UPS ENVELOPE/UPS LETTER INDICATION

The weight with one decimal point and the text ENV or LTR must replace the package weight field for a UPS Envelope or UPS Letter. If the weight is zero or not available, print only LTR or ENV.

- Data Content
  - Positions 1-2 = Up to two numeric
  - Position 3 = Period
  - Position 4 = One numeric
  - Position 5 = Space
  - Positions 6 - 8 = KG or LBS
  - Position 9 = Space
  - Positions 10 -12 = Three alpha
- US, Puerto Rico and Canada origins = LTR
- All other origins = ENV
- Font Size = 12 pt, bold
- For Example: 0.3 KG ENV
  0.5 LBS LTR
  LTR
  ENV

PACKAGE COUNT

The package count indicates the number of this package N, related to the number of packages in the entire shipment X (For Example: 1 OF 5 where N = 1 and X = 5). The package count must print in the top right corner of the label. For a multi shipment - if the total number of packages is not known when the labels are printed, the package count should be displayed as 1 OF __ or 2 OF __, or 3 OF__.

- Data Content
  - Positions 1- 3 = Up to three numeric
  - Position 4 = Space
  - Positions 5 - 6 = The text "OF"
  - Position 7 = Space
  - Positions 8 -10 = Up to three numeric
- Font Size = 10 pt. bold
- For Example: 999 OF 999
  1 OF 1

UPS SHIPMENT NUMBER

For international shipments, the shipment number must print on all packages within the shipment, and is calculated from the tracking number of the first package in the shipment. This number must appear directly beneath the package weight and count. For details on calculating the shipment number, please see Appendix D.

- Data Content
  - Positions 1- 5 = SHP#:
  - Position 6 = Space
  - Positions 7-19 = 13 alphanumeric
- Text Spacing = 1234 5678 901
- Font Size = 8 pt.
- For Example: SHP#: 1234 5E7R CDG

*Not required for Europe and Asia.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Package Information Block (cont.)

SHIPMENT WEIGHT

The total weight of a shipment will appear (rounded up to the next whole pound or half kilogram), directly beneath the shipment number:

- Data Content

Positions	1-7	= SHP WT:
Position	8	= Space
Positions	9 -14	= Up to six* numeric inclusive of decimal point
Position	15	= Space
Positions	16 -18	= KG or LBS

- Font Size = 8 pt.

For Example: SHP WT: 120.5 KG
SHP WT: 50 LBS

*NOTE: If there is available space on the label, this numeric value can be greater than six.



© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Package Information Block (cont.)

ALL MOVEMENTS EXCEPT U.S. DOMESTIC AND PUERTO RICO TO THE U.S.

The shipment dimensional weight will print in this section when it applies. The weight will be rounded to the next whole pound or half kilogram.

- Data Content

Positions	1- 8	= SHP DWT:
Position	9	= Space
Positions	10 -14	= Up to five numeric
Position	15	= Space
Positions	16-18	= LBS or KG

- Font Size = 8pt.
- For Example: SHP DWT: 1000 LBS or
  SHP DWT: 189.5 KG

NOTE: Dimensional weight will not apply for 10 KG and 25 KG boxes.

SHIPMENT DATE

The shipment date must print for international movements. The shipment date must print immediately below the dimensional weight.

- Data Content

Positions	1- 5	= DATE:
Position	6	= Space
Positions	7 -17	= The date in the following format: DD MMM YYYY

- Font Size = 8pt.
- For Example: DATE: 28 JAN 2018
- Month Abbreviation Table:

JAN	APR	JUL	OCT
FEB	MAY	AUG	NOV
MAR	JUN	SEP	DEC

Large Package/Additional Handling Indication

When large package or additional handling applies, the indicators must print beneath the package weight and to the right of the Ship From address. Please refer to the current UPS Rate and Service Guide to determine when these indications are applicable.

Postal Barcode Block

UPS ROUTING CODE

- The UPS Routing Code (URC) must print to the right of the MaxiCode™ symbology, beneath the horizontal separating line and above the Postal Barcode.
- Data Content

Positions	1- 3	= Two-character state abbreviation preceded by a space or three-character country abbreviation
Position	4	= Space
Positions	5 -7	= Three-digit building code
Position	8	= Space
Position	9	= One-digit building code
Position	10	= Dash
Positions	11-12	= Two-digit inbuilding indicator

- Font Size = 24pt.
- UPS Routing Code examples:
  — For U.S. Destinations

GA 301 9-01

1 2 3 4 5 6 7 8 9 10 11 12
(Positions)

— For Non-U.S. Destinations

CAN 123 5-27

1 2 3 4 5 6 7 8 9 10 11 12
(Positions)

- If a Routing Code does not exist in the data table for a given destination, leave that area on the label blank. (See example on page 14.)

UPS ROUTING CODE DATA FILE

The URC data file must be updated monthly to ensure the most accurate routing information.

- The file can be downloaded at:
  https://www.ups.com/hcic/hcic?loc=en_US

POSTAL BARCODE LOCATION

- The Postal Barcode must print to the right of the MaxiCode™ Symbology, beneath the URC and above the Tracking Number Barcode Block

POSTAL BARCODE QUIET ZONES

- Minimum quiet zone top and bottom =0.0625 inches
- Minimum quiet zone left and right = 10 times the X-dimension

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Postal Barcode Block (cont.)

POSTAL BARCODE DIMENSIONS

- Height (minimum) = 0.5 inches
- Width = Variable

POSTAL BARCODE SPECIFICATIONS

- See Appendix B for Code 128 specifications.

POSTAL BARCODE DATA CONTENT*

- Up to 15 alphanumeric
- Domestic movements

Positions	1-3	= EAN-UCC Application Identifier of 420
Positions	4 -12	= Destination Postal Code

- For Example: 420300768845

- International movements

Positions	1-3	= EAN-UCC Application Identifier of 421
Positions	4 - 6	= ISO 3-digit Country Code
Positions	7-15	= Destination Postal Code

- For Example: 421124L4V1X5

NOTE: No spaces, parentheses or dashes should be encoded in the barcode. Ensure that both the MaxiCode™ data string and the Postal Barcode have identical postal codes.



© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Tracking Number Barcode Block

LOCATION

- Beneath the MaxiCode™ Symbology and Postal Barcode Blocks

HIGHLIGHT BARS

- Highlight bars at least 0.01 inches thick, above and below Tracking Number Barcode Block

UPS SERVICE TITLE

- Printed in uppercase letters using the complete service title
- Left-justified and located beneath the top highlight bar
- Font Size = 12 pt. bold

HUMAN-READABLE INTERPRETATION OF BARCODE

- Left-justified beneath the UPS Service Title, in uppercase characters
- Data Content

Positions	1-11	=	TRACKING #:
Position	12	=	Space
Positions	13 - 35	=	Tracking number formatted as follows 1Z 123 456 78 1234 5678

- Font Size = 10 pt.
- For Example:

TRACKING #: 1Z 123 X56 66 0000 5628

SERVICE ICON

- The service icon must print to the right of the Service Title and Human-Readable Interpretation
- Right justified with the right edge of the Tracking Number Block
- Consists of three positions; each icon position will remain fixed
- Data Content

Position	1	=	Class of service: 1, 2 or 3
Position	2	=	Time of day: +, A, P, [Space]
Position	3	=	Day of delivery: S, [Space]

- Font Size = 30 pt.
- Exceptions:
  - — A black 0.35 inch square for UPS GROUND (U.S.) and UPS® STANDARD (INTERNATIONAL)
  - — An open circle for Economy (Canada)
  - — Blank for UPS Today™ (Poland)

HORIZONTAL SEPARATING LINE

- Used to separate UPS Service Title, Barcode Title and Service Icon from the tracking number barcode

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Tracking Number Barcode Block (cont.)

TRACKING BARCODE QUIET ZONES

- Minimum quiet zone top and bottom = 0.0625 inches
- Minimum quiet zone left and right = 10 times the X-dimension

TRACKING BARCODE FORMAT

- Left-justified, allowing for left quiet zone

TRACKING BARCODE DIMENSIONS

- Height (Minimum) = 0.7 inches
- Width = Variable
- X-Dimensions = 15 -21 mil

TRACKING BARCODE SPECIFICATIONS

- See Appendix B for Code 128 specifications.

- Data Content

Positions	1-2	=	Data Identifier of 1Z
Positions	3 - 8	=	UPS Account Number
Positions	9 -10	=	Service Indicator
Positions	11 -17	=	Reference Number
Position	18	=	Check Digit

- For Example: 1Z1X2X3XA112345671
- Spaces are not encoded in the barcode.
- All alpha characters must be uppercase.
- Alpha characters may only appear in the 1Z Data Identifier, the account number or the service indicator fields.
- The reference number is determined by the shipper or shipping system and must be carefully controlled to ensure each package is unique.
- The entire 18 digit tracking number must remain unique for one year.



© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.



*This is an example of a label where a UPS Routing Code does not exist in the URC table.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Additional Routing Instructions Block

LOCATION
Additional Routing Instructions are located beneath the bottom tracking number highlight bar, left-justified using all uppercase characters.

BILLING OPTION
The billing option must print directly below the highlight bar, at the top of this section.

Billing Options for All Other Movements

Description	Billing Option
Prepaid	P/P*
Free On Board	FOB
Freight Collect	F/C BILL RECEIVER
Cost & Freight	C/F
Delivery Duty Paid	SDV
Shipping Duty & Tax	F/D
Third Party	T/P

*NOTE: P/P is optional for domestic movements.

- Data Content
  Positions 1- 8 = BILLING:
  Position 9 = Space
  Positions 10 - 39 = Billing Option
- Font Size =10 pt.
- For Example: BILLING: P/P

NOTE: Billing options available are dependent upon the origin/destination countries.

GENERAL DESCRIPTION OF GOODS
International shipments require a general description of goods. The text below must print left-justified beneath the international billing option:

- Data Content
  Positions 1 -5 = DESC:
  Position 6 = Space
  Positions 7- 41 = Up to 35 alphanumeric
- Font Size = 10 pt.

For Example: DESC: CLOTHING

SIGNATURE REQUIRED ACCESSORIALS
When UPS Delivery Confirmation Signature Required accessorials are selected, the routing instruction must print left-justified immediately below the Billing Option line. The font size is 10 pt.

Signature Required
- Routing Instruction = SIGNATURE REQUIRED

Adult Signature Required — All destinations except U.S., Puerto Rico and Canada
- Routing Instruction = ADULT SIGNATURE REQUIRED

Adult Signature Required — Canada Destinations
- Routing Instruction = ADULT SIGNATURE REQUIRED–MIN 19

Adult Signature Required — U.S. and Puerto Rico Destinations
- Routing Instruction = ADULT SIGNATURE REQUIRED–MIN 21

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Additional Routing Instructions Block (cont.)

UPS ROUTING CODE (CUSTOMERS)
The UPS Routing Code version and date must print in the lower right-hand corner of the address label.

- Data Content

Positions	1- 5	= UPS Routing Code version* (include decimal point)
Position	6	= Space
Positions	7- 8	= Two-digit month
Position	9	= /
Positions	10 -13	= Four-digit year

- Font Size = 6 pt.
- For Example: 18.0A 04/2018

UPS CONTROL NUMBER (UPS Ready™ vendors)
The control number must print in the bottom right corner of all labels. The font size should be as small as possible while still being legible. The system control number will serve three purposes:

1. Will differentiate between certified UPS Ready™ vendors.
2. Will identify the version of software that produced the label.
3. Will identify the printer that generated the label.

- The format must be as follows:
  XXX VV.VV.VV PPPCCCCCCCCCC NN.NA MM/YYYY
- Data Content

Positions	1-9	= The UPS assigned version (VVV.V.VVV) to the shipping system
Position	10	= Space
Positions	11 - 23	= Printer make and model
Position	24	= Space
Positions	25 - 29	= UPS Routing Code Version*
Position	30	= Space
Positions	31 - 32	= UPS Routing Code effective month
Position	33	= /
Positions	34- 37	= UPS Routing Code effective year

- For Example:
  123A.456 ZEBRA 450 05.5V 01/2022

For more information on the UPS Routing Code, refer to page 9.

INTERNATIONAL SHIPPING NOTICE
The International Shipping Notice must appear on the address label for all international movements.

"Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limits UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of tender of the shipment and UPS reserves the right to route the shipment in any way it deems appropriate. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported from the US, shipper certifies that the commodities, technology or software were exported from the US in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited."

*NOTE: The UPS Routing Code version is found in the header of the URC file.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Returns™ Service

The UPS Returns™ Service offers multiple options: UPS Electronic Return Label, UPS Print and Mail/Post, and UPS Print Return Label.

- A UPS Electronic Return label is sent via e-mail to the customer. This label is not printed by the shipping system
- The UPS Print and Mail/Post information is uploaded to a third party vendor. The vendor produces the label and mails it to the customer
- The UPS Print Return label is generated by the shipping system

UPS PRINT RETURN LABEL FORMAT — United States, Puerto Rico and Canada Domestic Movements

When Print Return Label is selected as the return service option:

The text RS must appear in the Package Information Block. The text must print directly beneath the package weight and count.

- Data Content
  Positions 1-2 = RS
- Font Size = 16 pt. bold

The text DESC: followed by a description of the merchandise must appear in the Additional Routing Instructions Block immediately below the Billing Option line.

- Font Size = 10 pt.
- For Example: DESC: CLOTHING

The text RETURN SERVICE must appear in the Additional Routing Instructions Block immediately below the Description line.

- Routing Instruction = RETURN SERVICE
- Font Size = 10 pt.

UPS PRINT RETURN LABEL FORMAT — EU MOVEMENTS

When Print Return Label is selected as the return service option:

The text RS must appear in the Additional Routing Instructions Block. The text must print on the same line as the Documentation Indicator.

- Data Content
  Positions 1-2 = RS
- Font Size = 16 pt. bold

The text DESC: followed by a description of the merchandise must appear in the Additional Routing Instructions Block immediately below the Billing Option line.

- Font Size = 10 pt.

For Example: DESC: CLOTHING

The text RETURN SERVICE must appear in the Additional Routing Instructions Block immediately below the Description line.

- Routing Instruction = RETURN SERVICE
- Font Size = 10 pt.

In addition, a PDF417 must print on the label when required. For details on the PDF417 Barcode, please refer to the PDF417 Barcode Symbology document.

UPS PRINT RETURN LABEL FORMAT — International Movements

When Print Return Label is selected as the return service option:

The text RS must appear in the Additional Routing Instructions Block. The text must print with the Documentation Indicator.

- For Example: KEY-RS
- Font Size = 16 pt. bold

The text DESC: followed by a description of the merchandise must appear in the Additional Routing Instructions Block immediately below the Billing Option line.

- Font Size = 10 pt.
- For Example: DESC: CLOTHING

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Returns™ Service (cont.)

The text RETURN SERVICE-PAYMENT GUARANTEED must appear in the Additional Routing Instructions Block immediately below the Description line.

- Routing Instruction = RETURN SERVICE PAYMENT GUARANTEED
- Font Size = 10 pt.

DOCUMENTATION INDICATORS FOR UPS RETURNS
Documentation indicators combined with the RS indicator must be used for UPS Returns as noted. These indicators must print right-justified in the Additional Routing Instructions Block immediately below the highlight bar of the Tracking Number Barcode Block. The font size is 16 pt. bold, unless otherwise indicated.

Documents Only Shipment

- DOC-RS

Shipping System Generates Invoice for Dutiable Shipment

- INV-RS

Shipping System Does Not Generate Invoice for Dutiable Shipment and Invoice is Required

- KEY-RS

The following two indicators are only for goods shipped within the EU or from the EU to the rest of the world. The font size is 12 pt. bold.

Shipping System Generates Invoice for EU Goods Not in Free Circulation

- INV/T1/RS

Shipping System Does Not Generate Invoice for EU Goods Not in Free Circulation

- KEY/T1/RS

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Return Service Indicators, Icons and MaxiCode™ Class of Service for International Movements and Movements Outside of the United States and Puerto Rico

Service Title	Service Indicator	Service Icon	Class of Service
UPS EXPRESS PLUS™			
Print Return Label, Print and Mail and Electronic Return Label	AK	1+	338
3 Pickup Attempts	AL	1+	339
1 Pickup Attempt	AM	1+	340
UPS EXPRESS™ (NA1)			
Print Return Label, Print and Mail and Electronic Return Label	V7	1	871
Same as above with Saturday Delivery	YA	1 S	970
UPS EXPRESS™			
Print Return Label, Print and Mail and Electronic Return Label	85	1	085
Same as above with Saturday Delivery	Y6	1 S	966
3 Pickup Attempts	92	1	092
3 Pickup Attempts, Saturday Delivery	Y8	1 S	968
1 Pickup Attempt	96	1	096
1 Pickup Attempt, Saturday Delivery	Y7	1 S	967
UPS SAVER™			
Print Return Label, Print and Mail and Electronic Return Label	86	1P	086
3 Pickup Attempts	93	1P	093
1 Pickup Attempt	97	1P	097
UPS EXPEDITED™			
Print Return Label, Print and Mail and Electronic Return Label	88	2	088
3 Pickup Attempts	94	2	094
1 Pickup Attempt	98	2	098
UPS® STANDARD			
Print Return Label, Print and Mail and Electronic Return Label	91	Black Square	091
3 Pickup Attempts	95	Black Square	095
1 Pickup Attempt	99	Black Square	099
UPS EXPRESS FREIGHT™			
Import Control Label, Print and Mail and Electronic Label	E5	1P	421
1 Pickup Attempts	E9	1P	425
UPS EXPRESS™ 12:00			
Print Return Label, Print and Mail and Electronic Return Label	Q5	1	741
1 Pickup Attempt	Q6	1	742
3 Pickup Attempts	Q7	1	743

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

4"x 6" label format prints the PDF417 barcode at the bottom of the label



© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
22525 HAMBURG

5 KG

1 OF 1

SHIP TO:
CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
60386 FRANKFURT

DEU 063 9-39

UPS EXPRESS
TRACKING #: 1Z 1X2 X3X 85 0000 5770

1

DESC: CLOTHING
RETURN SERVICE

RS

18.5A 01/2020

4"x 4" label format prints the PDF417 barcode on 2nd label

Backup Document - Please Place on Package

1Z 1X2 X3X 85 0000 5770 SHP #: 12 3XX 3WB

SAMPLE

Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limits UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of tender of the shipment and UPS reserves the right to route the shipment in any way it deems appropriate. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported from the US, shipper certifies that the commodities, technology or software were exported from the US in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited.

18.5A 01/2020

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Import Control™ Service

The UPS Import Control™ service offers multiple options for delivering shipping labels: UPS Electronic Label, UPS Print and Mail/Post, and UPS Print Label.

- A UPS Electronic label is sent via e-mail to the customer. This label is not printed by the shipping system
- The UPS Print and Mail/Post information is uploaded to a third party vendor. The vendor produces the label and mails it to the customer
- The UPS Print label is generated by the shipping system

UPS LABEL FORMAT — INTERNATIONAL MOVEMENTS

The text RS must appear in the Additional Routing Instructions Block. The text must print with the Documentation Indicator.

- For Example: KEY-RS
- Font Size = 16 pt. bold

The text DESC: followed by a description of the merchandise must appear in the Additional Routing Instructions Block immediately below the Billing Option line.

- Font Size = 10 pt.

For Example: DESC: CLOTHING

The text IMPORT CONTROL-PAYMENT GUARANTEED must appear in the Additional Routing Instructions Block immediately below the Description line.

- Routing Instruction = IMPORT CONTROL-PAYMENT GUARANTEED
- Font Size = 10 pt.

DOCUMENTATION INDICATORS FOR UPS IMPORT CONTROL

Documentation indicators combined with the RS indicator must be used for UPS Import Control as noted. These indicators must print right-justified in the Additional Routing Instructions Block immediately below the highlight bar of the Tracking Number Barcode Block. The font size is 16 pt. bold, unless otherwise indicated.

Documents Only Shipment

- DOC-RS

Shipping System Generates Invoice for Dutiable Shipment

- INV-RS

Shipping System Does Not Generate Invoice for Dutiable Shipment and Invoice is Required

- KEY-RS

The following two indicators are only for goods shipped within the EU or from the EU to the rest of the world. The font size is 12 pt. bold.

Shipping System Generates Invoice for EU Goods Not in Free Circulation

- INV/T1/RS

Shipping System Does Not Generate Invoice for EU Goods Not in Free Circulation

- KEY/T1/RS

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Import Control Indicators, Icons and MaxiCode™ Class of Service for International Movements and Movements Outside of the United States and Puerto Rico

Service Title	Service Indicator	Service Icon	
UPS EXPRESS PLUS™			
Import Control Label, Print and Mail and Electronic Label	AK	1+	338
3 Pickup Attempts	AL	1+	339
1 Pickup Attempt	AM	1+	340
UPS EXPRESS™ (NA1)			
Import Control Label, Print and Mail and Electronic Label	V7	1	871
Same as above with Saturday Delivery	YA	1 S	970
UPS EXPRESS™			
Import Control Label, Print and Mail and Electronic Label	85	1	085
Same as above with Saturday Delivery	Y6	1 S	966
3 Pickup Attempts	92	1	092
3 Pickup Attempts, Saturday Delivery	Y8	1 S	968
1 Pickup Attempt	96	1	096
1 Pickup Attempt, Saturday Delivery	Y7	1 S	967
UPS SAVER™			
Import Control Label, Print and Mail and Electronic Label	86	1P	086
3 Pickup Attempts	93	1P	093
1 Pickup Attempt	97	1P	097
UPS EXPEDITED™			
Import Control Label, Print and Mail and Electronic Label	88	2	088
3 Pickup Attempts	94	2	094
1 Pickup Attempt	98	2	098
UPS® STANDARD			
Import Control Label, Print and Mail and Electronic Label	91	Black Square	091
3 Pickup Attempts	95	Black Square	095
1 Pickup Attempt	99	Black Square	099
UPS 3 DAY SELECT™ (Valid for packages traveling from Canada to the United States)			
Import Control Label, Print and Mail and Electronic Label	89	3	089
3 Pickup Attempts	50	3	050
1 Pickup Attempt	16	3	016
UPS EXPRESS FREIGHT™			
Import Control Label, Print and Mail and Electronic Label	E5	1P	421
1 Pickup Attempts	E9	1P	425
UPS EXPRESS™ 12:00			
Import Control Label, Print and Mail and Electronic Return Label	Q5	1	741
1 Pickup Attempt	Q6	1	742
3 Pickup Attempts	Q7	1	743

NOTE: UPS Import Control shares some of the same indicators as UPS Return Service.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Carbon Neutral

UPS has invested in alternative fuel and hybrid vehicles; utilizes solar and wind energy; and works to maximize efficiencies throughout the delivery process in an effort to minimize it's carbon footprint.

If space permits, the UPS Carbon Neutral shipment logo must print at the bottom left of the label. Text must print if there is not enough room for the logo.

The logo takes up around three lines of text in the bottom left section of the label. Below are the height and width dimensions.

LOGO DIMENSIONS
- Height = 0.3 inches
- Width = 0.6 inches

NOTE: The logo may be obtained from your UPS sales resource.

TEXT REQUIREMENT
If there is not enough room to print the logo, the following text may print:
- Text = UPS CARBON NEUTRAL SHIPMENT
- Font Size = 10 pt. bold

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Worldwide Express Freight™ Service

UPS Worldwide Express Freight™ Service is a general service offering that provides customers with a solution for palletized shipments. This guaranteed product has similar transit times as UPS Worldwide Express Saver package and provides customers with a similer experience to other small package services.

UPS Express™ 12:00 Service

UPS Express™ 12:00 is a premium UPS Express Noon service with a guaranteed noon delivery commit time for all service-able UPS Express shipments for Domestic Germany.

UPS Worldwide Express Freight™ Midday Service

The UPS Worldwide Express Freight™ Midday service provides customers with a solution for palletized shipments. The service is guaranteed by either noon or 2 P.M. depending on the destination postal code.

NOTE: A PDF417 must print on the label when required. For details on the PDF417 Barcode, please refer to the PDF417 Barcode Symbology document.

TEXT REQUIREMENTS

HOLD FOR PICKUP
If the shipment is being deliveried to a UPS facility where a consignee will pick up the shipment, or the shipment is at the UPS facility and the consignee wants to return the shipment using Import Control/Return Service 1 Pickup Attempt, the following text must print before the consignee's name in the "Ship To" address:

- Text = HOLD FOR PICKUP
- For Example = "HOLD FOR PICKUP - D SCHMIDT"

NOTE: A dash must separate the text

LIFTGATE
If a liftgate is required to make the delivery, the following text must print:

- Text = LIFT
- Font Size = 10 pt. bold

IMPORT CONTROL/RETURN SERVICE
If the shipment is being returned by Import Control/Return Service, and Import Control/Return Service - 1 Pickup Attempt, the following text must print:

- Text = IMPORT CONTROL - PAYMENT GUARANTEED
- Font Size = 10 pt. bold

If the shipment is being returned by Import Control/Return Service 1 Pickup Attempt, and requires a liftgate the following text must print:

- Text = PU LIFT
- Font Size = 10 pt. bold

Service Indicators, Icons and MaxiCode™ Class of Service

Service Title	Service Indicator	Service Icon	Class of Service
UPS EXPRESS FREIGHT™	E1	1P	417
Delivery Confirmation Signature Required	E3	1P	419
Delivery Confirmation Adult Signature Required	E4	1P	420
Import Control/Return Service	E5	1P	421
Import Control/Return Service - 1 Pickup Attempt	E9	1P	425
UPS EXPRESS FREIGHT™ MIDDAY	EQ	1	439
Delivery Confirmation Signature Required	ES	1	441
Delivery Confirmation Adult Signature Required	ET	1	442
Import Control/Return Service	EV	1	443
Import Control/Return Service - 1 Pickup Attempt	EZ	1	447

NOTE: Saturday Delivery is only valid in United States and Canada.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

NOTE: UPS Express Freight™ Midday service follows the same label format as the UPS Express Freight™ service.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Irregular Packages

LARGE PACKAGE

METHOD 1 - (SINGLE PACKAGE SHIPMENT)
The text "LP" must appear in the Package Information Block. This indicator must print only on those labels that qualify as Large Packages (size exceeds 130 inches in length and girth combined).

- Data Content
  Positions 1-2 = LP
- Font Size = 8 pt.
- For Example: LP

METHOD 2 - (MULTI PACKAGE SHIPMENT)
If the "Large Packages" are not known at the time when labels are been printed - the LP indicator along with the total number of the text "LP" must print on all the labels in the shipment.

- Data Content
  Positions 1-2 = LP
  Position 3 = Space
  Positions 4-6 = Up to three numeric
- Font Size = 8 pt.
- For Example: LP 2

ADDITIONAL HANDLING*

METHOD 1- (SINGLE PACKAGE SHIPMENT)
The text "AH" must appear in the Package Information Block. This indicator must print only on those labels with packages requiring Additional Handling.

- Data Content
  Positions 1-2 = AH
- Font Size = 8 pt.
- For Example: AH

METHOD 2 - (MULTI PACKAGE SHIPMENT)
If the package(s) requiring "Additional Handling" are not known at the time when labels are been printed, the text "AH" along with the total number of the "Additional Handling" packages must print on all the labels in the shipment.

- Data Content
  Positions 1-2 = AH
  Position 3 = Space
  Positions 4-6 = Up to three numeric
- Font Size = 8 pt.
- For Example: AH 2

Multiple Piece Shipment

*An Additional Handling indicator is required for the following:
- Any article that is encased in an outside shipping container made of metal or wood.
- Any item, such as a barrel, drum, pail or tire, that is not fully encased in a corrugated cardboard shipping container.
- Any package with the longest side exceeding 48 inches or its second longest side exceeding 30 inches.
- Any package with an actual weight greater than 70 pounds.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Service Indicators, Icons and MaxiCode™ Class of Service for Customers Located in the Europe Region

Service Title	Service Indicator	Service Icon	Class of Service
UPS EXPRESS PLUS™	54	1+	054
Signature Required	G1	1+	481
Adult Signature Required	G5	1+	485
Saturday Delivery	34	1+S	034
Saturday Delivery, Signature Required	G4	1+S	484
Saturday Delivery, Adult Signature Required	G8	1+S	488
UPS EXPRESS™ (NA1)	AT	1	346
Signature Required	GG	1	495
Adult Signature Required	G9	1	489
Saturday Delivery	AV	1 S	347
Saturday Delivery, Signature Required	GH	1 S	496
Saturday Delivery, Adult Signature Required	GA	1 S	490
UPS EXPRESS™	66	1	066
Signature Required	D3	1	387
Adult Signature Required	D4	1	388
Saturday Delivery	69	1 S	069
Saturday Delivery, Signature Required	D6	1 S	390
Saturday Delivery, Adult Signature Required	D7	1 S	391
UPS SAVER™	04	1P	004
Signature Required	D9	1P	393
Adult Signature Required	DA	1P	394
UPS EXPEDITED	67	2	067
Signature Required	DG	2	399
Adult Signature Required	DH	2	400
UPS® STANDARD	68	Black Square	068
Signature Required	DK	Black Square	402
Adult Signature Required	DL	Black Square	403
Saturday Delivery	FX	S	477
Saturday Delivery, Signature Required	FY	S	478
Saturday Delivery, Adult Signature Required	FZ	S	479
UPS EXPRESS™ 12:00	QH	1	752
Signature Required	QD	1	748
Adult Signature Required	QE	1	749

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Return of Documents (Poland to Poland Only)

When using the Return of Documents service, the following text must print left justified in the Additional Routing Instruction section.

- Routing Instruction = ZWROT DOKUMENTOW
- Font Size = 10 pt.

The following indicator must also print beneath the Documentation Indicator.

- Indicator = ZD
- Font Size = 10 pt.

Service Indicators, Icons and MaxiCode™ Class of Service for Poland Domestic Same-Day Service

Service Title	Service Indicator	Service Icon	Class of Service
UPS TODAY STANDARD™	T8	None	840
UPS TODAY DEDICATED COURIER™	T9	None	841
UPS TODAY EXPRESS™	TG	None	847
UPS TODAY EXPRESS SAVER™	TH	None	848

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Additional Routing Instructions Block

Documentation indicators are required for all shipments generating in Europe. These indicators must print right-justified in the Additional Routing Instructions Block immediately below the highlight bar of the Tracking Number Barcode Block. The font size is 16 pt. bold.

DOCUMENTS-ONLY SHIPMENT
Routing Instruction = EDI-DOC

Shipment is Non-Dutiable But Not Documents-Only for EU-to-EU Domestic and Transborder
Routing Instruction = EDI

Shipping System Generates Invoice for Dutiable Shipment
Routing Instruction = INV

Shipping System Does Not Generate Invoice for Dutiable Shipment and Invoice Is Required
Routing Instruction = KEY

Shipping System Generates Invoice for EU Goods Not in Free Circulation
Routing Instruction = INV-T1

Shipping System Does Not Generate Invoice for EU Goods Not in Free Circulation
Routing Instruction = KEY-T1

PDF417 Barcode

A PDF417 Barcode is required for certain movements. For details on when the PDF417 is required and how to generate the barcode, please refer to the PDF417 Barcode Symbology Guide to Labeling Supplement.

Movement Reference Number

When a shipper files electronically and receives or provides a movement reference number for a shipment, the text shown below must print left-justified beneath the General Description of Goods.

The movement reference number must always take precedence over the printing of other reference numbers on the address label.

- Data Content
  - Positions 1-11 = MRN NUMBER:
  - Position 12 = Space
  - Positions 13 - 40 = Up to 28 alphanumeric
- Font Size = 10 pt.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

COD Shipments

A UPS COD TURN-IN COPY must always be properly completed and placed — in addition to the normal address label — on the lead package of the shipment, to ensure that UPS collects the proper funds during delivery of the shipment. (See page 42 for an example of the UPS COD Turn-In Copy.)

Service Indicators, Icons and MaxiCode™ Class of Service for Europe Region — COD Lead Package Label

Service Title	Service Indicator	Service Icon	Class of Service
UPS EXPRESS PLUS™	73	1+	073
Signature Required	G2	1+	482
Adult Signature Required	G6	1+	486
Saturday Delivery, Signature Required	G3	1+S	483
Saturday Delivery, Adult Signature Required	G7	1+S	487
UPS EXPRESS™	75	1	075
Signature Required	C6	1	358
Adult Signature Required	C7	1	359
Saturday Delivery	76	1 S	076
Saturday Delivery, Signature Required	C9	1 S	361
Saturday Delivery, Adult Signature Required	CA	1 S	362
UPS SAVER™	77	1P	077
Signature Required	CH	1P	368
Adult Signature Required	CJ	1P	369
UPS® STANDARD	79	Black Square	079
Signature Required	CP	Black Square	374
Adult Signature Required	CR	Black Square	376
Saturday Delivery	GJ	S	497
Saturday Delivery, Signature Required	GK	S	498
Saturday Delivery, Adult Signature Required	GL	S	499
UPS EXPRESS™ 12:00	Q4	1	740
Signature Required	QA	1	746
Adult Signature Required	QC	1	747
UPS TODAY STANDARD™	TN	None	853
UPS TODAY DEDICATED COURIER™	TP	None	854
UPS TODAY EXPRESS™	TT	None	858
UPS TODAY EXPRESS SAVER™	TW	None	860

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

COD Shipments (cont.)

Child Package Label for a COD Shipment

- Non-COD Service Indicators are required on the child package(s).
- No UPS COD TURN-IN COPY documents need to be placed on the child package(s).
- Currency Code and Amount must not be printed.

Service Indicators, Icons and MaxiCode™ Class of Service for Europe Region — COD Child Package Label

Service Title	Service Indicator	Service Icon	Class of Service
UPS EXPRESS PLUS™	54	1+	054
Signature Required	G1	1+	481
Adult Signature Required	G5	1+	485
Saturday Delivery, Signature Required	G4	1+S	484
Saturday Delivery, Adult Signature Required	G8	1+S	488
UPS EXPRESS™	66	1	066
Signature Required	D3	1	387
Adult Signature Required	D4	1	388
Saturday Delivery	69	1 S	069
Saturday Delivery, Signature Required	D6	1 S	390
Saturday Delivery, Adult Signature Required	D7	1 S	391
UPS SAVER™	04	1P	004
Signature Required	D9	1P	393
Adult Signature Required	DA	1P	394
UPS® STANDARD	68	Black Square	068
Signature Required	DK	Black Square	402
Adult Signature Required	DL	Black Square	403
Saturday Delivery	FX	S	477
Saturday Delivery, Signature Required	FY	S	478
Saturday Delivery, Adult Signature Required	FZ	S	479
UPS EXPRESS™ 12:00	QH	1	752
Signature Required	QD	1	748
Adult Signature Required	QE	1	749
UPS TODAY STANDARD™	T8	None	840
UPS TODAY DEDICATED COURIER™	T9	None	841
UPS TODAY EXPRESS™	TG	None	847
UPS TODAY EXPRESS SAVER™	TH	None	848

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Additional Routing Instructions Block

When processing COD shipments, additional information is required on the label.

COD ROUTING INSTRUCTION AND AMOUNT — LEAD PACKAGE
These indicators must print left-justified immediately below the Billing Option line on the Lead Package only. The amount must be in the local currency of the destination country or EURO and include two decimal places and the currency code. For currency amounts of 1000 or above, insert a point (e.g., 1.524,90 GBP). The font size is 10 pt.

COD CASH ONLY
- Routing Instruction = COD CASH nn.nnn,nn EUR
- For Example: COD CASH 130,50 EUR

COD Cheque
- Routing Instruction = COD CHEQUE nn.nnn,nn GBP

For Example: COD CHEQUE 1.100,50 GBP

COD ROUTING INSTRUCTION — CHILD PACKAGES
The text "COD" must print on the child packages in the same location as the COD Routing Instruction for the Lead Package. The font size is 10 pt.

COD INDICATOR — All Packages
The COD indicator prints in combination with the Documentation indicator on the label. These indicators must print right-justified in the Additional Routing Instructions Block immediately below the highlight bar of the Tracking Number Barcode Block and are printed on the lead and child packages. The font size is 16 pt. bold.

Shipment is Non-Dutiable
- Routing Instruction = EDI-COD

Shipping System Generates Invoice for Dutiable Shipment
- Routing Instruction = INV-COD

Shipping System Does Not Generate Invoice for Dutiable Shipment and Invoice Is Required
- Routing Instruction = KEY-COD

Shipping System Generates Invoice for EU Goods Not in Free Circulation
- Routing Instruction = INV-T1

Shipping System Does Not Generate Invoice for EU Goods Not in Free Circulation
- Routing Instruction = KEY-T1

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

COD Indicator

Additional Routing Instructions for Electronic COD

Additional Routing Instructions for Electronic COD

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Required Layout

- All elements below must be on the UPS COD TURN-IN COPY with the exception of an optional reference number
- Text must be in English, all uppercase
- The UPS COD TURN-IN COPY contains two independently removable sections*
  I. COD-TAG (Upper Section)
  II. RECEIPT (Lower Section)
- No adhesive must remain on the reverse side of the two sections after removal
- Recommended size of the UPS TURN-IN COPY is 4 x 6 inches (10,16 x 15,24 cm)

I. COD-TAG (Upper Section)

1. UPS Shipper's Account Number — 20 pt. bold
2. Lead Package Tracking Number — in same format as on the address label, 20 pt. bold
3. From Information
   NAME
   PHONE (Optional)
   ROOM/FLOOR/SUITE (Optional)
   STREET ADDRESS
   POSTAL CODE CITY
   COUNTRY
   10 pt.
4. COD, Cashiering Method, Amount, Currency Code
   Example:
   COD CASH 130,00 EUR
   COD CHEQUE 100,00 GBP
   16 pt. bold
5. Reference Number — optional
   9 pt.
6. SHIP TO Information
   NAME
   PHONE (Optional)
   ROOM/FLOOR/SUITE (Optional)
   STREET ADDRESS
   POSTAL CODE CITY
   COUNTRY
   10 pt.

II. RECEIPT (Lower Section)

7. Lead Package Tracking Number (Same as 2)
8. Currency Code and Amount (UPS will complete these fields during delivery)
9. Date and Signature of Delivery Driver (UPS will complete these fields during delivery)



A. Field Name "COD" must be printed in this section in 20 pt. bold font.
B. Field Name "FROM" must be printed in this section in 10 pt. font.
C. Field Name "SHIP TO" must be printed in this section in 10 pt. font.
D. Field Name "COD RECIPIENT'S RECEIPT" must be printed in this section in 14 pt. bold font.
E. Field Name "CURRENCY CODE" and "AMOUNT" must be printed in this section in 8 pt. font.
F. Field Name "DATE" and "DELIVERY DRIVER SIGNATURE" must be printed in this section in 8 pt. font.

*Print two copies of the COD Turn-In Copy when using paper stock that does not support a perforation above the COD Recipient's Receipt.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Direct Delivery Only

When a shipper selects the Direct Delivery Only accessorial, the label must print as shown below:

- Data Content

Positions	1-6	= Direct
Position	7	= Space
Positions	8-15	= Delivery
Position	16	= Space
Positions	17-21	= Only

- Font Size = 10 pt.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
60386 FRANKFURT
GERMANY

12 KG

1 OF 1

SHP#: 1X2X 3X33 3VP
SHP WT: 50.5 KG
SHP DWT: 50.5 KG
DATE: 11 JAN 2020

SHIP TO:
CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
PARIS 75002
FRANCE

FRA 753 7-00

UPS EXPRESS PLUS
TRACKING #: 1Z 1X2 X3X 54 0000 5408

1+

BILLING: P/P
DESC: ART
MRN NUMBER 12DE5678901234567890123456 78

INV

18.5A 01/2020

Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limits UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of tender of the shipment and UPS reserves the right to route the shipment in any way it deems appropriate. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported from the US, shipper certifies that the commodities, technology or software were exported from the US in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
60386 FRANKFURT
GERMANY

20 KG **1 OF 1**

SHP#: 1X2X 3X33 3TT
SHP WT: 20 KG
SHP DWT: 20 KG
DATE: 11 JAN 2020

SHIP TO:
CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
WINDSOR ON N8N2M1
CANADA

CAN 527 9-00

UPS EXPRESS (NA1)
TRACKING #: 1Z 1X2 X3X G9 0000 5405 **1**

BILLING: P/P
ADULT SIGNATURE REQUIRED-MIN 19 **KEY**

18.5A 01/2020

Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limit UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of tender of the shipment and UPS reserves the right to route the shipment in any way it deems appropriate. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported from the US, shipper certifies that the commodities, technology or software were exported from the US in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.



© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
60386 FRANKFURT
GERMANY

38 KG

1 OF 1

SHP#: 1X2X 3X33 3TT
SHP WT: 38 KG
SHP DWT: 38 KG
DATE: 11 JAN 2020

SHIP TO:
CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
TOKYO 1000004
JAPAN

JPN 106 1-00

UPS EXPEDITED
TRACKING #: 1Z 1X2 X3X 67 0000 5401

2

BILLING: P/P
DESC: AUTO PARTS

INV

18.5A 01/2020

Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limits UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of tender of the shipment and UPS reserves the right to route the shipment in any way it deems appropriate. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported from the US, shipper certifies that the commodities, technology or software were exported from the US in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
60386 FRANKFURT
GERMANY

20 KG **1 OF 1**

SHP#: 1X2X 3X33 3TT
SHP WT: 20 KG
SHP DWT: 20 KG
DATE: 11 JAN 2020

SHIP TO: CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
75008 PARIS
FRANCE

FRA 753 7-00

UPS STANDARD
TRACKING #: 1Z 1X2 X3X FX 0000 5404

S

BILLING: P/P
DESC: FABRIC

KEY-T1

18.5A 01/2020

Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limits UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of tender of the shipment and UPS reserves the right to route the shipment in any way it deems appropriate. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
60386 FRANKFURT
GERMANY

20 KG

1 OF 1

SHP#: 1X2X 3X33 3TT
SHP WT: 20 KG
SHP DWT: 20 KG
DATE: 11 JAN 2020

SHIP TO:
CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
75008 PARIS
FRANCE

FRA 753 7-00

UPS STANDARD
TRACKING #: 1Z 1X2 X3X 68 0000 5409

BILLING: P/P
DESC: FABRIC

KEY-T1

18.5A 01/2020

Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limits UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of tender of the shipment and UPS reserves the right to route the shipment in any way it deems appropriate. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

This .5" symbology will appear if the user has entered a weight that is greater than or equal to 10 KG but less than 20KG for German origin or destination shipments.

This .5" symbology will appear on the label if the user has entered a weight that is greater or equal to 20 KG for German origin or destination shipments.

© 2007 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

This .5" symbology will appear if the user has entered a weight that is greater than or equal to 10kg but less than 20 kg for German origin or destination shipments.

This .5" symbology will appear when the user has entered in a weight that is greater than or equal to 20kg for German origin or destination shipments.

© 2007 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.



.5" symbology that will appear on the label if the user has entered a weight that is greater than or equal to 10kg but is less than 20kg for German origin or destination shipments.



This symbology will appear on the label if the user has entered a weight that is greater or equal to 20kg for German origin or destination shipments

© 2007 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

This .5" symbology will appear if the user has entered a weight that is greater than or equal to 10kg but less than 20kg for German origin or destination shipments.

This symbology will appear on the label if the user has entered a weight that is greater than or equal to 20kg for German origin or destination shipments.

© 2007 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

This .5" symbology will appear if the user has entered a weight that is greater than or equal to 10kg but less than 20kg for German origin or destination shipments.

This .5" symbology will appear on the label if the user has entered a weight that is greater than or equal to 20kg for German orgin or destination shipments.

© 2007 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

This .5" symbology will appear if the user has entered a weight that is greater than or equal to 10kg but less than 20kg for German origin or destination shipments

This .5" symbology will appear if the user has entered a weight that is greater than or equal to 20 kg for German origin or destination shipments.

© 2007 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

This .5" symbology will appear if the user has entered a weight that is greater than or equal to 10 kg but less than 20 kg.

This .5" symbology will appear if the user has entered in a weight that is greater than or equal to 20 kg.

© 2007 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Introduction

Ship to UPS Access Point™ service enables shippers to send packages directly to a UPS Access Point™ location or one of their own retail locations (i.e. Store Pickup). This allows customers to pickup packages at their convenience.

UPS now offers two label formats for UPS Access Point service; 4" x 4.25" (two labels required) and 4" x 6". Based on the needs of your customers, you can choose to support these label formats:

- 4" x 4.25"
- 4" x 6"

ADDRESS REQUIREMENTS
The Ship From address, the Ship To address of the UPS Access Point, and the consignee address are required when shipping directly to a UPS Access Point™ location.

SHIP TO SECTION
The Ship To section of the label should contain the consignee name, consignee phone number, UPS Access Point™ name and address.

In the Ship To section, print the following:

- Consignee Name*
- Consignee Phone Number
- UPS Access Point™ Name
- UPS Access Point™ Extended Street Address
- UPS Access Point™ Street Address
- UPS Access Point™ City, Postal Code
- UPS Access Point™ Country
- Font Size = 10 pt.
- Font Size = 12 pt. bold for Postal line and Country

UPS SERVICE TITLE
The UPS Service Title size has been reduced for this label.

- Font Size = 12 pt. bold

UPS TRACKING NUMBER BARCODE
The UPS tracking barcode height is reduced to fit a secondary address on the label.

- UPS Tracking Number Barcode Height = 0.70 inches

NOTE: *Consignee Name is the name of the person to whom the package is being shipped to at the UPS Access Point™ location. The consignee or recipient may be required to produce sufficient verification of name, address based on the type of shipment.

ADDITIONAL ROUTING INSTRUCTION BLOCK
The Additional Routing Instruction Block allows only 3 lines of text with a 4th line reserved for Reference Numbers. The font size for the Additional Routing Instruction Block has been reduced.

- Font Size = 8 pt. bold

CONSIGNEE ADDRESS BLOCK
At the very bottom of the label the consignee name and address should print as follows:

- Consignee Name*
- Consignee Extended Address
- Consignee Street Address
- Consignee City, Postal Code
- Consignee Country

CONSIGNEE NAME* should have the following format:

- Font Size = 10 pt. bold

The format for the rest of the lines for the Consignee Address Block should be as follows:

- Font Size = 10 pt.

HORIZONTAL LINES
Horizontal lines in the Consignee Address Block must be a minimum of 0.03 inches. They must be placed above the Consignee Name* text and below the Consignee Country.

PDF417 Barcode

The PDF417 Barcode must print on the shipping label when required. For details on the PDF417 Barcode, please refer to the PDF417 Barcode Symbology document.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Specifications for 4" x 4.25"second label

SHIPPER INSTRUCTIONS

- PLEASE APPLY THIS LABEL TO PACKAGE
- Font Size = 15 pt. bold

SHIPPERS INFORMATION

- SHIP FROM text must be printed to the left of the shippers information
- Shippers Name
- Shippers Phone Number
- Shipper Company Name
- Font Size = 8 pt. bold

PACKAGE TRACKING NUMBER

- TRACKING #: 1Z XXX XXX XX XXXX XXXX
- Font Size = 10 pt. bold

UPS ACCESS POINT INSTRUCTIONS

- HOLD AT UPS ACCESS POINT FOR:
- Font Size = 10 pt. bold
- D2R; D2R/D2A –Indicator must be right justified below the separator bar across from the consignee's address.
- Font Size = 20 pt. bold
- Consignee Name
- Consignee Street Address
- Consignee Extended Street Address
- Consignee City State Postal
- Font Size = 10 pt.

HORIZONTAL LINES

Horizontal lines on the second label in the diagram below must be a minimum of 0.03 inches. They must be placed above the Ship From and below the Tracking Number.

PDF417 Barcode

The PDF417 Barcode must print on the shipping label when required. For details on the PDF417 Barcode, please refer to the PDF417 Barcode Symbology document.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Label Format - Print on 4" x 6" Label Stock

CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
MIDDLESEX TW13 7DY
UNITED KINGDOM

2 KG

1 OF 1

SHP#: 1X2X 3X33 3TT
SHP WT: 2 KG
SHP DWT: 2 KG
DATE: 11 JAN 2020

SHIP TO: CONSIGNEE NAME
CONSIGNEE PHONE NUMBER
UPS ACCESS POINT (UAP) NAME
UAP EXTENDED ADDRESS
UAP STREET ADDRESS
41460 NEUSS
GERMANY

DEU 415 9-00

UPS EXPRESS
TRACKING #: 1Z 1X2 X3X C7 0000 5403

1

BILLING: P/P
COD 10.00 EUR
ADULT SIGNATURE REQUIRED
DESC: CLOTHING

EDI-COD

CONSIGNEE NAME
EXTENDED ADDRESS
EXTENDED ADDRESS
STREET ADDRESS
CITY POSTAL CODE
COUNTRY NAME

D2R

18.5A 01/2020

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
1831 DIEGEM
BELGIUM

20 KG

1 OF 1

SHP#: 1X2X 3X33 3TT
SHP WT: 20 KG
SHP DWT: 20 KG
DATE: 11 JAN 2020

SHIP TO: CONSIGNEE NAME
CONSIGNEE PHONE NUMBER
UPS ACCESS POINT (UAP) NAME
UAP EXTENDED ADDRESS
UAP STREET ADDRESS
WINDSOR ON N8N2M1
CANADA

CAN 527 9-00

UPS EXPRESS
TRACKING #: 1Z 1X2 X3X 66 0000 5627

1

BILLING: P/P
DESC: CLOTHING

KEY

CONSIGNEE NAME
EXTENDED ADDRESS
EXTENDED ADDRESS
STREET ADDRESS
CITY POSTAL CODE
COUNTRY NAME

D2R

18.5A 01/2020

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Direct to Retail/Deliver to Address Only Label

CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
1831 DIEGEM
BELGIUM

20 KG

1 OF 1

SHP#: 1X2X 3X33 3TT
SHP WT: 20 KG
SHP DWT: 20 KG
DATE: 11 JAN 2020

SHIP TO: CONSIGNEE NAME
CONSIGNEE PHONE NUMBER
UPS ACCESS POINT (UAP) NAME
UAP EXTENDED ADDRESS
UAP STREET ADDRESS
WINDSOR ON N8N2M1
CANADA

CAN 527 9-00

UPS EXPRESS
TRACKING #: 1Z 1X2 X3X 66 0000 5627

1

BILLING: P/P
DESC: CLOTHING
REF #: 12345678901234567890

KEY

CONSIGNEE NAME
EXTENDED ADDRESS
EXTENDED ADDRESS
STREET ADDRESS
CITY POSTAL CODE
COUNTRY NAME

D2R/D2A

18.5A 01/2020

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Introduction

UPS Access Point™ Economy is an economical domestic service option exclusively to, from, or between UPS ACCESS POINT™ locations.

Label Requirements

The UPS Access Point™ Economy service will utilize the same label requirements as those for shipping to a UPS Access Point™ on pg. 3 - 4 with addition of the UPS Access Point™ Number at the bottom right of the label.

UPS ACCESS POINT™ NUMBER
The UPS Access Point™ Number is a unique number assign to each UPS Access Point™ location. The number can be obtained via the Global Locator on ups.com or using the Locator API.

- Data Content
  9 alphanumeric characters
  Text Spacing = U12 345 678
- Font Size =12 pt. bold
- Location
  Right-justified at the bottom of the label below the D2R; D2R/D2A indicator and above the URC code.

Services Selected with UPS Access Point™ Economy

When any of the following is selected with UPS Access Point Economy as the shipping option, unique Service Indicators and MaxiCode™ Class of Service codes listed in the tables below must be used :

- UPS Delivery Confirmation Adult Signature Required™
- UPS C.O.D™
- UPS Returns™

NOTE: When offered in conjunction with "Ship to a UPS Access Point location", UPS Access Point™ Economy is only offered as a contractual service.

Service Indicators, Icons and MaxiCode™ Class of Service

Service Title	Service Indicator	Service Icon	Class of Service
UPS ACCESS POINT™ ECONOMY	YZ	Black Square	991
Delivery Confirmation	Z0	Black Square	992
Delivery Confirmation with Signature Required	Z3	Black Square	995
Delivery Confirmation Adult Signature Required	Z4	Black Square	996

Service Indicators, Icons and MaxiCode™ Class of Service for Electronic COD

Service Title	Service Indicator	Service Icon	Class of Service
UPS ACCESS POINT™ ECONOMY	Z6	Black Square	998
Delivery Confirmation	Z1	Black Square	993
Delivery Confirmation with Signature Required	Z2	Black Square	994
Delivery Confirmation Adult Signature Required	Z5	Black Square	997

Service Indicators, Icons and MaxiCode™ Class of Service for Returns

Service Title	Service Indicator	Service Icon	Class of Service
UPS ACCESS POINT™ ECONOMY			
Print Return Label, Print and Mail, and Electronic Return Label	Z7	Black Square	999

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
7317 STEINSELI

20 KG

1 OF 1

SHIP TO: CONSIGNEE NAME
CONSIGNEE PHONE NUMBER
UPS ACCESS POINT (UAP) NAME
UAP EXTENDED ADDRESS
UAP STREET ADDRESS
2970 LUXEMBOUG CITY

LUX 202 6-00

UPS ACCESS POINT ECONOMY
TRACKING #: 1Z 1X2 X3X Z4 0000 5406

BILLING: P/P
ADULT SIGNATURE REQUIRED
DESC: CLOTHING

KEY

CONSIGNEE NAME
EXTENDED ADDRESS
EXTENDED ADDRESS
STREET ADDRESS
CITY POSTAL CODE
COUNTRY NAME

D2R

U90 123 456

18.5A 01/2020

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Access Point™ Economy 4" x 4.25" COD Label (two labels required)

CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
EXTENDED ADDRESS
1831 DIEGEM

20 KG **1 OF 1**

SHIP TO: CONSIGNEE NAME
CONSIGNEE PHONE NUMBER
UPS ACCESS POINT NAME
UAP EXTENDED ADDRESS
UAP EXTENDED ADDRESS
UAP STREET ADDRESS
9000 GHENT

BEL 344 9-14

UPS ACCESS POINT ECONOMY
TRACKING #: 1Z 1X2 X3X Z2 0000 5400

SIGNATURE REQUIRED
REF 1: 890123456789012345678901234 5

18.5A 01/2020

PLEASE APPLY THIS LABEL TO PACKAGE

SHIP FROM: CONTACT NAME
PHONE NUMBER
COMPANY NAME

TRACKING #: 1Z 1X2 X3X Z2 0000 5400

HOLD AT UPS ACCESS POINT FOR:

CONSIGNEE NAME
EXTENDED ADDRESS
EXTENDED ADDRESS
STREET ADDRESS
CITY POSTAL CODE
COUNTRY NAME

D2R
U12 345 678

UPS Access Point™ Economy 4" X 4.25" Print Returns Label

CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
92140 CLAMART

50 KG **1 OF 1**

SHIP TO: CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
EXTENDED ADDRESS
STREET ADDRESS
75020 PARIS

FRA 751 3-75

UPS ACCESS POINT ECONOMY
TRACKING #: 1Z 1X2 X3X Z7 0000 5777

DESC: CLOTHING
RETURN SERVICE

RS

18.5A 01/2020

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Manifest Summary

The UPS Manifest Summary provides the shipper with a receipt for all packages accepted by UPS. Two copies of the UPS Manifest Summary must be printed after the successful upload of Package Level Detail (PLD). The UPS driver/agent will sign both copies and leave one copy with the shipper. If there are multiple PLD transmissions per day (staggered uploads), two copies of the UPS Manifest Summary must be printed for each PLD upload. Every upload must have a new transmission number. The UPS driver/agent must be provided with all UPS Manifest Summaries for this particular day. Specifications of font size are guidelines and should not supersede sound business decisions.

GENERAL RULES

The UPS Manifest Summary must be printed on blank white paper (no letterheads, logos or other form of printing). The UPS Manifest Summary must be printed from a computer printer in black ink. Handwritten corrections are not acceptable. Overlap of information into the next column is not permitted. The UPS Manifest Summary must begin on a new sheet of paper.

SHIPPING RECORD NUMBER CALCULATION

The Shipping Record Number is a 10-digit numeric field consisting of the seven-digit book number, the two-digit page number and the Modulo 7 check digit. The check digit is calculated by dividing the nine-digit book and page number by seven. Use the decimal remainder to determine the check digit from the table below:

Remainder	Check Digit
0	0
.14286	1
.28571	2
.42857	3
.57143	4
.71429	5
.85714	6

- For Example:

  Book Number = 1234567
  Page Number = 89

1. Divide 123456789 by 7 = 17636684.14286
2. Use the remainder of .14286 to determine the check digit is 1
3. The complete Shipping Record Number is 1234567891

TITLE/HEADER SECTION

The title/header must consist of the document title and vendor name, software and version number in the following format:

- Text "UPS Manifest — Summary Section"
- Left-justified in 12 pt. bold

Vendor name, software name and version number centered in 12 pt. bold on the same line as the title

For Example: ABC Ltd. Ship Software v1.05

SEPARATOR LINE

Font Size = 1 pt. bold

SHIPPER INFORMATION SECTION

- Line 1 = Shipper Name
- Line 2 = Shipper Street Address
- Line 3 = Shipper Postal Code, City and Country Name
- Line 4 = Shipper Country Code (for country codes, please see Appendix E)
- Line 5 = The text "VAT No." Followed by the shipper's VAT number
- Line 6 = The text "Telephone" followed by the shipper's telephone number
- Font Size = 10 pt. left-justified
- For Example:

  XYZ COMPANY
  WOLUWELAAN 156
  1831 DIEGEM BELGIUM
  BE
  VAT No. BE123456789
  Telephone 0800.128.28

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Manifest Summary (cont.)

Account Number, Shipping Record Number, Report and Collection Date Section

This section starts on the same line as the Company name, but on the right hand side of the page. The end of each line will be right-justified. The titles of UPS Account Number and Shipping Record Number are 12 pt. bold. All other titles/text are 10 pt. bold, unless otherwise indicated.

- Line 1 = The text "UPS Account Number:" followed by the Account Number in 12 pt. bold, uppercase
- Line 2 = The text "Shipping Record Number:" followed by the Shipping Record Number in 12 pt.
- Line 3 = The text "Report Print Date:" followed by the date in the following format: DD/MMM/YYYY

There must be spaces before Line 4. Line 4 must print immediately above the separator line on the same line as the telephone number.

- Line 4 = The text "Collection Date:" followed by the collection date in the same format as Line 3.
- For Example:

UPS Account Number:	1X2X3X
Shipping Record Number:	9373309024
Report Print Date:	27/JAN/2018
Collection Date:	27/JAN/2018

SEPARATOR LINE

- Font size = 1pt, bold

SHIPMENT SUMMARY SECTION

This section includes the shipping summary sorted by destination and service.

- Line 1 = The text "Shipment Summary" in 12 pt. bold
- Line 2 = Blank
- Line 3 = Blank
- Line 4 = The following column titles:
  "ServiceShipments Packages Return Shipments Return Packages" in 10 pt. bold
- For Example:

SHIPMENT SUMMARY

Service	Shipments	Packages	Return Shipments	Return Packages

The shipment information will begin on Line 5 and will include the Service Title and counts for each service in 10 pt.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Manifest Summary (cont.)

Only services which have been used should be listed in the Shipment Summary section. The shipments/packages must appear in the following order using the titles as shown below.

NOTE: For Letters/Envelopes, shipment must be 0 and package must be 1. For all others, a one-piece shipment would be represented as shipment 1 and package 1.

UPS Domestic Standard — Packages
UPS Domestic Standard — Shipments
UPS Domestic Express
UPS Domestic Express — Letters/Envelopes
UPS Domestic Express — Express Box
UPS Domestic Express — Tube
UPS Domestic Express — PAK
UPS Domestic Express Plus
UPS Domestic Express Plus — Letters/Envelopes
UPS Domestic Express Plus — Express Box
UPS Domestic Express Plus — Tube
UPS Domestic Express Plus — PAK
UPS Domestic Express Saver
UPS Domestic Express Saver — Letters/Envelopes
UPS Domestic Express Saver — Express Box
UPS Domestic Express Saver — Tube
UPS Domestic Express Saver — PAK
UPS Transborder Standard — Packages
UPS Transborder Standard — Shipments
UPS Transborder Express
UPS Transborder Express — Letters/Envelopes
UPS Transborder Express — 10 KG Box
UPS Transborder Express — 25 KG Box
UPS Transborder Express — Express Box
UPS Transborder Express — Tube
UPS Transborder Express — PAK
UPS Transborder Express — GNIFC
UPS Transborder Express Plus
UPS Transborder Express Plus — Letters/Envelopes
UPS Transborder Express Plus — 10 KG Box
UPS Transborder Express Plus — 25 KG Box
UPS Transborder Express Plus — Express Box
UPS Transborder Express Plus — Tube
UPS Transborder Express Plus — PAK
UPS Transborder Express Plus — GNIFC
UPS Transborder Express Saver
UPS Transborder Express Saver — Letters/Envelopes
UPS Transborder Express Saver — 10 KG Box
UPS Transborder Express Saver — 25 KG Box
UPS Transborder Express Saver — Express Box
UPS Transborder Express Saver — Tube
UPS Transborder Express Saver — PAK
UPS Transborder Express Saver — GNIFC
UPS Worldwide Standard
UPS Worldwide Express
UPS Worldwide Express — Letters/Envelopes
UPS Worldwide Express — 10 KG Box
UPS Worldwide Express — 25 KG Box
UPS Worldwide Express — Express Box
UPS Worldwide Express — Tube
UPS Worldwide Express — PAK
UPS Worldwide Express — GNIFC
UPS Worldwide Express Plus
UPS Worldwide Express Plus — Letters/Envelopes
UPS Worldwide Express Plus — 10 KG Box
UPS Worldwide Express Plus — 25 KG Box
UPS Worldwide Express Plus — Express Box
UPS Worldwide Express Plus — Tube
UPS Worldwide Express Plus — PAK
UPS Worldwide Express Plus — GNIFC
UPS Worldwide Expedited
UPS Worldwide Expedited — GNIFC
UPS Worldwide Express Saver
UPS Worldwide Express Saver — Letters/Envelopes
UPS Worldwide Express Saver — 10 KG Box
UPS Worldwide Express Saver — 25 KG Box
UPS Worldwide Express Saver — Express Box
UPS Worldwide Express Saver — Tube
UPS Worldwide Express Saver — PAK
UPS Worldwide Express Saver — GNIFC
UPS Express NA1
UPS Express NA1 — Letters/Envelopes
UPS Express NA1 — 10 KG Box
UPS Express NA1 — 25 KG Box
UPS Express NA1 — Express Box
UPS Express NA1 — Tube
UPS Express NA1 — PAK

UPS Express 12:00
UPS Express 12:00 — Letters/Envelopes
UPS Express 12:00 — Express Box
UPS Express 12:00 — Tube
UPS Express 12:00 — PAK

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Manifest Summary (cont.)

After all services are listed, the Collection Totals line must print. The Collection Totals line contains the text "Collection Totals" and the sum of the Shipments and Packages columns in 10 pt. bold. The text "Collection Totals" must be indented and the sums will appear immediately below the columns they represent.

FOR UPS USE ONLY SECTION

The For UPS Use Only section contains information about Manifest, Additional Handling and Dangerous Goods. Manifest shipments/packages are those with a service level of UPS Domestic, except for UPS Domestic Express Plus services. Worldwide and Domestic Express Plus services are considered to be Waybill. This section is framed and must contain the following information.

- Line 1 = The text "For UPS Use Only" along with the total Manifest shipments and packages in 12 pt, bold.

Lines 2-5 must be indented from Line 1.

- Line 2 = The text "Additional Handling Waybill" along with the total Additional Handling Waybill shipments and packages in 10 pt.
- Line 3 = The text "Additional Handling Manifest" along with the total Additional Handling Manifest shipments and packages in 10 pt.
- Line 4 = The text "Additional Handling Total" along with the total Additional Handling shipments and packages in 10 pt.
- Line 5 = The text "Dangerous Goods Total" along with the total Dangerous Goods shipments and packages in 10 pt.

PICKUP SUMMARY BARCODE (PSB) SECTION

BARCODE HUMAN READABLE TEXT

The human readable text must be centered below the barcode in uppercase spaced as shown below:

- 91 123 X56 1234 56789 12345 1
- Font Size = 12 pt.

BARCODE SPECIFICATIONS

- Symbology = Code 128
- Barcode Height = One inch
- X-Dimension = 15-21 mil
- Quiet Zones
  - — Top and bottom = 0.0625 inches
  - — Left and right = 0.25 inches

BARCODE DATA CONTENT

A. Application Identifier — A two-digit numeric field that specifically identifies the barcode as a PSB. The Application Identifier used will vary based on the status of the Package Level Detail (PLD) upload. A 91 will be used to represent successful upload of PLD. A 90 will be used to indicate the PLD is pending and has not been uploaded to UPS (current day's PLD excluded).

B. Account Number — Six-character UPS Account Number.

C. PLD Unique Identifier — Nine digits consisting of the seven-digit pickup book number and the two-digit page number. This data element is fixed length. If the pickup book number has a leading zero, the zero must be included to make the seven-digit book number. There is no check digit displayed with this identifier.

D. Package Count — The total number of Manifest packages as defined in the For UPS Only Section communicated to UPS via PLD.

E. Check Digit — The check digit represents the result of the barcode check digit algorithm applied to data elements B-D. For instructions on calculating the MOD 10 check digit, please see Appendix C. For the PSB, dropping the Application Identifier is considered to be Step 1. The Account Number, PLD Unique Identifier and Package Count are used per Appendix C for Steps 2-8.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Manifest Summary (cont.)

RECEIVED FOR UPS SECTION

This section is a framed area which contains titles and spaces for the driver/agent to enter information. This section is located to the right of the PSB and is right-sjustified. All text is 10 pt.

Line 1 = The text "Received for UPS by: _____ "

Line 2 = The text "Collection Time: _____ "

Line 3 = The text "Collection Date: _____ "

Line 4 = The text "Number of Packages: _____ "

For Example:

Received for UPS by:	_____
Collection Time:	_____
Collection Date:	_____
Number of Packages:	_____

UPS Worldwide Express Freight

A separate manifest must be printed for UPS Worldwide Express Freight shipments.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Example of UPS Manifest Summary

UPS Manifest - Summary Section **ABC Ltd Ship Software v1.05**

XYZ COMPANY
WOLUWELAAN 156
1831 DIEGEM BELGIUM
BE
Vat No. BE123456789
Telephone 0800.128.28

UPS Account Number: **1X2X3X**
Shipping Record Number: 9373309024
Report Print Date: **11/JAN/2020**
Collection Date: **11/JAN/2020**

Shipment Summary

Service	Shipments	Packages	Return Shipments	Return Packages	Import Control Shipments
UPS Domestic Express	1	1	0	0	0
UPS Domestic Express Plus - Letters/Envelopes	0	1	0	0	0
UPS Transborder Standard - Packages	1	1	0	0	0
UPS Transborder Express	1	1	0	0	1
UPS Worldwide Express Plus - Express Box	1	1	0	0	0
UPS Express NA1	1	3	0	0	0
Collection Totals	**5**	**8**			

For UPS Use Only	**1**	**1**
Additional Handling Waybill	0	0
Additional Handling Manifest	0	0
Additional Handling Total	0	0
Dangerous Goods Total	0	0

91 1X2 X3X 9373 30903 00001 9

Received for UPS by: _____
Collection Time: _____
Collection Date: _____
Number of Packages: _____

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Example of UPS Manifest Summary

UPS Manifest - Summary Section **ABC Ltd Ship Software v1.05**

COMPANY NAME
STREET ADDRESS
1831 DIEGEM BELGIUM
BE
Vat No. BE123456789
Telephone 0800.128.28

UPS Account Number: **1X2X3X**
Shipping Record Number: 0357052032
Report Print Date: **11/JAN/2020**
Collection Date: **11/JAN/2020**

Shipment Summary

Service	Shipments	Packages	Return Shipments	Return Packages	Import Control Shipments
UPS Worldwide Express Freight	1	1	0	0	0
Collection Totals	**1**	**1**			

For UPS Use Only	**0**	**0**
Additional Handling Waybill	0	0
Additional Handling Manifest	0	0
Additional Handling Total	0	0
Dangerous Goods Total	0	0

91 1X2 X3X 9373 30903 00002 7

Received for UPS by: _____
Collection Time: _____
Collection Date: _____
Number of Packages: _____

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.



© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Symbology

- MaxiCode™ barcode (two-dimensional)
- The data must be encoded according to the AIM USS MaxiCode specification

MaxiCode™ Characteristics

- Consists of 884 hexagons surrounding a bull's-eye finder pattern
- Each hexagon encodes 1 bit of information
- Contains about 100 characters of information
- Fixed size, about 1 square inch
- Built-in error correction capability
- Automatic numeric compression
- Full ASCII character set

Acceptable Ranges and Tolerances

- Symbol width (L), the distance from the center of the left-most hexagon to the center of the right-most hexagon on an odd row, = 25.50mm ± 1.50mm
- Symbol height (H), the distance from the center of a hexagon in the first row to the center of the corresponding hexagon in the last row, = 24.40mm ± 1.40mm
- Hexagon width (X) = L/29 + 0.12mm
- Hexagon height (Y) = L/29 * 1.155 + 0.12mm
- Bull's-eye overall diameter = 7.75mm + 0.31mm
- Bull's-eye ring edges are: 0.15; 1.18; 1.86; 2.53; 3.20; 3.87mm

MaxiCode™ Dimensions

- Quiet zone width is equal to 1 hexagon
- Overall symbol width = 28.14mm ± 1.65mm
- Overall symbol height = 26.91mm ± 1.59mm

Print Quality

- Thermal direct, thermal transfer or laser technology
- Minimum quiet zone left and right = 0.88mm
- Minimum quiet zone top and bottom = 0.76mm
- ANSI symbol quality grade of B or better
- ANSI decodability grade of B or better

Formatting MaxiCode™ Data

- MaxiCode™ data is a string of characters consisting of a header, a fixed sequence of data elements and a termination sequence.
- When formatting MaxiCode™ data, always use UPPERCASE characters.
- Ensure that there are no spaces, dashes or other special characters except the "/" in the package count field
- Blank fields are separated with a Gs.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Introduction

MaxiCode™ Class of Service values are displayed in this guide. They may also be calculated using the 1Z Service Level Indicator.

Method

Conversion from the 1Z Service Level Indicator value to its numeric equivalent is accomplished by taking the assigned decimal value of the first character and adding it to the assigned decimal value of the second character. To convert from three-character numeric to the 1Z Service Level Indicator, the reverse is done.

Example 1: Conversion from two-character alphanumeric to three-character numeric

- 1Z Service Level Indicator = EA
- 'E' in the first character position is assigned the decimal value of 416
- 'A' in the second character position is assigned the decimal value of 10
- 'EA' in decimal is 416 + 10 = 426
- 426 is encoded as the three-character Class of Service in the MaxiCode™ data string

Example 2: Conversion from three-character numeric to two-character alphanumeric

- MaxiCode™ value for Class of Service = 426
- The first character position is derived by dividing by 32, dropping the remainder, then multiplying by 32. The second character is the remainder of the division; 426/32 = 13, remainder 10.
- The value for first character position is 13*32 = 416, which is the assigned value for 'E'
- The value for the second character position is 10, which is the assigned value for 'A'
- 'EA' is the 1Z Service Level Indicator represented by 426 decimal

If the Class of Service encoded in the MaxiCode™ data string is less than 100, no conversion takes place. This provides for backward compatibility.

First Character		Second Character	
Character	Value	Character	Value
Z	992	Z	31
Y	960	Y	30
X	928	X	29
W	896	W	28
V	864	V	27
T	832	T	26
S	800	S	25
R	768	R	24
Q	736	Q	23
P	704	P	22
N	672	N	21
M	640	M	20
L	608	L	19
K	576	K	18
J	544	J	17
H	512	H	16
G	480	G	15
F	448	F	14
E	416	E	13
D	384	D	12
C	352	C	11
A	320	A	10
9	288	9	9
8	256	8	8
7	224	7	7
6	192	6	6
5	160	5	5
4	128	4	4
3	96	3	3
2	64	2	2
1	32	1	1
0	0	0	0

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Data Content

The format shown below describes how to incorporate address elements into a MaxiCode™ data string.

n	indicates a Numeric field
an	indicates an Alpha/Numeric field
a	indicates an Alphabetic field
…	indicates variable-length field

Field Name	Description	Type
SHIP TO Postal Code	(an 1…9)	Required[1]
SHIP TO ISO Country Code	(n 3)	Required[2]
Class Of Service	(n 3)	Required
Tracking Number	(an 10)	Required
UPS SCAC (Standard Carrier Alpha Code)	UPSN	Required
UPS Account Number	(an 6)	Required
Julian Day of Pickup	(n 3)	Required
Shipment ID Number	(an 1…30)	Optional
Package In Shipment N/X (package N of X total packages)	(n 1…3/n 1…3)	Required[3]
Package Weight	(n 1…3)	Required[4]
Address Validation (Y or N)	(a 1)	Required[5]
SHIP TO Address	(an 1...35) or (an 1...10<Fs>an1...8)	Required[6]
SHIP TO City	(an 1…20)	Required
SHIP TO State/Province	(a 2)	Required[7]

1Non-US postal codes vary in lenght. Encode the actual postal code value without spaces or special characters, such as dash (-), between characters. Ensure that the postal code in the MaxiCode data string is the same as the one in the postal barcode. If the country does not have a postal code, leave the field empty. Postal codes must be 6 alphanumeric characters for non-US addresses (Mode 3)and 5 or 9 numeric characters for US addresses (Mode 2). Include trailing spaces in the Ship To postal code when the value does not meet the minimum lenght requirements. If greater than the character limit, truncate from the right.

2The International Standards Organization Country codes are located in Appendix E.

3The / character must be encoded to separate the N/X, package in shipment.

4Round up to the next whole pound or kilogram. The minimum weight must be one pound or one kilogram unless the package type is either Letter or Envelope. Leave this field blank for Letters and Envelopes unless the weight is equal to or above the published threshold. Leave this field blank if the weight exceeds the maximum number of characters allowed in the field (for UPS Worldwide Express Freight™ Service)

5This field is set to Y when the delivery address is compared to a USPS CASS-certified database.

6aUse the (an 1...35) format to provide the full street address address line 1 (e.g. 123 MAIN ST). The address may be truncated if the full address reaches the character limit. For non-compressed Maxicode please use the additional information of (Appendix A page 71).

6bUse the (an 1...10<Fs>an1...8) format to provide a secondary address such as a suite or apartment number.

When the (an 1...10<Fs>an1...8) format to provide a secondary address such as a suite or apartment number. This format is allowed only for CASScertified address within an uncompressed Maxicode. The Address Validation field must be set to 'Y'. Provide the primary address number, the nonprintable character Fs, and the secondary address number.
number, the non-printable character Fs, and the secondary address number.

7Some non-U.S. Destinations will not have a state or province.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Example 1 (Validated Address)

Customers that validate their SHIP TO addresses to a CASS-certified database for ZIP+4™ matching would encode their MaxiCode™ data as shown below:

Given the following SHIP TO address

UPS CUSTOMER
SUITE 567 — Secondary Address Number
123 MAIN STREET — Primary Address Number
ATLANTA GA 30328-1483

The data string for this address could appear as follows:

[)><RS>	Message Header
01<GS>96	Transportation Data Format Header
303281483<GS>	Postal Code
840<GS>	Country Code
001<GS>	Class of Service
1Z12345675<GS>	Tracking Number
UPSN<GS>	SCAC
1X2X3X<GS>	UPS Account Number
187<GS>	Julian Day of Pickup
<GS>	Place holder for Shipment ID Number
1/1<GS>	Package N/X
37<GS>	Package Weight
Y<GS>	Address Validation
123<FS>567<GS>	SHIP TO Primary Address Number <Fs> Secondary Address Number
ATLANTA<GS>	SHIP TO City
GA<RS>	SHIP TO State
<EOT>	End of Transmission

[[)><RS>01<GS>96303281483<GS>840<GS>001<G>1Z12345673<GS>UPSN<GS>1X2X3X<GS>187<GS><GS>1/1<GS>37<GS>Y<GS>123<FS>567<GS>ATLANTA<GS>GA<RS><EOT>

There are non-printable characters contained in the data string.

- [)><RS> is the message header
- <Gs> is used to separate fields in a message (decimal 29)
- <Rs> is used to separate format types (decimal 30)
- <FS> is used to separate the primary and secondary address numbers (decimal 28)
- <EOT> is the end of transmission character (decimal 4)

NON-VALIDATED ADDRESSES
The Shipment ID Number field was left blank. It is was not validated. The <GS> was provided to separate the blank field and the package count elements . The class of service and shipper number fields in the 1Z number have been omitted in the tracking number field to avoid duplication.

Rule if the Maxi code exceeds the maximum length:

1. The "Shipment ID Number" should be completely cleared (gain of 11 characters).

2. I f this is still not enough, then shorten the "Ship-To Address" field (delete only the number of characters that are still needed. So at least the field would not be empty).

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Example 2 (Customer Data)

Customer data may be added to the MaxiCode™ data string. The example below shows how to add a purchase order or invoice number using the following data string.

The first part of the message would remain unchanged.

[)><RS>	Message Header
01<GS>96	Transportation Data Format Header
841706672<GS>	Postal Code
840<GS>	Country Code
001<GS>	Class of Service
1Z12345675<GS>	Tracking Number
UPSN<GS>	SCAC
1X2X3X<GS>	UPS Account Number
187<GS>	Julian Day of Pickup
<GS>	Place holder for Shipment ID Number
1/1<GS>	Package N/X
10<GS>	Package Weight
N<GS>	Address Validation
19 SOUTH ST<GS>	SHIP TO Street Address
SALT LAKE CITY	SHIP TO City
<GS>UT<RS>	SHIP TO State
<EOT>	End of Transmission

[[)><RS>01<GS>96841706672<GS>840<GS>001<GS>1Z12345673<GS>UPSN<GS>1X2X3X<GS>187<GS><GS>1/1<GS>10<GS>N<GS>19 SOUTH ST<GS>SALT LAKE CITY<GS>UT<RS><EOT>

Using Application Identifiers, the additional customer data would be formatted as follows:

05Gs	Application Identifier (AI) Format Header
400123456789	Application Identifier 400 and Customer's Purchase Order Number
Rs	End of Application Identifier Format
Eot	End of Transmission

— OR —

Using Data Identifiers, the additional customer data would be formatted as follows:

06<GS>	Data Identifier (DI) Format Header
10K123456789	Data Identifier 10K and Customer's Invoice Number
<RS>	End of Data Identifier Format
<EOT>	End of Transmission

MaxiCode™ data string holds about 100 characters of data. The amount of data available for additional customer information will depend upon the number of optional data elements used.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Example 3 (International)

A typical international data string would appear as follows:

[)><RS>	Message Header
01<GS>96	Transportation Data Format Header
51147<GS>	Postal Code[1]
276<GS>	Country Code
066<GS>	Class of Service
1Z12345679<GS>	Tracking Number
UPSN<GS>	SCAC
1X2X3X<GS>	UPS Account Number
187<GS>	Julian Day of Pickup
<GS>	Place holder for Shipment ID Number
1/1<GS>	Package N/X
10<GS>	Package Weight
N<GS>	Address Validation
5 WALDSTRASSE	SHIP TO Street Address
<GS>COLOGNE<GS>	SHIP TO City
<RS>	Place holder for SHIP TO State End of Format
<EOT>	End of Transmission

[)><RS>01<GS>9651147<GS>276<GS>066<GS>
1Z12345677<GS>UPSN<GS>1X2X3X<GS>187<G
S><GS>1/1<GS>10<GS>N<GS>5 WALDSTRASSE<
GS>COLOGNE<GS><RS><EOT>

Example 4 (Letter or Envelope)

When the package option selected is a UPS Letter or Envelope, the following data string should be used for the MaxiCode™ data string:

[)><RS>	Message Header
01<GS>96	Transportation Data Format Header
841706672<GS>	Postal Code
840<GS>	Country Code
001<GS>	Class of Service
1Z12345675<GS>	Tracking Number
UPSN<GS>	SCAC
1X2X3X<GS>	UPS Account Number
187<GS>	Julian Day of Pickup
<GS>	Place holder for Shipment ID Number
1/1<GS>	Package N/X
<GS>	Package Weight[2]
N<GS>	Address Validation
1 MAIN ST<GS>	SHIP TO Street Address
SALT LAKE CITY	SHIP TO City
<GS>UT<RS>	SHIP TO State
<EOT>	End of Transmission

[)><RS>01<GS>96841706672<GS>840<GS>001
<GS>1Z12345673<GS>UPSN<GS>1X2X3X<GS>
187<GS><GS>1/1<GS>1<GS>N<GS>1 MAIN ST
<GS>SALT LAKE CITY<GS>UT<RS><EOT>

[1]For postal codes that are all numeric – use Mode 2, up to nine characters in length. If greater than 9 characters, truncate from the right. Encode the actual postal code without the spaces or special characters - such as thedash (-).

NOTE: *Some label creation software providers and printer manufacturers have interpreted Mode 2 for U.S. destinations and Mode 3 for non-U.S. destinations exclusively.*

[2]Field must be left blank for Letters or Envelopes.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Printing Guidelines:

The first step in producing a MaxiCode™ symbology is ensuring your printer's capabilities. Check with your printer manufacturer to verify that your printer model has the current MaxiCode™ symbology capable firmware. The printer manufacturer should also provide documentation on printer "Command Sequences" required to produce a compliant MaxiCode™ symbology. If questions should arise during implementation, please consult your printer manual or contact the manufacturer directly for clarification.

There are four facts that are critical to the successful printing of a MaxiCode™ symbology.

1) Each printer will require unique printer-specific commands to produce a MaxiCode™ symbology.

   Explanation: Your software will need to send printer-specific commands to let the printer know you are producing MaxiCode™ output. Each printer manufacturer and model requires different printer-command sequences.

2) Each printer will represent characters differently. Characters can be represented by their ASCII, decimal, hexadecimal or printer-specific character substitutions.

   Explanation: Printer may refer to a "Record Separator" character as any of the following: Rs or <Rs> or 30 or 1E (hexadecimal one-e on the ASCII table) or some other printer-specific character string.

3) Printer manufacturers usually refer to the MaxiCode™ data string as the primary and secondary message.

   Explanation: The primary message data is composed of the following three data fields: Postal Code, Country Code and Class of Service. The secondary message is composed of the two headers (ANSI Message Header and Transportation Data Format Header) and the 11 data fields (Tracking Number, SCAC, UPS Account Number, Julian Day of Pickup, Shipment ID Number, Package Count, Package Weight, Address Validation, Street Address, City and State), as well as appropriate group separators, record separators and end of transmission characters.

4) Each printer manufacturer may rearrange the MaxiCode™ data string.

   Explanation: Three typical scenarios are listed below:

   a) Manufacturer may ask you to send its specific printer control commands, followed by the data string in the exact order (headers, Postal Code, Country Code, Class of Service, Tracking Number, SCAC Code, etc.) and then more printer control commands.

   b) Manufacturer may ask for printer control commands, the primary message (Postal Code, Country Code, Class of Service), the secondary message (headers, Tracking Numbers, SCAC Code, etc.) and more printer control commands. See example A on page 57.

   c) Manufacturer may ask for printer control commands, a rearranged primary message (Class of Service, Country Code, Postal Code), secondary message (headers, Tracking Numbers, SCAC Code, etc.) and more printer

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Example MaxiCode™ Printer Commands

^D99↵	Printer Specific Command *See Notes at right
84170	MaxiCode™ Primary Message — Postal Code
↵	Printer Specific Delimiter
6672	MaxiCode™ Primary Message — ZIP+4™
↵	Printer Specific Delimiter
840	MaxiCode™ Primary Message — Country Code
↵	Printer Specific Delimiter
001	MaxiCode™ Primary Message — Class of Service
↵	Printer Specific Delimiter
[)>Rs	Message Header
01Gs96	Transportation Data Format Header
1Z12345675Gs	Tracking Number
UPSNGs	SCAC
1X2X3XGs	UPS Account Number
187Gs	Julian Day of Pickup
Gs	Place Holder for Shipment ID #
1/1Gs	Package n/x
10Gs	Package Weight
NGs	Address Validation
1MAIN STGs	SHIP TO Street Address
SALT LAKE CITYGs	SHIP TO City
UT	SHIP TO State
Rs	End Of Format
Eot	End Of Transmission
^[↵^D98↵	Printer Specific Command

Example A — ABC Printer Manufacturer encodes the primary message in front of the header and keeps the primary message in the same order.

Printer Model #'s:
900, 940 and 960 printers

Firmware Required:
Contact vendor for correct firmware version.

* Notes:

- Notice that the Postal Code followed by Gs, the Country Code followed by Gs and the Class of Service followed by Gs have been extracted from the ANSI Message and separated with delimiters as specified by the printer manufacturer. Do not put the three primary message data fields in the string twice.
- Data elements are represented on separate lines in this document, but are a continuous string when sent to the printer.
- The value of the 14 data fields will change to match the individual package being prepared for shipment.

ASCII Character Conversions for ABC Printer

ASCII Character Representation	ASCII Character Name	ASCII Value (Decimal)
Eot	End of Transmission	04
↵	Carriage Return	13
Gs	Group Separator	29
Rs	Field Separator	30

NOTE: The ASCII Value gets substituted for the ASCII Character Representation in the MaxiCode™ Printer Command and Message Format above.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Example MaxiCode™ Printer Commands (cont.)

<esc>MAXI“	Printer Specific Commands *See Notes at right
001	MaxiCode™ Primary Message — Class of Service
,	Printer Specific Delimiter
840	MaxiCode™ Primary Message — Country Code
,	Printer Specific Delimiter
84170	MaxiCode™ Primary Message — Postal Code
,	Printer Specific Delimiter
6672	MaxiCode™ Primary Message — Postal PLUS 4
,	Printer Specific Delimiter
[)>Rs	Message Header
01Gs96	Transportation Data Format Header
1Z12345675Gs	Tracking Number
UPSNGs	SCAC
1X2X3XGs	UPS Account Number
187Gs	Julian Day of Pickup
Gs	Place Holder for Shipment ID #
1/1Gs	Package n/x
10Gs	Package Weight
NGs	Address Validation
1 MAIN STGs	Place Holder for SHIP TO Street Address
SALT LAKE CITYGs	SHIP TO City
UT	SHIP TO State
Rs	End Of Format
Eot	End Of Transmission
”<cr><lf>	Printer Specific Data
<ff><cr><lf>	Printer Specific Command

Example B — XYZ Printer Manufacturer pulls the primary message in front of the headers and rearranges the primary message.

Printer Model #’s:
Thermal Direct 12345
Thermal Transfer 54321

Firmware Required:
MaxiCode™ symbology 1G firmware

* Notes:

- Notice that the Postal Code followed by Gs, the Country Code followed by Gs and the Class of Service followed by Gs have been extracted from the ANSI Message and arranged in a new order with delimiters as specified by the printer manufacturer. Do not put the three primary message data fields in the string twice.
- Data elements are represented on separate lines in this document, but are a continuous string when sent to the printer.
- The value of the 14 data fields will change to match the individual package being prepared for shipment.

ASCII Character Conversions for XYZ Printer

ASCII Character Representation	ASCII Character Name	ASCII Value (Decimal)
Eot	End of Transmission	04
<lf>	Line Feed	10
<ff>	Form Feed	12
<cr>	Carriage Return	13
<esc>	Escape	27
Gs	Group Separator	29
Rs	Field Separator	30

NOTE: The ASCII Value gets substituted for the ASCII Character Representation in the MaxiCode™ Printer Command and Message Format above.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Barcode Specifications — Code 128

SYMBOLOGY

- Code 128 (AIM Uniform Symbology Specification Code 128)
- Start with subset A and use uppercase for all alpha characters
- Shift to subset C after "1Z" if no alpha characters in shipper number or service level indicator
- Shift to subset C after the last occurrence of an alpha character and an even number of numeric characters remain (e.g., Start A 1Z 123 4X5 Shift C 01 1234 5679)

CODE 128 CHARACTERISTICS

- Consists of 11 total modules per character
- Each bar/space width ranges from 1 to 4 modules
- Each encoded character contains 3 bars and 3 spaces
- Numeric compression

ACCEPTABLE RANGES AND TOLERANCES

- Narrow Width (X) = 18 mil +/– 3 mil for each bar and space (X dimensions must equal or fall between 15 and 21 mil.)
- Bar and Space Tolerance (b/s) = + (21 – X) or – (X – 5) mil (Any deviation of the 4 individual widths must not fall outside the specified ranges.)
- Edge-to-Edge Tolerance (e) = +/– 0.20X mil (The sum of any adjacent bar space widths must be within 0.20X mil tolerance from the nominal edge-to-edge width.)
- Pitch Tolerance (p) = +/– 0.20X mil (The width of any character must be within 0.20X mil tolerance from the nominal character width.)

CODE 128 DIMENSIONS

BARCODE WIDTH

- Barcode Width in Inches = 0.001 (11C + 35) X

  C = Number of characters (includes shift characters). The start, stop and built-in check characters are not included in this number. After shift to subset C, every two consecutive numbers can be encoded as one character

  X = Narrow-width dimension in mils

POSTAL BARCODE WIDTH

- Postal Barcode Minimum Width = 1.52 inches (x = 15 mil, ZIP+4™, start in subset C)
- Postal Barcode Maximum Width = 2.12 inches (x = 21 mil, ZIP+4™, start in subset C)

TRACKING NUMBER BARCODE WIDTH

- Minimum Tracking Barcode Width = 2.34 inches + 0.50 inches = 2.84 inches (barcode length + quiet zones)
- Maximum Tracking Barcode Width = 3.97 inches + 0.50 inches = 4.47 inches (barcode length + quiet zones)
- Based on your account number and where you shift to subset C, your barcode width may vary

BARCODE HEIGHT

- Minimum Tracking Number Barcode Height = 1.00 inches
- Minimum Postal Barcode Height = 0.50 inches

PRINT QUALITY

- Thermal direct, thermal transfer or laser technology
- Minimum quiet zone left and right (Qmin) = ¼ inch
- Minimum quiet zone top and bottom = 1/16 inch
- Minimum ANSI Grade B

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Code 128 Character



1 Code 128 Character = 11 Modules
1X = 1 Module

Code 128 Dimensional Tolerances



© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Barcode size based on Printer DPI

The 1Z barcode utilizes Code 128 symbology that can shift from subset A (used for alphanumeric) to subset C (numeric only). As illustrated in the diagram below, each character in Subset A is counted as 1 and in Subset C each pair of numbers is counted as 1. All combined, the total number of characters is15.



Total number of characters (C) = 10 + 1 + 4 = 15

When printer DPI (dots per inch) = 120, the minimum X-dimension = $\frac{1000 \text{ Mils}}{1 \text{ Inch}} \times \frac{1 \text{ Inch}}{120 \text{ Dots}} = 8.333 \text{ Mils}$

The width of the barcode in inches is calculated by:

- 0.001(11C+35) X

The Quiet Zone on each side of the barcode is calculated by:

- Q = 10(X)

The width of the total label is:

- (0.001(11C+35) X) + 2(Q)

C = the number of characters,
X = the narrow width dimension in mils
Q = Quiet Zone

Below is a table that outlines the minimum and maximum acceptable X-dimension, quiet zone and maximum barcode length based on the printer dpi.

DPI	*Min X-Dimension (Mils)*	*Acceptable X-Dimension (Range = 15 – 21 Mils)*	*Width of Barcode (in)*	*Quiet Zone - each side of Barcode (in)*	*Total Label Width (in)*
120	8.33	2 x 8.33 = 16.66 Mils	3.332	0.167	3.667
203	4.93	3 x 4.93 = 14.79 or 4x4.93 = 19.7 Mils	2.96 or 3.94	0.148 or 0.197	3.256 or 4.334

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Check Digit Calculation (Modified MOD 10)

1. Exclude "1Z" Data Identifier from calculation
2. Convert all alpha characters to their numeric equivalents (see cross-reference table below)
3. From left, add all odd positions
4. From left, add all even positions and multiply by two
5. Add results of steps 3 and 4
6. Subtract result from next highest multiple of 10
7. The remainder is your check digit

ALPHA TO NUMERIC CROSS REFERENCE

A = 2	E = 6	I = 0	M = 4	Q = 8	U = 2	Y = 6
B = 3	F = 7	J = 1	N = 5	R = 9	V = 3	Z = 7
C = 4	G = 8	K = 2	O = 6	S = 0	W = 4	
D = 5	H = 9	L = 3	P = 7	T = 1	X = 5	

Check Digit Example 1

• Tracking Number without check digit:	1Z	123	X56	03	1463	850
1. Exclude "1Z" Data Identifier from calculation:		123	X56	03	1463	850
2. Convert all alpha characters to their numeric equivalents:		123	X56	03	1463	850
3. From left, add all odd positions:						24
4. From left, add all even positions and multiply by two:						28 x 2 = 56
5. Add results of steps 3 and 4:						24 + 56 = 80
6. Subtract result from next highest multiple of 10:						90 - 80
7. Remainder*:						10
8. Check digit:						0
Result:	1Z	123	X56	03	1463	8500

Check Digit Example 2

• Tracking Number without check digit:	1Z	123	X56	03	1463	860
1. Exclude "1Z" Data Identifier from calculation:		123	X56	03	1463	860
2. Convert all alpha characters to their numeric equivalents:		123	X56	03	1463	860
3. From left, add all odd positions:						24
4. From left, add all even positions and multiply by two:						29 x 2 =58
5. Add results of steps 3 and 4:						24 + 58 = 82
6. Subtract result from next highest multiple of 10:						90 - 82
7. Remainder:						8
8. Check digit:						8
Result:	1Z	123	X56	03	1463	8608

*If the remainder is 10, the check digit is 0.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Shipment Number Calculation

The 11-digit shipment number will be produced according to the Base 26 calculation. An example of the Base 26 calculation is shown in the following:

Base 26 Calculation Example 1:

1. Using the lead package tracking number:
   1Z 123 X56 66 2075 4864
2. Exclude the Data Identifier "1Z":
   _ _ 123 X56 66 2075 4864
3. Exclude the account number:
   _ _ _ _ _ _ _ 66 2075 4864
4. Exclude the service level indicator and check digit:
   _ _ _ _ _ _ _ _ _ _ 2075 486_
5. Position 1. Calculate 2075 486/26^4 = 4.54178. The integer value = 4; delete the remainder.
6. Position 2. Calculate (2075 486 — (4* 26^4))/26^3 = 14.08636. The integer value is 14; delete the remainder.
7. Position 3. Calculate (2075 486 — (4* 26^4) — (14* 26^3))/26^2 = 2.2455. The integer value is 2; delete the remainder.
8. Position 4. Calculate (2075 486 — (4* 26^4) — (14* 26^3) — (2 *26^2))/26 = 6.3846. The integer value is 6; delete the remainder.
9. Position 5. Calculate (2075 486 — (4* 26^4) — (14* 26^3) — (2 *26^2) — (6* 26)) = 10.
10. The five numbers are then converted using the base 26 number conversion table:
    Position Value = {4, 14, 2, 6, 10}
    Position Values Lookup = 9M7CH
11. The shipper number is the first 6 characters of the 11 digit shipment number: The final shipment number = 123X56 9M7CH

Table 1: Base 26 Conversion Table

Value	0	1	2	3	4	5	6	7	8	9	10	11	12
Converted Value	3	4	7	8	9	B	C	D	F	G	H	J	K

Value	13	14	15	16	17	18	19	20	21	22	23	24	25
Converted Value	L	M	N	P	Q	R	S	T	V	W	X	Y	Z

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Base 26 Calculation Example 2:

1. Using the first 1Z tracking number in the shipment:
   1Z 123 X56 Y6 4400 0050
2. Exclude the Data Identifier "1Z":
   _ _ 123 X56 Y6 4400 0050
3. Exclude the shipper number:
   _ _ _ _ _ _ _ _ Y6 4400 0050
4. Exclude the service level indicator and check digit:
   _ _ _ _ _ _ _ _ _ _ 4400 005_
5. Calculate $4400\,005 : 26^4 = 9.628$
6. Calculate $(4400\,005 — (9*26^4)) : 26^3 = 16.341$
7. Calculate $(4400\,005 — (9*26^4) — (16*26^3)) : 26^2 = 8.883$
8. Calculate $(4400\,005 — (9*26^4) — (16*26^3) — (8*26^2)) : 26 = 22.961$
9. Calculate $4400\,005 — (9*26^4) — (16*26^3) — (8*26^2) — (22*26) = 25.000$

5 intermediate results: 9 16 8 22 25

Value	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Converted Value	3	4	7	8	9	B	C	D	F	G	H	J	K	L	M	N	P	Q	R	S	T	V	W	X	Y	Z

Base 26 cross reference

10. G P F W Z

11. Final Shipment Number: 123X 56GP FWZ

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

ISO Country Codes (ISO 3166)

The following chart includes numeric and alpha country codes as extracted from ISO 3166. They are reproduced with the permission of the International Standards Organization, ISO. The maintenance agency is the DIN Deutsches Institut für Normung, Burggrafenstrasse 6, D-10772 Berlin, Germany.

Country Name (short name)	Official Name	Numeric Country Code	Alpha Country Code
Afghanistan	The Transitional Islamic State of Afghanistan	004	AF
Albania	Republic of Albania	008	AL
Åland Islands		248	AX
Algeria	People's Democratic Republic of Algeria	012	DZ
American Samoa		016	AS
Andorra	Principality of Andorra	020	AD
Angola	Republic of Angola	024	AO
Anguilla		660	AI
Antarctica		010	AQ
Antigua and Barbuda		028	AG
Argentina	Argentine Republic	032	AR
Armenia	Republic of Armenia	051	AM
Aruba		533	AW
Australia		036	AU
Austria	Republic of Austria	040	AT
Azerbaijan	Republic of Azerbaijan	031	AZ
Bahamas	Commonwealth of the Bahamas	044	BS
Bahrain	Kingdom of Bahrain	048	BH
Bangladesh	People's Republic of Bangladesh	050	BD
Barbados		052	BB
Belarus	Republic of Belarus	112	BY
Belgium	Kingdom of Belgium	056	BE
Belize		084	BZ
Benin	Republic of Benin	204	BJ
Bermuda		060	BM
Bhutan	Kingdom of Bhutan	064	BT
Bolivia	Republic of Bolivia	068	BO
Bonaire, St. Eustatius, Saba	Netherland Antilles	535	BQ
Bosnia and Herzegovina	Republic of Bosnia and Herzegovina	070	BA
Botswana	Republic of Botswana	072	BW
Bouvet Island		074	BV
Brazil	Federative Republic of Brazil	076	BR
British Indian Ocean Territory		086	IO
Brunei Darussalam		096	BN
Bulgaria	Republic of Bulgaria	100	BG
Burkina Faso		854	BF
Burundi	Republic of Burundi	108	BI
Cambodia	Kingdom of Cambodia	116	KH
Cameroon	Republic of Cameroon	120	CM
Canada		124	CA
Cape Verde	Republic of Cape Verde	132	CV
Cayman Islands		136	KY
Central African Republic		140	CF
Chad	Republic of Chad	148	TD
Chile	Republic of Chile	152	CL
China Mainland	People's Republic of China	156	CN
Christmas Island		162	CX
Cocos (Keeling) Islands		166	CC
Colombia	Republic of Colombia	170	CO

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Country Name (short name)	Official Name	Numeric Country Code	Alpha Country Code
Congo, People's Republic of	Republic of the Congo	178	CG
Congo, The Democratic Republic of the	The Democratic Republic of the Congo	180	CD
Cook Islands		184	CK
Costa Rica	Republic of Costa Rica	188	CR
Côte d'Ivoire	Republic of Côte d'Ivoire	384	CI
Croatia	Republic of Croatia	191	HR
Curacao		531	CW
Cuba	Republic of Cuba	192	CU
Cyprus	Republic of Cyprus	196	CY
Czech Republic		203	CZ
Denmark	Kingdom of Denmark	208	DK
Djibouti	Republic of Djibouti	262	DJ
Dominica	Commonwealth of Dominica	212	DM
Dominican Republic		214	DO
Ecuador	Republic of Ecuador	218	EC
Egypt	Arab Republic of Egypt	818	EG
El Salvador	Republic of El Salvador	222	SV
Equatorial Guinea	Republic of Equatorial Guinea	226	GQ
Eritrea		232	ER
Estonia	Republic of Estonia	233	EE
Ethiopia	Federal Democratic Republic of Ethiopia	231	ET
Falkland Islands (Malvinas)		238	FK
Faroe Islands		234	FO
Fiji	Republic of The Fiji Islands	242	FJ
Finland	Republic of Finland	246	FI
France	French Republic	250	FR
French Guiana		254	GF
French Polynesia		258	PF
French Southern Territories		260	TF
Gabon	Gabonese Republic	266	GA
Gambia	Republic of the Gambia	270	GM
Georgia		268	GE
Germany	Federal Republic of Germany	276	DE
Ghana	Republic of Ghana	288	GH
Gibraltar		292	GI
Greece	Hellenic Republic	300	GR
Greenland		304	GL
Grenada		308	GD
Guadeloupe		312	GP
Guam		316	GU
Guatemala	Republic of Guatemala	320	GT
Guernsey		831	GG
Guinea	Republic of Guinea	324	GN
Guinea-Bissau	Republic of Guinea-Bissau	624	GW
Guyana	Republic of Guyana	328	GY
Haiti	Republic of Haiti	332	HT
Heard and McDonald Islands		334	HM
Holy See (Vatican City State)		336	VA
Honduras	Republic of Honduras	340	HN
Hong Kong SAR, China	Hong Kong Special Administrative Region of China	344	HK
Hungary	Republic of Hungary	348	HU
Iceland	Republic of Iceland	352	IS
India	Republic of India	356	IN
Indonesia	Republic of Indonesia	360	ID
Iran, Islamic Republic of	Islamic Republic of Iran	364	IR

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Country Name (short name)	Official Name	Numeric Country Code	Alpha Country Code
Ireland		372	IE
Isle of Man		833	IM
Israel	State of Israel	376	IL
Italy	Italian Republic	380	IT
Jamaica		388	JM
Japan		392	JP
Jersey		832	JE
Jordan	Hashemite Kingdom of Jordan	400	JO
Kazakhstan	Republic of Kazakhstan	398	KZ
Kenya	Republic of Kenya	404	KE
Kiribati	Republic of Kiribati	296	KI
Korea, Democratic People's Republic of	Democratic People's Republic of Korea	408	KP
Korea, Republic of	Republic of Korea	410	KR
Kuwait	State of Kuwait	414	KW
Kyrgyzstan	Kyrgyz Republic	417	KG
Lao People's Democratic Republic		418	LA
Latvia	Republic of Latvia	428	LV
Lebanon	Lebanese Republic	422	LB
Lesotho	Kingdom of Lesotho	426	LS
Liberia	Republic of Liberia	430	LR
Libyan Arab Jamahiriya	Socialist People's Libyan Arab Jamahiriya	434	LY
Liechtenstein	Principality of Liechtenstein	438	LI
Lithuania	Republic of Lithuania	440	LT
Luxembourg	Grand Duchy of Luxembourg	442	LU
Macau SAR, China	Macau Special Administrative Region of China	446	MO
Macedonia, The Former Yugoslav Republic of	The Former Yugoslav Republic of Macedonia	807	MK
Madagascar	Republic of Madagascar	450	MG
Malawi	Republic of Malaw	454	MW
Malaysia		458	MY
Maldives	Republic of Maldives	462	MV
Mali	Republic of Mali	466	ML
Malta	Republic of Malta	470	MT
Marshall Islands	Republic of the Marshall Islands	584	MH
Martinique		474	MQ
Mauritania	Islamic Republic of Mauritania	478	MR
Mauritius	Republic of Mauritius	480	MU
Mayotte		175	YT
Mexico	United Mexican States	484	MX
Micronesia, Federated States of	Federated States of Micronesia	583	FM
Moldova, Republic of	Republic of Moldova	498	MD
Monaco	Principality of Monaco	492	MC
Mongolia		496	MN
Montenegro	Republic of Montenegro	499	ME
Montserrat		500	MS
Morocco	Kingdom of Morocco	504	MA
Mozambique	Republic of Mozambique	508	MZ
Myanmar	Union of Myanmar	104	MM
Namibia	Republic of Namibia	516	NA
Nauru	Republic of Nauru	520	NR
Nepal	Kingdom of Nepal	524	NP
Netherlands	Kingdom of the Netherlands	528	NL
New Caledonia		540	NC
New Zealand		554	NZ

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Country Name (short name)	Official Name	Numeric Country Code	Alpha Country Code
Nicaragua	Republic of Nicaragua	558	NI
Niger	Republic of the Niger	562	NE
Nigeria	Federal Republic of Nigeria	566	NG
Niue	Republic of Niue	570	NU
Norfolk Island		574	NF
Northern Mariana Islands	Commonwealth of the Northern Mariana Islands	580	MP
Norway	Kingdom of Norway	578	NO
Oman	Sultanate of Oman	512	OM
Pakistan	Islamic Republic of Pakistan	586	PK
Palau	Republic of Palau	585	PW
Panama	Republic of Panama	591	PA
Papua New Guinea		598	PG
Paraguay	Republic of Paraguay	600	PY
Peru	Republic of Peru	604	PE
Philippines	Republic of the Philippines	608	PH
Pitcairn		612	PN
Poland	Republic of Poland	616	PL
Portugal	Portuguese Republic	620	PT
Puerto Rico		630	PR
Qatar	State of Qatar	634	QA
Réunion		638	RE
Romania		642	RO
Russian Federation		643	RU
Rwanda	Rwandese Republic	646	RW
Saint Barthelemy		652	BL
Saint Helena		654	SH
Saint Kitts and Nevis		659	KN
Saint Lucia		662	LC
Saint Pierre and Miquelon		666	PM
Saint Vincent and The Grenadines		670	VC
Samoa	Independent State of Samoa	882	WS
San Marino	Republic of San Marino	674	SM
São Tomé and Principe	Democratic Republic of São Tomé and Principe	678	ST
Saudi Arabia	Kingdom of Saudi Arabia	682	SA
Senegal	Republic of Senegal	686	SN
Serbia	Republic of Serbia	688	RS
Seychelles	Republic of Seychelles	690	SC
Sierra Leone	Republic of Sierra Leone	694	SL
Singapore	Republic of Singapore	702	SG
Sint Maarten and Saint Martin		534	SX
Slovakia	Slovak Republic	703	SK
Slovenia	Republic of Slovenia	705	SI
Solomon Islands		090	SB
Somalia	Somali Republic	706	SO
South Africa	Republic of South Africa	710	ZA
South Georgia and The South Sandwich Islands		239	GS
South Sudan		728	SS
Spain	Kingdom of Spain	724	ES
Sri Lanka	Democratic Socialist Republic of Sri Lanka	144	LK
Sudan	Republic of the Sudan	736	SD
Suriname	Republic of Suriname	740	SR
Svalbard and Jan Mayen		744	SJ
Swaziland	Kingdom of Swaziland	748	SZ
Sweden	Kingdom of Sweden	752	SE
Switzerland	Swiss Confederation	756	CH

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Country Name (short name)	Official Name	Numeric Country Code	Alpha Country Code
Syrian Arab Republic		760	SY
Taiwan, China		158	TW
Tajikistan	Republic of Tajikistan	762	TJ
Tanzania, United Republic of	United Republic of Tanzania	834	TZ
Thailand	Kingdom of Thailand	764	TH
Timor-Leste	Democratic Republic of Timor-Leste	626	TL
Togo	Togolese Republic	768	TG
Tokelau		772	TK
Tonga	Kingdom of Tonga	776	TO
Trinidad and Tobago	Republic of Trinidad and Tobago	780	TT
Tunisia	Republic of Tunisia	788	TN
Turkey	Republic of Turkey	792	TR
Turkmenistan		795	TM
Turks and Caicos Islands		796	TC
Tuvalu		798	TV
Uganda	Republic of Uganda	800	UG
Ukraine		804	UA
United Arab Emirates		784	AE
United Kingdom	United Kingdom of Great Britain and Northern Ireland	826	GB
United States	United States of America	840	US
United States Minor Outlying Islands		581	UM
Uruguay	Eastern Republic of Uruguay	858	UY
Uzbekistan	Republic of Uzbekistan	860	UZ
Vanuatu	Republic of Vanuatu	548	VU
Vatican City State (see Holy See)		336	VA
Venezuela	Bolivarian Republic of Venezuela	862	VE
Vietnam	Socialist Republic of Vietnam	704	VN
Virgin Islands, British	British Virgin Islands	092	VG
Virgin Islands, U.S.	United States Virgin Islands	850	VI
Wallis and Futuna		876	WF
Western Sahara		504	EH
Yemen	Republic of Yemen	887	YE
Zambia	Republic of Zambia	894	ZM
Zimbabwe	Republic of Zimbabwe	716	ZW

Note:
- The country of Kosovo will use the numeric country code of 901 and an alpha Country Code of KV.
- Parent country codes may be used when shipping to satellite countries (e.g., United Kingdom country code used when shipping to the Isle of Man)

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Postal Code Line Format Matrix

Country Name	Destination Country	Origin Country	Address Format	Postal Code Length	Postal Code
Afghanistan	•		1	4	1050
Åland Islands	•	•	1	8	AX-22100
Albania	•	•	1	4	1001
Algeria	•	•	1	5	16027
American Samoa	•	•	2	5	96799
Andorra (Spain)	•		1	5	AD700
Angola	•	•	1	-	
Anguilla	•	•	1	7	AI-2640
Antigua and Barbuda	•	•	1	-	
Argentina	•	•	1	4 or 8	5900 or Y5900FNF
Armenia	•	•	1	4	2904
Aruba	•	•	1	-	
Australia	•	•	2	4	2060
Austria	•	•	1	4	1010
Azerbaijan	•	•	1	6	AZ 1000
Bahamas	•	•	1	-	
Bahrain	•	•	2	3 or 4	101 to 1216
Bangladesh	•	•	2	4	1340
Barbados	•	•	1	-	
Belarus	•	•	1	6	220050
Belgium	•	•	1	4	4000
Belize	•		1	-	
Benin	•	•	1	-	
Bermuda	•	•	2	4	HM 12
Bhutan	•	•	1	5	31101
Bolivia	•	•	1	4	6060
Bosnia and Herzegovina	•	•	1	5	71000
Botswana	•	•	1	-	
Brazil	•	•	1	9	40301-110
Brunei Darussalam	•	•	2	6	BT2328
Bulgaria	•	•	1	4	1000
Burkina Faso	•	•	1	-	
Burundi	•		1	-	
Cambodia	•	•	2	5	12203
Cameroon	•		1	-	
Canada	•	•	2	6	H3W 2X7
Cape Verde	•	•	1	4	7600
Cayman Islands	•	•	1	-	
Central African Rep.	•		1	-	
Chad	•	•	1	5	12121
Chile	•	•	1	7	834 0457
China Mainland	•	•	1	6	266033
Columbia	•	•	1	6 or 9	326752 or 326752111
Comoros	•	•			
Congo, Peoples Rep. of	•	•	1	-	
Congo, Dem. Rep. of	•	•	1	-	
Cook Islands	•		2	4	6001
Costa Rica	•	•	1	5	10020
Croatia	•	•	1	5	10000

Legend:
Address Format 1 = Postal Code, City, State/Province/County
Address Format 2 = City, State/Province/County, Postal Code

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Country Name	Destination Country	Origin Country	Address Format	Postal Code Length	Postal Code
Cuba			1	5	20305
Cyprus	•	•	1	4	2008
Czech Republic	•	•	1	5	100 00
Denmark	•	•	1	4	8660
Djibouti	•	•	1	-	
Dominica	•	•	1	-	
Dominican Republic	•	•	1	5	11903
Ecuador	•	•	1	6	150750
Egypt	•	•	1	5	12411
El Salvador	•	•	1	6	CP 1120
Equatorial Guinea	•		1	-	
Eritrea	•		1	-	
Estonia	•	•	1	5	69501
Ethiopia	•	•	1	4	1000
Faroe Islands	•		1	5	FO735
Fiji	•	•	1	-	
Finland	•	•	1	5	01300
France	•	•	1	5	75010
French Guiana	•		1	5	97300
French Polynesia	•	•	1	5	98709
Gabon	•		1	-	
Gambia	•	•	1	-	
Georgia	•	•	1	4	0100
Germany	•	•	1	5	26133
Ghana	•	•	1	-	
Gibraltar	•	•	1	-	
Great Britain	•	•	2	5, 6 or 7	EC1Y 8SY
Greece	•	•	1	5	151 24
Greenland	•		1	4	3922
Grenada	•	•	1	-	
Guadeloupe	•	•	1	5	97100
Guam	•	•	2	5	96910
Guatemala	•	•	1	5	09001
Guernsey	•		2	6 or 7	GY1 1AA
Guinea	•	•	1	3	001
Guinea-Bissau	•	•	1	4	1000
Guyana	•	•	1	-	
Haiti	•	•	1	6	6120
Honduras	•	•	1	6	CM1102
Hong Kong SAR, China	•	•	2	-	
Hungary	•	•	1	4	1037
Iceland	•	•	1	3	220
India	•	•	2	6	110034
Indonesia	•		2	5	40115
Iran			1	10	1193653471
Iraq	•		1	5	61002
Ireland	•	•	2	-	
Isle of Man	•	•	2	6	IM22QZ
Israel	•	•	1	5 or 7	9414201
Italy	•	•	1	5	00144
Ivory Coast	•	•	1	-	

Legend:
Address Format 1 = Postal Code, City, State/Province/County
Address Format 2 = City, State/Province/County, Postal Code

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Country Name	Destination Country	Origin Country	Address Format	Postal Code Length	Postal Code
Jamaica	•	•	1	-	
Japan	•	•	2	8	154-0023
Jersey	•	•	2	5, 6 or 7	JE1 1AA
Jordan	•	•	2	5	11937
Kazakhstan	•	•	1	6	040 900
Kenya	•	•	1	5	20100
Kiribati	•		1	-	
Kuwait	•	•	1	5	54541
Kyrgyzstan	•	•	1	6	720001
Laos	•	•	1	5	01160
Latvia	•	•	1	4	1073
Lebanon	•	•	2	4 or 8	2038 3054
Lesotho	•		2	3	100
Liberia	•	•	1	4	1000
Libya	•	•		-	
Liechtenstein	•	•	1	4	9485
Lithuania	•	•	1	5	04340
Luxembourg	•	•	1	4	4750
Macau SAR, China	•	•	1	-	
Macedonia	•	•	1	4	1000
Madagascar	•	•	1	3	501
Malawi	•		1	-	
Malaysia	•	•	1	5	43000
Maldives	•		2	5	20026
Mali	•	•	1	-	
Malta	•	•	2	7	SLM 1640
Mariana Islands	•	•	2	5	96950
Marshall Islands	•		2	5 or 9	96970 8814
Martinique	•	•	1	5	97220
Mauritania	•	•	1	-	
Mauritius	•	•	1	5	11327
Mexico	•	•	1	5	02860
Micronesia	•		2	5	96941
Moldova	•	•	1	7	MD-2012
Monaco	•	•	1	5	98000
Mongolia	•	•	2	6	210152
Montenegro	•	•	1	5	81000
Montserrat	•	•	1	-	
Morocco	•	•	1	5	53000
Mozambique	•		1	4	1100
Myanmar			-	-	
Namibia	•	•	1	-	
Nauru			1	-	
Nepal	•	•	2	5	44601
Netherlands	•	•	1	6	1234 AB
Netherlands Antilles	•	•	1	-	
New Caledonia	•	•	1	5	98814
New Zealand	•	•	2	4	6001
Nicaragua	•	•	1	9	050-008-4
Niger	•	•	1	4	8001
Nigeria	•	•	2	6	930283

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Country Name	Destination Country	Origin Country	Address Format	Postal Code Length	Postal Code
Norfolk Island	•		2	4	2899
North Korea					
Norway	•	•	1	4	0025
Oman	•	•	1	3	133
Pakistan	•	•	2	5	44000
Palau	•		2	5	96940
Panama	•	•	1	-	
Papua New Guinea	•		2	3	111
Paraguay	•	•	1	4	1536
Peru	•	•	1	-	
Philippines	•	•	1	4	1008
Poland	•	•	1	6	00-950
Portugal	•	•	1	8	2725-079
Puerto Rico	•	•	2	5	00966
Qatar	•	•	1	-	
Reunion	•	•	1	5	97400
Romania	•	•	1	6	060274
Russian Federation	•	•	1	6	125075
Rwanda	•		1	-	
Saint Barthelemy	•	•			
Saint Lucia	•	•	1	-	
Saint Martin (French Part)	•	•			
Saint Vincent	•	•	1	-	
Samoa	•	•	1	-	
San Marino (Italy)	•	•	1	5	47890
Saudi Arabia	•	•	2	5	11564
Senegal	•	•	1	5	12500
Serbia	•	•	1	5	15350
Seychelles	•	•	1	-	
Sierra Leone	•	•	1	-	
Singapore	•	•	2	6	546080
Slovakia	•	•	1	5	010 01
Slovenia	•	•	1	4	4000
Solomon Islands	•		1	-	
Somalia					
South Africa	•	•	2	4	0083
South Korea	•	•	2	5	11000
Spain	•	•	1	5	28300
Sri Lanka	•	•	1	5	20000
St. Kitts and Nevis	•	•	1	-	
Suriname	•	•	1	-	
Swaziland	•		1	4	H100
Sweden	•	•	1	5	114 55
Switzerland	•	•	1	4	2844
Syria (Europe Region only)	•	•	1	-	
Taiwan, China	•	•	2	5	10373
Tajikistan	•	•	1	6	735450
Tanzania	•	•	1	5	27105
Thailand	•	•	2	5	10150
Timor-Leste	•		1	-	
Togo	•		1	-	

Legend:
Address Format 1 = Postal Code, City, State/Province/County
Address Format 2 = City, State/Province/County, Postal Code

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Country Name	Destination Country	Origin Country	Address Format	Postal Code Length	Postal Code
Tonga	•		1	-	
Trinidad and Tobago	•	•	1	-	
Tunisia	•		1	4	1002
Turkey	•	•	1	5	01960
Turkmenistan			1	6	744000
Turks & Caicos Islands	•	•	1	7	TKCA 1ZZ
Tuvalu	•		1	-	
Uganda	•	•	1	-	
Ukraine	•	•	1	5	15432
United Arab Emirates	•	•	1	-	
United States	•	•	2	5 or 10	27833 or 30062-3267
Uruguay	•	•	1	5	11600
Uzbekistan	•	•	1	6	702100
Vanuatu	•		1	-	
Vatican City (Italy)	•	•	1	5	00120
Venezuela	•	•	2	4	1010
Vietnam	•	•	2	6	123456
Virgin Islands, British	•	•	1	6	VG1110
Virgin Islands, U.S.	•	•	2	5 or 10	00802
Wallis and Futuna	•		1	5	98600
Western Sahara					
Yemen	•	•	1	-	
Zambia	•	•	1	5	50100
Zimbabwe	•	•	1	-	

Legend:
Address Format 1 = Postal Code, City, State/Province/County
Address Format 2 = City, State/Province/County, Postal Code

Notes: The country of Kosovo (Republic od Kosovo) will use address format (1) with a postal code lenghth of (5).

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Label Certification Process

Submission Instructions

Label certification is necessary when one of the following events occurs:

- The customer is new or the customer is implementing a new shipping application
- A new printer is being introduced
- New label stock is being introduced
- The customer is adding a new UPS Service
- Issues with currently approved labels have been identified

Label Submission Requirements

Electronic labels must be submitted to UPS Label Certification for final approval. A full submission is required for each printer.

Note: Don't provide photo images for the certification process.

- Request electronic labels created using the Print to File or Print to PDF option. This label will be used by Customer Solutions to verify label requirements and operational functionality before submitting physical labels for approval.
  - Submit a minimum of 10 electronic labels, which were created by printing physical labels using the specified printer and scanning the labels. Please save this scanned label in PDF format. These labels will be used by Europe Label Verification to verify that the label retains label requirements and operational functionality as well as proper formatting when printed through the specified printer. This verification is required for a final label approval.
- Each of the labels above should be unique (i.e., a unique tracking number should be listed on each label).
- Save all PDF files in a zip file.
- Business Development or Customer Solution must provide the submission form and test labels to the UPS Europe Label Verification Team.
- Customers must work directly with their UPS Contact at Business Development or Customer Solutions.
- Physical labels must not be sent unless expressly agreed with Europe Label Verification e.g., in case the submission has been initiated because experiencing problems with existing labels by Operations.

Submitting Labels

General Service Offerings (UPS® Standard, UPS Express, UPS Expedited, etc.)

- Submit a form for each customer location (multiple account numbers can be included if they are for the same customer name and address).
- Submit a minimum of one Pickup Summary Barcode report (if the application supports it).

The label test set must be equally distributed among all printers supported. The number of required labels will be dependent on the number of supported UPS services. Please use the table below to determine how many labels should be submitted.

Customers should not submit labels directly to Europe Label Verification. It is the responsibility of Business development and Customer Solutions to submit the labels and ensure the labels match the information on the submission form or it will delay the process.

If a customer must submit labels directly, it is the responsibility of the Customer Solutions Representative to receive images of the labels before they are submitted to ensure the labels match the information on the submission form. Any labels received in poor quality or not meeting requirements, will not be tested.

SERVICES SELECTED	Yes/ No	No. of Sub-mission Forms	No. of Labels Submit-ted	NOTES
UPS General Service Offering	Y	1	10	A minimum of 10 physical labels is allowed for certification per printer. If you're using more than 1 UPS service for shipping, see the rows that follow on how you can split the 10 labels into sets.
1 UPS Service				If only 1 UPS General Service is used - all 10 labels provided must be for that particular service
2 UPS Services				If 2 UPS General Services are used, provide 2 sets of 5 labels (each set with it's own service).
3 UPS Services				If 3 UPS General Services are used, provide 3 sets of labels - .e.g. (3) labels with one service; (3) labels with another service and (4) labels with the final service).
5 UPS Services				If 5 UPS General Services are used, provide 5 sets - 2 labels for each service.
N printer(s)	Y			Where N can be any number from 1 - 100
More than 1 Account#	Y			The number of UPS Accounts used does not affect the total number of labels sub-mitted, but all UPS account numbers must be listed on the submission form.
No. of Labels Submitted		1	10*N	General services = 10*N labels . (Where N is the number of printers used).

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

AIM —
Automatic Identification Manufacturers, 634 Alpha Drive, Pittsburgh, PA 15238-2802; a trade association of automatic identification suppliers.

Alphanumeric —
A character set that contains alphabetic characters (letters), numeric digits (numbers) and usually other characters, such as punctuation marks.

Application Identifier —
A character string which defines the specific intended use of the data that immediately follows.

Aspect Ratio —
The ratio of barcode height to barcode length.

Bar —
The dark element of a barcode, as opposed to a space between bars.

Barcode Block —
Standardized unit of area in which bar-coded information is presented. barcode blocks are typically stacked vertically and are separated from each other by a horizontal line.

Barcode Character —
A single group of bars and spaces that represents one number, letter, punctuation mark or other symbol. This is the smallest subset of a barcode's data content.

Barcode Height —
The bar dimension perpendicular to the bar (element) width.

Barcode Length —
The physical length of a barcode symbol, excluding the quiet zones.

Barcode Symbol —
An automatic identification technology that encodes information into an array of adjacent varying-width parallel bars and spaces.

Barcode Title —
The name selected that describes the data content of the barcode symbol.

Bar Width —
The thickness of a bar measured from the edge closest to the symbol start character to the trailing edge of the same bar.

Character —
A single letter, number, punctuation mark or other special symbol.

Check Digit —
A calculated character often included within a barcode symbol whose value is used for performing a mathematical check on the validity of the encoded data. (See also Modified MOD 10.)

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Code 128 —
A variable length, continuous, self-checking, alphanumeric barcode. Its data character set contains 105 characters in each of three unique subsets. Each character consists of three bars and three spaces consuming 11 modules of width. Bars and spaces may be 1, 2, 3 or 4 modules wide. The name Code 128 is derived from the capability of encoding the full ASCII 128 character set. One of the three subsets (Code C) employs one Code 128 character for each character pair of digits from 00 to 99 permitting shorter barcode symbols in some situations where adjacent numeric characters appear. (See AIM USS 128 for symbology specifications.)

Coding Accuracy Support System (CASS) —
A service offered by the United States Post Office to shippers and software vendors that improves the accuracy of matching addresses to ZIP+4™ codes. CASS provides a common platform to measure the quality of address-matching software.

Compressed MaxiCode™ Data String —
The process of reducing the number of bits necessary to represent characters that constitute a consignee address.

Data Identifier —
A character string which defines the specific intended use of the data that immediately follows. The identifier is an alphabetic character preceded by up to three numeric characters as defined by ANSI MH10.8.2.

Decodability —
A measure of printing accuracy as perceived by a barcode reader using a symbology reference decode algorithm.

Digit —
Any of the numeric characters zero through nine, inclusive.

Domestic Movements —
Domestic shipments are defined as package shipments that move within a single postal authority (most typically within a country). For example a Germany-to-Germany shipment would be considered a domestic shipment.

Edge-to-Edge —
A measure from the leading edge of a bar or space to the next similar edge.

Element —
A single bar or space in a barcode.

Font —
A specific size and style of a printer's type.

Highlighting Bars —
One-tenth inch solid black lines located immediately above and below the UPS Barcode block.

Human-Readable Interpretation —
The text representing the data content of a barcode.

Human-Readable Text —
Refers to all text not representing encoded barcode data.

Intercharacter Gap —
The space between the last bar of one character and the first bar of the next which separates the two adjacent characters.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

International Movements —
International shipments are defined as package shipments that move between two or more postal authorities.

International Shipper's Agreement —
This document must be on file with UPS. Referred to in past Guides as the Power of Attorney.

Laser Printing —
A print method in which an electrostatic image is used to transfer toner particles to paper, which is then fused by heat (similar to xerographic printing).

Uncompressed MaxiCode™ Data String (U.S. Destinations) —
The postal code field for this Mode is a numeric field, which may contain 5 or 9 characters.
For Example: Postal Code: 84170-6672 will be 841706672 in the MaxiCode™ data string i.e. <GS>96841706672<GS>
Postal Code: 28501will be 28501 in the MaxiCode™ data string i.e. <GS>9628501<GS>

NOTE: Postal code should not contain any spaces or special characters in the MaxiCode™ data string.
The Mode 2 format for a compressed MaxiCode™ is not covered in this guide.

***Note: Some label creation software providers and printer manufacturers have interpreted Mode 2 for U.S. destinations and Mode 3 for non-U.S. destinations exclusively.

Uncompressed MaxiCode™ Data String (Non-U.S. Destinations) —
Postal codes outside the US may be numeric/alphanumeric with a varying length. If the postal code is 6 characters long, the MaxiCode™ postal code field should be 6 CHARACTERS long.
For Example: Postal Code "A41460 "
Postal Code field for MaxiCode Mode 3 "A41460 "

If the postal code is MORE than 6 characters, TRUNCATE ANY CHARACTER OVER 6!
For Example: Postal Code "TW137DY"
Postal Code field for MaxiCode Mode 3 "TW137D"
Postal code should not contain any spaces in MaxiCode unless used padding described above.
For Example: "W1T 1JY"
Should appear in the MaxiCode as "W1T1JY"

NOTE: Postal code should not contain any spaces or special characters in the MaxiCode™.
The Mode 3 format for a compressed MaxiCode™ data string is not covered in this guide.

Mil —
A dimensional unit equal to .001 inch, commonly used to refer to the width elements. (For Example: .013 inch is equal to 13 mils.)

Minimum Reflectance Difference MRD —
A comparison of the most reflective bar to the most absorptive space (i.e., the lightest bar and the darkest space).

Modified MOD 10 —
The mathematically derived check digit that appears at the end of the UPS Tracking Number.

Modules —
The narrow nominal bar or space in the barcode, typically referred to as the "X" dimension. Wider bars and spaces are often specified as multiples of one module.

Narrow Width —
The nominal width dimension of the narrow bars and spaces in a barcode symbol. Also known as the "X" dimension.

Natural Top —
The upper side when an item or carton is placed on its most natural, stable base.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Nominal —
The exact (or ideal) intended value for a specified parameter. Tolerances are specified as positive and negative deviations from this value.

Numeric —
A character set that includes only numbers.

OCR Quality Fonts —
Print settings readable by humans as well as machines. OCR (Optical Character Recognition) characters can be decoded by examining the vertical and horizontal axes.

Pitch —
A measure from the leading edge of a bar or space of a character to the end of the character.

Print Contrast Signal (PCS) —
A comparison between the reflectance of the bars and that of the spaces.

Print Quality —
The measure of compliance of a barcode symbol with the requirements of accuracy, defects, modulation, symbol contrast and print technology.

Quiet Zone —
An area containing no markings immediately preceding and following a barcode which may interfere with the scanning process (the areas above and below the barcode may also be designated as quiet zones).

Reference Number —
Positions 11-17 of the Tracking Number generated by the customer. The reference number is required to be unique for each package (similar to a progressive number used in the transportation industry).

Separating Lines —
The narrow lines used to segregate barcode and information blocks.

Service Icons —
Black-and-white representations of the corresponding UPS services.

Service Indicator —
Positions 9-10 of the Tracking Number, indicating a package's particular service features.

Space —
The lighter element of a barcode usually formed by the background between the bars.

Start/Stop Characters —
Distinct characters or patterns used at the beginning and end of each barcode symbol which provide the scanner with the start and stop reading instructions as well as the scanning direction indicator.

Subset A —
One of the three unique subsets within Code 128 that enables the coding of Alphanumeric data. This subset is used at the beginning of the Tracking Number.

Subset C —
One of the three unique subsets within Code 128 that enables the coding of two numbers within one Code 128 character. This permits shorter barcode symbols in some situations where several adjacent numeric characters appear.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Symbology —
A set of rules for encoding information in a barcode symbol. An arrangement of parallel, rectangular bars and spaces arranged in a predetermined pattern following unambiguous rules.

Thermal Direct Printing —
A print method in which a heated print head contacts specially treated labels, thereby causing the label to darken.

Thermal Transfer Printing —
A print method in which a heated print head melts and transfers ink from a ribbon to a label.

Tolerance —
The allowable variation from an ideal dimension.

Tracking Number —
The UPS customized unique package ID when used with tracking/tracing services.

UPS Account Number —
Positions 3-8 of the Tracking Number, containing the unique number assigned by UPS to the shipper.

UPS Routing Code (URC) —
A representation of the delivery building for a package. The URC helps to ensure the accurate routing and prompt delivery of a shipment.

USPS CASS Database —
The USPS CASS database is used to perform address validation for addresses in the United States.

USS-128 —
Uniform Symbology Specification produced by AIM. These specifications are intended as a guide to aid the manufacturer, the consumer and the general public regarding printing and scanning Code 128.

Warsaw Agreement —
The rules relating to liability established by the Convention for the Unification of Certain Rules Relating to International Carriage by Air signed at Warsaw, Poland, on October 12, 1929, and any amendments thereto shall apply to the international carriage of any shipment insofar as the same is governed thereby. There are no stopping places which are agreed upon at the time of tender of the shipment, and UPS reserves the right to route the shipment in any way UPS deems appropriate.

Wide-to-Narrow Ratio —
The ratio between the widths of wide elements and narrow elements in two-width symbologies.

X Dimension —
The nominal width dimension of the narrow bars and spaces in a barcode symbol.

ZIP Code™ —
Five- or nine-digit number that identifies each postal delivery area within the United States.

ZIP+4™ Code —
It is an enhanced version of the 5-digit ZIP Code. It consists of the 5-digit ZIP Code plus four additional digits that identify a specific range of delivery addresses.

ZIP Code and ZIP+4™ are registered trademarks of the United States Postal Service.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.