UPS® CONTRACTUAL SERVICES

GUIDE TO LABELING SUPPLEMENT

ALL REGIONS

Effective October 30, 2025

Version 1.8

2025ContractVer1.8

© 2024 United Parcel Service of America, Inc. UPS, the UPS brandmark and the color brown are trademarks of United Parcel Service of America, Inc. All rights reserved.

Table of Contents

Page

What's New 2
State Department Licensed Shipments 3
• UPS World Ease™ 7
• UPS Trade Direct™ 23
• UPS™ Worldwide Economy 36
• International Special Commodities 47
• UPS Proactive Response™ 48
• Refrigeration Service 55
• Dry Ice and Biological Substances 57
• UPS® Premier 60
International Shipping Documentation 64
• UPS Paperless™ Invoice 65
• International Forms - Image Upload 68
• UPS Returns Pack and Collect™ 70
• UPS Returns Exchange™ 72
Appendix A 76
Appendix B 77

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

What's New

UPS has introduced significant updates to its Worldwide Economy label format, designed to improve clarity, compliance, and operational efficiency for international shipments. These enhancements are now reflected in the latest edition of the UPS Guide to Labeling, with examples available on page 37 of the document.

UPS has introduced a new format for Trade Direct shipments, featuring a 10-digit sub pro number. The format details can be found on page 26. Additionally, UPS has rolled out new Trade Direct label designs, which are located on pages 27 and 29. For additional service details, please refer to the UPS Rate and Service Guide.

All UPS Worldwide Economy labels must display EDI on the labels.

Plee note that all UPS labels featured in this guide are for visual representation only and should not be used as real shipping labels.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Introduction

UPS offers the ability to ship export-controlled articles that require State Department License (SDL) or license Exemption. For SDL or SDL exemption shipments, the shipping label must contain additional information to assist UPS in processing your shipment.

International Documentation Indicators

When shipping export-controlled articles that require SDL or license exemption special International Documentation Indicators must be printed on the label to alert UPS Operations about the type of shipment. For all State Department Licensed or Exempted shipments the indicator on the label should be:

- SDL
- Font Size = 10 pt. bold

When asking UPS to complete an AES filing for a State Department License, an Electronic Export Information (EEI) indicator is required on the label:

- EEI (formaly known as SED - Shipper Export Declaration)
- Font Size = 10 pt. bold

When the Shipper has authorized UPS to complete AES filing on their behalf, the following must be present on the label:

- Routing Instruction = POA(Power of Attorney)
- Font Size = 10 pt.
- Location = Immediately below the larger documentation indicator

Additional Routing Instructions

TAX IDENTIFICATION TYPE AND NUMBER

For SDL shipments, when a shipper authorizes UPS to complete AES filing, for an international shipment, the text shown below must print left-justified; the tax ID type and the EIN .

- Data Content

Positions	1-5	= EIN: or DUNS:
Position	6	= Space
Positions	8-21	= Up to 15 alphanumeric

- Font Size = 10 pt.

When the shipper has completed AES filing and has the Internal Transaction Number (ITN), the number must print on the label. The ITN number must always take precedence over the printing of reference numbers on the address label.

- Data Content

Positions	1-3	= AES:
Position	4	= Space
Positions	5-20	= Up to 16 alphanumeric

- Font Size = 10 pt.

Air Freight

For SDL shipments, sent via Air Freight the "SDL" indication and the ITN must print in the routing section of the label.

- SDL

ITN number will print as follows on the next line:

- Data Content

Positions	1-3	= AES
Position	4	= Space
Positions	5-20	= Up to 16 alphanumeric

Font Size = 10 pt.

NOTE: If a license exemption is provided an exemption legend is required to print on the label.

- Data Content

Positions	1-20	= Up to 20 characters

PDF417 Barcode

When SDL shipments use a UPS service that requires a PDF417, the PDF417 barcode must print on the shipping label. For details on the PDF417 barcode, please refer to the PDF417 Barcode Symbology document.

NOTE: When POA, EEI, and/or CO are printed in combination, they must be separated by a forward slash (e.g., /). For label example see page 13. When applicable, the indicators listed above must print on all labels in a shipment.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
CHICAGO IL 60607
UNITED STATES

38 LBS

1 OF 1

SHP #: 1X2X 3X7R CDG
SHP WT: 38 LBS
SHP DWT: 38 LBS
DATE: 11 JAN 2020

SHIP TO:
CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
710082 XIAN
CHINA PEOPLES REPUBLIC OF

CHN 710 0-00

UPS EXPEDITED
TRACKING #: 1Z 1X2 X3X 67 1234 5674

2

BILLING: P/P
DESC: AUTO PARTS
EIN: 123456789

INV
SDL/EEI/POA
18.5A 01/2020

Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limits UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of tender of the shipment and UPS reserves the right to route the shipment in any way it deems appropriate. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported from the US, shipper certifies that the commodities, technology or software were exported from the US in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
ROSWELL GA US 30076

DATE: 11 JAN 2020
ORIGIN: ATL

SHIP TO:
CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
EXTENDED ADDRESS
STREET ADDRESS
TOKOYO JP 1000004

A-2NRT | **CACD**

UPS AIR FREIGHT DIRECT
SHIPMENT/PRO #: 906 766 744 4

BILLING: OTH/DDP/S
CUSTOMS CLEARANCE
SDL
AES X20034567890

18.5A 01/2020

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS World Ease™ General Rules

UPS World Ease™ service allows shippers to combine multiple shipments for multiple receivers into one large shipment. It moves and clears customs as one transaction then is split and delivered to multiple receivers. UPS World Ease™ packages can also be addressed to UPS Access Point™ destinations.

All Shipments must have the same ship date, importer of record and billing option. UPS Express Plus™, UPS Express™ and UPS Saver™ service levels may be combined within a Master Shipment as allowed by the origin/destination pair and shipper's Port of Entry (POE) table. All Child Shipments within a Master Shipment for UPS Expedited™ and UPS® Standard service levels must contain the same service level. All Child Shipments must clear in the same port as the Summary Shipment (document box). The document box is a UPS-supplied green-colored box that is processed as the lead shipment of the consolidated movement. The document box will always be a single-piece shipment. The shipping system will automatically create the document box shipment after completion of the last shipment of a Consolidated UPS World Ease™ movement containing paper documents. The document box will contain all import documentation required to clear customs.

Customers using the contractual UPS Paperless™ Invoice service have an option to eliminate the document box, CID, and master invoice if no paper documents are necessary for import clearance. When a document box is NOT required the shipping system will automatically create a Summary Label. The Summary Label will be applied adjacent to the shipping label of the last package of the shipment. A specific documentation indicator will be used to designate the inclusion or omission of a document box in a consolidated UPS World Ease™ shipment using Paperless Invoice.

For customers shipping to the European Union (EU), Child Shipments destined to all 27 EU countries can be combined into one Master Shipment for a consolidated customs clearance. Individual shipments must originate from a single pick-up point in a non-European Union country and must clear in a single port of entry in the EU for final distribution.

UPS World Ease™ Label

The UPS World Ease™ label is divided into two distinct sections contained on a single 4" x 11" label. The first section is the upper part of the label (4" x 6"), which contains the final destination information for the shipment. The second section of the label (4" x 5") contains the UPS import site information and is referred to as the over-label. The over-label must be perforated allowing the customer to remove the 4" x 5" portion and position the label horizontally over the Ship To Address section exposing only the UPS Service Title, Tracking Number, Service Icon and all the information beneath it. See example label on page 9. The material must be constructed in a manner which allows UPS to remove the over-label at the import site without damaging the MaxiCode™, Postal Barcode, or shipping information on the final destination label.

UPS World Ease™ Paper Documentation

Final Destination Block — 4" x 6" Portion of the label

This section contains the final destination information for the shipment. All data formatting and placement of the information follows the current UPS Guide to Labeling. In addition, an indicator must print directly to the right (preceded by a dash) of the documentation indicator in the top right corner of the Additional Routing Instructions Block. All labels including the document box will display the same indicator.
For shipments containing paper documents; which do not qualify for Paper Invoice, the formatting rules are:

- Indicator Font Size = 16 pt. bold
- Document Indicator Text = INV-CC

Import Site Block — 4" x 5" Portion of the Label (Over-Label)

This section contains the UPS import site information for the consolidated shipment containing paper documents and/or non-paper items; which do not qualify for Paperless Invoice Service.

- The lead package must be a UPS World Ease™ document box (Doc Box)
- All labels (Doc Box and Child Shipment Labels must have an over-label with the same document indicator in the bottom right corner

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

- All of the thermal over-labels must display the same port of entry in the "Sort To" field
- The lead package (doc box) over-label must print "PKG# 1 of___" (input total number of packages including document box). In the next segment on right print the text "TRKG # ___" input the last 3 digits of the document box tracking number.
- The child packages must print "PKG # ___" (input package number). In the next segment on right print the text TRKG # ___ (all followed by the last 3 digits of the document box 1Z tracking number)
- When required, UPS World Ease™ shipments must have a Master Invoice and the associated Consolidated Invoice Detail (CID). (see page 16)

PACKAGE COUNT

The package count indicates the number of the package N, related to the number of packages in the entire shipment X (e.g., N of X). Only N will print on the over-label except, when the shipment is the Document Box. The complete N of X for the consolidated shipment must print only on the document box.

DOCUMENT BOX

- Data Content

Positions	1-4	= PKG#
Position	5	= Space
Positions	6-8	= Up to three numeric
Position	9	= Space
Positions	10-11	= OF
Position	12	= Space
Positions	13-15	= Up to three numeric

- Font Size = 12 pt.
- For Example: PKG# 1 OF 10

ALL OTHER PACKAGES OF A SHIPMENT

- Data Content

Positions	1-4	= PKG#
Position	5	= Space
Positions	6-8	= Up to three numeric

- Font Size = 14 pt.
- For Example: PKG# 3

TRACKING NUMBER

The last three digits of the shipment's document box 1Z tracking number will print on each over-label.

- Data Content

Positions	1-5	= TRKG#
Position	6	= Space
Positions	7-9	= Three numeric

- Font Size = Document box: 12 pt. All others: 14 pt.
- For Example: TRKG# 763

SHIP TO INFORMATION

This block contains the import site information. All characters must be in bold, uppercase letters. Title positioned to the far left:

- Line 1 = SORT
- Line 2 = TO:
- Font Size = 16 pt. bold

  The font size may be reduced based on printer type and space available to accommodate the complete text.

UPS Import Site information must print to the right of the "SORT TO:" text separated by a vertical line:

- Line 1 = UPS, 16 pt. bold
- Line 2 = Port Name, 16 pt. bold
- Line 3 = Country Name, 14 pt. bold
- Line 3 = Postal Code, 14 pt. bold

The import site information can be found in the Port of Entry (POE) table. Contact your UPS Account Executive for information on POE tables.

INSTRUCTION TEXT

This block contains instructions for the customer and UPS Operations. The customer text explains to the customer how to apply the over-label to the package. This text will be translated when appropriate. The UPS text informs Operations when to remove the over-label. The over-label will be removed at the import site. The UPS text must always be in English.

CUSTOMER TEXT

- Title = CUSTOMER:
- Font Size = 8 pt. bold
- Text = *APPLY THIS LABEL OVER THE ADDRESS LABEL DIRECTLY ABOVE THE UPS SERVICE NAME.
  *THE 1Z TRACKING NUMBER AND THE BARCODE SHOULD BE VISIBLE.
  *SEE BACK OF LABEL FOR EXAMPLE.
- Font Size = 8 pt.

UPS TEXT

- Title = UPS IMPORT:
- Font Size = 8 pt. bold
- Text = REMOVE THIS OVER-LABEL AFTER CUSTOMS CLEARANCE.
- Font Size = 8 pt.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

INTERNATIONAL SHIPPING NOTICE
This block will contain the International Shipping Notice text and will appear on the over-label. The text will appear to the far left of the label, printed vertically. The notice must also appear on the main label. Please refer to the International Shipping Notice text in the UPS Guide to Labeling.

- Font Size = 4 pt.

Over Label as applied to Doc Box Label

Document Box Label



© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Over Label as applied to a Child Shipment Label

Package Number

Tracking Number (Last 3 digits)

Child Shipment Label



© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS World Ease™ Paperless Invoice

Final Destination Block — 4" x 6" Portion of the Label

This section contains the final destination information for the shipment. All data formatting and placement of the information follows the current UPS Guide to Labeling. In addition, an indicator must print directly to the right (preceded by a dash) of the documentation indicator in the top right corner of the Additional Routing Instructions Block. All labels including the document box will display the same indicator.

For all Paperless Invoice shipments that require a Document Box the following rules apply:

- Indicator Font Size = 16 pt. bold
- Document Indicator Text = EDI-CCP

Import Site Block — 4" x 5" Portion of the Label (Over-Label)

This section contains the UPS import site information for the Paperless Invoice consolidated shipment containing a document box.

- The lead package must be a UPS World Ease™ Document Box (Doc Box)
- All labels (Doc Box and Child Shipment Labels) must have the same documentation indicator (EDI-CCP) on the bottom right corner of the shipping label
- All thermal over-labels must display the same port of entry in the "Sort To" field
- The lead package (doc box) over-label must print "PKG# 1 of___" (total number of packages including document box)
  In the next segment on right print the text "TRKG # ___" (the last 3 digits of the document box tracking number)
- The child packages must print "PKG # ___" (input package number). In the next segment on right print the text TRKG # ___ (all followed by the last 3 digits of the document box 1Z tracking number)
- When required, UPS World Ease™ shipments must have a Master Invoice and the associated Consolidated Invoice Detail (CID). (see page 16)

PACKAGE COUNT

The package count indicates the number of the package N, related to the number of packages in the entire shipment X (e.g., N of X). Only N will print on the over-label except, when the shipment is the Document Box. The complete N of X for the consolidated shipment must print only on the document box.

DOCUMENT BOX

- Data Content

Positions	1-4	= PKG#
Position	5	= Space
Positions	6-8	= Up to three numeric
Position	9	= Space
Positions	10-11	= OF
Position	12	= Space
Positions	13-15	= Up to three numeric

- Font Size = 12 pt.
- For Example: PKG# 1 OF 10

ALL OTHER PACKAGES OF A SHIPMENT

- Data Content

Positions	1-4	= PKG#
Position	5	= Space
Positions	6-8	= Up to three numeric

- Font Size = 14 pt.
- For Example: PKG# 3

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.





© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Import Site Block — 4" x 5" Portion of the Label (Over-Label)

This section contains the UPS import site information for Paperless Invoice shipments NOT requiring a document box. The following rules apply:

- A shipping label and a Summary Label will be applied to the last package in the consolidated shipment
- All labels except the Summary label, must have an over-label
- All shipping labels will use the same documention indicator (EDI-CCV) in the bottom right corner
- The Summary Label will print the total number of packages in the consolidated shipment "TOTAL PKG #:"
- The child packages must print "PKG # ___" (input package number). In the next segment on right print the text TRKG # ___ (all followed by the last 3 digits of the Virtual 1Z tracking number)
- When required, UPS World Ease™ shipments must have a Master Invoice and the associated Consolidated Invoice Detail (CID). (see page 16)

PACKAGE COUNT

The package count indicates the number of the package N, related to the number of packages in the entire shipment X (e.g., N of X). Only N will print on the over-labels. The summary label will only include the total number of packages in the consolidated shipment.

ALL PACKAGES OF A SHIPMENT

- Data Content

Positions	1-4	= PKG#
Position	5	= Space
Positions	6-8	= Up to three numeric

- Font Size = 14 pt.
- For Example: PKG# 3

TRACKING NUMBER

The last three digits of the shipment's virtual document box 1Z tracking number will print on each over-label

- Data Content

Positions	1-5	= TRKG#
Position	6	= Space
Positions	7-9	= Three numeric

- Font Size = 12 pt.
- For Example: TRKG# 763

SHIP TO INFORMATION

This block contains the import site information. All characters must be in bold, uppercase letters. Title positioned to the far left:

- Line 1 = SORT
- Line 2 = TO:
- Font Size = 16 pt. bold

The font size may be reduced based on printer type and space available to accommodate the complete text.

UPS Import Site information must print to the right of SORT TO: title separated by a vertical line:

- Line 1 = UPS, 16 pt. bold
- Line 2 = Port Name, 16 pt. bold
- Line 3 = Country Name, 14 pt. bold
- Line 3 = Postal Code, 14 pt. bold

The import site information can be found in the Port of Entry (POE) table. Contact your UPS Account Executive for information on POE tables.

Specifications for the UPS World Ease™ Paperless Invoice Summary Label

SHIPPERS INSTRUCTIONS

- Please Apply This Label to Package # ___ (Blank indicates the value of the last package or total number of packages in the consolidated shipment)
- Font Size 12 pt. Bold

SERVICE TITLE

- UPS World Ease
- Font Size 16 pt. Bold

PACKAGE COUNT

- Data Content

Positions	1-5	= TOTAL
Position	6	= Space
Positions	7-9	= PKG
Position	9-10	= #:
Positions	11	= Space
Position	12-14	= Three numeric

- Font Size = 12 pt.
- For Example: PKG #: 123

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

TRACKING NUMBER

The last three digits of the shipment's virtual document box 1Z tracking number will print on the summary label

- Data Content

Positions	1-4	=	TRKG
Position	5	=	Space
Position	6-7	=	#:
Positions	8	=	Space
Position	9-11	=	Three numeric

- Font Size = 12 pt.
- For Example: TRKG #: 123

DOCUMENTATION INDICATOR

- Data Content

Positions	1-3	=	EDI
Position	4	=	- (Dash)
Position	5-7	=	CCV

- Font Size = 16 pt. Bold
- For Example: EDI-CCV

GLOBAL CUSTOMS CLEARANCE NUMBER (GCC#)

The shipment's virtual document box 1Z tracking number will be used to calculate the GCC# which is the same as the Shipment Number. See Appendix D of the UPS Guide to Labeling.

- Data Content

Positions	1-3	=	GCC
Position	4	=	Space
Positions	5-6	=	#:
Position	7	=	Space
Positions	8-13	=	Alphanumeric
Position	14	=	Space
Positions	15-19	=	Alphanumeric

- Font Size = 12 pt.
- For Example: GCC #: 1X2X3X 9WB3K

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.



First Child Package

Last Child Package



Summary Label

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

MAXICODE™ (OVER LABEL)

The MaxiCode™ symbology must print directly above the pre-printed "UPS World Ease™" text on the over-label. The MaxiCode™ data string must contain the following information:

Field Name	Description	Remarks
Ship To Postal Code	(an 5)[1]	Postal code of import site
Ship To ISO Country Code	(n 3)	ISO Country Code of import site
Class of Service (3 digits)	(n 3)	
Tracking Number	(an 10)	Tracking number of the package the over-label will be used on
UPS SCAC (Standard Carrier Alpha Code)	UPSN	
UPS Account Number	(an 6)	
Julian Day of Pickup	(n 3)	Pickup date
Shipment ID Number	(an 30)	Leave blank for over-label
Package in Shipment	(n 1…3/n1…3)	Will always be 1/1 for over-label*
Package Weight	(n 1…3)[2]	Weight of package being processed. For the document box, populate the weight with 1 pound or 1 kilogram.
Address Validation (Y or N)	(a 1)	Always set no "N"
Ship To Address	(an 35)	Leave blank
Ship To City	(an 20)	Import site city name
Ship To State/Province/County	(a 2)	Conditional (Required for Canada, Ireland and United States)

*See UPS GTL Appendix A for Shipping Label MaxiCode™ Specifications.

[1]For non-U.S. postal codes, (an 6 — fixed length), if less than six, pad with trailing spaces, if greater than six, truncate from the right.

[2]Round up to the next pound or kilogram. The minimum weight must be 1 LB or 1 KG.

POSTAL BARCODE AND UPS ROUTING CODE

- Must all print to the right of the MaxiCode™ symbology
- Must all reflect the UPS import site information

UPS World Ease™ Service Combination and Requirements

	Doc Box Label and Package	Master Invioce	Consolidated Invoice Details (CID)	Documentation Indicator	Summary Label	Customer Additional Documents in Doc Box
UPS World Ease™ with DocBox (No Paperless)	R	R	R	INV-CC	N	O
Paperless UPS World Ease™ with DocBox	R	O	O	EDI-CCP	N	O
Paperless UPS World Ease™ without DocBox (Virtual Doc Box)	N	N	N	EDI-CCV	R	N

• R = Required • O = Optional, Customer Related • N = Not Available

Note: Master Invoice and the associated Consolidated Invoice Detail (CID) is required for label testing

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS World Ease™ Single Label Requirement

Final Destination and Import Site Blocks —

The UPS World Ease™ has two distinct sections contained on a single 4" x 6" or 4" x 8" (option) thermal or laser label.

For UPS Access Point shipments only the 4" x 8" label is supported.

The first section contains the final destination information for the shipment.

- SHIP TO:
- Font Sizes (variable) this is done to prevent over-writing the new World Ease Routing Code Import Site Box

  "SHIP TO" text = 10 pt. bold
  Address Lines = 10 pt.
  Postal Code Line = 12 pt. bold
  Country Line = 12 pt. bold

THE LABEL INCLUDES A BOX WITH TWO ROWS AND A SEPARATOR LINE:
• Data Content
Top: Text UPS WORLD EASE
Bottom: UPS Routing Code for the UPS Import Site
• Font Size = 10 pt.
This prints to the right of the SHIP TO address just above the Postal Code Line.

The second section contains the UPS import site information for the Paperless Invoice consolidated shipment containing paper documents.
• The lead package must be a UPS World Ease™ document box (Doc Box)
• All labels must have the same documentation indicator on the bottom right corner of the shipping label
• All labels must display the same port of entry in the "Sort To" field
• The Doc Box label must print "1 of ___" and on right (count of packages) print the text "TRKG # ___" (the last 3 digits of the document box tracking number)
• When required, UPS World Ease™ shipments must have a Master Invoice and the associated Consolidated Invoice Detail (CID). (see page 16)

DOCUMENT BOX:
PACKAGE COUNT
The package count indicates the number of the package N, related to the number of packages in the entire shipment X (e.g., N of X). Only N will print on the UPS import site information section, for the child shipments. The complete N of X for the consolidated shipment must print only on the document box.

• Data Content

Positions	1	= 1 numeric
Position	2	= Space
Positions	3-4	= OF
Position	5	= Space
Positions	6-8	= Up to three numeric

• Font Size = 12 pt.
• For Example: 1 OF 10

ALL OTHER PACKAGES OF A SHIPMENT
• Data Content

Positions	1-4	= PKG#
Position	5	= Space
Positions	6-8	= Up to three numeric

• Font Size = 12 pt.
• For Example: PKG# 3

TRACKING NUMBER
The last three digits of the shipment's document box 1Z tracking number.
• Tracking Data Content

Positions	1-5	= TRKG#
Position	6	= Space
Positions	7-9	= Three numeric

• Font Size = 12 pt.
• Service printed to the right of the Tracking # separated by a vertical line:
Line 1 = UPS WORLD EASE
• Font Size = 10 pt.

PORT OF ENTRY INFORMATION
This block contains the import site information. All characters must be in uppercase letters. Title positioned to the far left:
First Block
Line 1 = SORT
Line 2 = TO:
Second Block
Line 1 = Port Name
Line 2 = Country Name Postal Code
• Font Size = 10 pt.
Third Block
Line 1 = UPS ROUTING CODE (in the URC file).
• Font Size = 16 pt. bold

Note: The font size may be reduced to accommodate the complete text.

The import site information can be found in the Port of Entry table. Contact your UPS Account Executive for information on POE tables.

© 2014 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2014 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2014 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Specifications for the UPS World Ease™ Single Label Invoice Summary Label

SHIPPERS INSTRUCTIONS

- Please Apply This Label to Package # ___ (Blank indicates the value of the last package or total number of packages in the consolidated shipment)
- Font Size 12 pt. Bold

SERVICE TITLE

- UPS World Ease
- Font Size 16 pt. Bold

PACKAGE/PALLET COUNT

- Data Content
  Positions1-5 = TOTAL
  Position 6 = Space
  Positions 7-13 = PKG/PLT
  Position 13-14 = #:
  Positions 15 = Space
  Position 16-18 = Three numeric
- Font Size = 12 pt.
- For Example: PKG/PLT #: 123

TRACKING NUMBER

The last three digits of the shipment's virtual document box 1Z tracking number will print on the summary label

- Data Content
  Positions 1-4 = TRKG
  Position 5 = Space
  Position 6-7 = #:
  Positions 8 = Space
  Position 9-11 = Three numeric
- Font Size = 12 pt.
- For Example: TRKG #: 123

DOCUMENTATION INDICATOR

- Data Content
  Positions 1-3 = EDI
  Position 4 = - (Dash)
  Position 5-7 = CCV
- Font Size = 16 pt. Bold
- For Example: EDI-CCV

GLOBAL CUSTOMS CLEARANCE NUMBER (GCC#)

The shipment's virtual document box 1Z tracking number will be used to calculate the GCC# which is the same as the Shipment Number. See Appendix D of the UPS Guide to Labeling.

- Data Content
  Positions 1-3 = GCC
  Position 4 = Space
  Positions 5-6 = #:
  Position 7 = Space
  Positions 8-13 = Alphanumeric
  Position 14 = Space
  Positions 15-19 = Alphanumeric
- Font Size = 12 pt.
- For Example: GCC #: 1X2X3X 9WB3K

© 2014 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

The Summary Label for the new Single Label will remain unchanged other than the Over-Label portion no longer applies.



© 2014 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

This 4" x 8" label should used all data formatting and placement of the information follows the current UPS Access Point™ requirements located in the UPS Guide to Labeling.



© 2014 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Trade Direct™ General Rules

A UPS Trade Direct™ (TD) consolidated movement may consist of UPS small package shipments or TD Less-Than-Truckload (LTL)/Truckload (TL) shipments and TD Customs Clearance Documents.

A consolidated TD movement may originate from an origin location such as the shipper's location or the origin Container Freight Station (CFS) to a destination CFS.

Once the consolidated movement reaches the destination CFS, the UPS Small Package shipments and/or LTL/TL shipments will be deconsolidated and forwarded to the ultimate consignee(s).

This section will address the six types of labels that may be produced for a UPS Trade Direct™ movement.

- UPS Small Package Label
- UPS Less-Than-Truckload (LTL) / Truck Load (TL) Label
- UPS Package Pallet Label
- UPS Carton Labels
- UPS Express Freight
- UPS SurePost

All barcodes must use the Code 128 format and follow specifications defined in the current UPS Guide to Labeling.

NOTE: The terms Consolidated Movement Number (CM) and Unique Shipment Identifier (USI) are synonymous. The terms LTL Number and Sub-Pro Number are synonymous.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Trade Direct™ - Small Package Label

UPS Trade Direct™ small package labels are the individual labels that are created, at either an export or import location and are applied to each package for delivery by UPS.

Small package labels must follow the specifications outlined in the UPS Guide to Labeling. In addition, the Consolidated Movement (CM) Shipment ID number must print in the Additional Routing Instructions Block immediately below the Billing Options line. (See Appendix A)

- Data Content

Positions 1-10 = SUB-PRO #:

Positions 11 = Space

Positions 12-20 = 9 digit numeric

Positions 21 = Check Digit

- Font Size = 10 pt.
- For Example: 84000028T

NOTE: Check digit can be numeric or the letter "T"
See Appendix B for the Check Digit Calculation example.

Small Package - UPS Trade Direct™ Label

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Trade Direct™ - LTL/TL Pallet Label

UPS Trade Direct™ - LTL/TL pallet labels are produced for movements that are created for LTL and TL modes. All label text must be uppercase.

Package Information Block

ADDRESSES

The Ship From and Ship To address format must follow the specifications outlined in the current UPS Guide to Labeling.

PALLET COUNT

The pallet count indicates the number of this pallet, N related to the number of total pallets in the shipment X (e.g., N of X). The pallet count appears on the first line in the upper right corner of the label. The data format is as follows:

- Data Content
  - Positions 1-3 = Up to three numeric
  - Position 4 = Space
  - Positions 5-6 = OF
  - Position 7 = Space
  - Positions 8 -10 = Up to three numeric
- Font Size = 10 pt. bold
- For Example: 1 OF 999

SHIPMENT WEIGHT

The total actual weight of the shipment will appear (rounded to the next whole pound, or kilogram) directly beneath the pallet count. The format will be as follows:

- Data Content
  - Positions 1-7 = SHP WT:
  - Position 8 = Space
  - Positions 9-13 = Up to five numeric
  - Position 14 = Space
  - Positions 15-17 = LBS or KG
- Font Size = 8 pt.
- For Example: SHP WT: 100 LBS
  SHP WT: 120 KG

SHIPMENT DATE

The Shipment Date must be displayed below the Shipment Weight.

- Data Content
  - Positions 1-5 = DATE:
  - Position 6 = Space
  - Positions 7-17 = DD MMM YYYY
- Font Size = 8 pt.
- For Example: DATE: 28 JUN 2017

- Month abbreviation table:

JAN	APR	JUL	OCT
FEB	MAY	AUG	NOV
MAR	JUN	SEP	DEC

Consolidated Movement Block

The Consolidated Movement Block must appear below the Ship To address separated by a horizontal line. This block contains port codes and service level separated by a vertical line.

Port codes for air movements will be three characters. Port codes for ocean movements will be five characters.

AIR PORT CODES

- Data Content
  - Positions 1-3 = ORIGIN AIRPORT CODE
  - Position 4 = /
  - Positions 5-7 = DESTINATION AIRPORT CODE
- Font Size = 30 pt. bold

OCEAN PORT CODES

- Data Content
  - Positions 1-5 = ORIGIN PORT CODE
  - Position 6 = /
  - Positions 7-11 = DESTINATION PORT CODE
- Font Size = 30 pt. bold

CROSS BORDER CODES

- Data Content
  - Positions 1-3 = ORIGIN AIRPORT CODE
  - Position 4 = /
  - Positions 5-7 = (Leave Blank)
- Font Size = 30 pt. bold
- For Example: SDF/ | STD

SERVICE LEVEL

- Data Content
  - Positions 1-3 = SERVICE LEVEL
- Font Size = 30 pt. bold
- For Example: HKG/LAX | EXP
  JPT YO/USLAX | STD

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Sub-Pro Number Barcode Block

HUMAN READABLE SHIPMENT ID NUMBER

The Sub-Pro Number human readable interpretation will appear immediately below the Consolidated Movement Block. The Sub-Pro Number must be formatted as shown in the examples below.

Legacy Format Generation

- Data Content
  Positions 1-10 = SUB-PRO #:
  Position 11 = Space
  Positions 12-14 = Trade Direct Region Code (See Appendix B)
  Positions 15-16 = System Code
  Positions 17-22 = Trade Direct Shipper #
  Positions 23-29 = Sequence Number
  Position 30 = Check Digit
- Font Size = 10 pt.
- For Example:
  SUB-PRO #: 93009123ABC00000012

Current Format Generation

- **Data Content**
  Positions 1-10 = SUB-PRO #:
  Position 11 = Space
  Positions 12-20 = 9 digit numeric
  Positions 21 = Check Digit
- **Font Size = 10 pt.**
- **For Example:**
  SUB-PRO #: 9300912312

SHIPMENT ID BARCODE

The Shipment ID barcode will display directly below the human readable Shipment ID.

Customer Information Block (Optional)

Optional information may be entered in the Customer Information Block as follows:

- Data Content
  Text = CONSOLIDATED MOVEMENT #:
  Positions 1-35 = CONSOLIDATED MOVEMENT NUMBER
  Text = DESC:
  Positions 1-35 = DESCRIPTION OF GOODS
  Text = SHIPPER REF:
  Positions 1-35 = SHIPPER REFERENCE NUMBER
  Text = CONS REF:
  Positions 1-35 = CONSIGNEE REFERENCE NUMBERS
- Font Size = 10 pt.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
SHANGHAI 200120
CHINA

1 OF 5

SHP WT: 1250 LBS
DATE: 11 JAN 2020

SHIP TO: CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
FLINT MI US 48502
UNITED STATES

HKG/FNT | **EXP**

SUB-PRO #: 9300912312

CONSOLIDATED MOVEMENT #:840000028T
DESC: COMPUTER PARTS
SHIPPER REF: 12345RU33EE339339393938947598604R49
CONS REF: AA114A135787575RU988434UE945534UR34

18.5A 01/2020

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Trade Direct™ - Package Pallet Label

The package pallet label is produced for the UPS service provider to help identify loose packages that will be processed through the regular UPS system. These packages are segregated on a separate pallet and identified with this label.

Package Information Block

ADDRESSES

The label will contain a Ship From and Ship To address. The Ship To address will always be the UPS facility processing the packages.

PACKAGE PALLET LABEL TITLE

The title will appear in the top left corner of the label.

- Data Content
  Positions 1-20 = PACKAGE PALLET LABEL
- Font Size = 12 pt. bold

PALLET COUNT

The pallet count indicates the number of this pallet N, related to the total number of package pallets in the entire shipment X (e.g., N of X). The pallet count appears on the first line in the upper right corner of the label.

- Data Content
  Positions 1-4 = Up to four numeric
  Position 5 = Space
  Positions 6-7 = OF
  Position 8 = Space
  Positions 9-12 = Up to four numeric
- Font Size = 10 pt. bold
- For Example: 1 OF 9999

Shipment ID Barcode Block

HUMAN READABLE SHIPMENT ID NUMBER

The human readable interpretation of the Shipment ID will appear immediately below the Ship To address separated by a horizontal line.

- Data Content
  Positions 1-16 = CM SHIPMENT ID#:
  Position 17 = Space
  Positions 18-26 = 9 numeric
  Position 27 = Check Digit
- Font Size = 10 pt.
- For Example: 84000028T

SHIPMENT ID BARCODE

The Shipment ID barcode will display directly below the human readable Shipment ID.

Additional Routing Instructions Block

The Additional Routing Instructions block contains piece counts and reference numbers.

PIECE COUNTS SECTION

Ground Piece Count

- Data Content
  Positions 1-7 = GROUND:
  Position 8 = Space
  Positions 9-11 = Up to three numeric
  Position 12 = Space
  Positions 13-18 = PIECES
- Font Size = 10 pt. bold

SHIPMENT WEIGHT (Right Justified)

- Data Content
  Positions 1-7 = SHP WT:
  Position 8 = Space
  Positions 9-12 = Up to four numeric
  Position 13 = Space
  Positions 14-16 = LBS or KG
- Font Size = 10 pt. bold
- For Example: SHP WT: 1000 KG

AIR PIECE COUNT

- Data Content
  Positions 1-4 = AIR:
  Position 5 = Space
  Positions 6-8 = Up to three numeric
  Position 9 = Space
  Positions 10-15 = PIECES
- Font Size = 10 pt. bold

TOTAL PIECE COUNT

- Data Content
  Positions 1-12 = TOTAL COUNT:
  Position 13 = Space
  Positions 14-17 = Up to four numeric
  Position 18 = Space
  Positions 19-24 = PIECES
- Font Size = 10 pt. bold

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

PACKAGE PALLET LABEL **1 OF 999**

CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
SHANGHAI 200120
CHINA

SHIP TO: CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
FLINT MI US 48502
UNITED STATES

CM SHIPMENT ID#: 840000028T

GROUND: 34 PIECES
AIR: 54 PIECES
TOTAL COUNT: 88 PIECES

SHP WT: 2500 LBS

REF #1: 93009123ABC00000012
REF #2: 3490489034893

18.5A 01/2020

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Trade Direct™ - Carton Label

The carton label is optional. It may be applied to each carton to help identify the movement and any special restrictions.. This label contains only human readable information. No symbology will appear on this label.

Package Information Block

ADDRESSES
The Ship From and Ship To address formats must follow the specifications outlined in the current UPS Guide to Labeling.

LTL CARTON LABEL TITLE
The title will appear in the top left corner of the label.

- Data Content
  Positions 1-16 = LTL CARTON LABEL
- Font Size = 12 pt. bold

CARTON COUNT
The carton count indicates the number of this carton N, related to the total number of cartons in the entire LTL/TL shipment X (e.g., N of X). The carton count appears on the first line in the upper right corner of the label.

- Data Content
  Positions 1-5 = Up to five numeric
  Position 6 = Space
  Positions 7-8 = OF
  Position 9 = Space
  Positions 10-14 = Up to five numeric
- Font Size = 12 pt. bold
- For Example: 1 OF 99999

Additional Routing Instructions Block

The Additional Routing Instructions Block contains billing, reference and hazardous material information.

BILLING OPTION
The billing option must follow the specifications outlined in the current UPS Guide to Labeling.

Sub Pro Number

Legacy Format Generation

- Data Content
  Positions 1-10 = SUB-PRO #:
  Position 11 = Space
  Positions 12-14 = Trade Direct Region Code (See Appendix B)
  Positions 15-16 = System Code
  Positions 17-22 = Trade Direct Shipper #
  Positions 23-29 = Sequence Number
  Position 30 = Check Digit
- Font Size = 10 pt.
- For Example:
  SUB-PRO #: 93009123ABC00000012

Current Format Generation

- Data Content
  Positions 1-10 = SUB-PRO #:
  Position 11 = Space
  Positions 12-20 = 9 digit numeric
  Positions 21 = Check Digit
- Font Size = 10 pt.
- For Example:
  SUB-PRO #: 9300912312

CONSOLIDATED MOVEMENT SHIPMENT ID NUMBER

- Data Content
  Positions 1-16 = CM SHIPMENT ID#:
  Position 17 = Space
  Positions 18-26 = 9 numeric
  Position 27 = Check Digit
- Font Size = 10 pt.
- For Example: 84000028T

HAZARDOUS MATERIAL INDICATOR (when applicable)

- Data Content
  Positions 1-18 = HAZARDOUS MATERIAL
- Font Size = 10 pt.

REFERENCE NUMBERS
The Reference #1 and #2 fields are optional and may be up to 35 characters

- Data Content
  Positions 1-7 = REF #1:
  Position 8 = Space
  Positions 9-43 = Up to 35 alphanumeric
- Font Size: = 10 pt.
- For Example: REF #1: 93009123ABC00000012

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

LTL CARTON LABEL **1 OF 999**

CONTACT NAME
PHONE NUMBER
COMPANY NAME
1400 S JEFFERSON
CHICAGO IL 60607

SHIP TO:
CONTACT NAME
PHONE NUMBER
COMPANY NAME
BUILDING 3 FLOOR 4
1300 OLD ELLIS RD
ROSWELL GA 30076

BILLING: P/P
SUB-PRO #: 9300912312
CM SHIPMENT ID#: 840000028T
HAZARDOUS MATERIALS

REF #1: 93009123ABC00000012
REF #2: 34904890348931

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Trade Direct™ - UPS Worldwide Express Freight™

The UPS Worldwide Express Freight™ service provides customers with a solution for palletized shipments. This guaranteed product has similar transit times as UPS Worldwide Express Saver™ package and provides customers with a similar experience to other small package services.

UPS Worldwide Express Freight™ Midday

The UPS Worldwide Express Freight™ Midday service provides customers with a solution for palletized shipments. The service is guaranteed by either noon or 2 P.M. depending apon destination postal code.

NOTE: A PDF417 must print on the label when required. For details on the PDF417 Barcode, please refer to the PDF417 Barcode Symbology document.

Text Requirements

HOLD FOR PICKUP
If the shipment is being deliveried to a UPS facility where a consignee will pick up the shipment, or the shipment is at the UPS facility and the consignee wants to return the shipment using Import Control/Return Service 1 Pickup Attempt, the following text must print before the consignee's name in the "Ship To" address:
- Text = HOLD FOR PICKUP
- For Example: "HOLD FOR PICKUP - D SCHMIDT"

NOTE: A dash must separate the text

LIFTGATE
If a liftgate is required to make the delivery, the following text must print:
- Text = LIFT
- Font Size = 10 pt. bold

IMPORT CONTROL/RETURN SERVICE
If the the shipment is being returned by Import Control/Return Service, and Import Control/Return Service - 1 Pickup Attempt, the following text must print:
- Text = IMPORT CONTROL - PAYMENT GUARANTEED
- Font Size = 10 pt. bold

If the the shipment is being returned by Import Control/Return Service 1 Pickup Attempt, and requires a liftgate the following text must print:
- Text = PU LIFT
- Font Size = 10 pt. bold

Service Indicators, Icons and MaxiCode™ Class of Service

Service Title	Service Indicator	Service Icon	Class of Service
UPS EXPRESS FREIGHT™	E1	1P	417
Saturday Delivery	E2	1PS	418
Delivery Confirmation Signature Required	E3	1P	419
Delivery Confirmation Adult Signature Required	E4	1P	420
Import Control/Return Service	E5	1P	421
Saturday Delivery, Delivery Confirmation Signature Required	E6	1PS	422
Saturday Delivery, Delivery Confirmation Adult Signature Required	E7	1PS	423
Import Control/Return Service, Saturday Delivery	E8	1PS	424
Import Control/Return Service - 1 Pickup Attempt	E9	1P	425
Import Control/Return Service - 1 Pickup Attempt, Saturday Delivery	EA	1PS	426
UPS EXPRESS FREIGHT™ MIDDAY	EQ	1	439
Saturday Delivery	ER	1S	440
Delivery Confirmation Signature Required	ES	1	441
Delivery Confirmation Adult Signature Required	ET	1	442
Import Control/Return Service	EV	1	443
Saturday Delivery, Delivery Confirmation Signature Required	EW	1S	444
Saturday Delivery, Delivery Confirmation Adult Signature Required	EX	1S	445
Import Control/Return Service, Saturday Delivery	EY	1S	446
Import Control/Return Service - 1 Pickup Attempt	EZ	1	447
Import Control/Return Service - 1 Pickup Attempt, Saturday Delivery	F0	1S	448

NOTE: Saturday Delivery is only valid in United States and Canada.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Unique Shipment Identifier (USI)

The USI Number is a mandatory field that must print left justified

- Data Content

Positions	1-4	= USI:
Position	5	= Space
Positions	6-14	= 9 numeric
Position	15	= Check Digit

- Font Size = 10 pt.
- For Example: 84000028T

NOTE: Check digit can be numeric or the letter "T"
See Appendix A for the Check Digit Calculation example.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

UPS Trade Direct™ - UPS SurePost™

The UPS SurePost™ service is contract based and it's available as an economy ground residential service, targeted towards retail shippers. This service combines the consistency and reliability of the UPS® Ground network with final delivery typically provided by the U.S. Postal Service (USPS). Customers have the ability to ship using any of the following four USPS delivery product types:

- Less than 1 lb (under 16 oz)
- 1 lb or Greater (1-70 lbs)
- Bound Printed Matter (1-15 lbs)
- Media (1-70 lbs)

NOTE: The total dimension of the package cannot exceed 130 inches (Length * twice width * twice height) if SurePost Less than 1 lb or SurePost 1 lb or Greater is selected. The package cannot exceed 108 inches if SurePost Bound Printed Matter or SurePost Media is selected in the UPS Service box.

UPS SurePost™ labels must follow the specifications outlined in the Supplement UPS SurePost™ Guide to Labeling. In addition, the Unique Shipment Identifier (USI) number must print in the UPS Address Block right justified on the same line as the USPS Ship To five digit postal code. (See Appendix A)

Unique Shipment Identifier (USI)

The USI Number is a mandatory field that must print left justified

- Data Content

Positions	1-4	=	USI:
Position	5	=	Space
Positions	6-14	=	9 numeric
Position	15	=	Check Digit

- Font Size = 10 pt.
- For Example: 84000028T

NOTE: Check digit can be numeric or the letter "T"
See Appendix A for the Check Digit Calculation example.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Introduction

UPS™ Worldwide Economy service is a single-piece non-guaranteed shipment which provides customers with an international cross-border economy product. Customers are offered 2 options, UPS™ Economy DDP and UPS™ Economy DDU, for UPS™ Worldwide Economy shipments. Customers will be provided with a similar experience to existing products within the UPS™ Worldwide portfolio.

Customers have the option to consolidate UPS™ Worldwide Economy packages into a single Master Shipment. Customers also have the option to transport UPS™ Worldwide Economy packages directly to an export or vendor site without creating a Master Shipment.

UPS™ Worldwide Economy and Master Shipment labels must follow the specifications outlined in the UPS Guide to Labeling. In addition, for UPS™ Worldwide Economy, an additional letter must be appended to the end of the UPS Routing code depending on the option selected.

NOTE: Only select domestic and EU transborder services are valid options for a Master Shipment. (See Pg. 34)

Label Format Requirements

When using the UPS™ Worldwide Economy service, the Service Indicators and MaxiCode™ Class of Service codes listed in this document must be used.

Package Weight

The package weight must be printed on all UPS™ Worldwide Economy labels. UPS™ Economy DDP shipments from the U.S. or Canada must display weight in pounds. UPS™ Economy DDU shipments from the U.S. or Canada must display weight in ounces to the tenth.

- For Example: 16.9 OZ
- MaxiCode's weight field must contain "1"

UPS™ Economy DDU and DDP shipments from outside the U.S. or Canada must display weight in kilograms to the tenth. A scale may have two or more decimals and will need to be rounded up to the nearest tenth. Any value other than zero in the hundredth position requires the weight to be rounded up.

- Example #1: 3.02 ounces would be 3.1 OZ
- Example #2: 1.091 kilograms would be 1.1 KGS

UPS Routing Code

An additional letter must be appended to the end of the UPS Routing Code depending on the UPS™ Worldwide Economy service option selected. If UPS™ Economy DDP service is selected, a space and the letter "P" are appended to the UPS Routing Code.

For Example:
IND 010 9-00 P

If UPS™ Economy DDU service is selected, a space and the letter "U" are appended to the UPS Routing Code.

For Example:
DEU 091 0-00 U

Billing Options

For UPS™ Economy DDP (Delivered Duties Paid) shipments, Duties and Taxes are paid up-front on behalf of the consignee. Valid billing options include Prepaid (P/P), Free Domicile (F/D), and Freight Collect (F/C) via the Shipper or a Third Party Payor.

For UPS™ Economy DDU (Delivered Duties Unpaid) shipments, Duties and Taxes are paid at time of delivery. Valid billing options include Prepaid (P/P) and Freight Collect (F/C) via the Shipper or a Third Party Payor.

PDF417 Barcode

When UPS™ Worldwide Economy is used, the PDF417 barcode must print on the shipping label. For details on the PDF417 barcode, please refer to the PDF417 barcode symbology document.

Note: UPS Worldwide Economy labels must display EDI on the labels.

Service Indicators, Icons and MaxiCode™ Class of Service for International Movements

Service Title	Service Indicator	Service Icon	Class of Service
UPS™ ECONOMY DDP	FC	Black Square	459
UPS™ ECONOMY DDU	FD	Black Square	460

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2014 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

TEST UPS
4105768901
TEST SHIPPER
123 ADDRESS WAY
50679 COLOGNE

20+ KG

20 KG 1 OF 1
SHIP#: 5580 YYFF BDY
SHIP WT: 20.0 KG
DATE: 9 OCT 2025

SHIP TO:
WWE CONSOLIDATION SITE NLD
321 SHIP WWE WAY
1431GD AALSMEER
NETHERLANDS

NLD 036 2-00 P

UPS ECONOMY DDP
TRACKING #: 1Z 558 0YY FC 3800 0014

BILLING P/P
EDI

ATTENTION
(410) 258-6589
TEST UPS
132 STREET WAY
LUTHERVILLE TIMONIUM MD 21093
UNITED STATES

© 2014 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Service Code Table (Domestic)

Service	Code
UPS Next Day Air™ / UPS Express™	1DA
UPS Next Day Air™ Early / UPS Express Plus™	EAM
UPS Next Day Air™ Saver / UPS Saver™	1DS
UPS 2nd Day Air™	2DA
UPS 2nd Day Air™ AM	2DM
UPS 3 Day Select™	3DS
UPS Express™ 1200	EXM
UPS® Ground / UPS® Standard	GND
UPS Access Point™ Economy	LCO
UPS Today Standard™	TDT
UPS Today Dedicated Courier™	TDC
UPS Today Express™	TDE
UPS Today Express Saver™	TDS

Service Code Tabel (EU Transborder)

Service	Code
UPS® Standard	EXD
UPS Express™	EXP
UPS Saver™	EXS
UPS Express Plus™	EAM
UPS Worldwide Express Freight™	WFP
UPS Worldwide Express Freight™ Midday	WFM

NOTE: 'Goods not in free circulation' (GNIFC) option is not allowed for a Master Shipment containing UPS™ Worldwide Economy shipments

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Overview

International Special Commodities (ISC) service is offered by contract only. An ISC contract allows the shipper to send certain restricted articles such as: alcoholic beverages, perishables, seeds, tobacco and plants. For ISC shipments, the shipping label must contain additional information to meet regulatory requirements and assist UPS in processing the shipment.

Label Format Requirements

When shipping ISC, the following text must print centered in the Additional Routing Instructions block of the label immediately below the documentation indicators.

- Routing Instruction = ISC
- Font Size = 10 pt. bold

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Introduction

UPS Proactive Response™ service provides strict (24 hour and 7 day) monitoring of packages and intervention including refrigeration or dry ice replenishment at UPS facilities. UPS Proactive Response™ shipment labels must contain additional information to assist UPS in processing the shipment accurately. This is a contract service.

Label Format Requirements

The following text must print in the Package Information Block of a UPS Proactive Response™ label for all origins and destinations.

- Data Content PRO
- Font Size = 16 pt. bold

The Proactive Response indicator box must print only for shipments with the following origin/destination locations:
US/US; US/PR; PR/US; PR/PR

- Indicator = P
- Text Color = White
- Font Size = 28 pt. bold
- Black Square = 0.35 inches x 0.35 inches
- Left justification

UPS Returns™

When UPS Returns™ is selected as the shipping option with UPS Proactive Response™, unique Service Indicators and MaxiCode™ Class of Service codes listed in the tables below must be used.

United States and Puerto Rico Service Indicators, Icons and MaxiCode™ Class of Service

Service Title	Service Indicator	Service Icon	Class of Service
UPS NEXT DAY AIR™ EARLY	V2	1+	866
UPS NEXT DAY AIR™	V3	1	867

International Service Indicators, Icons and MaxiCode™ Class of Service

Service Title	Service Indicator	Service Icon	Class of Service
UPS EXPRESS PLUS™	V5	1+	869
UPS EXPRESS™ (NA1)	V8	1	872
UPS EXPRESS™ (NA1), Saturday Delivery	YG	1 S	975
UPS EXPRESS™	V4	1	868
UPS EXPRESS™, Saturday Delivery	Y9	1 S	969
UPS SAVER™	V6	1P	870
UPS EXPRESS™ 12:00	Q8	1	744

Note: UPS EXPRESS™ 12:00 service is only offered in Germany (DE to DE)

UPS Premium Care™

When using the UPS Returns™ service with UPS Proactive Response™ and UPS Premium Care™ services, the Service Indicators and MaxiCode™ Class of Service codes listed in the tables below must be used.

NOTE: UPS Premium Care™ is only for Canada to Canada Shipments.

When using the UPS Premium Care™ is selected the following text must print in the Additional Routing Instructions Block:

- Text = COC-ADULT SIGNATURE REQUIRED
- Font Size = 10 pt. bold

UPS Premium Care™ Returns Service Indicators, Icons and MaxiCode™ Class of Service

Service Title	Service Indicactor	Service Icon	Class of Service
UPS EXPRESS PLUS™	EM	1+	436
UPS EXPRESS™	EL	1	435
UPS SAVER™	EN	1P	437

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
MISSISSAUGA ON L4V1X5

8 KG

1 OF 1

RS
PRO

SHIP TO: CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
TORONTO ON M5X1K7

CAN 400 5-00

UPS SAVER
TRACKING #: 1Z 1X2 X3X EN 0000 5450

1P

BILLING: P/P
COC-ADULT SIGNATURE REQUIRED
DESC: MEDICAL SUPPLIES
RETURN SERVICE

18.5A 01/2020

Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limits UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of tender of the shipment and UPS reserves the right to route the shipment in any way it deems appropriate. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported from the US, shipper certifies that the commodities, technology or software were exported from the US in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
60386 FRANKFURT
GERMANY

5 LBS **1 OF 1**

SHP#: 1X2X 3X33 3TT
SHP WT: 5 LBS
SHP DWT: 5 LBS
DATE: 11 JAN 2020

SHIP TO: CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
CHICAGO IL 60607
UNITED STATES

PRO

IL 606 9-02

UPS EXPRESS
TRACKING #: 1Z 1X2 X3X V4 0000 5400

1

BILLING: P/P
DESC: SURGICAL EQUIPMENT
RETURN SERVICE - PAYMENT GUARANTEED

KEY-RS

18.5A 01/2020

4"x 4.25" label format prints the PDF417 Barcode on 2nd label

Backup Document - Please Place on Package

TR#: 1Z 1X2 X3X V4 0000 5400 **SHP #:1X2X 3X33 3TT**

SAMPLE

Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limits UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of tender of the shipment and UPS reserves the right to route the shipment in any way it deems appropriate. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported from the US, shipper certifies that the commodities, technology or software were exported from the US in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited.

18.5A 01/2020

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
60386 FRANKFURT
GERMANY

5 LBS **1 OF 1**

SHP#: 1X2X 3X33 3TT
SHP WT: 5 LBS
SHP DWT: 5 LBS
DATE: 11 JAN 2020

SHIP TO: CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
CHICAGO IL 60607
UNITED STATES

PRO

IL 606 9-02

UPS EXPRESS
TRACKING #: 1Z 1X2 X3X V4 0000 5400

1

BILLING: P/P
DESC: SURGICAL EQUIPMENT
RETURN SERVICE - PAYMENT GUARANTEED

KEY-RS

18.5A 01/2020

4"x 4.25" label format prints the PDF417 Barcode on 2nd label

Backup Document - Please Place on Package

TR#: 1Z 1X2 X3X V4 0000 5400 **SHP #:1X2X 3X33 3TT**

SAMPLE

Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limits UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of tender of the shipment and UPS reserves the right to route the shipment in any way it deems appropriate. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported from the US, shipper certifies that the commodities, technology or software were exported from the US in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited.

18.5A 01/2020

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Introduction

Refrigeration Service is offered as a contract service only. This service allows a package to be refrigerated at certain UPS facilities if necessary.

Label Format Requirements

The refrigeration service indicator must print in the top right corner of the shipping label.

- Data Content:
  Text = RFG
- Font Size = 16 pt. bold

U.S. Domestic Label

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Overview

Dry Ice and Biological Substances are offered as contract services. When using these services, the label must contain additional information to meet regulatory requirements and assist UPS in processing the shipment.

NOTE: Dry ice is a general service offering for certain United States and Puerto Rico domestic shipments.

The service may be used with UPS Returns™ or UPS Import Control™. The label requirements can be found in the main UPS Guide to Labeling document.

Dry Ice Label Format Requirements

When shipping dry ice, the data below must print in the Additional Routing Instructions block of the label immediately below the Description of Goods. The weight of the dry ice must always be in kilograms and must be rounded to the next tenth.

- Data Content

Positions	1-29*	=	UN1845, DRY ICE, CLASS 9, 1 x
Position	30	=	Space
Positions	31-35	=	Up to five numeric (inclusive of decimal point) representing the weight of the dry ice in the package to which the label will be affixed.
Position	36	=	Space
Positions	37-38	=	KG

- Font Size = 10 pt.
- For Example: UN1845, DRY ICE, CLASS 9, 1 x 12.5 KG

NOTE: Positions 1-29 represent static text. This text will be the same for all Dry Ice shipments.

Additionally, an Audit Indicator line must print below the Dry Ice line indicating whether an audit of the package is necessary by UPS Operations. For more details on which packages will require an audit, please refer to the UPS Rate and Service Guide.

For packages which require audit:
- Routing Instruction = AUDIT REQUIRED

For packages which do not require audit:
- Routing Instruction = NO AUDIT REQUIRED
- Font Size = 10 pt.

Aduits are performed for the following scenarios:

For non-medical domestic air shipments:

Under 49CFR Regulations, if shipping above 5.5 lbs or less – no acceptance audit is performed.

Under IATA Regulations, regardless of weight – an acceptance audit is performed.

For non-medical international shipments:

Under IATA Regulations, regardless of weight – an acceptance audit is performed.

For medical domestic air shipments:

Under IATA Regulations, regardless of weight – an acceptance audit is performed.

For medical international shipments:

Under IATA Regulations, regardless of weight – an acceptance audit is performed.

Please go to www.ups.com for more information regarding Dry Ice

BIOLOGICAL SUBSTANCES LABEL FORMAT REQUIREMENTS

When shipping biological substances, the following text must print centered in the Additional Routing Instructions block of the label immediately below the Power of Attorney line.
- Routing Instruction = ISC-BIO
- Font Size = 10 pt. bold

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
CHICAGO IL 60607
UNITED STATES

25 LBS

1 OF 1

SHP#: 1X2X 3XTT M4H
SHP WT: 25 LBS
SHP DWT: 25 LBS
DATE: 11 JAN 2020

SHIP TO:
CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
WINDSOR ON N8N2M1
CANADA

CAN 527 9-00

UPS EXPRESS
TRACKING #: 1Z 1X2 X3X 66 9500 5404

1

BILLING: P/P
DESC: MEDICATION
UN 1845, DRY ICE, CLASS 9, 1 x 6 KG
AUDIT REQUIRED

INV
POA

18.5A 01/2020

Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limits UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of tender of the shipment and UPS reserves the right to route the shipment in any way it deems appropriate. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported from the US, shipper certifies that the commodities, technology or software were exported from the US in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
CHICAGO IL 60607
UNITED STATES

30 LBS

1 OF 1

SHP#: 1X2X 3X33 3TT
SHP WT: 30 LBS
SHP DWT: 30 LBS
DATE: 11 JAN 2020

SHIP TO:
CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
12099 BERLIN
GERMANY

DEU 091 0-00

UPS EXPRESS
TRACKING #: 1Z 1X2 X3X 66 0000 5403

1

BILLING: P/P
DESC: BLOOD SAMPLES
UN 1845, DRY ICE, CLASS 9, 1 x 6 KG
AUDIT REQUIRED

INV
POA
ISC-BIO

18.5A 01/2020

Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limits UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of tender of the shipment and UPS reserves the right to route the shipment in any way it deems appropriate. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported from the US, shipper certifies that the commodities, technology or software were exported from the US in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Introduction

UPS® Premier is a contractual service by which customers can easily ship complex, sensitive packages (e.g., healthcare and pharmaceutical items) with the assurance that these packages will be treated with the highest level of care. UPS® Premier customers will have the flexibility to choose not only from multiple levels (Silver, Gold, & Platinum) to best suit their shipping needs, but also from numerous special handling instructions to ensure the integrity of their shipments by prompting rapid response time should such packages become distressed. The Radio Frequency Identification (RFID) labels for UPS Premier Silver Packages and the Mesh Identifier for UPS Premier Gold and Platinum Packages contribute to this rapid response. UPS® Premier provides customers a high level of visibility into their critical shipments, resulting in greater reliability and confidence in UPS service.

Label Format Requirements

The following text must print in the Package Information Block of a UPS® Premier label for all origins and destinations. The required text depends on the UPS® Premier service option selected.

UPS® Premier Silver:
- Data Content = SLV
- Font Size = 16 pt. bold

UPS® Premier Gold:
- Data Content = GLD
- Font Size = 16 pt. bold

UPS® Premier Platinum:
- Data Content = PLT
- Font Size = 16 pt. bold

The UPS® Premier indicator box must print using the following guidelines:
- Indicator = V
- Text Color = White
- Font Size = 28 pt. bold
- Black Square = 0.35 inches x 0.35 inches
- Left justification

See label images on the following pages.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.



© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.



© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Introduction

The UPS Paperless™ Invoice allows shippers to submit a paperless commercial invoice for international movements. The UPS Paperless™ Invoice is offered by contract only. For paperless shipments, the shipping label must contain additional information to assist UPS in processing your shipment.

International Documentation Indicators

When the UPS Paperless™ Invoice is used, special International Documentation Indicators must be printed on the label to alert UPS Operations that the shipment is paperless. The indicators are:

- EDI
  The invoice is the only customs document required.
- EDI-PULL
  There are additional customs documents included with the shipment.
- EDI-IDIS
  There are additional customs documents uploaded to International Document Imaging System
- EDI-CCP
  The paperless shipment is UPS World Ease™.
- EDI-IDIS-RS

The paperless returns and Import Control shipment have additional customs documents uploaded to the international document imaging system.

- EDI-RS

This is UPS Paperless Returns and Import Control Shipment.

- EDI-RS1

This is UPS Paperless Returns and Import Control Shipment.

- EDI-RS3

This is UPS Paperless Returns and Import Control Shipment.

- Font Size = 16 pt. bold

PDF417 Barcode

A PDF417 must print on the label when required. For details on the PDF417 Barcode, please refer to the PDF417 Barcode Symbology document.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
CHICAGO IL 60607
UNITED STATES

8 LBS

1 OF 1

SHP#: 1X2X 3X33 3TT
SHP WT: 8 LBS
SHP DWT: 8 LBS
DATE: 17 MAY 2019

SHIP TO:
CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
12099 BERLIN
GERMANY

DEU 091 0-00

UPS SAVER
TRACKING #: 1Z 1X2 X3X 04 0000 5403

1P

BILLING: P/P
DESC: COMPUTER EQUIPMENT

EDI-IDIS
POA
12.5A 04/2019

4"x 4.25" label format prints the PDF417 Barcode on 2nd label

Backup Document - Please Place on Package

TR#: 1Z 1X2 X3X 04 0000 5403 SHP#:1X2X 3X33 3TT

SAMPLE

Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limits UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of tender of the shipment and UPS reserves the right to route the shipment in any way it deems appropriate. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported from the US, shipper certifies that the commodities, technology or software were exported from the US in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited.

12.5A 04/2019

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

4"x 6" label format prints the PDF417 Barcode at the bottom of the label

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
60386 FRANKFURT
GERMANY

38 KG

1 OF 1

SHP#: 1X2X 3X33 3TT
SHP WT: 38 KG
SHP DWT: 38 KG
DATE: 11 JAN 2020

SHIP TO:
CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
TOKYO 1000004
JAPAN

JPN 106 1-00

UPS EXPEDITED
TRACKING #: 1Z 1X2 X3X 67 0000 5410

2

BILLING: P/P
DESC: AUTO PARTS

EDI-PULL

18.5A 01/2020

4"x 4.25" label format prints the PDF417 Barcode on 2nd label

Backup Document - Please Place on Package

TR#: 1Z 1X2 X3X 67 0000 5410 SHP#:1X2X 3X33 3TT

SAMPLE

Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limits UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of

SHIPPER'S SIGNATURE: DATE:

18.5A 01/2020

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Introduction

UPS allows customers to upload images of their international shipping documents. The forms include the following:

- Commercial Invoice
- Shipper Export Declaration
- US Certificate of Origin
- NAFTA Certificate of Origin
- Packing List
- Other customs forms

International Documentation Indicator

When uploading images of international forms, a special International Documentation Indicator must be printed on the label. The indicator will alert UPS Operations that images for the shipment have been uploaded and paper forms may not be attached to the package. The indicator is:

- EDI-IDIS
- Font Size = 16 pt. bold

UPS Saver - US to Germany Shipment

4"x 4.25" label format prints the PDF417 Barcode on 2nd label



© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
60386 FRANKFURT
GERMANY

38 LBS **1 OF 1**
SHP#: 1X2X3X 7HP3K
SHP WT: 38 KG
SHP DWT: 38 KG
DATE: 11 JAN 2020

SHIP TO: CONTACT NAME
PHONE NUMBER
COMPANY NAME
EXTENDED ADDRESS
STREET ADDRESS
TOKYO 1000004
JAPAN

JPN 106 1-00

UPS EXPEDITED
TRACKING #: 1Z 1X2 X3X 67 1100 5408 **2**

BILLING: P/P
DESC: AUTO PARTS
AES NOEEI 30.37(A)

EDI-IDIS

18.5A 01/2020

4"x 4.25" label format prints the PDF417 Barcode on 2nd label

Backup Document - Please Place on Package

TR#: 1Z 1X2 X3X 67 1100 5408 SHP#: 1X2X3X 7HP3K

SAMPLE

Shipper agrees to the UPS Terms found at www.ups.com and UPS service centers. For international air carriage, the Warsaw Convention as amended or Montreal Convention may apply and limits UPS's liability for loss or damage to cargo. International carriage by road may be subject to the Convention on the Contract for the International Carriage of Goods By Road. Except as otherwise governed by international conventions or other mandatory law, the UPS Terms limit UPS's liability for damage, loss or delay of this shipment. There are no stopping places agreed upon at the time of tender of the shipment and UPS reserves the right to route the shipment in any way it deems appropriate. Where allowed by law, shipper authorizes UPS to act as forwarding agent for export control and customs purposes. If exported from the US, shipper certifies that the commodities, technology or software were exported from the US in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited.

18.5A 01/2020

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Introduction

The UPS Returns™ Pack and Collect service is a contractual returns service for the retrieval of high-value products from the original receiver for return to the shipper or to an alternate location. The UPS Returns™ Pack and Collect service allows a shipper to initiate a next day collection leveraging UPS Return Services RS1 and RS3 and a selection of specially designed, UPS-branded UPS Returns Pack and Collect packaging.

The UPS service provider performs a basic visual inspection of the item to be returned and it is packed in the empty UPS-provided packaging.

Label Format Requirements

The label is created at a UPS facility - so creating a label is not required, but the service indicator will need to be transmitted to UPS.

Service Indicators, Icons and MaxiCode™ Class of Service for International Movements and Movements Outside of the United States and Puerto Rico

Service Title	Service Indicator	Service Icon	Class of Service
UPS EXPRESS PLUS™			
1 Pickup Attempt	5N	1+	181
3 Pickup Attempts	5P	1+	182
UPS EXPRESS™			
1 Pickup Attempt	5T	1	186
1 Pickup Attempt Saturday Delivery	5Y	1 S	190
3 Pickup Attempts	5W	1	188
3 Pickup Attempts, Saturday Delivery	6A	1 S	202
UPS SAVER™			
1 Pickup Attempt	6G	1P	207
3 Pickup Attempts	6H	1P	208
UPS EXPEDITED™			
1 Pickup Attempt	6N	2	213
3 Pickup Attempts	6P	2	214
UPS® STANDARD			
1 Pickup Attempt	6T	Black Square	218
3 Pickup Attempts	6W	Black Square	220
UPS EXPRESS™ 12:00			
1 Pickup Attempt	Q0	1	736
3 Pickup Attempts	Q1	1	737

*Note: UPS EXPRESS™ 12:00 service is only available in Germany (DE to DE shipments)

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Introduction

The UPS Returns™ Exchange service is a round-trip transportation service designed to improve the exchange of merchandise between a shipper and receiver. It is a contractual, combined delivery/pickup service for single-piece, single-part shipments and is targeted to high-value products.

The UPS service provider delivers the item and performs a basic visual inspection of the item to be returned. The item is packed back into the packaging for the item that was delivered and is returned to the shipper.

Label Format Requirements

When using the UPS Returns™ Exchange service, the Service Indicators and MaxiCode™ Class of Service codes listed in this document must be used.

Appropriate text must print in the Additional Routing Instructions block of the label.

When the exchange item is similar, the routing instructions is:
EXCHANGE - LIKE ITEM ONLY

When the exchange item is not similar, the routing instructions is:
EXCHANGE - DRIVER INSTRUCTIONS INSIDE
• Font Size = 10 pt.

In addition, when a PDF417 barcode is required on the label, it must either contain a forward or return indicator (refer to the UPS Guide to Labeling PDF417 Supplement for more information) .

The UPS Returns™ pickup label requirements can be found in the main UPS Guide to Labeling document.

Service Indicators, Icons and MaxiCode™ Class of Service for United States and Puerto Rico

Service Title	Service Indicator	Service Icon	Class of Service
UPS NEXT DAY AIR™ EARLY	6Y	1+	222
Adult Signature	7A	1+	234
Saturday Delivery	7G	1+S	239
Saturday Delivery, Adult Signature	7H	1+S	240
UPS NEXT DAY AIR™	7N	1	245
Adult Signature	7T	1	250
Shipper Release	7Y	1	254
Saturday Delivery	7P	1 S	246
Saturday Delivery, Adult Signature	7W	1 S	252
Saturday Delivery, Shipper Release	8A	1 S	266
UPS NEXT DAY AIR™ SAVER	8G	1P	271
Adult Signature	8H	1P	272
UPS 2ND DAY AIR™ A.M.	8N	2A	277
Adult Signature	8P	2A	278
UPS 2ND DAY AIR™	8T	2	282
Adult Signature	8Y	2	286
Shipper Release	9G	2	303
Saturday Delivery	8W	2 S	284
Saturday Delivery, Adult Signature	9A	2 S	298
Saturday Delivery, Shipper Release	9H	2 S	304
UPS 3 DAY SELECT™	9N	3	309
Adult Signature	9P	3	310
UPS® GROUND	9T	Black Square	314
Adult Signature	9W	Black Square	316
Shipper Release	9Y	Black Square	318

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Service Indicators, Icons and MaxiCode™ Class of Service
for International Movements and Movements Outside of the United States and Puerto Rico

Service Title	Service Indicator	Service Icon	Class of Service
UPS EXPRESS PLUS™	HP	1+	534
Adult Signature	N5	1+	677
Saturday Delivery	N4	1+S	676
Saturday Delivery, Adult Signature	P3	1+S	707
UPS EXPRESS™ (NA1)	PH	1	720
Adult Signature	T4	1	836
Saturday Delivery	T5	1 S	837
Saturday Delivery, Adult Signature	AQ	1 S	343
UPS EXPRESS™	AS	1	345
Adult Signature	CQ	1	375
Saturday Delivery	AZ	1 S	351
Saturday Delivery, Adult Signature	CS	1 S	377
UPS SAVER™	DS	1P	409
Adult Signature	DV	1P	411
UPS EXPEDITED™	DW	2	412
Adult Signature	DX	2	413
UPS® STANDARD	DY	Black Square	414
Adult Signature	DZ	Black Square	415
UPS EXPRESS™ 12:00	Q2	1	738
Adult Signature	Q3	1	739

Note: UPS UPS EXPRESS™ 12:00 is only available in Germany (DE to DE movements)

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Forward Movement and Return movement labels

CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
TIMONIUM MD 21093

30 LBS

1 OF 1

SHIP TO: CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
ALPHARETTA GA 30005-4177

GA 301 9-01

UPS GROUND
TRACKING #: 1Z 1X2 X3X 9T 0000 5400

BILLING: P/P
EXCHANGE - LIKE ITEM ONLY

18.5A 01/2020

CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
ALPHARETTA GA 30005

30 LBS

RS

1 OF 1

SHIP TO: CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
TIMONIUM MD 21093

MD 211 9-65

UPS GROUND
TRACKING #: 1Z 1X2 X3X 90 0000 5402

BILLING: P/P
DESC: BASKETBALLS
RETURN SERVICES

18.5A 01/2020

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
60386 FRANKFURT
GERMANY

20 KG

1 OF 1

SHP#: 1X2X 3X33 9TT
SHP WT: 20 KG
SHP DWT: 20 KG
DATE: 11 JAN 2020

SHIP TO:
CONTACT NAME
PHONE NUMBER
COMPANY NAME
STREET ADDRESS
75008 PARIS
FRANCE

FRA 196 3-75

UPS STANDARD
TRACKING #: 1Z 1X2 X3X DY 0000 5404

BILLING: P/P
EXCHANGE - DRIVER INSTRUCTIONS INSIDE
DESC: CHINESE FABRIC

EDI

18.5A 01/2020

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Consolidated Movement (CM) Shipment ID Assignment and Approval for Automated Systems

The Consolidated Movement Shipment ID Numbers, also known as the Unique Shipment Identifier (USI) are assigned on a per account basis. Please contact your UPS Trade Direct™ Account Executive to obtain a range of numbers for your automated system or for manual entry.

In order to receive a block of numbers, you will need to submit a block of 20 numbers beginning with 1111111111 for verification of check digit calculation. Your system is required to configure such that the currently issued block of numbers cannot be reused. It is recommended that a low pool warning be displayed when the block is close to being exhausted. The user must be prevented from shipping if the block of numbers has been exhausted. To obtain validation of your system generated Consolidated Movement (CM) Shipment ID numbers, please contact your Trade Direct Account Executive.

Check Digit Calculation for Trade Direct Consolidated Movement (CM) Shipment ID/ Unique Shipment Identifier (USI)

The Consolidated Movement Shipment ID Numbers, also known as the Unique Shipment Identifier (USI), are assigned sequentially. They consist of a nine digit number plus a check digit. The check digit is selected from the string "0123456789T" using the MOD11 method. A modulo of the nine digit base number and the number 11 as a zero-based offset into the string of possible check digits.

- For Example: 8674398414
  The number four at the end of the example is the check digit.

- Example #1
  867439841/11 = 78858164 with a remainder of 4
  The remainder becomes the check digit and the shipment number is 8674398414.

- Example #2
  840000028/11 = 76363638 with a remainder of 10
  If the remainder is 10, the check digit is a "T". The shipment number is 840000028T.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.

Check Digit Calculation for Trade Direct Sub Pro Number

The 10th digit of the Sub Pro number is a Mod-11 check digit. This check digit is used by scanning systems and data entry programs as a way to ensure that captured Sub Pro number is accurate and complete.

Check Digit Calculation for Trade Direct Consolidated Movement Sub Pro Number

The Consolidated Movement Sub Pro Numbers, are assigned sequentially. They consist of a nine digit number plus a check digit. The check digit is selected from the string "0123456789T" using the MOD11 method. A modulo of the nine digit base number and the number 11 as a zero-based offset into the string of possible check digits.

- For Example: 8674398414
  The number four at the end of the example is the check digit.

- Example #1
  867439841/11 = 78858164 with a remainder of 4
  The remainder becomes the check digit and the shipment number is 8674398414.

- Example #2
  840000028/11 = 76363638 with a remainder of 10
  If the remainder is 10, the check digit is a "T". The shipment number is 840000028T.

© 2024 United Parcel Service of America, Inc. UPS and the UPS brandmark are trademarks of United Parcel Service of America, Inc. All rights reserved.