testcase12_parquet_parquet_mismatch_manual schema comparison

1. Run Summary

Application Name :etl_pipeline_goldlayer

Protocol Name :DATFDemo

Protocol File Path :/Workspace/Shared/QE_ATF_Enhanced_03/datf_core/test/testprotocol/traversedtestprotoc

ol_schema_loman.xlsx

Testcase Name :testcase12_parquet_mismatch_manual

Testcase Type :schema
Test Environment :SIT

Start Time :16-Apr-2025 09:25:52 UTC End Time :16-Apr-2025 09:28:46 UTC

Run Time :0:02:54
Test Result :Failed

Reason :Content mismatched

2. Configuration Details

Compare Type :likeobjectcompare

testquerygenerationmode :Auto
Testcase Type :schema
Source Connection Name :RawS3Bucket
Source Connection Type :aws-s3
Source Connection Value :RawS3Bucket
Source Format :parquet

Source Format :parquet
Source Name :patients_so

Source Name:patients_source_parquetSource Path:test/data/sourceTarget Connection Name:CuratedS3Bucket

Target Connection Type :aws-s3

Target Connection Value :CuratedS3Bucket

Target Format :parquet

Target Name :patients_source_parquet

Target Path :test/data/source

S2T Path :test/s2t/s2t_1_parquet_mismatch.xlsx

. . . .

Primary Keys :id

3. Schema Summary

Test Result	:Failed
No. of matched columns	:12
No. of columns compared	:10
No. of cols in Source but not in Target	:0
No. of cols in Target but not in Source	:0
No. of rows in Source	:50
No. of distinct rows in Source	:50
No. of duplicate rows in Source	:0
No. of rows in Target	:50
No. of distinct rows in Target	:25
No. of duplicate rows in Target	:25
No. of matched rows	:0
No. of mismatched rows	:25
No. of rows in Source but not in Target	:25
No. of rows in Target but not in Source	:0

4. SQL Queries

4.1 Source Query

select * from s2tmappingsheet.schema where tabletype in ('source', 'target')

4.2 Target Query

5. Sample Mismatches 8 rows

5.1 Keys in source but not in target

S.No	Key Columns		
1	tabletype=source, columnname= id		
2	tabletype=source, columnname= LAST		
3	tabletype=source, columnname= COUNTY		
4	tabletype=source, columnname= RACE		
5	tabletype=source, columnname= ETHNICITY		
6	tabletype=source, columnname= BIRTHPLACE		
7	tabletype=source, columnname= HEALTHCARE_COVERAGE		
8	tabletype=source, columnname= SUFFIX		

5.2 Keys in target but not in source

None

5.3 Keys having one or more unequal column values

S.No	Key Columns		
1	tabletype=target, columnname= ADDRESS		
2	tabletype=target, columnname= BIRTHDATE		
3	tabletype=target, columnname= BIRTHPLACE		
4	tabletype=target, columnname= CITY		
5	tabletype=target, columnname= COUNTY		
6	tabletype=target, columnname= DEATHDATE		
7	tabletype=target, columnname= DRIVERS		
8	tabletype=target, columnname= ETHNICITY		

6. Columnwise Mismatch Summary

No. of rows in Source :50 No. of rows in Target :50

S.No	Source Column Name	Target Column Name	Rows in Source	Rows in Target	Rows with Common Keys	Rows Matched	Rows Mismatch
1	tablename	tablename	50	50	0	0	25
2	columnindex	columnindex	50	50	0	0	25
3	datatype	datatype	50	50	0	23	2
4	primarykey	primarykey	50	50	0	24	1

7. Columnwise Mismatch Details

7.1 tablename

S.No	Key Columns	Source value	Target value
1	tabletype=target, columnname= COUNTY	targetdata	rawpatients
2	tabletype=target, columnname= MAIDEN	targetdata	rawpatients
3	tabletype=target, columnname= CITY	targetdata	rawpatients
4	tabletype=target, columnname= LAST	targetdata	rawpatients
5	tabletype=target, columnname= LON	targetdata	rawpatients
6	tabletype=target, columnname= GENDER	targetdata	rawpatients
7	tabletype=target, columnname= STATE	targetdata	rawpatients

8 tabletype=target, columnname= LA1 targetdata rawpatients

7.2 columnindex

S.No	Key Columns	Source value	Target value
1	tabletype=target, columnname= COUNTY	20	
2	tabletype=target, columnname= CITY	18	
3	tabletype=target, columnname= MAIDEN	11	
4	tabletype=target, columnname= LAST	9	
5	tabletype=target, columnname= LON	23	
6	tabletype=target, columnname= GENDER	15	
7	tabletype=target, columnname= STATE	19	
8	tabletype=target, columnname= LAT	22	

7.3 datatype

S.No	Key Columns	Source value	Target value
1	tabletype=target, columnname= DEATHDATE	datetime	date
2	tabletype=target, columnname= BIRTHDATE	datetime	date

7.4 primarykey

S.No	Key Columns	Source value	Target value
1	tabletype=target, columnname= id	Y	