testcase34_delta_parquet_auto
content comparison

1. Run Summary

Application Name	:sample
Protocol Name	:DATFDemo
Protocol File Path	:/Workspace/Repos/sahil.gupta@tigeranalytics.com/QE_ATF/datf_core//test/testprotocol/fewtestprotocol.xlsx
Testcase Name	:testcase34_delta_parquet_auto
Testcase Type	:content
Test Environment	:dev
Start Time	:02-Oct-2024 08:10:02 UTC
End Time	:02-Oct-2024 08:11:02 UTC
Run Time	:0:01:00
Test Result	:Passed
Reason	:Content matched

2. Configuration Details

Compare Type	:s2tcompare
testquerygenerationmode	:Auto
Testcase Type	:content
Source Connection Name	:LandingLocation
Source Connection Type	:databricks
Source Format	:parquet
Source Path	:/Workspace/Repos/sahil.gupta@tigeranalytics.com/QE_ATF/datf_core/test/data/source/patients_source_parquet
Target Connection Name	:LandingLocation
Target Connection Type	:databricks
Target Format	:delta
Target Path	:/Workspace/Repos/sahil.gupta@tigeranalytics.com/QE_ATF/datf_core/dbfs:/user/hive/warehouse/healthcare.db/hive_patient_target
S2T Path	:test/s2t/s2t_34_delta_parquet_auto.xlsx
Primary Keys	:Id_New

3. Content Summary

Test Result	:Passed
No. of matched columns	:25
No. of columns compared	:24
No. of cols in Source but not in Target	:0
No. of cols in Target but not in Source	:0
No. of rows in Source	:1,171
No. of distinct rows in Source	:1,171
No. of duplicate rows in Source	:0
No. of rows in Target	:1,171
No. of distinct rows in Target	:1,171
No. of duplicate rows in Target	:0
No. of matched rows	:1,171
No. of mismatched rows	:0
No. of rows in Source but not in Target	:0
No. of rows in Target but not in Source	:0

4. SQL Queries
4.1 Source Query

readdataadf=spark.read.format('parquet').load('file:/Workspace/Repos/sahil.gupta@tigeranalytics.com/QE_ATF/datf_core/test/data/source/patients_source_parquet')

readdataadf.createOrReplaceTempView('dataview')

spark.sql("SELECT src.Id as Id_New, src.BIRTHDATE as BIRTHDATE, src.DEATHDATE as DEATHDATE, src.SSN as

SSN, src.DRIVERS as DRIVERS, src.PASSPORT as PASSPORT, src.PREFIX as PREFIX, src.FIRST as FIRST, src.LAST as LAST, src.SUFFIX as SUFFIX, src.MAIDEN as MAIDEN, src.MARITAL as MARITAL, src.RACE as RACE, src.ETHNICITY as ETHNICITY, src.GENDER as GENDER, src.BIRTHPLACE as BIRTHPLACE, src.ADDRESS as ADDRESS, src.CITY as CITY, src.STATE as STATE, src.COUNTY as COUNTY, src.ZIP as ZIP, src.LAT as LAT, src.LON as LON, src.HEALTHCARE_EXPENSES as HEALTHCARE_EXPENSES, src.HEALTHCARE_COVERAGE as HEALTHCARE_COVERAGE FROM dataview src ")

4.2 Target Query

readdatadf=spark.read.format('delta').load('dbfs:/user/hive/warehouse/healthcare.db/hive_patient_target')

readdatadf.createOrReplaceTempView('dataview')

spark.sql("SELECT Id_New, BIRTHDATE, DEATHDATE, SSN, DRIVERS, PASSPORT, PREFIX, FIRST, LAST, SUFFIX, MAIDEN, MARITAL, RACE, ETHNICITY, GENDER, BIRTHPLACE, ADDRESS, CITY, STATE, COUNTY, ZIP, LAT, LON, HEALTHCARE_EXPENSES, HEALTHCARE_COVERAGE FROM dataview tgt ")

5. Sample Mismatches 8 rows
5.1 Keys in source but not in target

   None
5.2 Keys in target but not in source

   None
5.3 Keys having one or more unequal column values

   None
6. Columnwise Mismatch Summary

   None
7. Columnwise Mismatch Details

   None