# testcase12_parquet_parquet_mismatch_manual
## content comparison

## 1. Run Summary

| | |
|---|---|
| Application Name | :etl_pipeline_goldlayer |
| Protocol Name | :DATFDemo |
| Protocol File Path | :/Workspace/Shared/QE_ATF_Latest/datf_core/test/testprotocol/traversedtestprotocol.xlsx |
| Testcase Name | :testcase12_parquet_parquet_mismatch_manual |
| Testcase Type | :content |
| Test Environment | :SIT |
| Start Time | :16-Jan-2025 13:42:30 UTC |
| End Time | :16-Jan-2025 13:43:02 UTC |
| Run Time | :0:00:32 |
| Test Result | :Passed |
| Reason | :Content matched |

## 2. Configuration Details

| | |
|---|---|
| Compare Type | :likeobjectcompare |
| testquerygenerationmode | :Manual |
| Testcase Type | :content |
| Source Connection Name | :RawS3Bucket |
| Source Connection Type | :aws-s3 |
| Source Connection Value | :RawS3Bucket |
| Source Format | :parquet |
| Source Name | :patients_source_parquet |
| Source Path | :/test/data/source |
| Target Connection Name | :CuratedS3Bucket |
| Target Connection Type | :aws-s3 |
| Target Connection Value | :CuratedS3Bucket |
| Target Format | :parquet |
| Target Name | :patients_source_parquet |
| Target Path | :/test/data/source |
| Primary Keys | :id |

## 3. Content Summary

| | |
|---|---|
| Test Result | :Passed |
| No. of matched columns | :25 |
| No. of columns compared | :24 |
| No. of cols in Source but not in Target | :0 |
| No. of cols in Target but not in Source | :0 |
| No. of rows in Source | :1,171 |
| No. of distinct rows in Source | :1,171 |
| No. of duplicate rows in Source | :0 |
| No. of rows in Target | :1,171 |
| No. of distinct rows in Target | :1,171 |
| No. of duplicate rows in Target | :0 |
| No. of matched rows | :1,171 |
| No. of mismatched rows | :0 |
| No. of rows in Source but not in Target | :0 |
| No. of rows in Target but not in Source | :0 |

## 4. SQL Queries
### 4.1 Source Query

SELECT
ADDRESS,BIRTHDATE,BIRTHPLACE,CITY,COUNTY,DEATHDATE,DRIVERS,ETHNICITY,FIRST,GENDER,HEALTH
CARE_COVERAGE,HEALTHCARE_EXPENSES,LAST,LAT,LON,MAIDEN,MARITAL,PASSPORT,PREFIX,RACE,SSN,
STATE,SUFFIX,ZIP,id FROM rawpatients

### 4.2 Target Query

SELECT

ADDRESS,BIRTHDATE,BIRTHPLACE,CITY,COUNTY,DEATHDATE,DRIVERS,ETHNICITY,FIRST,GENDER,HEALTH CARE_COVERAGE,HEALTHCARE_EXPENSES,LAST,LAT,LON,MAIDEN,MARITAL,PASSPORT,PREFIX,RACE,SSN, STATE,SUFFIX,ZIP,id FROM curatedpatients

## 5. Sample Mismatches 8 rows

### 5.1 Keys in source but not in target

None

### 5.2 Keys in target but not in source

None

### 5.3 Keys having one or more unequal column values

None

## 6. Columnwise Mismatch Summary

None

## 7. Columnwise Mismatch Details

None

## 1. Run Summary

| | |
|---|---|
| Application Name | :etl_pipeline_goldlayer |
| Protocol Name | :DATFDemo |
| Protocol File Path | :/Workspace/Shared/QE_ATF_Latest/datf_core/test/testprotocol/traversedtestprotocol.xlsx |
| Testcase Name | :testcase15_parquet_parquet_match_likeobject |
| Testcase Type | :content |
| Test Environment | :SIT |
| Start Time | :16-Jan-2025 13:43:02 UTC |
| End Time | :16-Jan-2025 13:43:31 UTC |
| Run Time | :0:00:29 |
| Test Result | :Passed |
| Reason | :Content matched |

## 2. Configuration Details

| | |
|---|---|
| Compare Type | :likeobjectcompare |
| testquerygenerationmode | :Auto |
| Testcase Type | :content |
| Source Connection Name | :RawS3Bucket |
| Source Connection Type | :aws-s3 |
| Source Connection Value | :RawS3Bucket |
| Source Format | :parquet |
| Source Name | :patients_source_parquet |
| Source Path | :/test/data/source |
| Target Connection Name | :CuratedS3Bucket |
| Target Connection Type | :aws-s3 |
| Target Connection Value | :CuratedS3Bucket |
| Target Format | :parquet |
| Target Name | :patients_source_parquet |
| Target Path | :/test/data/source |
| Primary Keys | :id |

## 3. Content Summary

| | |
|---|---|
| Test Result | :Passed |
| No. of matched columns | :25 |
| No. of columns compared | :24 |
| No. of cols in Source but not in Target | :0 |
| No. of cols in Target but not in Source | :0 |
| No. of rows in Source | :1,171 |
| No. of distinct rows in Source | :1,171 |
| No. of duplicate rows in Source | :0 |
| No. of rows in Target | :1,171 |
| No. of distinct rows in Target | :1,171 |
| No. of duplicate rows in Target | :0 |
| No. of matched rows | :1,171 |
| No. of mismatched rows | :0 |
| No. of rows in Source but not in Target | :0 |
| No. of rows in Target but not in Source | :0 |

## 4. SQL Queries

### 4.1 Source Query

SELECT
ADDRESS,BIRTHDATE,BIRTHPLACE,CITY,COUNTY,DEATHDATE,DRIVERS,ETHNICITY,FIRST,GENDER,HEALTH
CARE_COVERAGE,HEALTHCARE_EXPENSES,LAST,LAT,LON,MAIDEN,MARITAL,PASSPORT,PREFIX,RACE,SSN,
STATE,SUFFIX,ZIP,id FROM actualpatients

### 4.2 Target Query

SELECT

ADDRESS,BIRTHDATE,BIRTHPLACE,CITY,COUNTY,DEATHDATE,DRIVERS,ETHNICITY,FIRST,GENDER,HEALTH CARE_COVERAGE,HEALTHCARE_EXPENSES,LAST,LAT,LON,MAIDEN,MARITAL,PASSPORT,PREFIX,RACE,SSN, STATE,SUFFIX,ZIP,id FROM expectedpatients

## 5. Sample Mismatches 5 rows

### 5.1 Keys in source but not in target

None

### 5.2 Keys in target but not in source

None

### 5.3 Keys having one or more unequal column values

None

## 6. Columnwise Mismatch Summary

None

## 7. Columnwise Mismatch Details

None