# testcase12\_parquet\_parquet\_mismatch\_manual

#### schema comparison

### 1. Run Summary

Application Name :etl\_pipeline\_goldlayer

Protocol Name :DATFDemo

Protocol File Path :/Workspace/Shared/QE\_ATF\_Enhanced\_03/datf\_core/test/testprotocol/traversedtestprotoc

ol.xlsx

Testcase Name :testcase12\_parquet\_parquet\_mismatch\_manual

Testcase Type :schema
Test Environment :SIT

Start Time :09-Apr-2025 04:40:03 UTC End Time :09-Apr-2025 04:42:50 UTC

Run Time :0:02:46 Test Result :Failed

Reason :Content mismatched

#### 2. Configuration Details

Compare Type :likeobjectcompare

testquerygenerationmode :Auto
Testcase Type :schema
Source Connection Name :RawS3Bucket
Source Connection Type :aws-s3
Source Connection Value :RawS3Bucket
Source Format :parquet

Source Name :patients\_source\_parquet

Source Path :test/data/source
Target Connection Name :CuratedS3Bucket

Target Connection Type :aws-s3

Target Connection Value :CuratedS3Bucket

Target Format :parquet

Target Name :patients\_source\_parquet

Target Path :test/data/source

S2T Path :test/s2t/s2t\_1\_parquet\_mismatch.xlsx

Primary Keys :id

#### 3. Schema Summary

Test Result	:Failed
No. of matched columns	:12
No. of columns compared	:10
No. of cols in Source but not in Target	:0
No. of cols in Target but not in Source	:0
No. of rows in Source	:50
No. of distinct rows in Source	:50
No. of duplicate rows in Source	:0
No. of rows in Target	:50
No. of distinct rows in Target	:50
No. of duplicate rows in Target	:0
No. of matched rows	:0
No. of mismatched rows	:50
No. of rows in Source but not in Target	:0
No. of rows in Target but not in Source	:0

### 4. SQL Queries

#### **4.1 Source Query**

select \* from s2tmappingsheet.schema where tabletype in ('source', 'target')

### **4.2 Target Query**

DESCRIBE parquetview union DESCRIBE parquetview

### 5. Sample Mismatches 8 rows

# 5.1 Keys in source but not in target

None

### 5.2 Keys in target but not in source

None

## 5.3 Keys having one or more unequal column values

S.No	Key Columns
1	tabletype=source, columnname= ADDRESS
2	tabletype=source, columnname= BIRTHDATE
3	tabletype=source, columnname= BIRTHPLACE
4	tabletype=source, columnname= CITY
5	tabletype=source, columnname= COUNTY
6	tabletype=source, columnname= DEATHDATE
7	tabletype=source, columnname= DRIVERS
8	tabletype=source, columnname= ETHNICITY

## 6. Columnwise Mismatch Summary

No. of rows in Source :50 No. of rows in Target :50

S.No	Source Column Name	Target Column Name	Rows in Source	Rows in Target	Rows with Common Keys	Rows Matched	Rows Mismatch
1	tablename	tablename	50	50	0	0	50
2	columnindex	columnindex	50	50	0	0	50
3	datatype	datatype	50	50	0	46	4
4	primarykey	primarykey	50	50	0	48	2

### 7. Columnwise Mismatch Details

### 7.1 tablename

S.No	Key Columns	Source value	Target value
1	tabletype=source, columnname= id	sourcedata	rawpatients
2	tabletype=target, columnname= COUNTY	targetdata	curatedpatients
3	tabletype=source, columnname= LAST	sourcedata	rawpatients
4	tabletype=source, columnname= COUNTY	sourcedata	rawpatients
5	tabletype=source, columnname= RACE	sourcedata	rawpatients
6	tabletype=source, columnname= ETHNICITY	sourcedata	rawpatients
7	tabletype=target, columnname= MAIDEN	targetdata	curatedpatients
8	tabletype=target, columnname= CITY	targetdata	curatedpatients

### 7.2 columnindex

S.No	Key Columns	Source value	Target value
1	tabletype=source, columnname= id	1	
2	tabletype=source, columnname= LAST	9	
3	tabletype=target, columnname= COUNTY	20	
4	tabletype=source, columnname= COUNTY	20	
5	tabletype=source, columnname= RACE	13	
6	tabletype=source, columnname= ETHNICITY	14	
7	tabletype=target, columnname= CITY	18	

8	tabletype=target, columnname= MAIDEN	11	

# 7.3 datatype

S.No	Key Columns	Source value	Target value
1	tabletype=source, columnname= DEATHDATE	datetime	date
2	tabletype=target, columnname= DEATHDATE	datetime	date
3	tabletype=source, columnname= BIRTHDATE	datetime	date
4	tabletype=target, columnname= BIRTHDATE	datetime	date

# 7.4 primarykey

S.No	Key Columns	Source value	Target value
1	tabletype=source, columnname= id	Y	
2	tabletype=target, columnname= id	Y	