

testcase24_snowflake_snowflake_etljob

count comparison

1. Run Summary

Application Name	:sample
Protocol Name	:DATFDemo
Protocol File Path	:/Workspace/Repos/sahil.gupta@tigeranalytics.com/QE_ATF/datf_core//test/testprotocol/contenttestprotocol.xlsx
Testcase Name	:testcase24_snowflake_snowflake_etljob
Testcase Type	:count
Test Environment	:dev
Start Time	:22-Oct-2024 20:28:50 UTC
End Time	:22-Oct-2024 20:29:00 UTC
Run Time	:0:00:09
Test Result	:Failed
Reason	:Count mismatched

2. Configuration Details

Compare Type	:likeobjectcompare
testquerygenerationmode	:Auto
Testcase Type	:count
Source Connection Name	:raw_snowflake_sql_connection
Source Connection Type	:snowflake
Source Connection Value	:raw_snowflake_sql_connection
Source Format	:table
Source Name	:SAMPLE_SRC_PATIENTS
Source Exclude Columns	:BIRTHDATE,DEATHDATE
Target Connection Name	:raw_snowflake_sql_connection
Target Connection Type	:snowflake
Target Connection Value	:raw_snowflake_sql_connection
Target Format	:table
Target Name	:SAMPLE_TGT_PATIENTS
Target Exclude Columns	:BIRTHDATE,DEATHDATE
Primary Keys	:ID

3. Count Summary

Test Result	:Failed
No. of rows in Source	:1,171
No. of rows in Target	:1,169

4. SQL Queries

4.1 Source Query

SELECT Count(1) FROM SAMPLE_SRC_PATIENTS

4.2 Target Query

SELECT Count(1) FROM SAMPLE_TGT_PATIENTS

