# testcase28_manual_sql_notifications

## content comparison

## 1. Run Summary

| | |
|---|---|
| Application Name | :sample |
| Protocol Name | :DBTablesDemo |
| Protocol File Path | :/app/test/testprotocol/testprotocol.xlsx |
| Testcase Name | :testcase28_manual_sql_notifications |
| Testcase Type | :content |
| Test Environment | :dev |
| Start Time | :14-Dec-2023 06:15:10 UTC |
| End Time | :14-Dec-2023 06:17:41 UTC |
| Run Time | :0:02:31 |
| Test Result | :Failed |
| Reason | :Content mismatched |

## 2. Configuration Details

| | |
|---|---|
| Compare Type | :likeobjectcompare |
| testquerygenerationmode | :Manual |
| Testcase Type | :content |
| Source Connection Name | :raw_oracle_database_connection |
| Source Connection Type | :oracle |
| Source Connection Value | :raw_oracle_database_connection |
| Source Format | :table |
| Target Connection Name | :raw_oracle_database_connection |
| Target Connection Type | :oracle |
| Target Connection Value | :raw_oracle_database_connection |
| Target Format | :table |
| Primary Keys | :ID |

## 3. Content Summary

| | |
|---|---|
| Test Result | :Failed |
| No. of matched columns | :8 |
| No. of columns compared | :7 |
| No. of cols in Source but not in Target | :0 |
| No. of cols in Target but not in Source | :0 |
| No. of rows in Source | :6 |
| No. of distinct rows in Source | :6 |
| No. of duplicate rows in Source | :0 |
| No. of rows in Target | :4 |
| No. of distinct rows in Target | :4 |
| No. of duplicate rows in Target | :0 |
| No. of matched rows | :0 |
| No. of mismatched rows | :0 |
| No. of rows in Source but not in Target | :6 |
| No. of rows in Target but not in Source | :4 |

## 4. SQL Queries

### 4.1 Source Query

SELECT ID,BIRTHDATE,PREFIX,FIRST,LAST,SUFFIX,GENDER,STATE FROM sys.orc_patients_db WHERE
EXTRACT(MONTH FROM BIRTHDATE) = EXTRACT(MONTH FROM SYSDATE)   AND EXTRACT(DAY FROM
BIRTHDATE) = EXTRACT(DAY FROM SYSDATE)

### 4.2 Target Query

SELECT * FROM sys.orc_notifications

## 5. Sample Mismatches 8 rows

### 5.1 Keys in source but not in target

| S.No | Key Columns |
|------|-------------|
| 1 | ID=0f5646bc-a156-4ec0-9252-5b592e3d3184 |
| 2 | ID=7e3becd0-0053-4d2e-b57e-075b874c32a6 |
| 3 | ID=cfbc4b3a-979a-4773-aed4-c922e5c4729c |
| 4 | ID=c563f50c-54a9-4b37-9028-bff3db7e3e27 |
| 5 | ID=7c87072a-b448-4939-b131-de04228b5ace |
| 6 | ID=0982ef39-7ff9-4c24-8239-e9fc0667e8ca |

## 5.2 Keys in target but not in source

| S.No | Key Columns |
|------|-------------|
| 1 | ID=89105f2f-cfa9-429c-98bf-747f68567ea1 |
| 2 | ID=1930a1b6-6533-4509-ab9f-df36f00fb8ec |
| 3 | ID=92709d5b-63d2-4e47-b857-dccb09724ea3 |
| 4 | ID=92d23553-700d-488f-83a5-2ba9b9544295 |

## 5.3 Keys having one or more unequal column values

None

## 6. Columnwise Mismatch Summary

None

## 7. Columnwise Mismatch Details

None

## 1. Run Summary

| | |
|---|---|
| Application Name | :sample |
| Protocol Name | :DBTablesDemo |
| Protocol File Path | :/app/test/testprotocol/testprotocol.xlsx |
| Testcase Name | :testcase29_manual_sql_fullname |
| Testcase Type | :content |
| Test Environment | :dev |
| Start Time | :14-Dec-2023 06:18:00 UTC |
| End Time | :14-Dec-2023 06:22:43 UTC |
| Run Time | :0:04:43 |
| Test Result | :Passed |
| Reason | :Content matched |

## 2. Configuration Details

| | |
|---|---|
| Compare Type | :likeobjectcompare |
| testquerygenerationmode | :Manual |
| Testcase Type | :content |
| Source Connection Name | :raw_oracle_database_connection |
| Source Connection Type | :oracle |
| Source Connection Value | :raw_oracle_database_connection |
| Source Format | :table |
| Target Connection Name | :raw_oracle_database_connection |
| Target Connection Type | :oracle |
| Target Connection Value | :raw_oracle_database_connection |
| Target Format | :table |
| Primary Keys | :ID |

## 3. Content Summary

| | |
|---|---|
| Test Result | :Passed |
| No. of matched columns | :9 |
| No. of columns compared | :8 |
| No. of cols in Source but not in Target | :0 |
| No. of cols in Target but not in Source | :0 |
| No. of rows in Source | :1,171 |
| No. of distinct rows in Source | :1,171 |
| No. of duplicate rows in Source | :0 |
| No. of rows in Target | :1,171 |
| No. of distinct rows in Target | :1,171 |
| No. of duplicate rows in Target | :0 |
| No. of matched rows | :1,171 |
| No. of mismatched rows | :0 |
| No. of rows in Source but not in Target | :0 |
| No. of rows in Target but not in Source | :0 |

## 4. SQL Queries

### 4.1 Source Query

SELECT BIRTHDATE, ID, PREFIX, FIRST, SUFFIX, LAST, GENDER, STATE, (NVL(PREFIX,'')||' '||NVL(FIRST,'')||'
'||NVL(LAST,'')||' '||NVL(SUFFIX,'')) AS FULLNAME FROM sys.orc_patients_db

### 4.2 Target Query

SELECT BIRTHDATE, ID, PREFIX, FIRST, SUFFIX, LAST, GENDER, STATE, FULLNAME FROM sys.orc_patients_tgt

## 5. Sample Mismatches 8 rows

### 5.1 Keys in source but not in target

None

### 5.2 Keys in target but not in source

None

**5.3 Keys having one or more unequal column values**

None

**6. Columnwise Mismatch Summary**

None

**7. Columnwise Mismatch Details**

None