# testcase12\_parquet\_parquet\_mismatch\_manual fingerprint comparison

## 1. Run Summary

Application Name :etl\_pipeline\_goldlayer

Protocol Name :DATFDemo

Protocol File Path :datf\_core//test/testprotocol/testselection\_template.xlsx
Testcase Name :testcase12\_parquet\_mismatch\_manual

Testcase Type :fingerprint
Test Environment :SIT

Start Time :12-Mar-2025 12:37:12 UTC End Time :12-Mar-2025 12:39:52 UTC

Run Time :0:02:39
Test Result :Failed

Reason :One or more fingerprint mismatched. Please check detail report for more info

#### 2. Configuration Details

Compare Type :likeobjectcompare

testquerygenerationmode :Manual
Testcase Type :fingerprint
Source Connection Name :RawS3Bucket
Source Connection Type :aws-s3
Source Connection Value :RawS3Bucket

Source Format :parquet

Source Name :patient\_data\_source\_parquet

Source Path :test/data/source Target Connection Name :CuratedS3Bucket

Target Connection Type :aws-s3

Target Connection Value :CuratedS3Bucket

Target Format :parquet

Target Name :patient\_data\_target\_parquet

Target Path :test/data/target

Primary Keys :id

#### 3. Fingerprint Summary

Test Result :Failed
No. of KPIs in Source :9
No. of KPIs in Target :9
No. of KPIs matched :5
No. of KPIs mismatched :4

#### 4. SQL Queries

#### **4.1 Source Query**

#### **SELECT**

 $ADDRESS, BIRTHDATE, BIRTHPLACE, CITY, COUNTY, DEATHDATE, DRIVERS, ETHNICITY, FIRST, GENDER, HEALTH CARE\_COVERAGE, HEALTHCARE\_EXPENSES, LAST, LAT, LON, MAIDEN, MARITAL, PASSPORT, PREFIX, RACE, SSN, STATE, SUFFIX, ZIP, id FROM rawpatients$ 

#### 4.2 Target Query

#### **SELECT**

ADDRESS,BIRTHDATE,BIRTHPLACE,CITY,COUNTY,DEATHDATE,DRIVERS,ETHNICITY,FIRST,GENDER,HEALTH CARE\_COVERAGE,HEALTHCARE\_EXPENSES,LAST,LAT,LON,MAIDEN,MARITAL,PASSPORT,PREFIX,RACE,SSN,STATE,SUFFIX,ZIP,id FROM curatedpatients

## 5. Fingerprint Comparison Report

#### **5.1. KPI (1) - Row Count**

Source Row Count :1001000

Target Row Count :1001000 KPI Status :Passed

Reason :Source and Target row count is matching

#### 5.2. KPI (2) - Column Count

Source Column Count :25
Target Column Count :25
KPI Status :Passed

Reason :Source column count and target column count is matching

#### 5.3. KPI (3) - Column Level Null Check

List of Columns has null in source :[('DEATHDATE', 900877), ('DRIVERS', 200539), ('MAIDEN', 800319), ('PASSPORT',

300807), ('SUFFIX', 800558)]

List of Columns has null in target :[('DEATHDATE', 901273), ('DRIVERS', 200008), ('MAIDEN', 800625), ('PASSPORT',

299989), ('SUFFIX', 800405)]

KPI Status :Failed

Reason :Source or/and Target has nulls in some columns

#### 5.4. KPI (4) - Row Level Null Check

No of null rows in source :0
No of null rows in target :0
KPI Status :Passed

Reason :No rows are null

#### 5.5. KPI (5) - Column Level empty Check

List of Columns has empty in source :[]
List of Columns has empty in target :[]
KPI Status :Passed

Reason :Source or/and Target has no empty values in any columns

#### 5.6. KPI (7) - Row Level Duplicate Check

No of duplicate rows in source :1000 No of duplicate rows in target :1000 KPI Status :Failed

Reason :One or more rows are duplicated

#### 5.7 Primary Key Duplicate Check

Test Result :Failed

No. of rows in Source :1,001,000

No. of distinct rows in Source :1,000,000

No. of duplicate rows in Source :1,000

No. of rows in Target :1,001,000

No. of distinct rows in Target :1,000,000

No. of duplicate rows in Target :1,000

## 5.7.1 Primary Key Duplicate Check - Source

S.No	id	count
1	27	2
2	63	2
3	303	2
4	389	2
5	474	2
6	754	2
7	964	2
8	51	2

#### 5.7.2 Primary Key Duplicate Check - Target

S.No	id	count
1	27	2
2	63	2
3	303	2
4	389	2
5	474	2
6	754	2
7	964	2
8	51	2

## 5.8. KPI (9) - CheckSum Row Level

KPI Status :Failed

Reason :Data is not matching between source and target

## **5.9.1 Addition Rows in Source**

S.No	hashval
1	0220751618574bf3bfcf495b633aa9cb
2	029d99347cdae3900473637cdfa37d8b
3	0c72e1ecff51fe83051d9a796faa1064
4	0ea71e926316da934cc6819d694aca93
5	128fa3c130b9bdcf2202cf13184c41d4
6	158479ce1377e81e11d472ad03054532
7	1701d81614415691269ad7fad5078f71
8	1dd798b65bcd9f8e24c3f761a255e773

# **5.9.2 Addition Rows in Target**

S.No	hashval
1	0eb9776ede72734c20e921c051097b39
2	14eeac6c522417bc9aae184fad623bf3
3	17d888c5d0075c2282eee0a389f45e48
4	1f74d2756a97f6b7cd14a9d75debffaf
5	1fa8fc575bf1e75ee81120815f6c2dc4
6	2ad15535510d79645e9d89332a1a6b1c
7	2c014e21bc959a29a66c2466602d7f1f
8	316d98f1083d0349edc4c11338cc066b