

# testcase14\_csv\_parquet\_mismatch\_manuel

## content comparison

### 1. Run Summary

|                    |   |
|--------------------|---|
| Application Name   | :sample                                   |
| Protocol Name      | :DATFDemo                                 |
| Protocol File Path | :/app/test/testprotocol/testprotocol.xlsx |
| Testcase Name      | :testcase14_csv_parquet_mismatch_manuel   |
| Testcase Type      | :content                                  |
| Test Environment   | :dev                                      |
| Start Time         | :19-Jul-2024 10:10:53 UTC                 |
| End Time           | :19-Jul-2024 10:12:02 UTC                 |
| Run Time           | :0:01:08                                  |
| Test Result        | :Failed                                   |
| Reason             | :Content mismatched                       |

### 2. Configuration Details

|                         |  |
|-------------------------|--|
| Compare Type            | :s2tcompare  |
| testquerygenerationmode | :Manual  |
| Testcase Type           | :content   |
| Source Connection Name  | :RawS3Bucket   |
| Source Connection Type  | :aws-s3  |
| Source Connection Value | :RawS3Bucket   |
| Source Format           | :delimited   |
| Source Name             | :patients_source.csv   |
| Source Path             | :/app/test/data/source                                       |
| Target Connection Name  | :CuratedS3Bucket   |
| Target Connection Type  | :aws-s3  |
| Target Connection Value | :CuratedS3Bucket   |
| Target Format           | :parquet   |
| Target Name             | :patients_source_parquet                                     |
| Target Path             | :/app/test/data/source                                       |
| S2T Path                | :/app/test/s2t/source_csv_target_parquet_s2t_6_mismatch.xlsx |
| Primary Keys            | :id  |

### 3. Content Summary

|   |         |
|---|---------|
| Test Result                             | :Failed |
| No. of matched columns                  | :25     |
| No. of columns compared                 | :24     |
| No. of cols in Source but not in Target | :0      |
| No. of cols in Target but not in Source | :0      |
| No. of rows in Source                   | :1,171  |
| No. of distinct rows in Source          | :1,171  |
| No. of duplicate rows in Source         | :0      |
| No. of rows in Target                   | :1,171  |
| No. of distinct rows in Target          | :1,171  |
| No. of duplicate rows in Target         | :0      |
| No. of matched rows                     | :0      |
| No. of mismatched rows                  | :1,171  |
| No. of rows in Source but not in Target | :0      |
| No. of rows in Target but not in Source | :0      |

### 4. SQL Queries

#### 4.1 Source Query

SELECT src.DEATHDATE as DEATHDATE, src.HEALTHCARE\_EXPENSES as HEALTHCARE\_EXPENSES, src.SUFFIX as SUFFIX, src.PASSPORT as PASSPORT, src.CITY as CITY, src.BIRTHPLACE as BIRTHPLACE, src.MAIDEN as MAIDEN, src.MARITAL as MARITAL, src.DRIVERS as DRIVERS, src.STATE as STATE, src.COUNTY as COUNTY, src.ADDRESS as ADDRESS, src.PREFIX as PREFIX, src.ZIP as ZIP, src.LON as LON, src.SSN as SSN, src.LAST as LAST, src.BIRTHDATE as BIRTHDATE, src.RACE as RACE, src.ETHNICITY as ETHNICITY, src.GENDER as GENDER, src.id as id, src.HEALTHCARE\_COVERAGE as HEALTHCARE\_COVERAGE, src.LAT as LAT, src.FIRST as FIRST FROM

rawpatients src

4.2 Target Query

SELECT tgt.DEATHDATE as DEATHDATE, tgt.HEALTHCARE\_EXPENSES as HEALTHCARE\_EXPENSES, tgt.SUFFIX as SUFFIX, tgt.PASSPORT as PASSPORT, upper(tgt.CITY) as CITY, tgt.BIRTHPLACE as BIRTHPLACE, tgt.MAIDEN as MAIDEN, tgt.MARITAL as MARITAL, tgt.DRIVERS as DRIVERS, tgt.STATE as STATE, tgt.COUNTY as COUNTY, tgt.ADDRESS as ADDRESS, tgt.PREFIX as PREFIX, tgt.ZIP as ZIP, tgt.LON as LON, tgt.SSN as SSN, tgt.LAST as LAST, tgt.BIRTHDATE as BIRTHDATE, tgt.RACE as RACE, tgt.ETHNICITY as ETHNICITY, tgt.GENDER as GENDER, tgt.id as id, tgt.HEALTHCARE\_COVERAGE as HEALTHCARE\_COVERAGE, tgt.LAT as LAT, tgt.FIRST as FIRST FROM curatedpatients tgt

5. Sample Mismatches 5 rows

5.1 Keys in source but not in target

None

5.2 Keys in target but not in source

None

5.3 Keys having one or more unequal column values

| S.No | Key Columns                             |
|------|---|
| 1    | id=00185faa-2760-4218-9bf5-db301acf8274 |
| 2    | id=0042862c-9889-4a2e-b782-fac1e540ecb4 |
| 3    | id=0047123f-12e7-486c-82df-53b3a450e365 |
| 4    | id=010d4a3a-2316-45ed-ae15-16f01c611674 |
| 5    | id=01207ecd-9dff-4754-8887-4652eda231e2 |

6. Columnwise Mismatch Summary

None

7. Columnwise Mismatch Details

None

testcase28\_manual\_sql\_notifications

content comparison

1. Run Summary

|                    |   |
|--------------------|---|
| Application Name   | :sample                                   |
| Protocol Name      | :DATFDemo                                 |
| Protocol File Path | :/app/test/testprotocol/testprotocol.xlsx |
| Testcase Name      | :testcase28_manual_sql_notifications      |
| Testcase Type      | :content                                  |
| Test Environment   | :dev                                      |
| Start Time         | :19-Jul-2024 10:12:05 UTC                 |
| End Time           | :19-Jul-2024 10:12:27 UTC                 |
| Run Time           | :0:00:22                                  |
| Test Result        | :Failed                                   |
| Reason             | :Content mismatched                       |

2. Configuration Details

|                         |                                 |
|-------------------------|---------------------------------|
| Compare Type            | :likeobjectcompare              |
| testquerygenerationmode | :Manual                         |
| Testcase Type           | :content                        |
| Source Connection Name  | :raw_oracle_database_connection |
| Source Connection Type  | :oracle                         |
| Source Connection Value | :raw_oracle_database_connection |
| Source Format           | :table                          |
| Target Connection Name  | :raw_oracle_database_connection |
| Target Connection Type  | :oracle                         |
| Target Connection Value | :raw_oracle_database_connection |
| Target Format           | :table                          |
| Primary Keys            | :ID                             |

3. Content Summary

|   |         |
|---|---------|
| Test Result                             | :Failed |
| No. of matched columns                  | :8      |
| No. of columns compared                 | :7      |
| No. of cols in Source but not in Target | :0      |
| No. of cols in Target but not in Source | :0      |
| No. of rows in Source                   | :5      |
| No. of distinct rows in Source          | :5      |
| No. of duplicate rows in Source         | :0      |
| No. of rows in Target                   | :2      |
| No. of distinct rows in Target          | :2      |
| No. of duplicate rows in Target         | :0      |
| No. of matched rows                     | :0      |
| No. of mismatched rows                  | :0      |
| No. of rows in Source but not in Target | :5      |
| No. of rows in Target but not in Source | :2      |

4. SQL Queries

4.1 Source Query

SELECT ID,BIRTHDATE,PREFIX,FIRST,LAST,SUFFIX,GENDER,STATE FROM sys.orc\_patients\_db WHERE  
EXTRACT(MONTH FROM BIRTHDATE) = EXTRACT(MONTH FROM SYSDATE) AND EXTRACT(DAY FROM  
BIRTHDATE) = EXTRACT(DAY FROM SYSDATE)

4.2 Target Query

SELECT \* FROM sys.orc\_notifications

5. Sample Mismatches 8 rows

5.1 Keys in source but not in target

| S.No | Key Columns                             |
|------|---|
| 1    | ID=2e7a30d7-aaac-44df-81c5-d4e4f2f8eedc |
| 2    | ID=4a676284-ffa9-4bda-bfcb-deb04aa9d774 |
| 3    | ID=9423451c-8c37-4700-a059-f8c2f9c636b0 |
| 4    | ID=f592e861-6e2e-46bc-a19d-5485fcbf0d80 |
| 5    | ID=79d782c9-dc9c-456c-a243-a6d396b4d0e0 |

5.2 Keys in target but not in source

| S.No | Key Columns                             |
|------|---|
| 1    | ID=a27da6fe-7844-4205-a84f-6db17bfb8935 |
| 2    | ID=304e3c61-cd44-4251-8186-0537150ff62c |

5.3 Keys having one or more unequal column values

None

6. Columnwise Mismatch Summary

None

7. Columnwise Mismatch Details

None

# testcase29\_manual\_sql\_fullname

## content comparison

### 1. Run Summary

|                    |   |
|--------------------|---|
| Application Name   | :sample                                   |
| Protocol Name      | :DATFDemo                                 |
| Protocol File Path | :/app/test/testprotocol/testprotocol.xlsx |
| Testcase Name      | :testcase29_manual_sql_fullname           |
| Testcase Type      | :content                                  |
| Test Environment   | :dev                                      |
| Start Time         | :19-Jul-2024 10:12:29 UTC                 |
| End Time           | :19-Jul-2024 10:13:10 UTC                 |
| Run Time           | :0:00:41                                  |
| Test Result        | :Passed                                   |
| Reason             | :Content matched                          |

### 2. Configuration Details

|                         |                                 |
|-------------------------|---------------------------------|
| Compare Type            | :likeobjectcompare              |
| testquerygenerationmode | :Manual                         |
| Testcase Type           | :content                        |
| Source Connection Name  | :raw_oracle_database_connection |
| Source Connection Type  | :oracle                         |
| Source Connection Value | :raw_oracle_database_connection |
| Source Format           | :table                          |
| Target Connection Name  | :raw_oracle_database_connection |
| Target Connection Type  | :oracle                         |
| Target Connection Value | :raw_oracle_database_connection |
| Target Format           | :table                          |
| Primary Keys            | :ID                             |

### 3. Content Summary

|   |         |
|---|---------|
| Test Result                             | :Passed |
| No. of matched columns                  | :9      |
| No. of columns compared                 | :8      |
| No. of cols in Source but not in Target | :0      |
| No. of cols in Target but not in Source | :0      |
| No. of rows in Source                   | :1,171  |
| No. of distinct rows in Source          | :1,171  |
| No. of duplicate rows in Source         | :0      |
| No. of rows in Target                   | :1,171  |
| No. of distinct rows in Target          | :1,171  |
| No. of duplicate rows in Target         | :0      |
| No. of matched rows                     | :1,171  |
| No. of mismatched rows                  | :0      |
| No. of rows in Source but not in Target | :0      |
| No. of rows in Target but not in Source | :0      |

### 4. SQL Queries

#### 4.1 Source Query

SELECT BIRTHDATE, ID, PREFIX, FIRST, SUFFIX, LAST, GENDER, STATE, (NVL(PREFIX,""))||' '||NVL(FIRST,"")||' '||NVL(LAST,"")||' '||NVL(SUFFIX,"") AS FULLNAME FROM sys.orc\_patients\_db

#### 4.2 Target Query

SELECT BIRTHDATE, ID, PREFIX, FIRST, SUFFIX, LAST, GENDER, STATE, FULLNAME FROM sys.orc\_patients\_tgt

### 5. Sample Mismatches 8 rows

#### 5.1 Keys in source but not in target

None

#### 5.2 Keys in target but not in source

None

### **5.3 Keys having one or more unequal column values**

None

### **6. Columnwise Mismatch Summary**

None

### **7. Columnwise Mismatch Details**

None