testcase12_parquet_parquet_mismatch_manual

fingerprint comparison

1. Run Summary

Application Name :etl_pipeline_goldlayer

Protocol Name :DATFDemo

Protocol File Path :datf_core//test/testprotocol/testselection_template.xlsx
Testcase Name :testcase12_parquet_mismatch_manual

Testcase Type :fingerprint
Test Environment :SIT

Start Time :11-Mar-2025 06:05:18 UTC End Time :11-Mar-2025 06:08:49 UTC

Run Time :0:03:30
Test Result :Failed

Reason :One or more fingerprint mismatched. Please check detail report for more info

2. Configuration Details

Compare Type :likeobjectcompare

testquerygenerationmode :Manual
Testcase Type :fingerprint
Source Connection Name :RawS3Bucket
Source Connection Type :aws-s3
Source Connection Value :RawS3Bucket
Source Format :parquet

Source Name :patient_data_source_parquet

Source Path :test/data/source
Target Connection Name :CuratedS3Bucket

Target Connection Type :aws-s3

Target Connection Value :CuratedS3Bucket

Target Format :parquet

Target Name :patient_data_target_parquet

Target Path :test/data/target

Primary Keys :id

3. Fingerprint Summary

Test Result :Failed
No. of KPIs in Source :9
No. of KPIs in Target :9
No. of KPIs matched :5
No. of KPIs mismatched :4

4. SQL Queries

4.1 Source Query

SELECT

ADDRESS,BIRTHDATE,BIRTHPLACE,CITY,COUNTY,DEATHDATE,DRIVERS,ETHNICITY,FIRST,GENDER,HEALTH CARE_COVERAGE,HEALTHCARE_EXPENSES,LAST,LAT,LON,MAIDEN,MARITAL,PASSPORT,PREFIX,RACE,SSN, STATE,SUFFIX,ZIP,id FROM rawpatients

4.2 Target Query

SELECT

ADDRESS,BIRTHDATE,BIRTHPLACE,CITY,COUNTY,DEATHDATE,DRIVERS,ETHNICITY,FIRST,GENDER,HEALTH CARE_COVERAGE,HEALTHCARE_EXPENSES,LAST,LAT,LON,MAIDEN,MARITAL,PASSPORT,PREFIX,RACE,SSN, STATE,SUFFIX,ZIP,id FROM curatedpatients

5. Fingerprint Comparison Report

5.1. KPI (1) - Row Count

Source Row Count :1001000 Target Row Count :1001000 KPI Status :Passed

Reason :Source and Target row count is matching

5.2. KPI (2) - Column Count

Source Column Count :25
Target Column Count :25
KPI Status :Passed

Reason :Source column count and target column count is matching

5.3. KPI (3) - Column Level Null Check

List of Columns has null in source :[('DEATHDATE', 900877), ('DRIVERS', 200539), ('MAIDEN', 800319), ('PASSPORT',

300807), ('SUFFIX', 800558)]

List of Columns has null in target :[('DEATHDATE', 901273), ('DRIVERS', 200008), ('MAIDEN', 800625), ('PASSPORT',

299989), ('SUFFIX', 800405)]

KPI Status :Failed

Reason :Source or/and Target has nulls in some columns

5.4. KPI (4) - Row Level Null Check

No of null rows in source :0
No of null rows in target :0
KPI Status :Passed

Reason :No rows are null

5.5. KPI (5) - Column Level empty Check

List of Columns has empty in source :[]
List of Columns has empty in target :[]
KPI Status :Passed

Reason :Source or/and Target has no empty values in any columns

5.7. KPI (7) - Row Level Duplicate Check

No of duplicate rows in source :1000 No of duplicate rows in target :1000 KPI Status :Failed

Reason :One or more rows are duplicated

5.8 Primary Key Duplicate Check

Source Row Count :1001000
Target Row Count :1001000
KPI Status :Passed

Reason :Source and Target row count is matching

5.8.1 Primary Key Duplicate Check - Source

| S.No | id | count |
|------|-----|-------|
| 1 | 27 | 2 |
| 2 | 63 | 2 |
| 3 | 303 | 2 |
| 4 | 389 | 2 |
| 5 | 474 | 2 |
| 6 | 754 | 2 |
| 7 | 964 | 2 |
| 8 | 51 | 2 |

5.8.2 Primary Key Duplicate Check - Target

| S.No | id | count |
|------|----|-------|
| 1 | 27 | 2 |
| 2 | 63 | 2 |

| 3 | 303 | 2 |
|---|-----|---|
| 4 | 389 | 2 |
| 5 | 474 | 2 |
| 6 | 754 | 2 |
| 7 | 964 | 2 |
| 8 | 51 | 2 |

5.9. KPI (9) - CheckSum Row Level

KPI Status :Failed

Reason :Data is not matching between source and target

5.9.1 Addition Rows in Source

| S.No | hashval |
|------|----------------------------------|
| 1 | 0220751618574bf3bfcf495b633aa9cb |
| 2 | 029d99347cdae3900473637cdfa37d8b |
| 3 | 0c72e1ecff51fe83051d9a796faa1064 |
| 4 | 0ea71e926316da934cc6819d694aca93 |
| 5 | 128fa3c130b9bdcf2202cf13184c41d4 |
| 6 | 158479ce1377e81e11d472ad03054532 |
| 7 | 1701d81614415691269ad7fad5078f71 |
| 8 | 1dd798b65bcd9f8e24c3f761a255e773 |

5.9.2 Addition Rows in Target

| S.No | hashval |
|------|----------------------------------|
| 1 | 0eb9776ede72734c20e921c051097b39 |
| 2 | 14eeac6c522417bc9aae184fad623bf3 |
| 3 | 17d888c5d0075c2282eee0a389f45e48 |
| 4 | 1f74d2756a97f6b7cd14a9d75debffaf |
| 5 | 1fa8fc575bf1e75ee81120815f6c2dc4 |
| 6 | 2ad15535510d79645e9d89332a1a6b1c |
| 7 | 2c014e21bc959a29a66c2466602d7f1f |
| 8 | 316d98f1083d0349edc4c11338cc066b |