# testcase28\_manual\_sql\_notifications

## content comparison

# 1. Run Summary

Application Name :sample

Protocol Name :DBTablesDemo

Protocol File Path :/app/test/testprotocol/testprotocol.xlsx
Testcase Name :testcase28\_manual\_sql\_notifications

Testcase Type :content
Test Environment :dev

Start Time :14-Dec-2023 06:55:20 UTC End Time :14-Dec-2023 06:58:59 UTC

Run Time :0:03:38 Test Result :Passed

Reason :Content matched

## 2. Configuration Details

Compare Type :likeobjectcompare

testquerygenerationmode :Manual Testcase Type :content

Source Connection Name :raw\_oracle\_database\_connection

Source Connection Type :oracle

Source Connection Value :raw\_oracle\_database\_connection

Source Format :table

Target Connection Name :raw\_oracle\_database\_connection

Target Connection Type :oracle

Target Connection Value :raw\_oracle\_database\_connection

Target Format :table
Primary Keys :ID

#### 3. Content Summary

Test Result	:Passed
No. of matched columns	:8
No. of columns compared	:7
No. of cols in Source but not in Target	:0
No. of cols in Target but not in Source	:0
No. of rows in Source	:6
No. of distinct rows in Source	:6
No. of duplicate rows in Source	:0
No. of rows in Target	:6
No. of distinct rows in Target	:6
No. of duplicate rows in Target	:0
No. of matched rows	:6
No. of mismatched rows	:0
No. of rows in Source but not in Target	:0
No. of rows in Target but not in Source	:0

#### 4. SQL Queries

#### 4.1 Source Query

SELECT ID,BIRTHDATE,PREFIX,FIRST,LAST,SUFFIX,GENDER,STATE FROM sys.orc\_patients\_db WHERE EXTRACT(MONTH FROM BIRTHDATE) = EXTRACT(MONTH FROM SYSDATE) AND EXTRACT(DAY FROM BIRTHDATE) = EXTRACT(DAY FROM SYSDATE)

#### **4.2 Target Query**

SELECT \* FROM sys.orc\_notifications

# 5. Sample Mismatches 8 rows

## 5.1 Keys in source but not in target

None

# 5.2 Keys in target but not in source

None

# 5.3 Keys having one or more unequal column values

None

# **6.** Columnwise Mismatch Summary

None

# 7. Columnwise Mismatch Details

None

# testcase29\_manual\_sql\_fullname

#### content comparison

## 1. Run Summary

Application Name :sample

Protocol Name :DBTablesDemo

Protocol File Path :/app/test/testprotocol/testprotocol.xlsx
Testcase Name :testcase29\_manual\_sql\_fullname

Testcase Type :content
Test Environment :dev

Start Time :14-Dec-2023 06:58:59 UTC End Time :14-Dec-2023 07:02:12 UTC

Run Time :0:03:12 Test Result :Passed

Reason :Content matched

## 2. Configuration Details

Compare Type :likeobjectcompare

testquerygenerationmode :Manual Testcase Type :content

Source Connection Name :raw\_oracle\_database\_connection

Source Connection Type :oracle

Source Connection Value :raw\_oracle\_database\_connection

Source Format :table

Target Connection Name :raw\_oracle\_database\_connection

Target Connection Type :oracle

Target Connection Value :raw\_oracle\_database\_connection

Target Format :table
Primary Keys :ID

#### 3. Content Summary

Test Result	:Passed
No. of matched columns	:9
No. of columns compared	:8
No. of cols in Source but not in Target	:0
No. of cols in Target but not in Source	:0
No. of rows in Source	:1,171
No. of distinct rows in Source	:1,171
No. of duplicate rows in Source	:0
No. of rows in Target	:1,171
No. of distinct rows in Target	:1,171
No. of duplicate rows in Target	:0
No. of matched rows	:1,171
No. of mismatched rows	:0
No. of rows in Source but not in Target	:0
No. of rows in Target but not in Source	

## 4. SQL Queries

#### 4.1 Source Query

## **4.2 Target Query**

SELECT BIRTHDATE, ID, PREFIX, FIRST, SUFFIX, LAST, GENDER, STATE, FULLNAME FROM sys.orc\_patients\_tgt

#### 5. Sample Mismatches 8 rows

## 5.1 Keys in source but not in target

None

## 5.2 Keys in target but not in source

None

# 5.3 Keys having one or more unequal column values

None

# **6.** Columnwise Mismatch Summary

None

# 7. Columnwise Mismatch Details

None