# testcase23_snowflake_snowflake_match
## count comparison

## 1. Run Summary

| | |
|---|---|
| Application Name | :sample |
| Protocol Name | :DATFDemo |
| Protocol File Path | :test\testprotocol\testprotocol.xlsx |
| Testcase Name | :testcase23_snowflake_snowflake_match |
| Testcase Type | :count |
| Test Environment | :dev |
| Start Time | :06-Jun-2024 12:06:06 UTC |
| End Time | :06-Jun-2024 12:06:16 UTC |
| Run Time | :0:00:09 |
| Test Result | :Passed |
| Reason | :Count matched |

## 2. Configuration Details

| | |
|---|---|
| Compare Type | :likeobjectcompare |
| testquerygenerationmode | :Auto |
| Testcase Type | :count |
| Source Connection Name | :raw_snowflake_sql_connection |
| Source Connection Type | :snowflake |
| Source Connection Value | :raw_snowflake_sql_connection |
| Source Format | :table |
| Source Name | :SAMPLE_SRC_PATIENTS |
| Source Exclude Columns | :BIRTHDATE,DEATHDATE |
| Target Connection Name | :raw_snowflake_sql_connection |
| Target Connection Type | :snowflake |
| Target Connection Value | :raw_snowflake_sql_connection |
| Target Format | :table |
| Target Name | :SAMPLE_SRC_PATIENTS |
| Target Exclude Columns | :BIRTHDATE,DEATHDATE |
| Primary Keys | :ID |

## 3. Count Summary

| | |
|---|---|
| Test Result | :Passed |
| No. of rows in Source | :1,171 |
| No. of rows in Target | :1,171 |

## 4. SQL Queries
### 4.1 Source Query

SELECT Count(1) FROM SAMPLE_SRC_PATIENTS

### 4.2 Target Query

SELECT Count(1) FROM SAMPLE_SRC_PATIENTS

# testcase24_snowflake_snowflake_etljob

## count comparison

## 1. Run Summary

| | |
|---|---|
| Application Name | :sample |
| Protocol Name | :DATFDemo |
| Protocol File Path | :test\testprotocol\testprotocol.xlsx |
| Testcase Name | :testcase24_snowflake_snowflake_etljob |
| Testcase Type | :count |
| Test Environment | :dev |
| Start Time | :06-Jun-2024 12:06:16 UTC |
| End Time | :06-Jun-2024 12:06:24 UTC |
| Run Time | :0:00:08 |
| Test Result | :Failed |
| Reason | :Count mismatched |

## 2. Configuration Details

| | |
|---|---|
| Compare Type | :likeobjectcompare |
| testquerygenerationmode | :Auto |
| Testcase Type | :count |
| Source Connection Name | :raw_snowflake_sql_connection |
| Source Connection Type | :snowflake |
| Source Connection Value | :raw_snowflake_sql_connection |
| Source Format | :table |
| Source Name | :SAMPLE_SRC_PATIENTS |
| Source Exclude Columns | :BIRTHDATE,DEATHDATE |
| Target Connection Name | :raw_snowflake_sql_connection |
| Target Connection Type | :snowflake |
| Target Connection Value | :raw_snowflake_sql_connection |
| Target Format | :table |
| Target Name | :SAMPLE_TGT_PATIENTS |
| Target Exclude Columns | :BIRTHDATE,DEATHDATE |
| Primary Keys | :ID |

## 3. Count Summary

| | |
|---|---|
| Test Result | :Failed |
| No. of rows in Source | :1,171 |
| No. of rows in Target | :1,169 |

## 4. SQL Queries
### 4.1 Source Query

SELECT Count(1) FROM SAMPLE_SRC_PATIENTS

### 4.2 Target Query

SELECT Count(1) FROM SAMPLE_TGT_PATIENTS

# testcase28_manual_sql_notifications
## count comparison

## 1. Run Summary

| | |
|---|---|
| Application Name | :sample |
| Protocol Name | :DATFDemo |
| Protocol File Path | :test\testprotocol\testprotocol.xlsx |
| Testcase Name | :testcase28_manual_sql_notifications |
| Testcase Type | :count |
| Test Environment | :dev |
| Start Time | :06-Jun-2024 12:06:24 UTC |
| End Time | :06-Jun-2024 12:06:31 UTC |
| Run Time | :0:00:07 |
| Test Result | :Failed |
| Reason | :Count mismatched |

## 2. Configuration Details

| | |
|---|---|
| Compare Type | :likeobjectcompare |
| testquerygenerationmode | :Manual |
| Testcase Type | :count |
| Source Connection Name | :raw_snowflake_sql_connection |
| Source Connection Type | :snowflake |
| Source Connection Value | :raw_snowflake_sql_connection |
| Source Format | :table |
| Target Connection Name | :raw_snowflake_sql_connection |
| Target Connection Type | :snowflake |
| Target Connection Value | :raw_snowflake_sql_connection |
| Target Format | :table |
| Primary Keys | :ID |

## 3. Count Summary

| | |
|---|---|
| Test Result | :Failed |
| No. of rows in Source | :4 |
| No. of rows in Target | :7 |

## 4. SQL Queries
## 4.1 Source Query

SELECT Count(1) FROM SYSDATE())

## 4.2 Target Query

SELECT Count(1) FROM ETL_NOTIFICATIONS

# testcase29_manual_sql_fullname

## count comparison

## 1. Run Summary

| | |
|---|---|
| Application Name | :sample |
| Protocol Name | :DATFDemo |
| Protocol File Path | :test\testprotocol\testprotocol.xlsx |
| Testcase Name | :testcase29_manual_sql_fullname |
| Testcase Type | :count |
| Test Environment | :dev |
| Start Time | :06-Jun-2024 12:06:31 UTC |
| End Time | :06-Jun-2024 12:06:38 UTC |
| Run Time | :0:00:06 |
| Test Result | :Passed |
| Reason | :Count matched |

## 2. Configuration Details

| | |
|---|---|
| Compare Type | :likeobjectcompare |
| testquerygenerationmode | :Manual |
| Testcase Type | :count |
| Source Connection Name | :raw_snowflake_sql_connection |
| Source Connection Type | :snowflake |
| Source Connection Value | :raw_snowflake_sql_connection |
| Source Format | :table |
| Target Connection Name | :raw_snowflake_sql_connection |
| Target Connection Type | :snowflake |
| Target Connection Value | :raw_snowflake_sql_connection |
| Target Format | :table |
| Primary Keys | :ID |

## 3. Count Summary

| | |
|---|---|
| Test Result | :Passed |
| No. of rows in Source | :1,171 |
| No. of rows in Target | :1,171 |

## 4. SQL Queries
### 4.1 Source Query

SELECT Count(1) FROM SAMPLE_SRC_PATIENTS

### 4.2 Target Query

SELECT Count(1) FROM ETL_DEMO_PATIENTS