#### Reusable Component Design



**Cory House** 

@housecor | reactjsconsulting.com



#### The Plan



#### Reusable component design tips

#### **Atomic Design**

- What?
- Why?



#### Reusable Component Design Tips



Avoid weak wrapper elements





Specify PropTypes



#### Why PropTypes

```
YourMom.propTypes = {
  /** Importance, on a 1 - 10 scale */
  importance: PropTypes.number.isRequired,

  /** Cookie deliciousness, on 1 - 10 scale */
  cookies: PropTypes.number.isRequired,
};
```

**Clarify API** 

Warn consumers

Specify object shape

**Enhanced autocompletion** 







## FLOW IS A STATIC TYPE CHECKER FOR JAVASCRIPT.

**GET STARTED** 

**INSTALL FLOW** 

**Star** 11,297

Current Version: v0.44.1



Don't hard code HTML IDs



#### Don't Hard Code HTML IDs



May conflict with other markup
Rules out multiple instances
Accept HTML ID via prop




```
MyComponent.propTypes = {
    htmlId: React.PropTypes.string.isRequired
}
```



Set Logical Defaults



#### Set Logical Defaults



Save users typing
Help assure useful behavior
Convey common use case



#### Default Props


```
// Below MyCounter class
MyCounter.defaultProps = { initialCount: 0 };
// Using static property
class MyCounter extends React.Component {
  static defaultProps = { initialCount: 0 };
// Stateless component
const myCounter = ({initialCount = 0}) => {
```



Accessibility Matters



#### Accessibility Concerns





Consider Configuration Objects



```
<CustomerDetail customer={{
<CustomerDetail
 firstName="Cory"
                                  firstName:"Cory",
 lastName="House"
                                  lastName:"House"
                                  title: "Developer",
 title="Developer"
                                  office: "Home"
 office="Home"
                                } } />
```



#### Why a Config Object?



**Consistent component API** 

Less typing

Less error prone

Avoid if your component has few props



Consider Server Rendering



#### Why Support Server Rendering?



#### **SEO**

#### Static site generation

- Gatsby
- Phenomic

**Performance** 

The public will expect it



#### To Support Server Rendering

#### Don't assume your component is in a browser

- Avoid document or window calls
- Avoid using setTimeout



Remember the Single Responsibility Principle



### The single responsibility principle applies to component design too.



# Complexity



# Prefer separate, simple components to one complicated and highly customizable component.



#### 8 Quick Tips

- Avoid weak wrapper elements
- 2. Specify PropTypes
- 3. Don't hard code HTML IDs
- 4. Set logical defaults
- 5. Accessibility matters
- 6. Consider configuration objects
- Consider server rendering
- 8. Remember the single responsibility principle



#### What Is Atomic Design?



#### Atomic Design

Atoms Basic building blocks

Molecules Groups of two or more atoms

Organisms Groups of molecules functioning together







**Atoms** 



Molecules



Organisms




# Model Data


#### Home Page






Product Page









#### **NavLink**



**Paths** 



Mentors







Notes

#### SidebarNav

#### **AuthorPhoto**



Cory House Pluralsight Author






¥ ≥ in

Cory is an independent consultant with over 15 years of experience in software development. He is a Microsoft MVP, ASP Insider, and a member of the Telerik developer experts program. As a software architect at Autotrader, Cory specializes in creating single page applications for the automotive industry using C#, .NET, Node, and JavaScript. Cory coaches teams around the world on clean coding practices, software architecture, and front-end development. He also speaks regularly at regional and international conferences like NDC. Fluent, and Codemash. Cory lives in Kansas City where he blogs at bitnative.com and is active on Twitter as @housecor.

#### **AuthorSummary**

Courses authored by Cory House





#### Architecting Applications for the Real World in .NET

 $\star\star\star\star\star$  (1532)

#### Clean Code: Writing Code for Humans

★ ★ ★ ★ ★ (1590)



#### **NawLink**



**Paths** 

Mentors

Channels

Bookmarks

**Notes** 

#### SidebarNav

#### **AuthorPhoto**




Cory House Pluralsight Author



Cory is an independent consultant with over 15 years of experience in software development. He is a Microsoft MVP, ASP Insider, and a member of the Telerik developer experts program. As a software architect at Autotrader, Cory specializes in creating single page applications for the automotive industry using C#, .NET, Node, and JavaScript. Cory coaches teams around the world on clean coding practices, software architecture, and front-end development. He also speaks regularly at regional and international conferences like NDC, Fluent, and Codemash. Cory lives in Kansas City where he blogs at bitnative.com and is active on Twitter as @housecor.

#### **AuthorSummary**


Courses authored by Cory House AuthorCourses



#### React: Nested Components








# **Atomic Design by Brad Frost**


#### Difficulty





Atomic Design = Modular Design





#### **5 Stages of Atomic Design**

- Atoms
   Molecules Focus for this module
   Organisms Put components in a layout
   Templates
- 5. Pages Populate templates with content

#### Why Atomic Design?





Multiple layers of abstraction

Encourages reuse

Convey component relationships

Convey intent

#### Atomic design = hierarchy.



#### Wrap Up



#### Reusable component design:

- Avoid weak wrapper elements
- Specify PropTypes and defaults
- Don't hard code HTML IDs
- Consider config objects
- Have a single responsibility

#### Atomic Design: Describe components with scientific terms

- Multiple layers of abstraction
- Encourages reuse
- Convey component relationships
- Convey intent

Next up: Atoms

