

Sr No.	Error	Error Line Number	Error Type	Solution
1	average = total / 5; performs integer division, losing the decimal part	21	Logical Error	Use average = total / 5.0f; (or cast total to float) to get a correct decimal average.
2	if(marks[i] > lowest) finds the highest mark again instead of the lowest	45	Logical Error	Change the comparison to if(marks[i] < lowest) to correctly find the lowest mark.
3	for(int i=0;i<=5;i++) reads attendance[5], which is out of bounds (size 5, valid 0-4)	65	Runtime Error (Array Out of Bounds)	Change loop condition to i<5 so only valid indices are accessed.
4	strcpy(subject,"Programming"); string (11 chars+null) is larger than subject[8]	76	Runtime Error (Buffer Overflow)	Increase array size, e.g. char subject[15]; or use a shorter string.
5	scanf("%s",&branch); passes the address of the whole array (wrong pointer type) instead of the array itself	84	Compile-Time Warning (Incompatible Pointer Type)	Use scanf("%s", branch); since an array name already decays to a pointer to its first element.
6	fees[5] = 100000; writes outside the array (size 5, valid indices 0-4)	98	Runtime Error (Array Out of Bounds)	Increase array size to fees[6] or remove this out-of-range assignment.
7	if(stock[2] = 30) uses assignment (=) instead of comparison (==)	111	Logical Error (Assignment instead of Comparison)	Use if(stock[2] == 30) to correctly compare the values.
8	backup = stock; tries to assign one array directly to another	120	Compile-Time Error (Invalid Array Assignment)	Copy elements individually in a loop, or use memcpy(backup, stock, sizeof(stock));
9	printf("%d\n", salary[0]); uses %d for a float array element	130	Format Specifier Error	Use %f instead of %d, e.g. printf("%.2f\n", salary[0]);
10	scanf("%d", result[i]); passes the value instead of the address of the element	138	Compile-Time Warning / Runtime Error (Wrong Argument Type to scanf)	Use scanf("%d", &result[i]); to pass the address of the element.
11	city = "Jaipur"; tries to assign a string literal directly to an array name	156	Compile-Time Error (Invalid Assignment)	Use strcpy(city, "Jaipur"); to copy the string into the array instead of assigning.
12	inventory["one"] = 100; uses a string literal as an array index	164	Compile-Time Error (Invalid Array Subscript)	Use a valid integer index, e.g. inventory[1] = 100;

Sr No.	Error	Error Line Number	Error Type	Solution
13	inventory[2.5] = 200; uses a non-integer (float) array index	166	Compile-Time Warning/Error (Invalid Array Subscript)	Use an integer index, e.g. inventory[2] = 200;
14	for(int i=0;i<=5;i++) reads inventory[5], which is out of bounds (size 5, valid 0-4)	175	Runtime Error (Array Out of Bounds)	Change loop condition to i<5 so only valid indices are accessed.
15	count = inventory; tries to assign one array directly to another	196	Compile-Time Error (Invalid Array Assignment)	Copy elements individually in a loop, or use memcpy(count, inventory, sizeof(inventory));
16	strcpy(course,"Computer"); string (8 chars+null) is larger than course[6]	204	Runtime Error (Buffer Overflow)	Increase array size, e.g. char course[10]; or use a shorter string.
17	for(int i=0;i<=5;i++) writes numbers[5], which is out of bounds (size 5, valid 0-4)	212	Runtime Error (Array Out of Bounds)	Change loop condition to i<5 so only valid indices are accessed.
18	return 0 is missing a terminating semicolon	228	Compile-Time Error (Syntax Error - Missing Semicolon)	Add a semicolon at the end: return 0;