Cleaning & Sanitation Procedures

Document No. AUR-SAF-02 · Version 0.1 (Draft) · Owner: General Manager · Effective: [Date]

1. Purpose

A guest should walk into every room as if they are the first person to use it that day. These procedures set out what is cleaned, when, how and by whom across the Jumeirah 1 studio. They support the Health, Safety & Hygiene Policy (AUR-SAF-01) and Dubai Municipality hygiene requirements [Dubai Municipality approval reference].

Where an Elevé Health cleaning instruction exists for a device, it takes priority over this document. Never use a product on an Elevé device that Elevé has not approved.

2. General rules

- Clean from clean to dirty, and from top to bottom.
- Clean first (remove soil), then disinfect for the full contact time shown on the product label.
- Never mix chemicals. Use measured dilution only.
- Switch off and allow devices to reach safe temperature before cleaning. Never spray liquid into vents, controls or electrical parts.
- Turnaround cleaning is included in every booking slot. A room is not released to the next guest until the Host has signed it off.
- Every robe, towel, slipper set, cryo sock, glove and ear cover is fresh for each guest.

3. Approved products

Use	Product	Dilution	Contact time	SDS held
General hard-surface cleaner	[Product]	[___]	n/a	☐
Hard-surface disinfectant (non-device)	[Product]	[___]	[___] min	☐
Elevé-approved device disinfectant	[Product approved by Elevé]	[___]	[___] min	☐
Hyperbaric chamber interior cleaner (oxygen-compatible, alcohol and oil-free per Elevé)	[Product approved by Elevé]	[___]	[___] min	☐
Float tank sanitiser /	[Product]	[___]	n/a	☐

Use	Product	Dilution	Contact time	SDS held
oxidiser				
Cold plunge water treatment	[Product per Elevé · Polar Recovery]	[___]	n/a	☐
Clinical-grade disinfectant (IV room)	[Product approved by Clinical Lead]	[___]	[___] min	☐
Floor cleaner, wet areas (anti-slip safe)	[Product]	[___]	n/a	☐
Glass and mirror cleaner	[Product]	[___]	n/a	☐
Hand sanitiser (guest and staff)	[Product]	Ready to use	20–30 sec	☐

4. PPE

Task	Gloves	Apron	Eye protection	Mask
Routine surface cleaning	Nitrile	Optional	No	No
Chemical dilution and dosing (float, plunge)	Chemical-resistant	Yes	Goggles	As per SDS
Toilet and shower cleaning	Nitrile (red cloth area)	Yes	No	No
Salt cabin refill and deep clean	Nitrile	Yes	Goggles	[FFP2] dust mask
IV room and clinical waste	Nitrile, clinical	Disposable	As per Clinical Lead	As per Clinical Lead
Body fluid spill	Nitrile, double	Disposable	Goggles	Yes

5. Colour-coded cloths and mops

Colour	Area	Never use on
Blue	Reception, lounge, offices, general low-risk surfaces	Toilets, IV room
Green	Treatment rooms and device exteriors (cryo, red light, sauna, HBOT exterior, dry float, salt cabin, compression boots)	Toilets
Yellow	IV room and clinical areas	Any other area
Red	Toilets, urinals, shower floors	Any other area
White (single-use)	Hyperbaric chamber interior	Any other area

Cloths are laundered at [60–90 °C] daily or are single-use. Mop heads are colour-matched and stored separately.

6. Cleaning schedules by area and device

6.1 WHOLE-BODY CRYOTHERAPY (E-CRYO PRO)

Frequency	Task
Between every guest	Wipe handles, door seals, floor mat and touchscreen with Elevé-approved disinfectant; remove moisture and frost from floor; fresh socks, gloves, ear cover and mask for the next guest
Daily	Full interior and exterior wipe-down at close; empty condensation tray as per Elevé; check door seal for damage
Weekly	Clean thermal-vision camera lens and sensors as per Elevé; clean air filters or intake grilles as per Elevé
Monthly	Defrost cycle and inspection as per Elevé; record in maintenance log

6.2 RED-LIGHT BED

Frequency	Task
Between every guest	Wipe acrylic panels, headrest and handles with Elevé-approved disinfectant (no alcohol unless Elevé approves); clean eye protection; fresh towel or liner
Daily	Full exterior and interior wipe; check panels for scratches or residue
Weekly	Clean vents and fan grilles (dry cloth only)
Monthly	Inspect panels and lamps; report any failed LEDs to Elevé

6.3 INFRARED SAUNA

Frequency	Task
Between every guest	Remove used towels; wipe benches, backrests and door handle; replace bench towel; refill drinking water
Daily	Wipe all wood surfaces with approved wood-safe cleaner; clean floor and glass; air out with door open
Weekly	Light scrub of benches to remove sweat marks; clean heater panel covers (cool, dry cloth)
Monthly	Inspect wood, seals and heater panels; treat wood as per Elevé

6.4 HYPERBARIC OXYGEN CHAMBER

Frequency	Task
Between every guest	Wipe interior surfaces, mattress, pillow and door seal with

Frequency	Task
	Elevé-approved oxygen-compatible product and single-use white cloths only; fresh pillow cover and sheet; check no prohibited items left inside
Daily	Full interior and exterior clean; inspect seals, zips or door for damage; empty bin outside the chamber area
Weekly	Clean viewing window, intercom and control panel exterior; check and replace filters as per Elevé
Monthly	Elevé-specified inspection checklist; record in maintenance log

> No alcohol-based wipes, oils, aerosols or petroleum-based products in or on the hyperbaric chamber unless Elevé has approved them in writing. Fire risk in oxygen-enriched air is the main hazard.

6.5 FLOAT TANK (FLOAT & SENSORY RESET)

Frequency	Task
Between every guest	Run full filtration cycle with UV [minimum ___ minutes / ___ turnovers]; skim surface; wipe tank walls above waterline, door or lid, handrail and call button; rinse and refill eye-spray bottle; clean shower and floor; fresh towels
Daily	Test and log pH, sanitiser level, specific gravity (Epsom concentration) and temperature; check filter pressure; wipe all interior surfaces above waterline
Weekly	Change or clean filter cartridge as per supplier; test for [total alkalinity, combined chlorine or other parameters]; top up Epsom salt to maintain target specific gravity
Monthly	Send water sample to an accredited laboratory [Lab name] for microbiological testing; inspect UV lamp and record hours; deep-clean tank exterior and room

Target values (confirm with supplier and Dubai Municipality):

Parameter	Target range	Action if out of range
Specific gravity (Epsom)	[1.23–1.30]	Add salt or water; retest before next guest
pH	[7.2–7.8]	Adjust; retest
Sanitiser residual	[___]	Adjust; close tank if below minimum
Water temperature	Skin temperature [34.5–35.5 °C]	Adjust heater; do not float if outside range
Microbiology (monthly lab)	[Per Dubai Municipality]	Close tank; shock treat; retest

6.6 DRY FLOAT BED

Frequency	Task
Between every guest	Wipe membrane and frame with Elevé-approved disinfectant; fresh pillow cover and blanket
Daily	Full wipe-down; check membrane for wear or leaks
Weekly	Check water level and temperature settings as per Elevé
Monthly	Inspection as per Elevé; record in maintenance log

6.7 SALT CABIN (E-SALT CABIN)

Frequency	Task
Between every guest	Wipe seat, armrests, handles and controls; fresh towel; refresh aromatherapy as per guest choice; ventilate for [___] minutes
Daily	Dry-wipe interior surfaces (no water on salt surfaces unless Elevé approves); clean red-light lens; check salt generator level
Weekly	Refill salt generator (PPE: mask and goggles); clean oxygen outlet exterior as per Elevé; vacuum loose salt
Monthly	Elevé inspection checklist; replace filters as per Elevé

6.8 COLD PLUNGE (ELEVÉ · POLAR RECOVERY, 5 °C)

Frequency	Task
Between every guest	Skim surface; wipe rim, handrail and step; check temperature is 5 °C and log; dry floor and replace mat
Daily	Test and log sanitiser level, pH and clarity; check filter and circulation; record temperature at open, midday and close
Weekly	Clean or change filter as per Elevé; wipe waterline; check ozone or UV unit as per Elevé
Monthly	Drain, clean and refill if Elevé schedule or test results require; lab microbiological sample [Lab name]

6.9 COMPRESSION BOOTS (7-ZONE)

Frequency	Task
Between every guest	Wipe inside and outside of boots, hoses and controller with Elevé-approved disinfectant; use fresh disposable liners [if used]
Daily	Full wipe; check for tears and hose leaks
Weekly	Inspect zips and connectors

Frequency	Task
Monthly	Elevé inspection; record in maintenance log

6.10 IV ROOM (CLINICAL STANDARDS)

Cleaning in the IV room follows clinical infection-control standards set by the Clinical Lead and DHA requirements [DHA licence / approval reference]. Only trained staff clean this room. Yellow cloths only.

Frequency	Task
Between every guest	Hand hygiene; disinfect chair or couch, armrests, IV stand, trolley top and any touched surface with clinical-grade disinfectant; replace couch roll; dispose of sharps at point of use; segregate clinical waste
Daily	Damp-dust all surfaces including high surfaces; clean floor; restock; check sharps container fill level; check fridge temperature and log
Weekly	Clean fridge, cupboards and trolleys inside; check stock expiry dates; check anaphylaxis kit and log
Monthly	Deep clean including walls, curtains or screens (change curtains [every ___ months] or when soiled); audit by Clinical Lead

6.11 CHANGING ROOMS AND SHOWERS

Frequency	Task
Between every guest (private changing / shower suites)	Remove used towels and robes; wipe bench, hooks and vanity; squeegee shower; dry floor; restock amenities
Daily	Full clean of showers, toilets, basins and floors (red cloths for toilets and shower floors); empty bins; check drains
Hourly during opening	Floor and toilet check; dry wet floors; sign the area checklist
Weekly	Descale shower heads and glass; clean lockers inside; deep-clean grout
Monthly	Clean extractor fans and vents; check for mould and report

6.12 RECEPTION AND LOUNGE

Frequency	Task
Between every guest	Wipe check-in tablet or pen, counter and card machine
Daily	Dust and wipe all surfaces; clean glass and doors; vacuum or mop floors; empty bins; refresh water and tea station
Weekly	Clean retail shelves and products; wipe skirting and lighting

Frequency	Task
Monthly	Deep clean upholstery and rugs

7. Laundry

- Used linen goes into bags at the point of use, never on the floor.
- Linen soiled with blood or body fluid is bagged separately in [water-soluble red] bags.
- Laundry is processed by [Laundry contractor] at [___ °C] or in-house to the same standard.
- Clean linen is stored covered and away from used linen.

8. Body fluid spills

1. Put on PPE (double gloves, apron, goggles).
2. Cover with absorbent granules or spill kit.
3. Remove into a clinical waste bag.
4. Clean the area, then disinfect with clinical-grade disinfectant for the full contact time.
5. Dispose of PPE as clinical waste. Wash hands. Record on the cleaning log.

9. Logs and sign-off

9.1 FLOAT TANK WATER TESTING LOG

Date / time	pH	Sanitiser	Specific gravity	Temp (°C)	Initials
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

9.2 COLD PLUNGE TEMPERATURE AND WATER LOG

Date	Open (°C)	Midday (°C)	Close (°C)	pH / sanitiser	Initials
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

9.3 DAILY CLEANING SIGN-OFF LOG

Area / device	Between-guest checks complete	Daily clean complete	Issue noted	Cleaned by	Checked by
Cryo chamber	☐	☐	_____	_____	_____
Red-light bed	☐	☐	_____	_____	_____
Infrared sauna	☐	☐	_____	_____	_____
Hyperbaric chamber	☐	☐	_____	_____	_____
Float tank	☐	☐	_____	_____	_____
Dry float bed	☐	☐	_____	_____	_____
Salt cabin	☐	☐	_____	_____	_____
Cold plunge	☐	☐	_____	_____	_____
Compression boots	☐	☐	_____	_____	_____
IV room	☐	☐	_____	_____	_____
Changing rooms and showers	☐	☐	_____	_____	_____
Reception and lounge	☐	☐	_____	_____	_____

Date: _____ Duty Manager: _____

9.4 WEEKLY AND MONTHLY SIGN-OFF

Week / month	Area / device	Task completed	Cleaned by	Checked by	Date
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Logs are kept for at least [___] years and are available to Dubai Municipality inspectors on request.

10. Audit

The General Manager walks the studio with the cleaning checklist at least [weekly]. The Clinical Lead audits the IV room [monthly]. Findings are recorded and actions are closed within [7] days.