Health, Safety & Hygiene Policy

Document No. AUR-SAF-01 · Version 0.2 (Draft) · Owner: General Manager · Effective: [Date]

> Draft for internal use. To be reviewed by a UAE-qualified legal adviser once the trade license is issued.

1. Purpose and scope

This policy sets out how The Aura Reset Center keeps guests, Hosts, Healers, contractors and visitors safe at the Dubai studio, 332 Jumeirah First, Jumeirah Beach Road, Jumeirah 1. It covers the eight Elevé modalities (one unit of each), Guided Breathwork, Sound Healing, Healer consultations, the changing rooms, showers, reception, refreshment and retail areas, the in-house laundry and back-of-house areas. The studio is open 7 days a week, 9:00am–9:00pm.

Our studio uses extreme cold, heat, pressurised oxygen, water and salt aerosol. No medical treatments are offered at launch. Each is safe when run to protocol and dangerous when rushed. Safety is part of "the nervous system first": a guest cannot settle if they do not feel safe.

This policy applies from the first day of fit-out handover through the November 2026 opening and onward. The US location (Santa Ana, California) follows its own local requirements; this policy may be used as a reference there.

2. Legal and regulatory framework

We comply with, as applicable:

- Dubai Municipality requirements for public health, hygiene, health clubs and spa facilities — [Dubai Municipality permit / approval reference]
- Dubai Civil Defence requirements for fire safety, fire systems, signage and evacuation — [Civil Defence completion certificate reference]
- Dubai Health Authority (DHA) / licensing authority requirements for hyperbaric oxygen — [confirm licensing requirements for hyperbaric with DHA / licensing authority]. A doctor is named on the licence as [Medical Director named on the licence] for oversight and escalation; the doctor is not on the floor. IV Nutrient Therapy is not offered at launch; any future clinical service would need DHA licensing first
- UAE Federal Decree-Law No. 33 of 2021 on labour relations and related occupational health and safety rules
- Manufacturer instructions, protocols and service schedules from Elevé Health for every device

Where requirements differ, the stricter standard applies.

3. Responsibilities

Role	Key responsibilities
Founder & CEO and CEO	Overall accountability; approve this policy; provide resources for safe operation
General Manager	Day-to-day owner of this policy; risk assessments; training records; incident review; authority liaison
[Medical Director named on the licence]	Oversight and escalation only, not on the floor: advice on screening questions, contraindication escalations and health-related incident review. If clinical services are added later, a Clinical Lead would be appointed
Healers	Run first-visit consultations, Sound Healing and Guided Breathwork safely; note screening flags and pass them to the Host and Duty Manager
Duty Manager / Senior Host	Opening and closing safety checks; shift safety briefing; first response coordination
Hosts (2 per shift)	Run every session to Elevé protocol; pre-session screening; stay with the guest where required; report hazards immediately
Elevé Health technicians	Installation, calibration, servicing, technical support and protocol updates
Cleaning team / contractor [Name]	Cleaning to the Cleaning & Sanitation Procedures (AUR-SAF-02); safe chemical handling

Every person on site has a duty to stop a session or close an area if they believe it is unsafe. No one is criticised for stopping in good faith.

4. Risk assessment approach

1. The General Manager keeps a written risk assessment for each modality, each area and each regular task (e.g. chemical handling, salt replenishment, laundry, serving hot refreshments).
2. Each assessment lists the hazard, who may be harmed, existing controls, a risk rating (likelihood × severity, 1–5 each) and further actions with an owner and date.
3. Assessments are completed before opening, reviewed every [12] months, and reviewed immediately after any incident, near miss, new device, Elevé protocol update or layout change.
4. Hosts are briefed on the assessments for the modalities they run and sign to confirm.
5. Guest screening (intake form, contraindications, consent) is a core control. A Host who is unsure does not proceed and asks the Duty Manager, who escalates to the General Manager and, where needed, the [Medical Director named on the licence].

Score (L × S)	Rating	Action
1–4	Low	Manage with existing controls
5–12	Medium	Further controls within [30] days
15–25	High	Stop the activity until controls are in place

5. Modality-specific hazards and controls

> Elevé operating instructions have not yet been received. All machine settings, session limits and cleaning products below are [per Elevé protocol — pending] and will be confirmed before opening. There is one unit of each machine; if a unit is out of service, that modality is unavailable.

5.1 WHOLE-BODY CRYOTHERAPY (ELEVÉ E-CRYO PRO, TO –110 °C)

Hazards: cold burns and frostbite, especially to extremities and damp skin; fainting or light-headedness; panic; blood-pressure response.

Controls:

- Electric chamber, no nitrogen: no asphyxiation risk from nitrogen gas. Do not modify or bypass any part of the system.
- Pre-session screening for contraindications listed on the intake form (e.g. uncontrolled high blood pressure, cardiac conditions, cold sensitivity disorders, pregnancy) — refer to the doctor before proceeding where flagged.
- Skin must be completely dry. No lotions or oils. Remove jewellery, piercings where possible, glasses and contact lenses as per protocol.
- Mandatory protective wear: dry socks, gloves, slippers or boots, ear covering, mask where required; underwear dry and non-metallic.
- Maximum 3 minutes. The Host keeps visual and verbal contact for the whole session and uses the thermal-vision safety monitoring.
- Guest can exit at any time; the Host never locks or holds the door.
- After the session, the guest sits and warms gradually before moving on.

5.2 COLD PLUNGE (ELEVÉ · POLAR RECOVERY, 5 °C)

Hazards: cold shock response (gasping, rapid breathing), fainting, drowning risk if consciousness is lost, slips on wet surfaces, cold injury with extended immersion.

Controls:

- Always host-guided. The Host stays beside the plunge for the full 2–5 minutes.
- Guest enters slowly, head stays above water, and begins with the breathing ritual: "In for four, out for six."
- Same screening as cryotherapy; no plunge after alcohol.

- Non-slip matting, grab rail and step; floor kept dry.
- Water temperature and quality logged as per AUR-SAF-02.

5.3 INFRARED SAUNA (ELEVÉ FULL-SPECTRUM, 45–60 °C)

Hazards: dehydration, overheating, dizziness or fainting, burns from hot surfaces, interaction with medication.

Controls:

- Guests are asked to arrive hydrated; water is offered before, during and after the 40-minute session.
- Screening for heat-sensitive conditions, pregnancy and recent alcohol.
- Host checks in at set intervals [every 10 minutes] through the door window or intercom.
- Guests are told to leave at once if they feel unwell. The door is never locked.
- When paired with cold plunge (contrast), the Host sets rest intervals and watches for light-headedness.

5.4 HYPERBARIC OXYGEN (ELEVÉ CHAMBER, 1.3–2.0 ATA)

Hazards: barotrauma to ears and sinuses, discomfort during pressurisation, claustrophobia or anxiety, oxygen toxicity at higher pressures, and fire risk in an oxygen-enriched environment.

Controls:

- Offered as a non-medical wellness session. Operated only by Elevé-trained Hosts [confirm licensing requirements for hyperbaric with DHA / licensing authority]. Pressure never exceeds the protocol for that guest.
- Screening for contraindications (e.g. untreated pneumothorax, recent ear or sinus surgery, congestion or cold, certain lung conditions, pregnancy) — refer before proceeding.
- Teach ear-clearing before pressurisation. Pressurise and decompress at the Elevé rate; stop pressurising if the guest reports ear pain.
- The operator stays at the control panel for the full 60 minutes, with intercom contact.
- Guests wear only approved cotton clothing supplied by The Aura.

Prohibited items in and near the hyperbaric chamber (strict, no exceptions):

- Lighters, matches, cigarettes, e-cigarettes and vapes
- Mobile phones, smart watches, fitness trackers, hearing aids with batteries, any battery-powered device or hand warmer
- Oils, lotions, petroleum-based products, hair products, aerosols, perfume, make-up and nail polish not fully dry
- Synthetic clothing (nylon, polyester, wool) or anything that can create static
- Jewellery, hairpins and metal accessories
- Paper, books, magazines and newspapers
- Food and drink

The Host checks every guest against this list before each session and records the check on the session sheet. Oxygen supply is stored, handled and maintained to Elevé and Civil Defence requirements. No open flame or smoking anywhere in the building.

5.5 DRY FLOAT BED (ELEVÉ)

There is no wet float tank at The Aura. The dry float bed is the only float; guests stay fully clothed.

Hazards: low risk. Warm membrane over heated water; possible overheating; difficulty getting up after deep rest.

Controls: temperature [per Elevé protocol — pending]; Host helps the guest sit up slowly; check the membrane for wear each day.

5.6 SALT CABIN (ELEVÉ E-SALT CABIN)

Hazards: respiratory irritation or coughing, especially for guests with asthma or other respiratory conditions; eye irritation; sensitivity to aromatherapy oils; salt dust during replenishment.

Controls:

- Screening for respiratory conditions; guests with asthma carry their inhaler into the cabin.
- Aromatherapy oils are agreed with the guest and allergies checked.
- Salt particle output and oxygen settings to Elevé spec only.
- Staff wear a dust mask [FFP2] and eye protection when refilling salt.

5.7 RED-LIGHT BED (660 / 850 NM) AND COMPRESSION RECOVERY (7-ZONE BOOTS)

Red light hazards: eye discomfort; photosensitivity (certain medications or conditions); heat. Controls: eye protection offered; screening for photosensitivity; 20-minute maximum per protocol.

Compression hazards: discomfort; unsuitable for guests with deep vein thrombosis, acute injury or certain circulatory conditions. Controls: screening; start at low pressure; guest holds the controller and can stop at any time.

5.8 GUIDED BREATHWORK AND SOUND HEALING

Hazards: light-headedness or tingling from altered breathing; emotional release; sound sensitivity (for example tinnitus or noise sensitivity); trips over mats and instruments in a dimmed room. Controls: guide-led pacing; guests sit or lie down; no breath-holding techniques for guests with flagged conditions; volume and instrument placement agreed with the guest; clear walkways; the guide checks in after each round. Group size [up to __ guests].

5.9 HEALER CONSULTATION, REFRESHMENTS AND LAUNDRY

- Healer consultations ([30–45 min proposed]) use wellness language only and never diagnose. Health flags are passed to the Host and Duty Manager.

- Hot refreshments are served in stable cups or copper mugs on a tray, never carried over a resting guest. Allergens for refreshments are listed [menu to confirm].
- The in-house laundry machine is used to the manufacturer's instructions, with dry hands, a clear floor and the lint filter cleaned [daily].

5.10 FUTURE CLINICAL SERVICES

IV Nutrient Therapy and any other medical treatment are not offered at launch. If added in future, they would need DHA licensing, on-site licensed clinicians and a Clinical Lead, and this policy would be updated with full clinical controls (including sharps, clinical waste and adverse-reaction procedures) before the first session.

6. Electrical safety

- Every Elevé unit is installed by Elevé and connected to a dedicated circuit as specified.
- Only Elevé technicians open, repair or move devices. Hosts do not attempt repairs.
- Visual checks of plugs, cables and controls at opening. Any damage: switch off, tag "Do not use", report.
- Residual current protection and earthing in wet areas (plunge, showers, laundry) to Dubai Electricity and Water Authority and Civil Defence standards — [Electrical certificate reference].
- Portable appliances tested every [12] months and labelled.
- Emergency lighting and backup for critical devices as per Section 8 of AUR-SAF-04.

7. Slip prevention

- Non-slip flooring in plunge, shower, changing and sauna areas.
- Hotel-style Aura-branded slippers provided to every guest.
- Wet-floor signs used whenever a floor is wet; spills dealt with at once.
- Absorbent mats at the exits of the plunge and showers; changed when saturated.
- Handrails at the plunge and any steps.
- Floors checked at least [hourly] during opening hours and logged.

8. Chemicals (hazardous substances)

We follow a COSHH-style approach:

1. Keep an inventory of every chemical on site: [Approved product list] (cleaning, disinfection, plunge water treatment, laundry detergents), with products [per Elevé protocol — pending] for equipment surfaces.
2. Hold the supplier's Safety Data Sheet (SDS) for each one in the chemical file.
3. Assess each chemical for risk and set controls: dilution, ventilation, PPE, storage.
4. Store chemicals in their original labelled containers in a locked, ventilated store, away from guest areas and the oxygen supply. Never mix chemicals.
5. Train staff before they use any chemical; record the training.

6. Spills: follow the SDS; use the spill kit; report.

9. First aid and AED

- Both Hosts on every shift are trained first aiders, including someone trained in CPR and AED use.
- AED located at [location, e.g. reception], checked [weekly] and logged.
- First-aid kits at reception, the cold zone (cryo and plunge), the wet zone (plunge and showers) and the hyperbaric room. Contents checked [monthly].
- Blankets and warming supplies kept near the cryo chamber and cold plunge.
- Emergency numbers displayed at reception and in every treatment room: 998 ambulance, 999 police, 997 Civil Defence.
- Full emergency steps: Emergency & Incident Response Procedure (AUR-SAF-04).

10. Staff training

Training	Who	When	Refresher
Elevé device training and protocols	All Hosts operating each device	Before first session on that device	On every Elevé protocol update
Hyperbaric safety and prohibited items	Hosts operating hyperbaric	Before operating	[12] months
First aid, CPR and AED	All Hosts and Duty Managers	Before opening	[24] months or as certificate requires
Fire safety and evacuation	All staff	Induction	[12] months; drill every [6] months
Chemical handling and laundry	Cleaning support, Hosts	Induction	[12] months
Breathwork and sound-healing safety	Healers and guides	Before first session	[12] months
Guest screening and contraindications	All Hosts	Induction	[12] months
This policy and AUR-SAF-02 to 05	All staff	Induction	On each revision

The General Manager keeps a training record for each person. No one runs a device they are not signed off on.

11. Accident and incident reporting

- Every accident, injury, near miss, device fault, adverse reaction and complaint about safety is reported on the Incident Report Form (AUR-SAF-04) before the end of the shift.

- The Duty Manager informs the General Manager the same day. Serious incidents are escalated at once to the General Manager, then the Founder & CEO and CEO.
- Health-related incidents are also reported to the [Medical Director named on the licence] and, where required, to DHA.
- Device-related incidents are reported to Elevé Health and the device is taken out of use until cleared. With one unit of each machine, the modality is unavailable meanwhile and affected bookings are moved or offered an alternative.
- Reportable incidents are notified to the relevant authority within required timeframes [authority reporting requirements].
- The General Manager reviews all incidents monthly to spot trends and update risk assessments.

12. Elevé maintenance and calibration

- Elevé Health installs, calibrates and services every unit on their clinical service schedule.
- The General Manager keeps a maintenance log for each device: serial number, installation date, service dates, calibration results, faults and repairs.
- Daily pre-use checks by Hosts follow the Elevé checklist for each device.
- Any fault, error code or unusual reading: stop the session safely, tag the device "Do not use", and contact Elevé support [Elevé support contact].
- Firmware and protocol updates from Elevé are logged and Hosts are briefed before the next session.

Device	Elevé service interval	Last service	Next due	Calibration certificate ref.
E-CRYO PRO cryo chamber	[___]	[Date]	[Date]	[___]
Hyperbaric chamber	[___]	[Date]	[Date]	[___]
Red-light bed	[___]	[Date]	[Date]	[___]
Infrared sauna	[___]	[Date]	[Date]	[___]
E-Salt Cabin	[___]	[Date]	[Date]	[___]
Polar Recovery cold plunge	[___]	[Date]	[Date]	[___]
Dry float bed	[___]	[Date]	[Date]	[___]
Compression boots	[___]	[Date]	[Date]	[___]
Laundry machine (not Elevé)	[Supplier]	[Date]	[Date]	[___]

13. Hygiene

Hygiene standards, cleaning frequencies, products, PPE and logs are set out in the Cleaning & Sanitation Procedures (AUR-SAF-02). Staff with a contagious illness do not work with guests until cleared. Hand hygiene stations are provided at reception, the refreshment area and each treatment zone.

14. Authority compliance checklist

Item	Authority	Reference	Status	Renewal date
Trade licence	[Licensing Authority]	[Trade License No.]	☐ In process	[Date]
Public health / spa approval	Dubai Municipality	[Reference]	☐	[Date]
Fire safety completion certificate	Dubai Civil Defence	[Reference]	☐	[Date]
Fire system maintenance contract	Dubai Civil Defence approved contractor	[Contractor]	☐	[Date]
Hyperbaric licensing requirements	DHA / licensing authority	[confirm licensing requirements for hyperbaric with DHA / licensing authority]	☐	[Date]
Medical Director on the licence	DHA / licensing authority	[Medical Director named on the licence]	☐	[Date]
Food / refreshment service requirements	Dubai Municipality	[Reference]	☐	[Date]
Water facility approval (cold plunge)	Dubai Municipality	[Reference]	☐	[Date]

15. Review

This policy is reviewed every [12] months, after any serious incident, and when law, Elevé protocols or our services change.

Name	Signature	Date
General Manager _____	_____	_____
Founder & CEO _____	_____	_____
Chief Executive Officer _____	_____	_____