Cleaning & Sanitation Procedures

Document No. AUR-SAF-02 · Version 0.2 (Draft) · Owner: General Manager · Effective: [Date]

1. Purpose

A guest should walk into every room as if they are the first person to use it that day. These procedures set out what is cleaned, when, how and by whom across the Jumeirah 1 studio, open 7 days a week, 9:00am–9:00pm. Cleaning is done by the Hosts (2 per shift) plus [in-house attendant / outsourced cleaner — to be decided]. They support the Health, Safety & Hygiene Policy (AUR-SAF-01) and Dubai Municipality hygiene requirements [Dubai Municipality approval reference].

Where an Elevé Health cleaning instruction exists for a device, it takes priority over this document. Never use a product on an Elevé device that Elevé has not approved. Elevé operating and cleaning instructions have not yet been received, so every device product, dilution and method is [per Elevé protocol — pending] until confirmed.

2. General rules

- Clean from clean to dirty, and from top to bottom.
- Clean first (remove soil), then disinfect for the full contact time shown on the product label.
- Never mix chemicals. Use measured dilution only.
- Switch off and allow devices to reach safe temperature before cleaning. Never spray liquid into vents, controls or electrical parts.
- Turnaround cleaning is included in every booking slot. A room is not released to the next guest until the Host has signed it off.
- Every robe, Aura-branded towel, Aura-branded clothing set, pair of hotel-style Aura-branded slippers, cryo sock, glove and ear cover is fresh for each guest.
- With one unit of each machine, turnaround must be finished on time; a unit that cannot be cleaned to standard is closed and that modality is unavailable until it is.

3. Approved products

Use	Product	Dilution	Contact time	SDS held
General hard-surface cleaner	[Product]	[___]	n/a	☐
Hard-surface disinfectant (non-device)	[Product]	[___]	[___] min	☐
Elevé-approved device	[per Elevé protocol —	[___]	[___] min	☐

Use	Product	Dilution	Contact time	SDS held
disinfectant	pending]			
Hyperbaric chamber interior cleaner (oxygen-compatible, alcohol and oil-free per Elevé)	[per Elevé protocol — pending]	[___]	[___] min	☐
Cold plunge water treatment	[Product per Elevé · Polar Recovery]	[___]	n/a	☐
Body fluid spill disinfectant	[Product]	[___]	[___] min	☐
Laundry detergent and sanitiser (in-house machine)	[Product]	[___]	n/a	☐
Food-contact surface sanitiser (refreshment station, copper mugs)	[Product]	[___]	[___] min	☐
Floor cleaner, wet areas (anti-slip safe)	[Product]	[___]	n/a	☐
Glass and mirror cleaner	[Product]	[___]	n/a	☐
Hand sanitiser (guest and staff)	[Product]	Ready to use	20–30 sec	☐

4. PPE

Task	Gloves	Apron	Eye protection	Mask
Routine surface cleaning	Nitrile	Optional	No	No
Chemical dilution and dosing (plunge, laundry)	Chemical-resistant	Yes	Goggles	As per SDS
Toilet and shower cleaning	Nitrile (red cloth area)	Yes	No	No
Salt cabin refill and deep clean	Nitrile	Yes	Goggles	[FFP2] dust mask
Body fluid spill	Nitrile, double	Disposable	Goggles	Yes

5. Colour-coded cloths and mops

Colour	Area	Never use on
Blue	Reception, lounge, offices, general low-risk surfaces	Toilets
Green	Treatment rooms and device exteriors (cryo, red light, sauna, HBOT exterior, dry float, salt cabin, compression boots), Healer consultation room, Sound Healing and breathwork room	Toilets
Yellow	Refreshment station and food-contact surfaces	Any other area
Red	Toilets, urinals, shower floors	Any other area
White (single-use)	Hyperbaric chamber interior	Any other area

Cloths are laundered separately from guest linen in the in-house machine at [60–90 °C] daily or are single-use. Mop heads are colour-matched and stored separately.

6. Cleaning schedules by area and device

6.1 WHOLE-BODY CRYOTHERAPY (E-CRYO PRO)

Frequency	Task
Between every guest	Wipe handles, door seals, floor mat and touchscreen with Elevé-approved disinfectant; remove moisture and frost from floor; fresh socks, gloves, ear cover and mask for the next guest
Daily	Full interior and exterior wipe-down at close; empty condensation tray as per Elevé; check door seal for damage
Weekly	Clean thermal-vision camera lens and sensors as per Elevé; clean air filters or intake grilles as per Elevé
Monthly	Defrost cycle and inspection as per Elevé; record in maintenance log

6.2 RED-LIGHT BED

Frequency	Task
Between every guest	Wipe acrylic panels, headrest and handles with Elevé-approved disinfectant (no alcohol unless Elevé approves); clean eye protection; fresh towel or liner
Daily	Full exterior and interior wipe; check panels for scratches or residue
Weekly	Clean vents and fan grilles (dry cloth only)
Monthly	Inspect panels and lamps; report any failed LEDs to Elevé

6.3 INFRARED SAUNA

Frequency	Task
Between every guest	Remove used towels; wipe benches, backrests and door handle; replace bench towel; refill drinking water
Daily	Wipe all wood surfaces with approved wood-safe cleaner; clean floor and glass; air out with door open
Weekly	Light scrub of benches to remove sweat marks; clean heater panel covers (cool, dry cloth)
Monthly	Inspect wood, seals and heater panels; treat wood as per Elevé

6.4 HYPERBARIC OXYGEN CHAMBER

Frequency	Task
Between every guest	Wipe interior surfaces, mattress, pillow and door seal with

Frequency	Task
	Elevé-approved oxygen-compatible product and single-use white cloths only; fresh pillow cover and sheet; check no prohibited items left inside
Daily	Full interior and exterior clean; inspect seals, zips or door for damage; empty bin outside the chamber area
Weekly	Clean viewing window, intercom and control panel exterior; check and replace filters as per Elevé
Monthly	Elevé-specified inspection checklist; record in maintenance log

> No alcohol-based wipes, oils, aerosols or petroleum-based products in or on the hyperbaric chamber unless Elevé has approved them in writing. Fire risk in oxygen-enriched air is the main hazard.

6.5 DRY FLOAT BED

There is no wet float tank at The Aura; the dry float bed is the only float.

Frequency	Task
Between every guest	Wipe membrane and frame with Elevé-approved disinfectant; fresh pillow cover and blanket
Daily	Full wipe-down; check membrane for wear or leaks
Weekly	Check water level and temperature settings [per Elevé protocol — pending]
Monthly	Inspection as per Elevé; record in maintenance log

6.6 SALT CABIN (E-SALT CABIN)

Frequency	Task
Between every guest	Wipe seat, armrests, handles and controls; fresh towel; refresh aromatherapy as per guest choice; ventilate for [___] minutes
Daily	Dry-wipe interior surfaces (no water on salt surfaces unless Elevé approves); clean red-light lens; check salt generator level
Weekly	Refill salt generator (PPE: mask and goggles); clean oxygen outlet exterior as per Elevé; vacuum loose salt
Monthly	Elevé inspection checklist; replace filters as per Elevé

6.7 COLD PLUNGE (ELEVÉ · POLAR RECOVERY, 5 °C)

Frequency	Task
Between every guest	Skim surface; wipe rim, handrail and step; check temperature

Frequency	Task
	is 5 °C and log; dry floor and replace mat
Daily	Test and log sanitiser level, pH and clarity; check filter and circulation; record temperature at open, midday and close
Weekly	Clean or change filter as per Elevé; wipe waterline; check ozone or UV unit as per Elevé
Monthly	Drain, clean and refill if Elevé schedule or test results require; lab microbiological sample [Lab name]

6.8 COMPRESSION BOOTS (7-ZONE)

Frequency	Task
Between every guest	Wipe inside and outside of boots, hoses and controller with Elevé-approved disinfectant; use fresh disposable liners [if used]
Daily	Full wipe; check for tears and hose leaks
Weekly	Inspect zips and connectors
Monthly	Elevé inspection; record in maintenance log

6.9 SOUND HEALING, GUIDED BREATHWORK AND HEALER CONSULTATION ROOMS

Frequency	Task
Between every guest or group	Wipe mats, cushion covers, bolsters and eye pillows (or replace covers); wipe instruments to the maker's guidance; fresh blanket; air the room; wipe consultation table and chairs
Daily	Vacuum or mop floor; launder cushion covers and blankets; check instruments for damage
Weekly	Clean mats in full; dust shelves and speakers
Monthly	Deep clean soft furnishings

> IV Nutrient Therapy is not offered at launch, so there is no IV room. If clinical services are added in future, subject to DHA licensing, clinical cleaning standards would be added here under a Clinical Lead.

6.10 CHANGING ROOMS AND SHOWERS

Frequency	Task
Between every guest (private changing / shower suites)	Remove used towels, robes, guest clothing and slippers; wipe bench, hooks and vanity; squeegee shower; dry floor; restock amenities
Daily	Full clean of showers, toilets, basins and floors (red cloths for toilets and shower floors); empty bins; check drains
Hourly during opening	Floor and toilet check; dry wet floors; sign the area checklist

Frequency	Task
Weekly	Descale shower heads and glass; clean lockers inside; deep-clean grout
Monthly	Clean extractor fans and vents; check for mould and report

6.11 RECEPTION, LOUNGE, REFRESHMENTS AND RETAIL

Frequency	Task
Between every guest	Wipe check-in tablet or pen, counter and card / Apple Pay terminal; wash used cups and copper mugs (yellow cloths, food-contact sanitiser)
Daily	Dust and wipe all surfaces; clean glass and doors; vacuum or mop floors; empty bins; refresh herbal tea and infused water station [menu to confirm]; check refreshment stock dates
Weekly	Clean retail shelves and products (copper mugs, organic fragrances, wellness pillows, linen merchandise); wipe skirting and lighting
Monthly	Deep clean upholstery and rugs

7. Laundry

- Used linen goes into bags at the point of use, never on the floor.
- Linen soiled with blood or body fluid is bagged separately in [water-soluble red] bags.
- Laundry is done in-house in the studio's own laundry machine(s), by the Hosts and [in-house attendant / outsourced cleaner — to be decided].
- Robes, Aura-branded towels and Aura-branded guest clothing are washed at [___ °C] with [Product]; hotel-style slippers are [single-use / laundered at ___ °C — confirm].
- Branded items are washed to the care label to protect the colour and logo; faded or damaged items are withdrawn and recorded.
- The closing shift runs the last loads, cleans the lint filter and leaves the machine door open to dry.
- Clean linen is stored covered and away from used linen; par stock of [___] sets is checked daily so every guest has fresh items.

8. Body fluid spills

1. Put on PPE (double gloves, apron, goggles).
2. Cover with absorbent granules or spill kit.
3. Remove into a sealed, labelled waste bag [disposal route per Dubai Municipality — to confirm].

4. Clean the area, then disinfect with the body fluid spill disinfectant for the full contact time.
5. Dispose of PPE in the same sealed bag. Wash hands. Record on the cleaning log.

9. Logs and sign-off

9.1 COLD PLUNGE TEMPERATURE AND WATER LOG

Date	Open (°C)	Midday (°C)	Close (°C)	pH / sanitiser	Initials
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

9.2 DAILY CLEANING SIGN-OFF LOG

Area / device	Between-guest checks complete	Daily clean complete	Issue noted	Cleaned by	Checked by
Cryo chamber	☐	☐	_____	_____	_____
Red-light bed	☐	☐	_____	_____	_____
Infrared sauna	☐	☐	_____	_____	_____
Hyperbaric chamber	☐	☐	_____	_____	_____
Dry float bed	☐	☐	_____	_____	_____
Salt cabin	☐	☐	_____	_____	_____
Cold plunge	☐	☐	_____	_____	_____
Compression boots	☐	☐	_____	_____	_____
Sound Healing / breathwork / consultation rooms	☐	☐	_____	_____	_____
Laundry machine and linen store	☐	☐	_____	_____	_____
Refreshment station	☐	☐	_____	_____	_____
Changing rooms and showers	☐	☐	_____	_____	_____
Reception and lounge	☐	☐	_____	_____	_____

Date: _____ Duty Manager: _____

9.3 WEEKLY AND MONTHLY SIGN-OFF

Week / month	Area / device	Task completed	Cleaned by	Checked by	Date
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Week / month	Area / device	Task completed	Cleaned by	Checked by	Date
_____	_____	_____	_____	_____	_____

Logs are kept for at least [___] years and are available to Dubai Municipality inspectors on request.

10. Audit

The General Manager walks the studio with the cleaning checklist at least [weekly]. Findings are recorded and actions are closed within [7] days.