

Prepared Statement

```
import java.sql.*;
import java.util.Scanner;

public class PreparedStatement1 {
    public static void main(String[] args) throws Exception {
        Scanner sc = new Scanner(System.in);

        String dburl = "jdbc:mysql://localhost:3306/lju";
        String dbuser = "root";
        String dbpass = "";
        String drivename = "com.mysql.jdbc.Driver";

        // Step 1: Arrange and Load Drivers:

        Class.forName(drivename);

        // Step 2: Establish Connection:

        Connection con = DriverManager.getConnection(dburl, dbuser, dbpass);

        // Check is Connection established?

        if (con != null) {
            System.out.println("Connection Sucessful");
        }

        else {
            System.out.println("Connection Failed");
        }

        //INSERT using PreparedStatement

        String sql = "insert into Project(pname, ptype, pcost) values (?, ?, ?)";
        PreparedStatement pst = con.prepareStatement(sql);
        pst.setString(1, "LJKU");
        pst.setString(2, "Website");
        pst.setFloat(3, 32000);

        int r = pst.executeUpdate();
        if (r > 0) {
            System.out.println("Insert Success");
        } else {
            System.out.println("Insert failed");
        }
    }
}
```

```

    }

/* User Input
System.out.println("How many rows you want to enter? ");
int n = sc.nextInt();

for (int i = 1; i <= n; i++) {

    System.out.println("Enter Project Name: ");
    String name= sc.next();
    System.out.println("Enter Project Type: ");
    String type= sc.next();
    System.out.println("Enter Cost: ");
    float cost = sc.nextFloat();
    pst.setString(1, name);
    pst.setString(2, type);
    pst.setFloat(3, cost);
    pst.executeUpdate();
}
*/

//UPDATE using PreparedStatement

String sql1 = "update Project set pname=? where pid=?";
PreparedStatement pst1 = con.prepareStatement(sql1);
pst1.setString(1,"LJKTRUST");
pst1.setInt(2,515);

int r1 = pst1.executeUpdate();
if (r1 > 0) {
    System.out.println("Update Success");
} else {
    System.out.println("Update failed");
}

// DELETE using PreparedStatement

String sql2 = "delete from Project where pname=? ";
PreparedStatement pst2 = con.prepareStatement(sql2);
pst2.setString(1,"LJKTRUST");

int r2 = pst2.executeUpdate();
if (r2 > 0) {

```

```

        System.out.println("Delete Success");
    } else {
        System.out.println("Delete failed");
    }

    // SELECT using PreparedStatement

    String sql3 = "select * from Project where ptype=? AND pcost>?";
    PreparedStatement pst3 = con.prepareStatement(sql3);
    pst3.setString(1, "Website");
    pst3.setFloat(2, 100000);
    ResultSet rs = pst3.executeQuery();
    while(rs.next())
    {
        System.out.println("Project Id= "+rs.getInt(1));
        System.out.println("Project Name= "+rs.getString(2));
        System.out.println("Project type= "+rs.getString(3));
        System.out.println("Project Amount= "+rs.getFloat(4));
    }
}

```