

# Department of Computer Engineering

56 - Sahil Pawar

To study Detecting and Recognizing Faces

Date of Performance: 21/08/2023

Date of Submission: 28/08/2023



### Department of Computer Engineering

Aim: To study Detecting and Recognizing Faces

**Objective**: To Conceptualizing Haar Cascades Getting Haar cascade data Using Open CV to Perform face detections performing face detection on still images

#### Theory:

Conceptualizing Haar Cascades


Getting Haar Cascade Data

Using Open CV to perform Face Detection

Performing Face detection on a still image

#### **Introduction:**

Discover object detection with the Haar Cascade algorithm using OpenCV. Learn how to employ this classic method for detecting objects in images and videos. Explore the underlying principles, step-by-step implementation, and real-world applications. From facial recognition to vehicle detection, grasp the essence of Haar Cascade and OpenCV's role in revolutionizing computer vision. Whether you're a novice or an expert, this article will equip you with the skills to harness the potential of object detection in your projects.





### Department of Computer Engineering

#### **Table of contents**

Why Use Haar Cascade Algorithm for Object Detection?

Identifying a custom object in an image is known as object detection. This task can be done using several techniques, but we will use the haar cascade, the simplest method to perform object detection in this article.

### What is Haar Cascade Algorithm?


Haar cascade is an algorithm that can detect objects in images, irrespective of their scale in image and location.

This algorithm is not so complex and can run in real-time. We can train a haar-cascade detector to detect various objects like cars, bikes, buildings, fruits, etc.

Haar cascade uses the cascading window, and it tries to compute features in every window and classify whether it could be an object.



### Department of Computer Engineering



Haar cascade works as a classifier. It classifies positive data points  $\rightarrow$  that are part of our detected object and negative data points  $\rightarrow$  that don't contain our object.

- Haar cascades are fast and can work well in real-time.
- Haar cascade is not as accurate as modern object detection techniques are.
- Haar cascade has a downside. It predicts many false positives.
- Simple to implement, less computing power required.



### Department of Computer Engineering

#### Code:-

```
import cv2
from google.colab.patches import cv2 imshow
# Load the image
image = cv2.imread('/content/melodi.jpeg')
# Load the pre-trained face detection classifier
                    cv2.CascadeClassifier(cv2.data.haarcascades
face cascade =
'haarcascade frontalface default.xml')
# Convert the image to grayscale
gray image = cv2.cvtColor(image, cv2.COLOR BGR2GRAY)
# Perform face detection
           face cascade.detectMultiScale(gray image, scaleFactor=1.3,
minNeighbors=5, minSize=(30, 30))
# Draw rectangles around detected faces
for (x, y, w, h) in faces:
    cv2.rectangle(image, (x, y), (x+w, y+h), (0, 255, 0), 2)
# Display the result
cv2 imshow(image)
```



# Department of Computer Engineering

## **Output:-**



**Conclusion:** In summary, the objective of investigating face detection and recognition has been effectively achieved. This study involved an in-depth exploration of diverse methods and technologies for the precise detection and recognition of faces in images. The outcomes of our research underscore the significance of this work in practical applications, including security, surveillance, and enhancing human-computer interaction.